



CHEMISTRY

AAKASH INSTITUTE ENGLISH

MOCK TEST 21

Example

1. Give the correct order of initials T(true) or F(false) for following statements.

(a) Micelles formation takes place only above

craft temperature

(b) ZSM-5 is a type of zeolites used as a catalyst in petrochemical industries.

(c) A micelle is an aggregation of surfactants in aqueous solution, often spherical

(d) Lyophilic sols are irreversible sols

A. T F F T

B. T T F F

C. T T T F

D. F T T F

Answer: C



Watch Video Solution

2. In an adsorption experiment, a graph of $\log(x/m)$ versus $\log P$ was found to be linear with a slope of 45° , and the the intercept is found to be 0.3010. The amount of gas adsorbed per gram charcoal under a pressure of 0.8 atm is

A. 1.2

B. 1.4

C. 1.6

D. 1.8

Answer: C



Watch Video Solution

3. which gas will be adsorbed on a solid to greater extent ?

A. A gas having non polar molecules with lowest critical temperature (T_c)

B. A gas having non polar molecules with highest critical pressure (P_c)

C. A gas having polar molecules with highest critical temperature (T_c)

D. A gas having non polar molecules with lowest critical pressure (P_c)

Answer: C



Watch Video Solution

4. According to the adsorption theory of catalysis, the speed of the reaction increases because:

A. In the process of adsorption, the concentration of the molecules decreases at the surface of catalyst

B. Adsorption produces heat which increases the speed of the reaction

C. Adsorption lowers the activation energy of the reaction

D. Adsorption increases the activation energy of the reaction

Answer: C



Watch Video Solution

5. Which of the following justify the enthalpy driven spontaneity of adsorption process?

A. It is a spontaneous endothermic process in which randomness increases

due to force of repulsion between adsorbent and adsorbate

B. It is a spontaneous exothermic process in which randomness decreases due to force of attraction between adsorbent and adsorbate

C. It is a spontaneous adiabatic process in which randomness increases due to free expansion of molecule between adsorbent and adsorbate

D. It is a non spontaneous endothermic process in which randomness decreases due to force of repulsion between adsorbent and adsorbate

Answer: B



Watch Video Solution

6. Choose the incorrect statement pertaining to the adsorption of gas on a solid surface

A. Adsorption is always exothermic

B. Physisorption may transform into chemisorption at high temperature

C. Physisorption increases with increasing temperature but chemisorption decreases with increasing temperature





D. Chemisorption is more exothermic than physisorption, however it is very slow due to higher energy of activation

Answer: C



Watch Video Solution

7. Among the following, the surfactant that will form micelles in aqueous solution at the lowest molar concentration at ambient condition is



Answer: A



Watch Video Solution

8. Which of the following is lyophilic sol?

- A. Silver sol
- B. As_2S_3 sol
- C. Sulphur sol
- D. Gelatin sol

Answer: D



Watch Video Solution

9. Which of the following is an incorrect statement?

A. Most heterogeneous catalytic reactions involve the solid surface of the catalyst

B. Heterogeneous catalyst primarily function by lowering the activation energy of the reaction

C. A solid catalyst present in the powder form is more effective as it has large surface area

D. The catalyst may be deactivated by heating it to a high temperature in vacuum

Answer: D



Watch Video Solution

10. a finely divided substance more effective as an adsorbent (T/F)



Watch Video Solution

11. Which of the following methods could be employed for the preparation of As_2S_3 yolo sol?

A. Colloidal mill method

B. Double decomposition method

C. Bredig's arc method

D. Peptization

Answer: B



Watch Video Solution

12. Surface tension of lyophobic sols is usually

A. Lower than dispersion medium

B. More than dispersion medium

C. Equal to dispersion medium

D. Can't predict

Answer: A



Watch Video Solution

13. Which of the following is true with respect to chemical adsorption (chemisorption)?

A. $\Delta H < 0$, $\Delta S > 0$, $\Delta G > 0$

B. $\Delta H < 0$, $\Delta S < 0$, $\Delta G < 0$

C. $\Delta H > 0$, $\Delta S > 0$, $\Delta G < 0$

$$D. \Delta H > 0, \Delta S < 0, \Delta G > 0$$

Answer: B



Watch Video Solution

14. 10 % sites of catalyst bed have adsorbed by H_2 on Heating H_2 gas is evolved from sites and collected at 0.03 atm and 300 K in a small vessel of 2.46cm^3 .

no. of sites available is 5.4×10^{16} per cm^2 and

surface area is 1000cm^2 . find out the no. of surface sites occupied per molecule of H_2 .

A. 1

B. 2

C. 3


D. 4

Answer: D



Watch Video Solution

15. In Bredig's arc method an electric arc is struck between the metal electrodes under the surface of water containing some stabilizing agent . The process involves



- A. Only dispersion of metal
- B. Only condensation of metal
- C. Dispersion as well as condensation

D. Neither dispersion nor condensation

Answer: C



Watch Video Solution

16. The electrical charge on the the colloidal particles is indicated by

A. Ultramicroscope

B. Molecular sieves

C. Electrophoresis

D. Brownian movement

Answer: C



Watch Video Solution

17. The gold number of protective colloids A,B,C and D are 0.02, 0.002, 10 and 30 respectively. then the protective powers of A,B,C and D are in the order

$$\text{A. } D > C > A > B$$

B. DgtCgtBgtA

C. AgtBgtCgtD

D. $B > A > C > D$

Answer: D



Watch Video Solution

18. For the coagulation of 40ml of ferric hydroxide sol, 10ml of 0.4 M KCl is required.

Then, coagulation value of KCl is

A. 10

B. 50

C. 100

D. 40

Answer: C



Watch Video Solution

19. Which of the following given statements is/are correct?

(a) cold cream is an example of (W/O) type

emulsions,

(b) electrical conductance of aqueous emulsions is less than that of oil emulsions

(c) emulsions cannot be broken into constituent liquids by heating or freezing

(d) an emulsion can be diluted with water, then it forms (O/W) type emulsion

A. (a) and (d)

B. only (a)

C. (a), (b) & (c)




D. (a), (c) & (d)

Answer: A



Watch Video Solution

20. Range the following electrolytes in the increasing order of coagulating power for the coagulation of As_2S_3 sol



A. III gt I gtII

B. lgtllgtlll

C. llgtllgtl

D. lgtlllgtll

Answer: C



Watch Video Solution

21. The factors responsible for the stability of lyophilic sols are

A. Charge and solvation of colloidal particles

B. Large particle size only

C. Electrical charge only

D. Brownian movement and larger size

Answer: A



Watch Video Solution

22. To stop bleeding from an injury ferric chloride can be applied. Which of the following comment (s) about the statement is justified?

(a) it is not true, ferric chloride is highly poisonous

(b) it is true, Fe^{3+} ions coagulate blood which is negatively charged sol.

(c) it is true, coagulation takes place because of formation of negatively charged sol with Cl^{-} ions

(d) it is not true, Cl^{-} ions form positively

charged sol, profuse bleeding takes place (e) it is not true, ferric chloride is ionic and gets into blood stream

A. only (c)

B. (b) & (c)

C. only (b)

D. (a), (d) & (e)

Answer: C



Watch Video Solution

23. Match the items given in column-I with that in column-II
column-I (I) Fool's gold (II) Corundum (III) Diaspore (IV) Calamine
column-II

(a) Al_2O_3 (b) Sulphide ore (c) ZnCO_3

(d) $\text{Al}_2\text{O}_3 \cdot 3\text{H}_2\text{O}$ (e) Sulphide of zinc

A. I(c), II(d), III(a), IV(e)

B. I(b), II(a), III(d), IV(c)

C. I(e), II(d), III(a), IV(c)

D. I(d), II(c), III(b), IV(a)

Answer: B



Watch Video Solution

24. A certain metal M occurs in four compounds namely A, B, C and D. A has 20% of M, B has 68% of M, C has 73% of M and D has 60% of M. If metal M is extracted from A, B, C and D, it costs Rs 35 per kg, Rs 40 per kg, Rs 100 per kg and Rs 45 per kg respectively. Which mineral can be considered as an effective ore of M?

A. A

B. B

C. C

D. D

Answer: B



Watch Video Solution

25. The incorrect statement regarding forth floatation process is

A. It is based on the difference in gravities
of the ore

B. Uses Cresols as froath stabilizers

C. Uses of pine oil as frothing agent

D. Uses sodium ethyl xanthate,

$C_2H_5OCS_2Na$ as collector

Answer: A



Watch Video Solution

26. Which of the following given properties of colloidal particles is its optical property?

- A. Brownian movement
- B. Colligative properties
- C. Electro-osmosis
- D. Tyndall effect

Answer: D



Watch Video Solution

27. Match the methods of concentration of ore given in column-I with the different ores given in column-II and select the correct option.

column-I (I) magnetic separation (II) froth flotation (III) hydraulic washing column-II (a)

Cu_2S (b) Fe_3O_4 (c) $Al_2(SiO_3)$

A. I(a), II(b), III(c)

B. I(b), II(a), III(c)

C. I(c), II(a), III(b)

D. I(b), II(c), III(a)

Answer: B



Watch Video Solution

28. Oxidation states of the metal in the minerals haematite and magnetite, respectively, are

- A. II, III in haematite and III in magnetite
- B. II, III in haematite and II in magnetite
- C. II in haematite and II,III in magnetite
- D. III in haematite and II,III in magnetite

Answer: D



Watch Video Solution


29. Which of the following statements is/are incorrect?

(a) Cassiterite is not the ore of tin

(b) Metallurgy is a process of mixing of ore

(c) concentration of chromite ($FeO \cdot Cr_2O_3$) is done by magnetic separation

(d) ZnS with depressant NaCN forms



A. (a) & (b)

B. only (a)

C. (b),(c) & (d)

D. (c) & (d)

Answer: A



Watch Video Solution

30. On addition of 1 ml of solution of 10% NaCl to 100ml corporate gold sol in presence of

0.25g of starch, the coagulation is just prevented. The gold number of starch is

A. 0.025

B. 0.25

C. 2.5

D. 25

Answer: D



Watch Video Solution