



CHEMISTRY

BOOKS - NCERT CHEMISTRY (ENGLISH)

CHEMICAL KINETICS

Multiple Choice Questions

1. The role of a catalyst is to change

- A. Gibbs energy of reaction
- B. enthalpy of reaction
- C. activation energy of reaction

D. equilibrium constant

Answer: C



Watch Video Solution

2. In the presence of a catalyst, the heat evolved or absorbed during the reaction ΔH ..

A. increases

B. decreases

C. remains unchanged

D. may increase or decrease

Answer: C



3. Activation energy of a chemical reaction can be determined by -----.

A. determining the rate constant at standard temperature


B. determining the ratio of rate constants at two temperatures

C. determining probability of collision

D. using catalyst

Answer: B

4. Consider figure and mark the correct option



- A. Activation energy of forward reaction is $E_1 + E_2$ and product is less stable than reactant .
- B. Activation energy of forward reaction is $E_1 + E_2$ and product is more stable than reactant.
- C. Activation energy of both forward and backward reaction is $E_1 + E_2$ and reactant is more stable than


product

D. Activation energy

Answer: A

 [Watch Video Solution](#)

5. Consider a first order gas phase decomposition reaction gives below



The initial pressure of the system before decomposition of A p_i . After lapse of time 't' total pressure of the system increased by x units and became p_t . The rate constant K for the reaction is given as..... .

$$A. k = \frac{2.303}{t} \log. \frac{p_i}{p_i - p_x}$$

$$B. k = \frac{2.303}{t} \log. \frac{p_i}{2p_i - p_t}$$


$$C. k = \frac{2.303}{t} \log. \frac{p_i}{2p_i - p_t}$$

$$D. k = \frac{2.303}{t} \log. \frac{p_i}{2p_i - x}$$


Answer: B

 **Watch Video Solution**


6. According to Arrhenius equation rate constant K is equal to $A e^{-E_a/RT}$. Which of the following options represents the graph of $\ln K$ vs $\frac{1}{T}$?




A.



B.



C.



D.

Answer: A

 [Watch Video Solution](#)

7. Consider the Arrhenius equation given below and mark the correct option.

$$k = Ae^{-\frac{E_a}{RT}}$$


- A. Rate constant increase exponentially with increasing activation and decreasing temperature
- B. Rate constant decreases exponentially with increasing activation energy and decreasing temperature.
- C. Rate constant increase exponentially with decreasing activation energy and decreasing temperature.
- D. Rate constant increases exponentially with decreasing activation energy increasing temperature

Answer: D



Watch Video Solution

8. A graph of volume of hydrogen released vs time for the reaction between zinc and dil. HCl is given in figure . On the basis of this mark the correct options.



A. Average rate upto 40 s is $\frac{V_3 - V_2}{40}$

B. Average rate upto 40 s is $\frac{V_3 - V_2}{40 - 30}$

C. Average rate upto 40 s is $\frac{V_3}{40}$

D. Average rate upto 40 s is $\frac{V_3 - V_1}{40 - 20}$

Answer: C

 [Watch Video Solution](#)

9. Which of the following statement is not correct about order of a reaction ?

- A. The order of a reaction can be a fractional number
- B. Order of a reactions is experimentally determined quantity
- C. The order of a reaction is always equal to the sum of the stoichiometric coefficient of reactions in the balanced chemical reequation for a reaction.


D. The order of a reaction in the sum of the powers of molar concentration of the reactants in rate law expression.

Answer: C



Watch Video Solution

10. Consider the graph given in figure . Which of the following options does not show instantaneous rate of reaction at 40 ?



(a) $\frac{V_5 - V_2}{50 - 30}$

(b) $\frac{V_4 - V_2}{50 - 30}$

(c) $\frac{V_3 - V_2}{40 - 30}$

(d) $\frac{V_3 - V_1}{40 - 20}$

A. $\frac{V_5 - V_2}{50 - 30}$

B. $\frac{V_4 - V_2}{50 - 30}$

C. $\frac{V_3 - V_2}{40 - 30}$

D. $\frac{V_3 - V_1}{40 - 20}$

Answer: B

 [Watch Video Solution](#)

11. Which of the following statements is correct ?

A. The rate of a reaction decrease with passage of time
as the concentration of reactants decrease

B. The rate of a reaction is same at any time during the
reactions


C. The rate of a reaction is independent of temperature change

D. The rate of a reaction decreases with increase in concentration of reactant(s).

Answer: A

 [Watch Video Solution](#)

12. Which of the following expression is correct for the rate of reaction given below ?



A.
$$\frac{\Delta[\text{Br}^{-}]}{\Delta t} = 5 \frac{\Delta[\text{H}^{+}]}{\Delta t}$$

$$\text{B. } \frac{\Delta[\text{Br}^-]}{\Delta t} = \frac{6}{5} \frac{\Delta[\text{H}^+]}{\Delta t}$$

$$\text{C. } \frac{\Delta[\text{Br}^-]}{\Delta t} = \frac{5}{6} \frac{\Delta[\text{H}^+]}{\Delta t}$$




$$\text{D. } \frac{\Delta[\text{Br}^-]}{\Delta t} = 6 \frac{\Delta[\text{H}^+]}{\Delta t}$$

Answer: C



Watch Video Solution

13. Which of the following graph represents exothermic reaction ?



- A. only (i)
- B. Only (ii)
- C. Only (iii)
- D. (I) and (II)

Answer: A

 **Watch Video Solution**

14. Rate law for the reaction, $A + 2B \rightarrow C$ is found to be

$$\text{Rate} = k[A][B]$$

Concentration of reactant 'B' is doubled keeping the concentration of 'A' constant, the value of rate constant will be _____

- A. the same
- B. doubled
- C. quadrupled
- D. halved

Answer: B



Watch Video Solution

15. Which of the following statements is incorrect about the collision theory of chemical reaction ?

A. It considers reacting molecules or atoms to be hard spheres and ignores their structural features

B. Number of effective collisions determines the rate of reactions

C. Collision of atoms or molecules possessing sufficient threshold energy results into the product formation.

D. Molecules should collide with sufficient threshold energy and proper orientation for the collision to be effective.

Answer: C



Watch Video Solution

16. A first order reaction is 50% completed in 1.26×10^{14} s.

How much time would it take for 100% completion ?

A. 1.26×10^{15} s

B. 2.52×10^{14} s

C. 2.52×10^{28} s


D. Infinite

Answer: D



Watch Video Solution

17. Compounds 'A' and 'B' react according to the following chemical equation.



Concentration of either 'A' or 'B' were changed Keeping the concentration of one of the reactants constant and rates were measured as a function of initial concentration.

Following result were obtained.

Choose the correct option for the rate equations for this reaction.

Experiment	Initial concentration of [A]/mol L ⁻¹	Initial concentration of [B]/mol L ⁻¹	Initial concentration of [C]/mol L ⁻¹ s ⁻¹
1.	0.30	0.30	0.10
2.	0.30	0.60	0.40
3.	0.60	0.30	0.20

A. Rate = $K[A]^2[B]$

B. Rate = $K[A][B]^2$

$$\text{C. Rate} = K[A][B]$$

$$\text{D. Rate} = K[A]^2[B]^0$$

Answer: B



Watch Video Solution

18. Which of the following statement is not correct for the catalyst ?

A. It catalyses the forward and backward reactions to the same extent

B. It alters ΔG of the reaction

C. It is a substance that does not change the equilibrium constant of a reaction

D. It provides an alternate mechanism by reducing activation energy between reactants and products.

Answer: B



Watch Video Solution

19. The value of the rate constant of a pseudo first order reaction k_p is



- A. k_p depends on the concentration of reactants present in small amount
- B. depends on the concentration of reactants present in excess
- C. is independent of the concentration of reactants

D. \hat{A} depends only on temperature


Answer: A::B

 Watch Video Solution


20. Consider the reaction $A \rightarrow B$. The concentration of both the reactants and the products varies exponentially with time. Which of the following figure correctly describes the change in concentration of reactants and products with time ?



C.



D.



Answer: B

 [Watch Video Solution](#)

Multiple Choice Questions

1. Rate law cannot be determined from balanced chemical equation if $\hat{\epsilon}|\hat{\epsilon}|..$

A. reverse reaction is involved

- B. it is an elementary reaction
- C. it is a sequence of elementary reactions
- D. any of the reactants is in excess

Answer: A::C::D

 [Watch Video Solution](#)

2. Which of the following statements are applicable to a balanced chemical equation of an elementary reaction ?

- A. Order is same as molecularity
- B. Order is less than the molecularity
- C. Order is greater than the molecularity
- D. Molecularity can never be zero

Answer: A::D



Watch Video Solution

3. In any unimolecular reaction $k_1 \ll k_2$.

A. only one reacting species is involved in the rate determining step

B. the order and the molecularity of slowest step are equal to one

C. the molecularity of the reaction is one and order is zero

D. both molecularity and order of the reaction are one

Answer: A::B



Watch Video Solution

4. For a complex reaction $A \rightarrow B$.

A. Order of overall reaction is same as molecularity of the slowest step

B. Order of overall reaction is less than the molecularity of the slowest step

C. order of overall reaction is greater than molecularity of the slowest step


D. molecularity of the slowest step is never zero or non-integer

Answer: A::D



Watch Video Solution

5. At high pressure the following reaction is zero order.



Which of the following options are correct for this reaction ?

A. Rate of reaction = Rate constant

B. Rate of the reaction depends on concentration of ammonia

C. Rate of decomposition of ammonia will remain constant until ammonia disappears completely

D. Further increases in pressure will change the ratio of reaction

Answer: A::C::D

 [Watch Video Solution](#)

6. During decomposition of an activated complex

- A. energy is always released
- B. energy is always absorbed
- C. energy does not change
- D. reactants may be formed

Answer: A::D

7. According to Maxwell , Boltzmann distriubtion of energy

â€|â€|â€| .

A. the fraction of moleucles with most probable kinetic energy decreases at higher temperatures

B. the fraction of moleucles with most probable kinetic energy increases at higher temperatures

C. most probable kinetic energy increases at higher temperature

D. most probable kinetic energy decreases at higher temperature

Answer: A::C



Watch Video Solution

8. In the graph showing Maxwell, Boltzmann distribution of energy ϵ .

A. area under the curves must not change with increase in temperature

B. area under the curve increase with increase in temperature

C. area under the curve decrease with increase in temperature

D. with increase in temperature curve broadens and shifts to the right hand side

Answer: A::D

 [View Text Solution](#)

9. Which of the following statements are in accordance with the Arrhenius equation ?

A. Rate of a reaction increases with increase in temperature

B. Rate of a reaction increases with decreases in activation energy

C. Rate constant decreases exponentially with increase in temperature

D. Rate of reaction decreases with decreases in activation energy

Answer: A::B

 [Watch Video Solution](#)

10. Mark the incorrent statements.

A. Catalyst provides an alternative pathway to reaction mechanism

B. Catalyst raise the activation energy


C. Catalyst lowers the activation energy

D. Catalyst alters enthalpy change of the reaction


Answer: B::D

 [Watch Video Solution](#)



11. Which of the following graph is correct for a zero order reaction ?



A.




B.




Answer: A::D


 [Watch Video Solution](#)

12. Which of the following graph is correct for a first order reaction ?






B.



C.



D.

Answer: A::D



Watch Video Solution

Short Answer Type Question


1. State a condition under which a bimolecular reaction is kinetically first order reaction.

 [Watch Video Solution](#)

2. Write the rate equation for the reaction $2A + B \rightarrow C$ if the order of the reaction is zero .

 [Watch Video Solution](#)

3. How can you determine the law of the following reaction?



 [Watch Video Solution](#)

4. For which type of the reactions, order and molecularity have the same value ?

 [Watch Video Solution](#)

5. In a reaction if the concentration of reaction A is tripled, the rate of reaction becomes twenty seven times. What is the order the reaction ?

 [Watch Video Solution](#)

6. Derive an expression to calculate time required time required for completion of zero order reaction.

 [Watch Video Solution](#)

7. For a reaction $A + B \rightarrow$ Products, the rate law is $-\text{Rate} = k[A][B]^{3/2}$

Can the reaction be an elementary reaction? Explain.

 [Watch Video Solution](#)

8. For a certain reaction large fraction of molecules has energy more than energy more than the threshold energy, yet the rate of reaction is very slow. Why?


 [Watch Video Solution](#)

9. For a zero order reaction will the molecularity be equal to zero? Explain.



10. For a general reaction $A \rightarrow B$, plot of concentration of A vs time is given in figure. Answer the following questions on the basis of this graph.

- (i) what is the order of the reaction?
- (ii) What is the slope of the curve ?
- (iii) What are the units of rate constant?



11. The reactions between $H_2(g)$ and $O_2(g)$ is highly feasible yet allowing the gases to stand at room temperature in the same vessel does not lead to the formation of water . Explain

 [Watch Video Solution](#)

12. Why does the rate of a reaction increase with rise in temperature?

 [Watch Video Solution](#)

13. Oxygen is available in plenty in air yet fuels do not burn by themselves at room temperature. Explain.

 [Watch Video Solution](#)

14. What is the probability of reaction with molecularity higher than three very rare?

 [Watch Video Solution](#)

15. Why does the rate of any reaction generally decrease during the course of the reaction?

 [Watch Video Solution](#)

16. Thermodynamic feasibility of the reaction alone cannot decide the rate of the reaction. Explain with the help of one example.

 [Watch Video Solution](#)

17. The colour of $KMnO_4$ disappears when oxalic acid is added to its solution in acidic medium. This can be explained as

 [Watch Video Solution](#)

18. Why can't molecularity of any reaction be equal to zero?

 [Watch Video Solution](#)

19. An elementary reaction A and B is second order reaction.

Which of the following rate equation must be correct?



[Watch Video Solution](#)

20. Why can we not determine the order of a reaction by

taking into consideration the balanced chemical equation ?







[Watch Video Solution](#)

Matching The Columns

1. Match the graph given in column I with the order of reacting given in column II . More than one item in column I

may link to the same item of Column.

Column I	Column II
A. 	
B. 	1. First order
C. 	2. Zero order
D. 	



[View Text Solution](#)

2. Match the statements given in Column I and Column II.

Column I	Column II
A. Catalyst alters the rate of reaction	1. Cannot be fraction or zero
B. Molecularity	2. Proper orientation is not there
C. Second half-life of first order reaction	3. By lowering the activation energy
D. $e^{-E_a/RT}$	4. Is same as the first
E. Energetically favourable reactions are sometimes slow	5. Total probability is one
F. Area under the Maxwell, Boltzmann curve is constant	6. Refers to the fraction of molecules with energy equal to or greater than activation energy



Watch Video Solution

3. Match the items of Column I and Column II.

Column I	Column II
A. Diamond	1. Short interval of time
B. Instantaneous rate	2. Ordinarily rate of conversion is imperceptible
C. Average rate	3. Long duration of time



Watch Video Solution

4. Match the items of Column I and Column II.

Column I	Column II
A. Mathematical expression for rate of reaction	1. Rate constant
B. Rate of reaction for zero order reaction is equal to	2. Rate law
C. Units of rate constant for zero order reaction is same as that of	3. Order of slowest step
D. Order of a complex reaction is determined by	4. Rate of reaction



[Watch Video Solution](#)

5. Assertion (A) Order of the reaction can be zero or fractional.

Reason (R) We cannot determine order from balanced chemical equation.

A. Both assertion and reason are correct and the reason is correct explanation of assertion.

- B. Both assertion and reason are correct, but the reason does not explain assertion
- C. Assertion is correct but reason is incorrect
- D. Both assertion and reason are incorrect.

Answer: B

 [Watch Video Solution](#)

6. Assertion (A) Order and molecularity are same.

Reason (R) Order is determined experimentally and molecularity is the sum of the stoichiometric coefficient of rate determining elementary step.

- A. Both assertion and reason are correct and the reason in correct explanation of assertion.
- B. Both assertion and reason are correct, but the reason does not explain assertion
- C. Assertion is correct but reason is incorrect
- D. Assertion is incorrect, but reason is correct

Answer:



Watch Video Solution

7. Assertion (A) The enthalpy of reaction remains constant in the presence of a catalyst.

Reason (R) A catalyst participating in the reaction forms

different activated complex and lowers down the activation energy but the difference in energy of reactant and product remains the same.

- A. Both assertion and reason are correct and the reason in correct explanation of assertion.
- B. Both assertion and reason are correct, but the reason does not explain assertion
- C. Assertion is correct but reason is incorrect
- D. Both assertion and reason are incorrect.

Answer: A



Watch Video Solution

8. Assertion (A) All collision of reactant molecules lead to product formation.

Reason (R) Only those collisions in which molecules have correct orientation and sufficient kinetic energy kinetic energy lead to compound formation.

A. Both assertion and reason are correct and the reason in correct explanation of assertion.

B. Both assertion and reason are correct, but the reason does not explain assertion

C. Assertion is correct but reason is incorrect

D. Assertion is incorrect, but reason is correct

Answer:



9. Assertion (A) Rate constant determined from Arrhenius equations are fairly accurate for simple as well as complex molecules.

Reason (R) Reactant molecules undergo chemical irrespective of their orientation during collision.

- A. Both assertion and reason are correct and the reason in correct explanation of assertion.
- B. Both assertion and reason are correct, but the reason does not explain assertion
- C. Assertion is correct but reason is incorrect
- D. Both assertion and reason are incorrect.

Answer: C

 [Watch Video Solution](#)

Long Answer Type Questions

1. All energetically effective collisions do not result in a chemical change. Explain.

 [Watch Video Solution](#)

2. What happens to most probable to the absolute temperature and the energy of activation with increase in temperature ?

 [Watch Video Solution](#)

 [Watch Video Solution](#)

3. Describe how does the enthalpy of reaction remain unchanged when a catalyst is used in the reaction?

 [Watch Video Solution](#)

4. Explain the difference between instantaneous rate of a reaction and average rate of a reaction .

 [Watch Video Solution](#)

5. With the help of an example explain what is meant by pseudo first order reaction .

 [Watch Video Solution](#)

