



CHEMISTRY

BOOKS - NCERT CHEMISTRY (ENGLISH)

D AND F-BLOCK ELEMENTS

Mcq

1. Electronic configuration of a transition element X in +3 oxidation states is $[Ar]3d^5$.

What is its atomic number?

A. 25

B. 26

C. 27

D. 24

Answer: B



Watch Video Solution

2. The electronic configuration of Cu(II) is $3d^9$ whereas that of Cu(I) is $3d^{10}$. Which of the following is correct ?

A. Cu(II) is more stable

B. Cu(II) is less stable

C. Cu(I) and Cu(II) are equally stable

D. Stability of Cu(I) and Cu(II) depends on nature of copper salts

Answer: A



Watch Video Solution

3. Metallic radii of some transitions element are given below. Which of these elements will have highest density ?

Element	<i>Fe</i>	<i>Co</i>	<i>Ni</i>	<i>Cu</i>
Metallic radii/pm	126	125	125	128

A. Fe

B. Ni

C. Co




D. Cu

Answer: D



Watch Video Solution

4. Generally transition elements form coloured salts due to the presence of unpaired electrons. Which of the following compounds will be coloured in solid state?







Answer: B



Watch Video Solution

5. On addition of small amount of $KMnO_4$ to concentrated H_2SO_4 , a green oily compound is obtained which is highly explosive in nature. Identify the compound from the following.



Answer: A



Watch Video Solution

6. The magnetic nature of elements depends on the presence of unpaired electrons. Identify the configuration of transition element, which shows highest magnetic moment.

A. $3d^7$

B. $3d^5$

C. $3d^8$

D. $3d^2$

Answer: B



Watch Video Solution

7. Which of the following oxidation states is the most common among the lanthanoids ?

A. +2

B. +3

C. +4





D. +5

Answer: B



Watch Video Solution

8. Which of the following reactions are disproportionation reactions?



A. (i)

B. (i),(ii) and (iii)

C. (ii), (iii) and (iv)

D. (i) and (iv)

Answer: A



Watch Video Solution

9. When $KMnO_4$ solution is added to oxalic acid solution, the decolourisation is slow in the beginning but becomes instantaneous after some time because

A. CO_2 is formed as the product

B. reaction is exothermic

C. MnO_4^- catalyses the reaction

D. Mn^{2+} acts as autocatalyst

Answer: D



Watch Video Solution

10. There are 14 elements in actinoid series. Which of the following elements does not belong to this series?

A. U

B. Np

C. Tm

D. Fm

Answer: C



Watch Video Solution

11. $KMnO_4$ acts as an oxidising agent in acidic medium. The number of moles of $KMnO_4$ that will be needed to react with one mole of sulphide ions in acidic solution is

A. $\frac{2}{5}$

B. $\frac{3}{5}$

C. $\frac{4}{5}$

D. $\frac{1}{5}$

Answer:



Watch Video Solution


12. Which of the following is amphoteric oxide?

Mn_2O_7 , CrO_3 , Cr_2O_3 , CrO , V_2O_5 , V_2O_4

A. V_2O_5 , Cr_2O_3

B. Mn_2O_7 , CrO_3

C. CrO , V_2O_5







Answer: A



Watch Video Solution

13. Gadolinium belongs to 4f series. Its atomic number is 64. Which of the following is the correct electronic configuration of gadolinium ?



Answer: A



Watch Video Solution

14. Interstitial compounds are formed when small atoms are trapped inside the crystal lattice of metals.

Which of the following is not the characteristic properties of interstitial compounds?

I. They have high melting points in comparison to pure metals.

II. They are very hard.

III. They retain metallic conductivity.

IV. They are chemically very reactive.

- A. They have high melting points in comparison to pure metals
- B. They are very hard
- C. They retain metallic conductivity
- D. They are chemically very reactive

Answer: D



Watch Video Solution

15. The magnetic moment is associated with its spin angular momentum and orbital angular momentum.

Spin only magnetic moment value of Cr^{3+} ion is

A. 2.87 BM

B. 3.87 BM

C. 3.47 BM

D. 3.57 BM


Answer: B



Watch Video Solution

16. $KMnO_4$ acts as an oxidising agent in alkaline medium. When alkaline $KMnO_4$ is treated with KI , iodide ion is oxidised to

A. I_2



Answer: C



Watch Video Solution

17. Which of the following statements is not correct?

A. Copper liberates hydrogen from acids

B. In its higher oxidation states, manganese forms
stable compounds with oxygen and fluorine

C. Mn^{3+} and Co^{3+} are oxidising agents in aqueous solution

D. Ti^{2+} and Cr^{2+} are reducing agents in aqueous solution

Answer: A

 [Watch Video Solution](#)

18. When acidified $K_2Cr_2O_7$ solution is added to Sn^{2+} salts then Sn^{2+} changes to

A. Sn



Answer: C



Watch Video Solution

19. Higher oxidation state of manganese in fluoride is $+4(MnF_4)$ but highest oxidation state in oxides is $+7(Mn_2O_7)$ because

A. fluorine is more electronegative than oxygen

B. fluorine does not possess d orbitals

C. fluorine stabilises lower oxidation state

D. in covalent compounds, fluorine can form single

bond only while oxygen forms double bond

Answer: D



Watch Video Solution

20. Although zirconium belongs to 4d transition series and hafnium to 5d transition series even then they show similar physical and chemical properties because

A. both belong to d-block

B. both have same number of electrons

C. both have similar atomic radius

D. both belong to the same group of the Periodic

Table

Answer: C



Watch Video Solution

21. Why HCl not used to make the medium acidic in oxidation reactions of $KMnO_4$ in acidic medium ?

A. Both HCl and $KMnO_4$ act as oxidising agents

B. $KMnO_4$ oxidises HCl into Cl_2 which is also an oxidising agent

C. $KMnO_4$ is a weaker oxidising agents than HCl

D. $KMnO_4$ acts as a reducing agent in the presence of HCl




Answer: B



Watch Video Solution

22. Generally transition elements and their salts are coloured due to the presence of unpaired electrons

in metal ions. Which of the following compounds are coloured?



Answer: A::B



Watch Video Solution

23. Transition elements show magnetic moment due to spin and orbital motion of electrons. Which of the

following metallic ions have almost same spin only magnetic moment?



Answer: A::D



Watch Video Solution

24. In the form of dichromate, Cr(VI) is a strong oxidising agent in acidic medium but Mo(VI) in MoO_3

and $W(VI)$ in WO_3 are not because

- A. Cr (VI) is more stable than Mo(VI) and W(VI).
- B. Mo (VI) and W (VI) are more stable than Cr(VI).
- C. Higher oxidation states of heavier members of group-6 of transition series are more stable.
- D. Lower oxidation states of heavier members of group-6 of transition series are more stable.

Answer: B::C



Watch Video Solution

25. Which of the following actinoids show oxidation states upto +7?

A. Am

B. Pu

C. U

D. Np

Answer: B::D



Watch Video Solution

26. General electronic configuration of actinoids is $(n - 2)f^{1-14}(n - 1)d^{0-2}ns^2$. Which of the following actinoids have one electron in 6d orbital?

- A. U (Atomic number. 92)
- B. Np (Atomic number. 93)
- C. Pu (Atomic number. 94)
- D. Am (Atomic number. 95)

Answer: A::B



Watch Video Solution

27. Which of the following lanthanoids show +2 oxidation state besides the characteristic oxidation state +3 of lanthanoids?

A. Ce

B. Eu

C. Yb


D. Ho

Answer: B::C



Watch Video Solution

28. Which of the following ions show higher spin only magnetic moment value?



Answer: B::C



Watch Video Solution

29. Transition elements form binary compounds with halogens. Which of the following elements will form MF_3 type compounds ?

A. Cr

B. Co

C. Cu

D. Ni

Answer: A::B



Watch Video Solution

30. Which of the following will not act as oxidising agents?



Answer: B::C



Watch Video Solution

31. Although +3 is the characteristic oxidation state for lanthanoids but cerium also shows +4 oxidation state because

A. it has variable ionisation enthalpy

B. it has a tendency to attain noble gas configuration

C. it has a tendency to attain f^0 configuration

D. it resembles Pb^{4+}

Answer: B::C



Watch Video Solution

32. Match the catalyst given in Column I with the processes given in Column II.

Column I (Catalyst)	Column II (Process)
A. Ni in the presence of hydrogen	1. Ziegler-Natta catalyst
B. Cu_2Cl_2	2. Contact process
C. V_2O_5	3. Vegetable oil to ghee
D. Finely divided iron	4. Sandmeyer reaction
E. $\text{TiCl}_4 + \text{Al}(\text{CH}_3)_3$	5. Haber's process
	6. Decomposition of KClO_3

A. A. \rightarrow (3)

B. \rightarrow (2)

C. \rightarrow (5)

D. \rightarrow (1)

Answer: A. \rightarrow (3) B. \rightarrow (4) C. \rightarrow (2) D. \rightarrow (5) E.
 \rightarrow (1)

33. Match the compounds/elements given in Column I with uses given in Column II.

	Compound /Element	Use
A.	Lanthanoid oxide	Television screen
B.	Lanthanoid	Production of iron alloy
C.	Misch metall	Lanthanoid metal + iron
D.	Magnesium based alloy is constitute of	Bullets
E.	Mixed oxides of lanthanoids are employed	Petroleum cracking

A. → (2)

B. → (1)

C. → (4)

D. → (5)

Answer: A. → (2) B. → (1) C. → (4) D. → (5) E.

→ (3)



Watch Video Solution

34. Match the properties given in Column I with the metals given in Column II

Column I (Property)	Column II (Metal)
A. An element which can show +8 oxidation state	1. Mn
B. <i>3d</i> block element that can show upto +7 oxidation state	2. Cr
C. <i>3d</i> block element with highest melting point	3. Os
	4. Fe



Watch Video Solution

35. Match the statements given in Column I with the oxidation states given in Column II.

Column I	Column II
A. Oxidation state of Mn in MnO_2 is	1. +2
B. Most stable oxidation state of Mn is	2. +3
C. Most stable oxidation state of Mn in oxides is	3. +4
D. Characteristic oxidation state of lanthanoids is	4. +5
	5. +7

 **Watch Video Solution**

36. Match the solutions given in Column I and the colours given in Column II.

Column I (Aqueous solution of salt)	Column II (Colour)
A. $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$	1. Green
B. $\text{NiCl}_2 \cdot 4\text{H}_2\text{O}$	2. Light pink
C. $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$	3. Blue
D. $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$	4. Pale green
E. Cu_2Cl_2	5. Pink
	6. Colourless

 **Watch Video Solution**

37. Match the property given in Column I with the element given in Column II.

	Column I (Property)		Column II (Element)
A.	Lanthanoid which shows +4 oxidation state	1.	Pm
B.	Lanthanoid which can show +2 oxidation state	2.	Ce
C.	Radioactive lanthanoid	3.	Lu
D.	Lanthanoid which has $4f^7$ electronic configuration in +3 oxidation state	4.	Eu
E.	Lanthanoid which has $4f^4$ electronic configuration in +3 oxidation state	5.	Gd
		6.	Dy

A → (2) B → (4) C → (1) D → (5) E → (3)



Watch Video Solution

38. Match the properties given in Column I with the metals given in Column II.

Column II:

Column I (Property)	Column II (Metal)
A. Element with highest second ionisation enthalpy	1. Co
B. Element with highest third ionisation enthalpy	2. Cr
C. M in $M(\text{CO})_6$ is	3. Cu
D. Element with highest heat of atomisation	4. Zn
	5. Ni



Watch Video Solution

39. Assertion (A) Cu^{2+} iodide is not known.

Reason (R) Cu^{2+} oxidises I^- to iodine.

A. Both assertion and reason are true, and reason

is the correct explanation of the assertion.

B. Both assertion and reason are true but reason

is not the correct explanation of assertion.

C. Assertion is not true but reason is true.

D. Both assertion and reason are false.

Answer: A

 [Watch Video Solution](#)

40. Assertion (A) Separation of Zr and Hf is difficult.

Reason (R) Because Zr and Hf lie in the same group of the Periodic Table.

A. Both assertion and reason are true, and reason is the correct explanation of the assertion.

- B. Both assertion and reason are true but reason is not the correct explanation of assertion.
- C. Assertion is not true but reason is true.
- D. Both assertion and reason are false.

Answer: B



Watch Video Solution

41. Assertion (A) Actinoids form relatively less stable complexes as compared to lanthanoids.

Reason (R) Actinoids can utilise their 5f orbitals

alongwith 6d orbitals in bonding but lanthanoids do not use their 4f orbital for bonding.

- A. Both assertion and reason are true, and reason is the correct explanation of the assertion.
- B. Both assertion and reason are true but reason is not the correct explanation of assertion.
- C. Assertion is not true but reason is true.
- D. Both assertion and reason are false.

Answer: C



Watch Video Solution

42. Assertion (A) Cu cannot liberate hydrogen from acids.

Reason (R) Because it has positive electrode potential.

A. Both assertion and reason are true, and reason is the correct explanation of the assertion.

B. Both assertion and reason are true but reason is not the correct explanation of assertion.

C. Assertion is not true but reason is true.

D. Both assertion and reason are false.

Answer: A



Watch Video Solution

43. Assertion (A) The highest oxidation state of osmium is +8.

Reason (R) Osmium is a 5d-block element.


- A. Both assertion and reason are true, and reason is the correct explanation of the assertion.
- B. Both assertion and reason are true but reason is not the correct explanation of assertion.
- C. Assertion is not true but reason is true.
- D. Both assertion and reason are false.

Answer: B



Watch Video Solution

44. Identify A to E and also explain the reaction involved.



Watch Video Solution

45. When a chromite ore (A) is fused with sodium carbonate in free excess of air and the product is dissolved in water, a yellow solution of compound (B) is obtained. After treatment of this yellow solution with sulphuric acid, compound (C) can be crystallised from the solution. When compound (C) is treated with KCl, orange crystals of compound (D) crystallise out. Identify A to D and also explain the reactions.



Watch Video Solution

46. When an oxide of manganese (A) is fused with KOH in the presence of an oxidising agent and

dissolved in water, it gives a dark green solution of compound (B). Compound (B) disproportionates in neutral or acidic (C) oxidises potassium iodide solution to a compound (D) and compound (A) is also formed. Identify compounds A to D and also explain the reactions involved.



[Watch Video Solution](#)

47. On the basis of lanthanoid contraction, explain the following:

(i) Nature of bonding in La_2O_3 and Lu_2O_3 .

(ii) Trends in the stability of oxo salts of lanthanoids from La to Lu.

- (iii) Stability of the complexes of lanthanoids.
- (iv) Radii of 4d and 5d block elements.
- (v) Trends in acidic character of lanthanoids oxides.



[Watch Video Solution](#)

48. Answer the following questions

- (i) Which element of the first transition series has highest second ionisation enthalpy?
 - (ii) Which element of the first transition series has highest third ionisation enthalpy?
 - (iii) Which element of the first transition series has lowest enthalpy of atomisation?
- (b) Identify the metal and justify your answer.

(i) Carbonyl $M(CO)_5$

(ii) MO_3F



[Watch Video Solution](#)

49. Mention the type of compounds formed when small atoms like H, C and N get trapped inside the crystal lattice of transition metals. Also give physical and chemical characteristics of these compounds.



[Watch Video Solution](#)

50. (a) Transition metals can act as catalysts because these can change their oxidation state. How does Fe

(III) catalyse the reaction between iodide and persulphate ions?

(b) Mention any three processes where transition metals act as catalysts.



[Watch Video Solution](#)

51. A violet compound of manganese (A) decomposes on heating to liberate oxygen and compounds (B) and (C) of manganese are formed. Compound (C) reacts with KOH in the presence of potassium nitrate to give compound (B). On heating compound (C) with conc. H_2SO_4 and NaCl, chlorine gas is liberated and a compound (D) of manganese alongwith other

products is formed. Identify compounds A to D and also explain the reaction involved.

 [Watch Video Solution](#)

Short Answer Type Question

1. Why does copper not replace hydrogen from acids?

 [Watch Video Solution](#)

2. Why E^- values for Mn, Ni and Zn are more negative than expected?



 [Watch Video Solution](#)

3. Why first ionisation enthalpy of Cr is lower than that of Zn?

 [Watch Video Solution](#)

4. Transition elements show high melting points. Why?

 [Watch Video Solution](#)

5. When Cu^{2+} ion is treated with KI, a white precipitate is formed. Explain the reaction with the help of chemical equation.



[Watch Video Solution](#)

6. Out of Cu_2Cl_2 and $CuCl_2$, which is more stable and why?



[Watch Video Solution](#)

7. When a brown compound of manganese (A) is treated with HCl it gives a gas (B). The gas taken in

excess, reacts with NH_3 to give an explosive compound (C). Identify compound A, B and C.

 [Watch Video Solution](#)

8. Although fluorine is more electronegative than oxygen, but the ability of oxygen to stabilise higher oxidation states exceeds that of fluorine. Why?

 [Watch Video Solution](#)

9. Although Cr^{3+} and Co^{2+} ions have same number of unpaired electrons but the magnetic moment of

Cr^{3+} is 3.87 B.M. and that of Co^{2+} 4.87 B.M.

because....

 [Watch Video Solution](#)

10. Ionisation enthalpies of Ce, Pr and Nd are higher than Th, Pa and U. Why?

 [Watch Video Solution](#)

11. Although Zr belongs to 4d and Hf belongs to 5d transition series but it is quite difficult to separate them, Why?

 [Watch Video Solution](#)

 Watch Video Solution

12. Cerium shows oxidation state of +4 because

 Watch Video Solution

13. Explain why does colour of $KMnO_4$ disappear when oxalic acid is added to its solution in acidic medium?

 Watch Video Solution

14. When orange solution containing $Cr_2O_7^{2-}$ ion is treated with an alkali, a yellow solution is formed and when H^+ ions are added to yellow solution, an orange solution is obtained. Explain why does this happen?

 [Watch Video Solution](#)

15. A solution of $KMnO_4$ on reduction yields either a colourless solution or a brown precipitate or a green solution depending on pH of the solution. What different stages of the reduction do these represent and how are they carried out?

 [Watch Video Solution](#)

16. The second and third rows of transition elements resemble each other much more than they resemble the first row. Explain, why?

 [Watch Video Solution](#)

17. E^\ominus of Cu is +0.34V while that of Zn is -0.76 V. Explain.

 [Watch Video Solution](#)

18. The halides of transition elements become more covalent with increasing oxidation state of the metal.

Why?



Watch Video Solution

19. While filling up of electrons in the atomic orbitals, the 4s orbital is filled before the 3d orbital but reverse happens during the ionisation of the atom.

Explain why?



Watch Video Solution

20. Reactivity of transition elements decreases almost regularly from Sc to Cu. Explain.



Watch Video Solution