



# MATHS

## BOOKS - SURA MATHS (TAMIL ENGLISH)

### COORDINATE GEOMETRY

#### Exercise 5 1

1. Find the area of the triangle formed by the points.

$(1, -1), (-4, 6), (-3, -5)$



[Watch Video Solution](#)

2. Find the area of the triangle formed by the points.

$(-10, -4)$ ,  $(-8, -1)$  and  $(-3, -5)$



[Watch Video Solution](#)

3. Determine whether the sets of points are collinear?

$\left(-\frac{1}{2}, 3\right)$ ,  $(-5, 6)$  and  $(-8, 8)$



[Watch Video Solution](#)

4. Determine whether the sets of points are collinear?

$(a, b + c)$ ,  $(b, c + a)$  and  $(c, a + b)$



[Watch Video Solution](#)

5. Vertices of given triangles are taken in order and their areas are provided aside. In each case, find the value of 'p'.

S.No.	Vertices	Area(sq. units )
(i)	$(0,0), (p,8), (6,2)$	20
(ii)	$(p,p), (5,6), (5,-2)$	32

[Watch Video Solution](#)

6. In the each of the following, find the value of 'a' for which the given points are collinear.

$(2, 3), (4, a)$  and  $(6, - 3)$

[Watch Video Solution](#)

7. In the each of the following, find the value of 'a' for which the given points are collinear.

$$(a, 2 - 2a), (-a + 1, 2a) \text{ and } (-4 - a, 6 - 2a)$$



[Watch Video Solution](#)

8. Find the area of the quadrilateral whose vertices are at

$$(-9, -2), (-8, -4), (2, 2) \text{ and } (1, -3)$$



[Watch Video Solution](#)

9. Find the area of the quadrilateral whose vertices are at

$(-9, 0)$ ,  $(-8, 6)$ ,  $(-1, -2)$  and  $(-6, -3)$



[Watch Video Solution](#)

10. Find the value of  $k$ , if the area of a quadrilateral is 28 sq.units, whose vertices are

$(-4, -2)$ ,  $(-3, k)$ ,  $(3, -2)$  and  $(2, 3)$



[Watch Video Solution](#)

11. If the points  $A(-3, 9)$ ,  $B(a, b)$  and  $C(4, -5)$  are collinear and if  $a + b = 1$ , find the  $a$  and  $b$ .




[Watch Video Solution](#)

12. Let  $P(11, 7)$ ,  $Q(13.9, 4)$  and  $R(9.5, 4)$  be the midpoints of the sides  $AB$ ,  $BC$  and  $AC$  respectively of  $\triangle ABC$ . Find the coordinates of the vertices  $A$ ,  $B$ , and  $C$ . Hence find the area of  $\triangle ABC$  and compare this with area of  $\triangle PQR$ .



[Watch Video Solution](#)

13. In the figure, the quadrilateral swimming pool shown is surrounded by concrete patio. Find the area of the patio.



[Watch Video Solution](#)


14. A triangle shaped glass with vertices at  $A(-5, -4)$ ,  $B(1, 6)$  and  $C(7, -4)$  has to be painted. If one bucket of paint covers 6 square feet,

how many buckets of paint will be required paint is applied.



[Watch Video Solution](#)


15. In the figure, find area of triangle AGF



[Watch Video Solution](#)




16. In the figure, find area of triangle FED



Watch Video Solution

17. In the figure, find the area of quadrilateral BCEG.



Watch Video Solution

## Exercise 5 2

1. What is the slope of a line whose inclination with positive direction of x-axis is

$90^\circ$



[Watch Video Solution](#)

2. What is the slope of a line whose inclination with positive direction of x-axis is

$0^\circ$



[Watch Video Solution](#)

3. What is the inclination of a line whose slope is

0



[Watch Video Solution](#)

4. What is the inclination of a line whose slope is

1



[Watch Video Solution](#)

5. Find the slope of a line joining the points

$(5, \sqrt{5})$  with origin



[Watch Video Solution](#)

6. Find the slope of a line joining the points

$(\sin \theta, -\cos \theta)$  and  $(-\sin \theta, \cos \theta)$



[Watch Video Solution](#)

7. What is the slope of a line perpendicular to the line joining  $A(5, 1)$  and  $P$  where  $P$  is the mid-point of the segment joining  $(4, 2)$  and  $(-6, 4)$ .



[Watch Video Solution](#)

8. Show that the given points are collinear:

$(-3, -4)$ ,  $(7, 2)$  and  $(12, 5)$



[Watch Video Solution](#)

9. If the three points  $(3, -1)$ ,  $(a, 3)$ ,  $(1, -3)$  are collinear, find the value of  $a$ .



[Watch Video Solution](#)

10. The line through the points  $(-2, a)$  and  $(9, 3)$  has slope  $\frac{-1}{2}$ . Find the value of  $a$ .



[Watch Video Solution](#)

**11.** The line through the point  $(-2, 6)$  and  $(4, 8)$  perpendicular to the line through the points  $(8, 12)$  and  $(x, 24)$ . Find the value of  $x$ .



**Watch Video Solution**

**12.** Show that the given points form a right angled triangle and check whether they satisfies pythagoras theorem.

$A(1, -4)$ ,  $B(2, -3)$  and  $C(4, -7)$



**Watch Video Solution**

**13.** Show that the given points form a right angled triangle and check whether they satisfies pythagoras theorem.

$L(0, 5)$ ,  $M(9, 12)$  and  $N(3, 14)$



[Watch Video Solution](#)

**14.** Show that the given points form a parallelogram:

$A(2.5, 3.5)$ ,  $B(10, -4)$ ,  $C(2.5, -2.5)$  and  $D(-5, 5)$

.



[Watch Video Solution](#)

15. If the points

$A(2, 2)$ ,  $B(-2, -3)$ ,  $C(1, -3)$  and  $D(x, y)$

form a parallelogram then find the value of  $x$  and  $y$ .



[Watch Video Solution](#)

16. Let

$A(3, -4)$ ,  $B(9, -4)$ ,  $C(5, -7)$  and  $D(7, -7)$ .

Show that ABCD is a trapezium.



[Watch Video Solution](#)



17. A quadrilateral has vertices at  $A(-4, -2)$ ,  $B(5, -1)$ ,  $C(6, 5)$  and  $D(-7, 6)$ .

Show that the mid-point of its sides form a parallelogram.



[Watch Video Solution](#)

### Exercise 5 3

1. Find the equation of a straight line passing through the mid-point of a line segment joining the points  $(1, -5)$ ,  $(4, 2)$  and parallel to

X axis



[Watch Video Solution](#)

2. Find the equation of a straight line passing through the mid-point of a line segment joining the points  $(1, -5)$ ,  $(4, 2)$  and parallel to Y axis



[Watch Video Solution](#)

3. The equation of a straight line is  $2(x - y) + 5 = 0$ . Find its slope, inclination and intercept on the Y axis.



[Watch Video Solution](#)

4. Find the equation of a line whose inclination is  $30^\circ$  and making intercept -3 on the y axis.

 [Watch Video Solution](#)

5. Find the slope and y intercept of

$$\sqrt{3} + (1 - \sqrt{3})y = 3$$

 [Watch Video Solution](#)

6. Find the value of 'a', if the line through  $(-2, 3)$  and  $(8, 5)$  is perpendicular to  $y = ax + 2$ .



[Watch Video Solution](#)

7. The hill in the form of a right triangle has its foot at  $(19, 2)$ . The inclination of the hill to the ground is  $45^\circ$ . Find the equation of the hill joining the foot and top.



[Watch Video Solution](#)

8. Find the equation of a line through the given pair

of points  $(x_1, y_1), (x_2, y_2)$

$$\left(2, \frac{2}{3}\right) \text{ and } \left(\frac{-1}{2}, -2\right)$$



**Watch Video Solution**

9. Find the equation of a line through the given pair

of points  $(x_1, y_1), (x_2, y_2)$

$$(2, 3) \text{ and } (-7, -1)$$



**Watch Video Solution**

**10.** A cat is located at the point  $(-6, -4)$  in  $xy$  plane. A bottle of milk travelling through shortest possible distance. Find the equation of the path it needs to take its milk.



**Watch Video Solution**

**11.** Find the equation of the median and altitude of  $\triangle ABC$  through  $A$  where the vertices are  $A(6, 2)$ ,  $B(-5, -1)$  and  $C(1, 9)$ .



**Watch Video Solution**

12. Find the equation of a straight line which has slope  $\frac{-5}{4}$  and passing through the point  $(-1, 2)$ .



[Watch Video Solution](#)

13. You are downloading a song. The percent  $y$  (in decimal form) of mega bytes remaining to get downloaded in  $x$  seconds is given by  $y = 0.1x + 1$ .  
after how many seconds will 75% of the song gets downloaded?



[Watch Video Solution](#)

14. You are downloading a song. The percent  $y$  (in decimal form) of mega bytes remaining to get downloaded in  $x$  seconds is given by  $y = 0.1x + 1$ .

find the total MB of the song.



[Watch Video Solution](#)

15. You are downloading a song. The percent  $y$  (in decimal form) of mega bytes remaining to get downloaded in  $x$  seconds is given by  $y = 0.1x + 1$ .

after how many seconds will 75% of the song gets downloaded?



[Watch Video Solution](#)



**16.** You are downloading a song. The percent  $y$  (in decimal form) of mega bytes remaining to get downloaded in  $x$  seconds is given by  $y = 0.1x + 1$ .  
after how many seconds the song will be downloaded completely?



[Watch Video Solution](#)

**17.** Find the equation of the line whose intercepts on the  $x$  and  $y$  axes are given below.

4, -6



[Watch Video Solution](#)

**18.** Find the equation of the line whose intercepts on the x and y axes are given below.

$$-5, (3)/(4)$$



**Watch Video Solution**

**19.** Find the intercept made by the following lines on the coordinate axes.

$$3x-2y-6=0$$



**Watch Video Solution**

**20.** Find the intercept made by the following lines on the coordinate axes.

$$4x + 3y + 12 = 0$$



[Watch Video Solution](#)

**21.** Find the equation of a straight line

Passing through (1, -4) and has intercepts which are in the ratio 2:5



[Watch Video Solution](#)

22. Find the equation of a straight line

Passing through  $(-8, 4)$  and making equal intercepts on the coordinate axes.



[Watch Video Solution](#)

## Exercise 5 4

1. Find the slope of the following straight lines

$$5y - 3 = 0$$



[Watch Video Solution](#)

2. Find the slope of the following straight lines

$$7x - \frac{3}{17} = 0$$



[Watch Video Solution](#)

3. Find the slope of line which is

parallel to  $y = 0.7x - 11$



[Watch Video Solution](#)

4. Find the slope of line which is

perpendicular to the line  $x = -11$



[Watch Video Solution](#)

5. Check whether the given lines are parallel or perpendicular

$$\frac{x}{3} + \frac{y}{4} + \frac{1}{7} = 0 \text{ and } \frac{2x}{3} + \frac{y}{2} + \frac{1}{10} = 0$$



[Watch Video Solution](#)

6. Check whether the given lines are parallel or perpendicular

$$5x + 23y + 14 = 0 \text{ and } 23x - 5y + 9 = 0$$



[Watch Video Solution](#)

7. If the straight lines  $12y = -(p + 3)x + 12$ ,  $12x - 7y = 16$  are perpendicular then find 'p'.



[Watch Video Solution](#)

8. Find the equation of a straight line passing through the point  $P(-5, 2)$  and parallel to the line joining the points  $Q(3, -2)$  and  $R(-5, 4)$ .



[Watch Video Solution](#)

9. Find the equation of a line passing through  $(6, -2)$  and perpendicular to the line joining the point  $(6, 7)$  and  $(2, -3)$ .



[Watch Video Solution](#)

10.  $A(-3, 0)$ ,  $B(10, -2)$  and  $C(12, 3)$  are the vertices of  $\triangle ABC$ . Find the equation of the altitude through A and B.



[Watch Video Solution](#)



**11.** Find the equation of the perpendicular bisector of the line joining the point  $A(-4, 2)$  and  $B(6, -4)$ .



[Watch Video Solution](#)

**12.** Find the equation of a straight line through the intersection of lines  $7x + 3y = 10$ ,  $5x - 4y = 1$  and parallel to the lines  $13x + 5y + 12 = 0$ .



[Watch Video Solution](#)

**13.** Find the equation of a straight line through the intersection of lines  $3x + 2y = 10$  and  $5x - 6y = 2$  and perpendicular to the line  $4x - 7y + 13 = 0$ .



**Watch Video Solution**

**14.** Find the equation of a straight line joining the point of intersection of  $3x + y + 2 = 0$  and  $x - 2y - 4 = 0$  to the point of intersection of  $7x - 3y = -12$  and  $2y = x + 3$ .



**Watch Video Solution**

15. Find the equation of a straight line through the point of intersection of the lines  $8x + 3y = 18$ ,  $4x + 5y = 9$  and bisecting the line segment joining the points  $(5, -4)$  and  $(-7, 6)$ .



[Watch Video Solution](#)

## Exercise 5 5

1. The area of triangle formed by the points  $(-5, 0)$ ,  $(0, -5)$  and  $(5, 0)$  is

A. 0 sq. units

B. 25 sq. units

C. 5 sq. units

D. None of these

**Answer: B**



**Watch Video Solution**

2. A man walks near a wall, such that the distance between him and the wall is 10 units. Consider the wall to be the Y axis. The path travelled by the man is

A.  $x = 10$

B.  $y = 10$

C.  $x = 0$

D.  $y = 0$

**Answer: A**



**Watch Video Solution**

**3.** The straight line given by the equation  $x = 11$  is

A. parallel to X axis

B. parallel to Y axis

C. passing through the origin

D. passing through the points  $(0, 11)$

**Answer: B**



**Watch Video Solution**

4. If  $(5, 7)$ ,  $(3, p)$  and  $(6, 6)$  are collinear, then the value of  $p$  is

A. 3

B. 6

C. 9

D. 12

**Answer: C**



**Watch Video Solution**

5. The point of intersection of  $3x - y = 4$  and  $x + y = 8$  is

A. (5, 3)

B. (2, 4)

C. (3, 5)

D. (4, 4)

**Answer: C**





Watch Video Solution

6. The slope of the line joining  $(12, 3)$ ,  $(4, a)$  is  $\frac{1}{8}$ .

The value of 'a' is

A. 1

B. 4

C.  $-5$

D. 2

**Answer: D**



Watch Video Solution



7. The slope of the line which is perpendicular to a line joining the points  $(0, 0)$  and  $(-8, 8)$  is

A.  $-1$

B.  $1$

C.  $\frac{1}{3}$

D.  $-8$

**Answer: B**



**Watch Video Solution**

8. If the slope of the line PQ is  $\frac{1}{\sqrt{3}}$  then slope of the perpendicular bisector of PQ is

A.  $\sqrt{3}$

B.  $-\sqrt{3}$

C.  $\frac{1}{\sqrt{3}}$

D. 0

**Answer: B**



**Watch Video Solution**

9. If A is a point on the Y axis whose ordinate is 8 and B is a point on the X axis whose abscissa is 5 then the equation of the line AB is

A.  $8x + 5y = 40$

B.  $8x - 5y = 40$

C.  $x = 8$

D.  $y = 5$

**Answer: A**



**Watch Video Solution**

10. The equation of a line passing through the origin and perpendicular to the line  $7x - 3y + 4 = 0$  is

A.  $7x - 3y + 4 = 0$

B.  $3x - 7y + 4 = 0$

C.  $3x + 7y = 0$

D.  $7x - 3y = 0$

**Answer: C**



**Watch Video Solution**

11. Consider four straight lines

(i)  $l_1 = 3y = 4x + 5$  (ii)  $l_2: 4y = 3x - 1$

(iii)  $l_3: 4y + 3y = 7$  (iv)  $l_4: 4x + 3y = 2$

A.  $l_1$  and  $l_2$  are perpendicular

B.  $l_1$  and  $l_4$  are parallel

C.  $l_2$  and  $l_4$  are perpendicular

D.  $l_2$  and  $l_3$  are parallel

**Answer: C**



**Watch Video Solution**

12. A straight line has equation  $8x = 4x + 21$ . Which of the following is true

- A. The slope is 0.5 and the y intercept is 2.6
- B. The slope is 5 and the y intercept is 1.6
- C. The slope is 0.5 and the y intercept is 1.6
- D. The slope is 5 and the y intercept is 2.6.

**Answer: A**



**Watch Video Solution**

13. When proving that a quadrilateral is a trapezium, it is necessary to show

- A. Two sides are parallel
- B. Two parallel and two non-parallel sides
- C. Opposite sides are parallel
- D. All sides are of equal length.

**Answer: B**



[View Text Solution](#)

14. When proving that a quadrilateral is a parallelogram by using slopes you must find

- A. The slopes of two sides
- B. The slopes of two pair of opposite sides
- C. The length of all sides
- D. Both the lengths and slopes of two sides.

**Answer: B**



**Watch Video Solution**

15.  $(2, 1)$  is the points of intersection of two lines



A.  $x - y - 3 = 0, 3x - y - 7 = 0$

B.  $x + y = 3, 3x + y = 7$

C.  $3x + y = 3, x + y = 7$

D.  $x + 3y - 3 = 0, x - y = 7$

**Answer: B**



**Watch Video Solution**

## Unit Exercise 5

1. PQRS is a rectangle formed by joining the points

$P(-1, -1), Q(-1, 4), R(5, 4)$  and  $S(5, -1)$ .

A, B, C and D are the mid points of PQ, QR, RS and SR respectively. Is the quadrilateral ABCD a square, a rectangle or a rhombus? Justify your answer.



**Watch Video Solution**

2. The area of triangle is 5 sq. units. Two of its vertices are  $(2, 1)$  and  $(3, -2)$ . The third vertex is  $(x, y)$  where  $y=x+3$ . Find the coordinates of the third vertex.



**Watch Video Solution**

3. Find the area of a triangle formed by lines  $3x + y - 2 = 0$ ,  $5x + 2y - 3 = 0$  and  $2x - y - 3 = 0$

 [Watch Video Solution](#)

4. If vertices of a quadrilateral are at  $A(-5, 7)$ ,  $B(-4, k)$ ,  $C(-1, -6)$  and  $D(4, 5)$  and its area is 72 sq. units. Find the value of  $k$ .

 [Watch Video Solution](#)

5. Without using distance formula, show that the points  $(-2, -1)$ ,  $(4, 0)$ ,  $(3, 3)$  and  $(-3, 2)$  is

vertices of a parallelogram.

 [Watch Video Solution](#)

6. Find the equations of the lines, whose sum and product of intercepts are 1 and -6 respectively.

 [Watch Video Solution](#)

7. The owner of a milk store finds that, he can sell 980 litres of milk each week at ₹14/litres and 1220 litres of milk each week at ₹16/litre. Assuming a linear

relationship between selling price and demand, how many litres could he sell weekly at ₹17/litres?

 [Watch Video Solution](#)

8. Find the image of the points  $(3, 8)$  with respect to the line  $x + 3y = 7$  assuming the line to be a plane mirror.

 [Watch Video Solution](#)

9. Find the equation of a line passing through the point of intersection of the lines

$4x + 7y - 3 = 0$  and  $2x - 3y + 1 = 0$  that has equal intercepts on the axes.



[Watch Video Solution](#)

**10.** A person standing at a junction (crossing) of two straight paths represented by the equations  $2x - 3y + 4 = 0$  and  $3x + 4y - 5 = 0$  seek to reach the path whose equation is  $6x - 7y + 8 = 0$  in the least times. Find the equation of the path that he should follow.



[Watch Video Solution](#)

## Government Exam Questions

1. The inclination of a line whose slope is 1 is

- A.  $0^\circ$
- B.  $30^\circ$
- C.  $45^\circ$
- D.  $60^\circ$

**Answer: C**



**Watch Video Solution**

2. The vertices of a triangle are  $A(-1, 3)$ ,  $B(1, -1)$  and  $C(5, 1)$ . Find the length of the median through the vertex C.



[Watch Video Solution](#)

3. What is the slope of the line whose inclination is  $30^\circ$ ?



[Watch Video Solution](#)

4. Using slope concept show that the points  $(1, -4)$ ,  $(2, -3)$  and  $(4, -7)$  form a right



angled triangle.



[Watch Video Solution](#)

## Additional Question Answers

1. If

$A(-5, 7)$ ,  $B(-4, -5)$ ,  $C(-1, -6)$  and  $D(4, 5)$

are the vertices of a quadrilateral, find the area of the quadrilateral ABCD.



[Watch Video Solution](#)

2. If the points  $A(6, 1)$ ,  $B(8, 2)$ ,  $C(9, 4)$  and  $D(P, 3)$  are the vertices of a parallelogram, taken in order. Find the value of  $P$ .



[Watch Video Solution](#)

3. If  $A(-2, -1)$ ,  $B(a, 0)$ ,  $C(4, b)$  and  $D(1, 2)$  are the vertices of a parallelogram, find the values of  $a$  and  $b$ .



[Watch Video Solution](#)

4. Find the area of the quadrilateral whose vertices taken in order, are  $(-3, 2)$ ,  $(5, 4)$ ,  $(7, -6)$  and  $(-5, -4)$ .



[Watch Video Solution](#)

5. Find the area of the triangle formed by the points  $P(-1.5, 3)$ ,  $Q(6, -2)$ , and  $R(-3, 4)$ .



[Watch Video Solution](#)

6. Find the value of  $k$  if the points  $A(2, 3)$ ,  $B(4, k)$  and  $C(6, -3)$  are collinear.



[Watch Video Solution](#)

7. Find the a relation between  $x$  and  $y$  such that the point  $(x, y)$  is equidistant from the points  $(7, 1)$  and  $(3, 5)$ .



[Watch Video Solution](#)

8. Show that the points  $(1, 7)$ ,  $(4, 2)$ ,  $(-1, -1)$  and  $(-4, 4)$  are the vertices of a square.



[Watch Video Solution](#)

9. Find the coordinates of the points of trisection (i.e., points dividing in three equal parts) of the line segment joining the points  $A(2, -2)$  and  $B(-7, 4)$ .



[Watch Video Solution](#)

## Unit Test

1. A man walks near a wall, such that the distance between him and the wall is 10 units. Consider the wall to be the Y axis. The path travelled by the man is

A.  $x = 10$

B.  $y = 10$

C.  $x = 0$

D.  $y = 0$

**Answer: A**



**Watch Video Solution**

2. The point of intersection of

$3x - y = 4$  and  $x + y = 8$  is

A.  $(5, 3)$

B. (2, 4)

C. (3, 5)

D. (4, 4)

**Answer: C**



**Watch Video Solution**

**3.** A straight line has equation  $8x = 4x + 21$ . Which of the following is true

A. The slope is 0.5 and the y intercept is 2.6

B. The slope is 5 and the y intercept is 1.6

C. The slope is 0.5 and the y intercept is 1.6

D. The slope is 5 and the y intercept is 2.6.

**Answer: A**



**Watch Video Solution**

4. The equation of a line passing through the origin and perpendicular to the line  $7x - 3y + 4 = 0$  is

A.  $7x - 3y + 4 = 0$

B.  $3x - 7y + 4 = 0$

C.  $3x + 7y = 0$



$$D. 7x - 3y = 0$$

**Answer: C**



**Watch Video Solution**

5. The straight line given by the equation  $x = 11$  is

A. parallel to X axis

B. parallel to Y axis

C. passing through the origin

D. passing through the points (0, 11)

**Answer: B**



[Watch Video Solution](#)

6. The line through the points  $(-2, a)$  and  $(9, 3)$  has slope  $\frac{-1}{2}$ . Find the value of  $a$ .



[Watch Video Solution](#)

7. Find the value of  $k$ , if the area of a quadrilateral is 28 sq.units, whose vertices are  $(-4, -2)$ ,  $(-3, k)$ ,  $(3, -2)$  and  $(2, 3)$



[Watch Video Solution](#)

8. What is the slope of a line perpendicular to the line joining  $A(5, 1)$  and  $P$  where  $P$  is the mid-point of the segment joining  $(4, 2)$  and  $(-6, 4)$ .

 [Watch Video Solution](#)

9. Find the equation of a line whose inclination is  $30^\circ$  and making intercept  $-3$  on the  $y$  axis.

 [Watch Video Solution](#)

10. Find the equation of the perpendicular bisector of the line joining the point

$A(-4, 2)$  and  $B(6, -4)$ .



[Watch Video Solution](#)

11. A quadrilateral has vertices at  $A(-4, -2)$ ,  $B(5, -1)$ ,  $C(6, 5)$  and  $D(-7, 6)$ .

Show that the mid-point of its sides form a parallelogram.



[Watch Video Solution](#)

12. Find the equation of a straight line joining the point of intersection of

$3x + y + 2 = 0$  and  $x - 2y - 4 = 0$  to the point of intersection of  $7x - 3y = -12$  and  $2y = x + 3$ .



**Watch Video Solution**