



MATHS

BOOKS - KAPLAN INC MATHS (ENGLISH)

PRACTICE TEST 1

Practice Test

1. If $x^3 = 7^5$, what is the value of x ?

A. 3.2

B. 11.6

C. 25.6

D. 243.0

Answer: C



Watch Video Solution

2. If $a\Delta c = \frac{ab}{c}$, which of the following equals

5 ?

A. $4\Delta 3\Delta 2$

B. $5\Delta 2\Delta 5$

C. $6\Delta 4\Delta 2$

D. $10\Delta 2\Delta 4$

Answer: D



Watch Video Solution

3. If $f(x) = e^x$ and $g(x) = \frac{x}{2}$, then
 $g(f(2)) =$

A. 2.7

B. 3.7

C. 4.2

D. 5.4

Answer: B



Watch Video Solution

4. If $\frac{x + 2y}{y} = 5$, what is the value of $\frac{y}{x}$?

A. -3

B. $-\frac{1}{3}$

C. $\frac{1}{3}$


D. 3

Answer: C



Watch Video Solution

5. If $\cos \theta = 0.75$, $\tan \theta =$



A. 0.60

B. 0.67

C. 0.75

D. 0.88

Answer: D



Watch Video Solution

6. Which of the following is an equation of the line that has a y - intercept of 6 and an x - intercept of -2 ?

A. $3x - y = 6$

B. $3x - y = -6$

C. $3x + y = 6$

D. $6x + y = 3$

Answer: B



Watch Video Solution

7. For all $y \neq 0$, $\frac{1}{y} + \frac{1}{2y} + \frac{1}{3y} =$

A. $\frac{1}{2y}$

B. $\frac{1}{6y}$

C. $\frac{5}{6y}$

D. $\frac{11}{6y}$

Answer: D



Watch Video Solution

8. In a class of 10 boys and 15 girls, the average score on a biology test is 90. If the average score for the girls is x , what is the average score for the boys in terms of x ?

A. $200 - \frac{2}{3}x$

B. $225 - \frac{3}{2}x$

C. $250 - 2x$

D. $250 - 3x$


Answer: B




Watch Video Solution


9. Which of the following graphs is symmetric about the origin ?

A.



B.





C.

D. 

Answer: D



Watch Video Solution

10. George is going on vacation and wishes to take along 2 books to read. If he has 5 different books to choose from, how many

different combinations of 2 books can he bring ?

A. 2

B. 5

C. 10

D. 15

Answer: C



Watch Video Solution

11. If $\sqrt{3-x} - x = 3$, $x =$

A. -1 or -6

B. 1 or -6

C. -1 only

D. -6 only

Answer: C



Watch Video Solution

12. The lines with the equations $y = m_1x + 4$ and $y = m_2x + 3$ will intersect to the right of the y - axis if and only is

A. $m_1 = m_2$

B. $m_1 < m_2$

C. $m_1 > m_2$

D. $m_1 + m_2 = 0$

Answer: B



Watch Video Solution

13. If the probability that it will rain sometime on Monday is $\frac{1}{3}$ and the independent probability that it will rain sometime on Tuesday is $\frac{1}{2}$, what is the probability that it will rain on both days ?

A. $\frac{1}{6}$

B. $\frac{1}{5}$

C. $\frac{1}{3}$

D. $\frac{2}{5}$

Answer: A



Watch Video Solution

14. If $\sin 2A = \frac{1}{2}$, then $\frac{1}{2 \sin A \cos A} =$

A. 1

B. $\frac{3}{2}$

C. 2

D. 3

Answer: C



Watch Video Solution

15. What values for x would make $\frac{1}{\sqrt{x+1}}$ undefined ?

A. -1 only

B. 1 only

C. All real numbers greater than -1

D. All real numbers less than or equal to -1

Answer: D



Watch Video Solution

16. If $0 \leq x \leq 2$, the maximum value of

$$f(x) = 1 - x^2 \text{ is}$$

A. 2

B. 1

C. 0

D. -1

Answer: B



Watch Video Solution

17. If $f(x) = 1 - 4x$, and $f^{-1}(x)$ is the inverse of $f(x)$, then $f(-3)f^{-1}(-3) =$

A. 1

B. 3

C. 4

D. 13

Answer: D



Watch Video Solution

18. Which of the following polynomials, when divided by $3x + 4$, equals $2x^2 + 5x - 3$ with remainder 3 ?

A. $6x^3 + 23x^2 - 11x - 12$

B. $6x^3 + 23x^2 - 11x - 9$

C. $6x^3 + 23x^2 - 11x - 15$

D. $6x^3 + 23x^2 + 11x - 9$

Answer: D



Watch Video Solution

19. Let $\lfloor x \rfloor$ be defined to be the "floor" of x , where $\lfloor x \rfloor$ is the greatest integer that is less than or equal to x , and let $\lceil x \rceil$ be the "ceiling" of x , where $\lceil x \rceil$ is the least integer that is greater than or equal to x . If $f(x) \lceil x \rceil + \lfloor x \rfloor$ and x is not an integer, then $f(x)$ is also equal to

A. $2\lceil x \rceil - 2$

B. $2\lceil x \rceil$

C. $2\lfloor x \rfloor$

D. $2[x] + 1$

Answer: D



Watch Video Solution

20. If $\log_2 x + \log_2 x = 7$, then =

A. 1.21

B. 1.40

C. 11.31

D. 18.52

Answer: C



Watch Video Solution

21. If $f(x) = \frac{\sqrt{x-1}}{x}$, what is the domain of $f(x)$?

A. All real numbers except for 0

B. All real numbers greater than or equal to 1

C. All real numbers less than or equal to 1

D. All real numbers greater than or equal to -1 but less than or equal to 1

Answer: B



Watch Video Solution

22. How many ways can 2 identical red chairs and 4 identical blue chairs be arranged in one row ?

A. 6

B. 15

C. 21

D. 24

Answer: B



Watch Video Solution

23. If $a + b > 0$ and $c + d > 0$, which of the following must be true ?

A. $a + b + c > 0$

B. $ac + bd > 0$

C. $a^2 + b^2 > 0$

D. $d(a + b) > 0$

Answer: C



Watch Video Solution

24. If $x > 0$, $a = x \cos \theta$, and $b = x \sin \theta$, then

$$\sqrt{a^2 + b^2} =$$

A. 1

B. x

C. $2x$

D. $x(\cos \theta + \sin \theta)$

Answer: B



Watch Video Solution

25. If $0^\circ < x < 90^\circ$ and

$5 \sin^2 x = 7 \sin x - 2$, what is the value of \sin

x ?

A. 1.00

B. 0.71

C. 0.40

D. 0.38

Answer: C



Watch Video Solution

26. $3 - 2i$ and $3 + 2i$ are roots to which of the following quadratic equations ?

A. $x^2 + 6x + 13 = 0$

B. $x^2 - 6x + 13 = 0$

C. $x^2 - 6x - 13 = 0$

D. $x^2 + 6x + 7 = 0$


Answer: B



Watch Video Solution

27. If point P is located on the unit circle, then

$$x + y =$$



A. 0.37

B. 0.50

C. 0.78


D. 1.37

Answer: D




Watch Video Solution


28. If $0 \leq t \leq 1$, which of the following graphs is the graph of y versus x where x and y are related by the parametric equations $y = t^2$ and $x = \sqrt{t}$?




A.



B.



C.




D.

Answer: C



Watch Video Solution

29. If isosceles right triangle ABC and square $ACDE$ share side AC , what is the degree measure of angle EBC ?



A. 27

B. 30

C. 60


D. 63

Answer: A



Watch Video Solution

30. Which of the following denotes the correct vector arithmetic ?



A. $\vec{x} + \vec{y} = \vec{z}$

B. $\vec{y} + \vec{z} = \vec{x}$

C. $\vec{x} + \vec{z} = \vec{y}$

D. $\vec{z} - \vec{x} = \vec{y}$

Answer: C



Watch Video Solution

31. The horizontal distance, in feet, of a projectile that is fired with an initial velocity v , in feet per second, at an angle θ with the horizontal, is given by

$$H(v, \theta) = \frac{v^2 \sin(2\theta)}{32}$$

If a football is kicked at an angle of 50 degrees with the horizontal and an initial velocity of 30 feet per second, what is the horizontal distance, in feet, from the point where the

football is kicked to the point where the football first hits the ground ?

A. 28

B. 30

C. 33

D. 36

Answer: A



Watch Video Solution

32. If a right circular cone has a lateral surface area of 6π and a slant height of 6, what is the radius of the base ?

A. 0.50

B. 0.75

C. 1.00

D. 1.25

Answer: C



Watch Video Solution

33. If two fair dice are tossed, what is the probability that the two numbers that turn up are consecutive integers ?

A. 0.14

B. 0.17

C. 0.28

D. 0.33

Answer: C



Watch Video Solution

34. Which of the following is an equation of the ellipse centered at $(-2, 3)$ with a minor axis of 4 parallel to the x -axis and a major axis of 6 parallel to the y -axis?

A. $\frac{(x - 2)^2}{4} + \frac{(y - 3)^2}{9} = 1$

B. $\frac{(x + 2)^2}{4} + \frac{(y - 3)^2}{9} = 1$

C. $\frac{(x - 2)^2}{4} + \frac{(y + 3)^2}{9} = 1$

D. $\frac{(x + 2)^2}{4} + \frac{(y + 3)^2}{9} = 1$

Answer: B



35. If $f(x) \geq 0$ and $g(x) \geq 0$ for all real x , which of the following statements must be true ?

I. $f(x) + g(x) \geq 0$

II. $f(x) - g(x) \geq 0$

III. $f(x)g(x) \geq 0$

A. I only

B. II only

C. III only

D. I and III

Answer: D



Watch Video Solution

36. Where defined, $\frac{1 - \sin \theta}{1 - \cos \theta} =$

A. $\sin \theta$

B. $\cos \theta$

C. $-\sin \theta$

D. $-\cos \theta$

Answer: C



Watch Video Solution

37.
$$\sum_{k=0}^5 (-1)^k 2k$$

A. -10

B. -6

C. 0

D. 6

Answer: B



Watch Video Solution

38. If $f(x) = x^3$, which of the following must be true ?

A. $f(-x) = f(x)$

B. $f(-x) = -f(-x)$

C. $f(-x) = -f(x)$

D. $f(x) = -f(x)$

Answer: C



39. $\lim_{x \rightarrow 1} \frac{x^2 - 6x + 5}{x^2 + 3x - 4} =$

A. -1.25

B. -0.80

C. 0.80


D. 1.25

Answer: B



Watch Video Solution

40. In Figure shows the graph of $f(x)$, what is the value of $f(f(3))$?



A. -4

B. -2

C. 0

D. 1

Answer: C



Watch Video Solution

41. If all the terms of a geometric series are positive, the first term of the series is 2, and the third term is 8, how many digits are there in the 40th term ?

A. 10

B. 11

C. 12


D. 13

Answer: D



Watch Video Solution

42. What is the degree measure, to the nearest integer, of angle ABO ?



A. 50

B. 48

C. 45

D. 40

Answer: D



Watch Video Solution

43. If $\log_2(x - 16) = \log_4(x - 4)$, which of the following could be the value of x ?

A. 12

B. 13

C. 16

D. 20

Answer: D



Watch Video Solution

44. If a sphere of radius 3 is inscribed in a cube such that it is tangent to all six faces of the cube, the volume contained outside the sphere and inside the cube is

A. 97

B. 103

C. 109

D. 115

Answer: B



Watch Video Solution

45. If $f(x) = \sin(\arctan x)$, $g(x) = \tan(\arcsin x)$,

and $0 \leq x < \frac{\pi}{2}$, then $f\left(g\left(\frac{\pi}{10}\right)\right) =$

A. 0.314

B. 0.354

C. 0.577

D. 0.707

Answer: A



Watch Video Solution

46. If $f(x) = \frac{1}{(x+1)!}$, what is the smallest integer x such that $f(x) < 0.000005$?

A. 7

B. 8

C. 9

D. 10


Answer: B



Watch Video Solution

47. Point O has coordinates $(0, 0)$, point P lies on the graph of $y = 6 - x^2$, and point B has coordinates $(2\sqrt{3}, 0)$. If $OP = BP$, the area

of triangle OPB is



A. 1.7

B. 3.0

C. 3.5

D. 5.2

Answer: D



Watch Video Solution

48. If $\cos 2x = \sin x$, and x is in radians, radians, which of the following is a possible value of x ?

A. 0.39

B. 0.52

C. 1.05

D. 1.60


Answer: B



Watch Video Solution

49. If a wooden right circular cylinder with radius 2 meters and height 6 meters has a cylindrical hole of diameter 2 meters drilled through the center as shown, what is the entire surface area (including the top and

bottom faces), in square meters, of the resulting figure ?



A. 38π

B. 40π

C. 42π

D. 44π

Answer: C



Watch Video Solution

50. What is the greatest possible number of points of intersection between a parabola and a circle ?

A. 2

B. 3

C. 4

D. 6

Answer: C



Watch Video Solution