



# MATHS

## BOOKS - KAPLAN INC MATHS (ENGLISH)

### PRACTICE TEST 3

#### Practice Test

1. A certain type of account must be opened with an investment for a positive integer

number of years. No other deposits or withdrawals are permitted, and the account earns 7 percent interest that is compounded annually. If \$400 were invested in the account for  $x$  years, what is the smallest possible value of  $x$  such that at the end of  $x$  years, the amount in the account will be least 3 times initial investment ?

A. 14

B. 15

C. 16

D. 17

**Answer: D**



**Watch Video Solution**

2. Point P is the endpoint of vector  $\overline{OP}$  and point Q is the endpoint of vector  $\overline{OQ}$ . When the vectors  $\overline{OP}$  and  $\overline{OQ}$  are added, what is

the length of the resultant vector ?

DO YOUR FIGURING HERE.

--	--	--	--	--

A. 1.41

B. 2.24

C. 2.65

D. 3.00

**Answer: B**



**Watch Video Solution**

3. What is the area of a triangle whose vertices are  $(0, 6\sqrt{3})$ ,  $(\sqrt{35}, 7)$ , and  $(0, 3)$  ?

A. 15.37

B. 17.75

C. 21.87

D. 25.61

**Answer: C**



**Watch Video Solution**

4. The radius of right circular cone A is  $\frac{1}{5}$  of the radius of right circular cone B, and the height circular cone A is  $\frac{1}{4}$  of the height of right circular cone B. What is the ratio of the volume of right circular cone A to the volume of right circular cone B ?

A.  $\frac{1}{16}$

B.  $\frac{1}{25}$

C.  $\frac{1}{64}$

D.  $\frac{1}{100}$

**Answer: D**



**Watch Video Solution**

5. The greatest possible distance between any two points on the surface of a right circular cylinder is  $\sqrt{193}$  and the area of the circular base of the right circular cylinder is  $36\pi$ . What is the volume of the right circular cylinder ?

A.  $252\pi$

B.  $294\pi$

C.  $343\pi$

D.  $386\pi$


**Answer: A**



**Watch Video Solution**

**6.** In Figure the length of XY is 48. What is the length of YZ ?






- A. 16.4
- B. 70.8
- C. 95.1
- D. 140.3

**Answer: D**

 [Watch Video Solution](#)

7. In Figure  $STUV$  is a parallelogram with a perimeter of 14. What is the  $y$  - coordinate of point  $T$  ?



A. 1.26

B. 1.89

C. 3.26

D. 3.89

**Answer: D**



**Watch Video Solution**

**8.** The mean of a finite set  $S$  of numbers is 14, the median of this set of numbers is 12, and the standard deviation is 1.8. A new set  $T$  is formed by multiplying each member of the set

S by 3. Which of the following statements must be true of the set T ?

I. The mean of the numbers in set T is 42.

II. The median of the numbers in set T is 36.

III. The standard deviation of the numbers in set T is 5.4.

A. I only

B. II only

C. I and II only

D. I, II, and III

**Answer: D**



Watch Video Solution

9. There are 7 orange disks and 5 green disks in bag X and there are 5 orange disks and 15 green disks in bag Y. If one disk is selected at random from each bag, what is the probability that both disks selected are green ?

A.  $\frac{5}{48}$

B.  $\frac{7}{48}$

C.  $\frac{5}{16}$

D.  $\frac{7}{16}$

**Answer: C**



**Watch Video Solution**

**10.** The terms of a sequence are defined by

$$a_n = 3a_{n-1} - a_{n-2} \text{ for } n > 2. \text{ What is the}$$

value of  $a_5$  if  $a_1 = 4$  and  $a_2 = 3$ ?

A. 12

B. 23

C. 25

D. 31

**Answer: D**



**Watch Video Solution**

11. If  $\frac{4}{y} + 4 = \frac{20}{y} + 20$ , then what is the value of  $\frac{4}{y} + 4$ ?

A.  $-1$

B. 0

C. 1

D. 4

**Answer: B**



**Watch Video Solution**

12.  $\frac{1}{\frac{x}{y} + \frac{y}{x}} =$

A.  $\frac{xy}{x^2 + y^2}$

B.  $\frac{x^2 + y^2}{xy}$

C.  $\frac{x^2 + y^2}{2xy}$



D.  $\frac{xy}{x + y}$


**Answer: A**



**Watch Video Solution**

**13.** One complete of the graph of  $y = -\cos x$  is shown in the Figure. What are the coordinates of the point at which the

maximum possible value of  $y$  occurs ?



A.  $\left(\frac{\pi}{2}, 0\right)$

B.  $\left(\frac{\pi}{2}, \pi\right)$

C.  $(\pi, 1)$

D.  $\left(\frac{3\pi}{2}, -1\right)$

**Answer: C**



Watch Video Solution

14. Which of the following CANNOT occur when a line is in the same plane as a triangle ?

- A. The points of the line inside the triangle and on the perimeter of the triangle divide the triangle into a triangle and a quadrilateral.
- B. The line has exactly three points in common with the perimeter of the

triangle.

C. The line has exactly one point in common with the perimeter of the triangle.

D. The triangle and the line have infinitely many points in common.

**Answer: B**



**Watch Video Solution**

15. What is the value of x if  $\sqrt{\frac{x}{7}} = 2.74$  ?

A. 52.55

B. 57.54

C. 94.87


D. 105.11

**Answer: A**



**Watch Video Solution**

16. Which of the following is equal to  $\cos \theta$  ?



A.  $\frac{a}{\sqrt{a^2 + b^2}}$

B.  $\frac{b}{\sqrt{a^2 + b^2}}$

C.  $\frac{b}{a}$

D.  $\frac{\sqrt{a^2 + b^2}}{b}$

**Answer: A**



**Watch Video Solution**

17. If  $f(x) = \sqrt{x^2 - 3x + 6}$  and  $g(x) = \frac{156}{x + 17}$ , then what is the value of  $g(f(4))$  ?

A. 5.8

B. 7.4

C. 7.7

D. 8.2

**Answer: C**



**Watch Video Solution**

**18.** If  $xyz \neq 0$  and

$30x^{-5}y^{12}z^{-8} = 10x^{-6}y^5z^4$ , then what is the

value of  $x$  in terms of  $y$  and  $z$  ?

A.  $\frac{z^{12}}{3y^7}$



B.  $\frac{3z^{12}}{y^7}$

C.  $\frac{3y^{12}}{z^7}$


D.  $\frac{3}{y^7 z^4}$

**Answer: A**



**Watch Video Solution**

**19.** In Figure PQRS is a square. What is the slope of segment QR ?



A.  $-\frac{10}{3}$

B.  $-\frac{7}{3}$

C.  $-\frac{4}{3}$

D.  $\frac{3}{7}$

**Answer: B**



**Watch Video Solution**

20. When defined,  $\tan(3x)\cot(3x) =$

A.  $-1$

B.  $\frac{\sqrt{3}}{3}$

C.  $1$

D.  $\tan^3 3x$

**Answer: C**



Watch Video Solution

21. If 4 and 0 are both solutions to the equation  $q(x) = 0$ , where  $q(x)$  is a polynomial, then it can be concluded that a factor of  $q(x)$  is

A.  $x^2$

B.  $(x - 4)^2$

C.  $x^2 + 4x$

D.  $x^2 - 4x$

**Answer: D**



**Watch Video Solution**

**22.** Which of the following could be  $g(x)$  if

$$f(x) = 5x^2 + 4 \text{ and } f(g(3)) = 84?$$

A.  $3x - 10$

B.  $4x - 7$

C.  $6x - 17$


D.  $x^2 - 5$

**Answer: D**



**Watch Video Solution**

**23.** Figure shows line  $n$  in a rectangular coordinate system. An equation of line  $n$  is



A.  $x = 4$

B.  $y = 4$

C.  $x = 5$

D.  $y = \frac{5}{4}x$

**Answer: A**



**Watch Video Solution**

**24.** A student's mean score on 5 tests was 84. The student's mean score on the first 4 of these tests was 87. What was the student's score on the fifth of these tests ?

A. 68

B. 72

C. 75



D. 81

**Answer: B**



**Watch Video Solution**

**25.** If  $0 < x < \frac{\pi}{2}$  and  $\cos x = 0.34$ , what is the value of  $\sin\left(\frac{x}{2}\right)$ ?

A. 0.574

B. 0.733

C. 0.819

D. 0.917

**Answer: A**



**Watch Video Solution**

**26.** During a seven - day period, a company produced 49,812 items that it considered acceptable and 21,348 items that it considered unacceptable. If the company produced a total of 10,830 items on the first day and the percent of the items produced on the first day

that the company considered acceptable was the same percent of items that the company considered acceptable for the entire seven - day period, how many items produced by the company on the first day did the company consider acceptable ?

A. 3, 508

B. 4, 332

C. 5, 415

D. 7, 581

**Answer: D**



Watch Video Solution

27. For every pair  $(x, y)$  in the rectangular coordinate plane,

$f: (x, y) \rightarrow (x, -8x + 3y)$ . What is the set of points for which  $f: (x, y) \rightarrow (x, y)$  ?

A. The point  $(-4, 0)$

B. The point  $(4, 12)$

C. The set of points  $(x, y)$  that satisfy the equation  $x = 4y$

D. The set of points  $(x, y)$  that satisfy the equation  $y = 4x$

**Answer: D**



**Watch Video Solution**

**28.** When the number  $x$  is subtracted from each of the numbers 8, 16, and 40, the three numbers that result form a geometric progression. What is the value of  $x$  ?

A. 3

B. 4

C. 6

D. 12

**Answer: B**



**Watch Video Solution**

**29.** If  $f(x) = ax^2 + bx + c$ ,  $f(-1) = -18$ ,  
and  $f(1) = 10$ , what is the value of  $b$  ?

A.  $-12$

B.  $-4$

C.  $14$

D.  $21$

**Answer: C**



**Watch Video Solution**

**30.** What is the domain of the function

$$f(x) = \sqrt{x^2 + 3}?$$

A.  $-1.73 \leq x \leq 1.73$

B.  $-1.32 \leq x \leq 1.32$

C.  $x > 1.32$

D. All real numbers

**Answer: D**



**Watch Video Solution**


**31.** The function  $f$  is defined by  $f(x) = \frac{180}{x + 3}$

for  $x \geq 0$ , and  $f(x) = 60$  for  $x < 0$ . Figure

shows the graph of  $y = f(x)$ . What is the sum



of the areas of the three shaded rectangles ?



A. 111

B. 135

C. 141

D. 180

**Answer: C**



**Watch Video Solution**

**32.** Which of the following are the equations of lines that are asymptotes of the graph of

$$y = \frac{x^2 - 64}{(3x + 4)(x - 5)} ?$$

I.  $x = -8$

II.  $x = 5$

III.  $y = \frac{1}{3}$

A. I only

B. II only

C. I and II only

D. II and III only

**Answer: D**



**Watch Video Solution**

**33.** If  $f(x) = 7x + 12$  and  $f(g(x)) = 21x^2 + 40$ , then which of the following is  $g(x)$  ?

A.  $21x^2 + 28$

B.  $21x^2$

C.  $7x^2 + 4$

D.  $3x^2 + 4$

**Answer: D**



**Watch Video Solution**

**34.** A circle is tangent to the lines with the equations  $x = 5$  and  $y = 7$ . Which of the

following could be the coordinates of the center of the circle ?

A. (3, 7)

B. (8, 4)

C. (10, 8)

D. (10, 14)

**Answer: B**



**Watch Video Solution**

35. What is the range of the function  $f$  that is defined by

$$f(x) = \begin{cases} 3^{\frac{1}{x^2+1}}, & \text{if } x \geq 0 \\ 5x + 3, & \text{if } x < 0 \end{cases} ?$$

A.  $y \leq 0$

B.  $0 < y < 3$

C.  $y \geq 3$

D.  $3 \leq y \leq 5$

**Answer: C**



**Watch Video Solution**

36. If  $x^2 - 7y = 8$ ,  $x - y = 1$ , and  $y > 0$ ,  
what is the value of  $y$  ?

A. 1.64

B. 4.78

C. 5.64

D. 6.14

**Answer: D**



**Watch Video Solution**

37. If  $f(x) = \log_7 \frac{x}{8}$  for  $x \geq 8$ , then for the values  $x$  of its domain,  $f^{-1}(x) =$

A.  $8(7^x)$

B.  $7(8^x)$

C.  $8(7^{x+1})$

D.  $\log_7 \frac{x}{8}$

**Answer: A**



**Watch Video Solution**



38. If  $x_1 = 2$  and  $x_{n+1} = \sqrt{x_n^2 + 8}$ , then

$x_4 =$

A. 3.46

B. 4.47

C. 5.29


D. 8.49

**Answer: C**



**Watch Video Solution**

39. In Figure, C is the center of the semicircle, and the area of the semicircle is  $8\pi$ . What is the area of triangle ABC in terms of  $\theta$ ?



A.  $2 \sin \theta \tan \theta$

B.  $4 \sin \theta$

C.  $8 \cos \theta$

D.  $8 \sin \theta$

**Answer: D**



**Watch Video Solution**

**40.** Exactly 70 percent of the people in each of 3 rooms are seniors at university X. If one person is selected at random from each of the 3 rooms, what is the probability that each of the 3 people selected is a senior at university X?

A. 0.2401

B. 0.343

C. 0.49

D. 0.64

**Answer: B**



**Watch Video Solution**

**41. What is the value of  $x$  if  $4.18^x = 36.54$  ?**

A. 0.86

B. 1.43

C. 1.80

D. 2.52

**Answer: D**



**Watch Video Solution**

**42.** If  $\sin (\arcsin x) = \frac{\sqrt{2}}{4}$ , then what is the value of  $x$  ?

A.  $\frac{\sqrt{2}}{4}$

B.  $\frac{\sqrt{7}}{7}$

C.  $\frac{\sqrt{2}}{2}$

D.  $\frac{\sqrt{14}}{4}$

**Answer: A**



**Watch Video Solution**

**43.** The sum of the first 25 terms of an arithmetic sequence is 1,400, and the 25th term is 104. If the first term of the sequence is

$a_1$  and the second term is  $a_2$ , what is the value of  $a_2 - a_1$  ?

A.  $-3$

B.  $2$

C.  $4$

D.  $5$

**Answer: C**



**Watch Video Solution**

44.

For

all

$$\theta, \sin \theta + \sin(\theta + \pi) + \sin(2\pi + \theta) =$$

A.  $-\sin \theta$

B.  $\sin \theta$

C.  $2 \sin \theta$

D.  $3 \sin \theta$

**Answer: B**



**Watch Video Solution**



45. If  $n$  is a positive integer, then  $\frac{(n + 4)!}{(n + 7)!} =$

A.  $\frac{1}{(n + 1)(n + 2)(n + 3)}$

B.  $\frac{1}{n + 5}$

C.  $\frac{1}{(n + 5)(n + 6)}$

D.  $\frac{1}{(n + 5)(n + 6)(n + 7)}$

**Answer: D**



**Watch Video Solution**

46. The graph of  $g(x) = x^3 + 1$  was translated 4 units to the right and 2 units up, resulting in a new graph  $h(x)$ . What is the value of  $h(3.7)$  ?

A. 0.973

B. 1.784

C. 1.973

D. 2.973

**Answer: D**



Watch Video Solution

47. A five - letter code is formed by selecting 5 different letters from the 12 letters A, B, C, D, E, F, G, H, I, J, K, and L and placing these 5 letters in the 5 spaces shown in Figure. Which of the following expressions is the number of different five - letter codes that are possible ?

**DO YOUR FIGURING HERE.**

--	--	--	--	--

A.  $\frac{12!}{4!8!}$

B.  $\frac{12!}{(5!)(7!)}$

C.  $\frac{12!}{7!}$

D.  $\frac{12!}{5!}$

**Answer: C**



**Watch Video Solution**

**48.** Which of the following sets of real numbers is such that if  $x$  is an element of the set and  $y$  is an element of the set, then the

sum of  $x$  and  $y$  is an element of the set ?

I. The set of negative integers

II. The set of rational numbers

III. The set of irrational numbers

A. None

B. I only

C. I and II only

D. II and III only

**Answer: C**



**Watch Video Solution**

49. If the length of the major axis of an ellipse with the equation  $5x^2 + 24y^2 = 40$  is  $j$  and the length of the minor axis of the ellipse is  $n$ , then what is the value of  $j + n$ ?

A. 2.58

B. 5.66

C. 6.95

D. 8.24

**Answer: D**



Watch Video Solution

50. Which of the following describes the values of  $x$  for which  $\frac{1 - 5x}{x^2 + 1}$  is negative ?

A.  $x > 0$

B.  $x > \frac{1}{5}$

C.  $x < \frac{1}{5}$

D.  $0 < x < \frac{1}{5}$

**Answer: B**



Watch Video Solution

