



MATHS

BOOKS - TELUGU ACADEMY MATHS (TELUGU ENGLISH)

IPE:MARCH-2018(AP)

Questions

1. Find the domain of the real function $f(x) = \sqrt{x^2 - 25}$



Watch Video Solution

2. IF $f: R \rightarrow R, g: R \rightarrow R$ are defined by $f(x) = 3x - 1$ and $g(x) = x^2 + 1$, then find $(f \circ g)(2)$

 [Watch Video Solution](#)

3. Define a symmetric matrix. Give one example of order 3×3

 [Watch Video Solution](#)

4. Find the Adjoint and Inverse of the matrix $A = \begin{bmatrix} 1 & 2 \\ 3 & -5 \end{bmatrix}$

 [Watch Video Solution](#)

5. IF the vectors $-3\bar{i} + 4\bar{j} + \lambda\bar{k}$, $\mu\bar{i} + 8\bar{j} + 6\bar{k}$ are collinear vectors then find λ & μ .

 [Watch Video Solution](#)

6. Find the vector equation of plane passing through Points $(0,0,0)$, $(0,5,0)$ and $(2,0,1)$

 [Watch Video Solution](#)

7. Find the angle between the vectors $\bar{i} + 2\bar{j} + 3\bar{k}$ and $3\bar{i} - \bar{j} + 2\bar{k}$

 [Watch Video Solution](#)

8. Find $\sin 330^\circ \cdot \cos 120^\circ + \cos 210^\circ \cdot \sin 300^\circ$

 [Watch Video Solution](#)

9. Find the extreme values of $\cos 2x + \cos^2 x$

 [Watch Video Solution](#)

10. Prove that $\cosh 2x = 2 \cosh^2 x - 1$

 [Watch Video Solution](#)

11. IF $A = \begin{bmatrix} 7 & -2 \\ -1 & 2 \\ 5 & 3 \end{bmatrix}$, $B = \begin{bmatrix} -2 & -1 \\ 4 & 2 \\ -1 & 0 \end{bmatrix}$ then find AB'

and BA'



Watch Video Solution

12. Show that the four points $-\bar{a} + 4\bar{b} - 3\bar{c}$, $3\bar{a} + 2\bar{b} - 5\bar{c}$, $-3\bar{a} + 8\bar{b} - 5\bar{c}$, $-3\bar{a} + 2\bar{b} + \bar{c}$ are coplanar, where \bar{a} , \bar{b} , \bar{c} are non-coplanar vectors.



Watch Video Solution

13. Let \bar{a} and \bar{b} be vectors, satisfying $|\bar{a}| = |\bar{b}| = 5$ and $(\bar{a}, \bar{b}) = 45^\circ$. Find the area of the triangle having $\bar{a} - 2\bar{b}$ and $3\bar{a} + 2\bar{b}$ as two of its sides.



Watch Video Solution

14. If A is not an integral multiple of $\frac{\pi}{2}$, prove that

(i) $\tan A + \cot A = 2 \operatorname{cosec} 2A$

(ii) $\cot A - \tan A = 2 \cot 2A$

 [Watch Video Solution](#)

15. Solve $\sqrt{3} \sin \theta - \cos \theta = \sqrt{2}$

 [Watch Video Solution](#)

16. Prove that $\sin^{-1} \frac{4}{5} + \sin^{-1} \frac{5}{13} + \sin^{-1} \left(\frac{16}{65} \right) = \frac{\pi}{2}$

 [Watch Video Solution](#)

17. If $a = (b - c)\sec\theta$, then prove that $\tan\theta = \frac{2\sqrt{bc}}{b - c} \frac{\sin A}{2}$.

 [Watch Video Solution](#)

18. If $f: A \rightarrow B$, $g: B \rightarrow C$ are two bijective functions then prove that $g \circ f: A \rightarrow C$ is also a bijective function.

 [Watch Video Solution](#)

19. Using the P.M.I prove that

$$\frac{1}{1.3} + \frac{1}{3.5} + \frac{1}{5.7} + \dots + n \text{ terms} = \frac{n}{2n + 1}$$

 [Watch Video Solution](#)

20. Show that

$$\begin{vmatrix} a + b + 2c & a & b \\ c & b + c + 2a & b \\ c & a & c + a + 2b \end{vmatrix} = 2(a + b + c)^3$$

 [Watch Video Solution](#)

21. Solve the system of equations

$$2x - y + 3z = 9, x + y + z = 6, x - y + z = 2 \quad \text{using}$$

Gauss Jordan method.

 [Watch Video Solution](#)

22. For any four vectors \vec{a} , \vec{b} , \vec{c} and \vec{d} , prove that

$$(i) \quad (\vec{a} \times \vec{b}) \times (\vec{c} \times \vec{d}) = [\vec{a}\vec{c}\vec{d}]\vec{b} - [\vec{b}\vec{c}\vec{d}]\vec{a} \quad \text{and} \quad (ii)$$

$$(\vec{a} \times \vec{b}) \times (\vec{c} \times \vec{d}) = [\vec{a}\vec{b}\vec{d}]\vec{c} - [\vec{a}\vec{b}\vec{c}]\vec{d}$$



Watch Video Solution

23. If A, B, C are angles in a triangle, then prove that

$$\cos A + \cos B + \cos C = 1 + 4 \sin \frac{A}{2} \sin \frac{B}{2} \sin \frac{C}{2}$$



Watch Video Solution

24. Show that $r + r_3 + r_1 - r_2 = 4R \cos B$.



Watch Video Solution