



MATHS

BOOKS - INDEPENDENTLY PUBLISHED

MATHS (ENGLISH)

PRACTICE TEST 2 - MATHEMATICS TEST

Exercise

1. A restaurant occupying the top floor of a skyscraper rotates as diners enjoy the view.

Ling and Sarah notice that they began their meal at 7:00 p.m. Looking due north. At 7:45 p.m. they had rotated 180° to a view that was due south. At this rate, how many degrees will the restaurant rotate in 1 hour?

A. 90°

B. 180°

C. 240°

D. 270°

Answer: C



2. The cost of a gym membership is a onetime fee of \$140, plus a monthly fee of \$ 40. Brendan wrote a \$500 check to pay his gym membership for a certain number of months, including the onetime fee. How many months of membership did he pay for?

A. 3

B. 4

C. 9

D. 12

Answer: C



Watch Video Solution

3. A museum offers a 2-hour guided tour. For groups with fewer than 25 people the cost is \$9.25 per person, for groups with 25 people or more the cost is \$8.50 per person. The 27 people in the 9.00 a.m. tour group each paid \$

9.25 in advance. What is the total refund that the museum owes the 9:00 a.m. group?

A. \$12.50

B. \$13.00

C. \$ 18.75

D. \$ 20.25

Answer: D



Watch Video Solution

4. The 13-member math club needs to choose a student government representative. They decide that the representative, who will be chosen at random, CANNOT be any of the 3 officers of the club. What is the probability that Samara, who is a member of club but NOT an officer, will be chosen?

A. 0

B. $\frac{1}{13}$

C. $\frac{1}{10}$

D. $\frac{3}{13}$

Answer: C



Watch Video Solution

5. Mela earned scores of 75, 70, 92, 95 and 97 points (a total of 429 points) on the first 5 tests in Economics II. Solving which of the following equations for s gives the score he needs to earn on the 6th test to average exactly 85 points for all 6 tests?

A. $\frac{429}{5} + s = 85$

B. $\frac{429}{6} + s = 85$

C. $\frac{s + 429}{5} = 85$

D. $(s + 429)/6 = 85$


Answer: D



Watch Video Solution

6. The figure below shows quadrilateral ABCD.

What is the measure of $\angle C$?



A. 120°

B. 115°

C. 105°


D. 100°

Answer: A



Watch Video Solution

7. In the figure below, $\triangle ABC$ and $\triangle DEF$ are similar triangles with the given side lengths in meters. What is the perimeter, in meters, of $\triangle DEF$?



A. 3

B. 8

C. 11

D. 12

Answer: C



Watch Video Solution

8. $|3(-2) + 4| = ?$

A. -2

B. 2

C. 5

D. 9

Answer: B



Watch Video Solution

9. What are the values for x that satisfy the equation $(x + a)(x + b) = 0$?

A. $-a$ and $-b$

B. $-a$ and b

C. $-ab$

D. a and $-b$


Answer: A



Watch Video Solution

10. In the figure below, G is the center of the circle, \overline{LK} is a diameter, H lies on the circle, J lies outside the circle on \overline{LK} and \overline{JM} is tangent to the circle at M . Which of the following angles or minor area has the

greatest degree measure?



A. \overline{LM}

B. \overline{MK}

C. $\angle JMG$


D. $\angle LHK$

Answer: A



Watch Video Solution

11. Points B and C lie on \overline{AD} as shown below. The length of \overline{AD} is 30 units, \overline{AC} is 16 units long, and \overline{BD} is 20 units long. How many units long, if it can be determined, is \overline{BC} ?



- A. 4
- B. 6
- C. 10
- D. 14

Answer: B



Watch Video Solution

12. If $12x = -8(10 - x)$, then $x = ?$

A. 20

B. 8

C. $7\frac{3}{11}$


D. -20

Answer: D



Watch Video Solution

13. Ken baked, frosted, and decorated a rectangular cake for the last Math Club meeting. The cake was 3 inches high, 12 inches wide, and 16 inches long. He centered the cake on a piece of cardboard whose rectangular top surface had been covered with aluminum foil, as shown in the figure below.



Ken used a piece of cardboard large enough to allow the cardboard to extend 2 inches beyond the cake on all sides. What is the area, in square inches, of the aluminum foil that is exposed on the top surface of the cardboard?

A. 60

B. 64


C. 88

D. 128

Answer: D



14. At the Math Club meeting, Principal Gonzales cut the entire cake into pieces. Each piece is 2 inches wide, 2 inches long, and 3 inches high. What is the number of pieces Principal Gonzales cut the cake into?



A. 16

B. 20

C. 28

D. 48


Answer: D



Watch Video Solution

15. The Math Club will pay Ken \$5.00 for preparing the cake and will also pay him for the cost of the cake mix at \$1.73, the foresting mix at \$2.67, and the sales tax of 5% on these 2 items. What is the total amount the Math Club

will pay Ken?



A. \$4.67

B. \$9.40

C. \$9.45

D. \$9.62

Answer: D



Watch Video Solution

16. What is the y-intercept of the line in the standard (x,y) coordinate plane that goes through the points $(-3,6)$ and $(3,2)$?

A. 0

B. 2

C. 4


D. 6

Answer: C



Watch Video Solution

17. A machine part is diagrammed in the figure below with the dimensions given in inches. If the centers of the circles lie on the same line parallel to the bottom of the part, what is the distance, in inches, between the centers of the 2 holes in the machine part?



A. $5\frac{3}{16}$

B. $5\frac{1}{16}$

C. 5

D. $4\frac{13}{16}$

Answer: D



Watch Video Solution

18. The depth of a pond is 180 cm and is being reduced by 1 cm per week. The depth of a second pond is 160 cm and is being reduced by $\frac{1}{2}$ cm per week. If the depths of both ponds continue to be reduced at these constant

rates, in about how many weeks will the ponds have the same depth?

A. 10

B. 20

C. 40

D. 80

Answer: C



Watch Video Solution

19. When graphed in the standard (x, y) coordinate plane, which of the following equations does NOT represent a line?

A. $x = 4$

B. $3y = 6$

C. $x - y = 1$


D. $x^2 + y = 5$

Answer: D



Watch Video Solution

20. In the right triangle shown below, which of the following statements is true about $\angle A$?



A. $\cos A = \frac{12}{13}$

B. $\sin A = \frac{12}{13}$

C. $\tan A = \frac{12}{13}$

D. $\cos A = \frac{13}{12}$

Answer: B




Watch Video Solution

21. A park has the shape and dimensions in blocks given below. A water fountain is located halfway between point B and point D. Which of the following is the location of the water fountain from point A?

(Note: The park's borders run east-west or

north-south.)



- A. $3\frac{1}{2}$ blocks east and 6 blocks north
- B. 5 blocks east and $4\frac{1}{2}$ blocks north
- C. 5 blocks east and 6 blocks north
- D. $8\frac{1}{2}$ block east and $4\frac{1}{2}$ block north

Answer: D



View Text Solution

22. The braking distance, y feet, for Damon's car to come to a complete stop is modeled by

$y = \frac{3(x^2 + 10x)}{40}$, where x is the speed of the

car in miles per hour. According to this model,

which of the following is the maximum speed,

in miles per hour, Damon can be driving so

that the braking distance is less than or equal

to 150 feet?

A. 10

B. 30

C. 40

D. 50

Answer: C



Watch Video Solution

23. If $f(x) = x^2 + x + 5$ and $g(x) = \sqrt{x}$,

then what is the value of $\frac{g(4)}{f(1)}$?

A. $\frac{2}{7}$

B. $\frac{25}{7}$

C. $\frac{2}{25}$

D. 2

Answer: A



Watch Video Solution

24. At a school picnic, 1 junior and 1 senior will be selected to lead the activities. If there are 125 juniors and 100 seniors at the picnic, how

many different 2 person combinations of 1 junior and 1 senior are possible?

A. 25

B. 100

C. 125


D. 12500

Answer: D



Watch Video Solution

25. The scatterplot in the standard (x,y) coordinate plane below contains data points showing a strong linear correlation between the variables x and y . Mia drew the line shown to model the data. One of the following equations represents Mia's line. Which one?



A. $y = -3x + 8$

B. $y = -3x + 10$

C. $y = -2x + 10$

D. $y = 2x + 10$

Answer: B



Watch Video Solution

26. The temperature, t , in degrees Fahrenheit, in a certain town on a certain spring day satisfies the inequality $|t - 24| \leq 30$. Which of

the following temperatures , in degrees Fahrenheit, is NOT in this range?

A. -10

B. -6

C. -5

D. 0

Answer: A



Watch Video Solution

27. If 5 times a number n is subtracted from 15, the result is negative, Which of the following gives the possible value(s) for n ?

A. 0 only

B. 3 only

C. 10 only

D. All $n > 3$

Answer: D



Watch Video Solution

28.

For

all

$$x > 21, \frac{(x^2 + 8x + 7)(x - 3)}{(x^2 + 4x - 21)(x + 1)} = ?$$

A. 1

B. $\frac{9}{7}$

C. $\frac{x - 3}{x + 3}$

D. $\frac{2(x - 3)}{x + 1}$

Answer: A



Watch Video Solution

29. The median of a set of data containing 9 items was found. Four data items were added to the set. Two of these items were greater than the original median, and the other 2 items were less than the original median. Which of the following statements must be true about the median of the new data set?

A. It is the average of the 2 new lower values

B. It is the same as the original median .

C. It is the average of the 2 new higher values.

D. It is greater than the original median.


Answer: B



Watch Video Solution

30. The figure below shows 2 tangent circles such that the 10-centimeter diameter of the smaller circle is equal to the radius of the larger circle. What is the area, in square

centimeters, of the shaded region?



A. 10

B. 75

C. 5π

D. 75π

Answer: D



Watch Video Solution

31. The sign of a is positive. The sign of b is negative. If it can be determined, what is the sign of the mean of a and b ?

A. Positive

B. Negative

C. Both positive and negative


D. Cannot be determined from the given information.

Answer: D



Watch Video Solution

32. The curve $y = 0.005x^2 - 2x + 200$ for $0 \leq x \leq 200$ and the line segment from $F(0, 200)$ to $G(200, 0)$ are shown in the standard (x,y) coordinate plane below.



What is the y -coordinate for the point on the curve with x -coordinate 20?


- A. 160
- B. 162
- C. 164
- D. 166

Answer: B



Watch Video Solution

33. The curve $y = 0.005x^2 - 2x + 200$ for $0 \leq x \leq 200$ and the line segment from $F(0, 200)$ to $G(200, 0)$ are shown in the standard (x, y) coordinate plane below.



The length of this curve is longer than \overline{FG} .

About how many coordinate units long is \overline{FG} ?


- A. 20
- B. 141
- C. 200
- D. 283

Answer: D



Watch Video Solution


34. The curve $y = 0.005x^2 - 2x + 200$ for $0 \leq x \leq 200$ and the line segment from $F(0, 200)$ to $G(200, 0)$ are shown in the standard (x, y) coordinate plane below.



Tran wants to approximate the area underneath the curve

$$y = 0.005x^2 - 2x + 200 \quad \text{for} \quad 0 \leq x \leq 200,$$

shown shaded in the graph below.



He finds an initial estimate, A , for the shaded

area by using \overline{FG} and computing

$$A = \frac{1}{2}(200\text{units})(200\text{units}) = 20,000$$

square units.

The area of the shaded region is:

A. less than 20,000 square units, because

the curve lies under \overline{FG} .

B. less than 20,000 square units, because the curve lies over \overline{FG} .

C. equal to 20,000 square units.

D. greater than 20,000 square units, because the curve lies under \overline{FG} .

Answer: A




Watch Video Solution

35. A cargo ship is 4.2 miles from a lighthouse, and a fishing boat is 5.0 miles from the lighthouse, as shown below. The angle between the straight lines from the lighthouse to the 3 vessels is 5° . The approximate distance in miles, from the cargo ship to the fishing boat is given by which of the following expressions?

(Note: The law of cosines states that for any triangle with vertices A, B and C and the sides opposite those vertices with length a, b, and c,

respectively. $c^2 = a^2 + b^2 - 2ab \cos C$).



A. $\sqrt{(5.0)^2 - (4.2)^2}$

B. $\sqrt{(4.2)^2 + (5.0)^2 - 2 \cdot 4.2 \cdot 5.0 \cos 5^\circ}$

C. $\sqrt{(4.2)^2 + (5.0)^2 + 2 \cdot 4.2 \cdot 5.0 \cos 5^\circ}$

D. $\sqrt{(4.2)^2 + (5.0)^2 - 2 \cdot 4.2 \cdot 5.0 \cos 85^\circ}$

Answer: B



Watch Video Solution

36. Which of the following equations expresses c in terms of a for all real numbers a, b and c such that $a^3 = b$ and $b^2 = c$?

A. $c = a^6$

B. $c = a^5$

C. $c = 2a^3$

D. $c = \frac{1}{2}a$

Answer: A



Watch Video Solution

37. After visiting Florida State University during spring break, Francisco rents a car for 2 days to travel around Florida. He has \$255 to spend on car rental for the 2 days. Sea horse Car Rental charges \$50 per day and \$0.25 per mile. Ocean Blue Car Rental charges \$60 per day and \$0.20 per mile. Which company, if either, allows him to travel more miles for the 2 days, and how many miles more?

(Note: Taxes are already included in the rental charges)

A. Sea-Horse, 20

B. Ocean Blue, 55

C. Ocean Blue, 100

D. Sea Horse, 135`


Answer: B



Watch Video Solution

38. In the standard (x,y) coordinate plane below, the points $(0,0)$, $(10,0)$, $(13,6)$ and $(3,6)$ are the vertices of a parallelogram. What is the

area, in square coordinate units, of the parallelogram?



- A. 30
- B. 60
- C. $30\sqrt{3}$
- D. $30\sqrt{5}$

Answer: B



Watch Video Solution

39. For every pair of natural number n and m , to which of the following sets must $n + m$ belong?

I. The natural numbers

II. The intergers

III. The rational numbers

IV. The real numbers

V. The complex numbers

A. I,II and III only

B. II, III and IV only

C. III, IV and V only

D. I,II,III,IV and V

Answer: D



Watch Video Solution

40. A certain perfect square has exactly 4 digits (that is, it is an integer between 1,000 and 9,999). The positive square root of the perfect square must have how many digits?

A. 1

B. 2

C. 3

D. 4

Answer: B



Watch Video Solution

41. A certain hotel has 80 rooms. Based on many previous years' occupancy rates, the owners of the hotel constructed the table

below showing the daily occupancy rates and their probabilities of occurring for the coming summer season. Based on the probability distribution in the table, to the nearest whole number, what is the expected number of rooms that will be occupied on any day during the coming summer season?

Occupancy rate	Probability
0.60	0.20
0.70	0.40
0.80	0.30
0.90	0.10

A. 20

B. 25

C. 58

D. 60

Answer: C



Watch Video Solution

42. What is the matrix product

$$\begin{bmatrix} a \\ 2a \\ 3a \end{bmatrix} [1 \ 0 \ -1]?$$

A. $\begin{bmatrix} a & 0 & -a \\ 2a & 0 & -2a \\ 3a & 0 & -3a \end{bmatrix}$

B.
$$\begin{bmatrix} a & 2a & 3a \\ 0 & 0 & 0 \\ -a & -2a & -3a \end{bmatrix}$$

C. $[2a \quad 0 \quad -2a]$

D. $[6a \quad 0 \quad -6a]$


Answer: A



Watch Video Solution

43. What is the degree measure of the smaller of the 2 angles formed by the line and the ray

shown in the figure below?



A. 14°

B. 28°

C. 29°

D. 58°

Answer: D



Watch Video Solution

44. Let a equal $2b + 3c - 5$. What happens to the value of a if the value of b decreases by 1 and the value of c increases by 2?

- A. It increases by 4
- B. It is increases by 2
- C. It increases by 1
- D. It is unchanged

Answer: A



Watch Video Solution

45. Shima will mix 1 fluid ounce of fertilizer in water for every 40 square feet of soil. At this rate, which of the following expressions gives the number of gallons of fertilizer that Shima will mix in water for 0.5 acres of soil?

(Note : 1 acre = 43,560 square feet, 1 gallon = 128 fluid ounces)

A. $\frac{0.5(40)(128)}{43,560}$

B. $\frac{40(128)}{0.5(43,560)}$

C. $\frac{0.5(43,560)}{40(128)}$

D. $\frac{43,560}{0.5(40)(128)}$

Answer: C



Watch Video Solution

46. A restaurant has 10 booths that will seat up to 4 people each. If 20 people are seated in booths, and NO booths are empty, what is the greatest possible number of booths that could be filled with 4 people?

A. 0

B. 1

C. 2

D. 3

Answer: D



Watch Video Solution

47. Let A and B be independent events. Denote $P(A)$ as the probability that Event A will occur, and denote $P(A \cap B)$ as the probability that

Events A and B will both occur. Which of the following equations must be true?

A. $P(A) = P(B)$

B. $P(A) = 1 - P(B)$

C. $P(A \cap B) = P(A) + P(B)$


D. $P(A \cap B) = P(A) \cdot P(B)$

Answer: D



Watch Video Solution

48. In the standard (x,y) coordinate plane below, an angle is shown whose vertex is the origin. One side of this angle with measure θ passes through $(4, -3)$, and the other side include the positive x -axis. What is the cosine of θ ?



A. $-\frac{4}{3}$

B. $-\frac{3}{4}$

C. $-\frac{3}{5}$

D. $\frac{4}{5}$

Answer: D



Watch Video Solution

49. Which of the following expressions, if any, are equal all real number x ?

I $\sqrt{(-x)^2}$

$$\text{II } | -x |$$

$$\text{III } -|x|$$

A. I and II only

B. I and III only

C. II and III only


D. I, II and III

Answer: A



Watch Video Solution

50. In the figure below, A, C, F and D are collinear, B, C and E are collinear, and the angles at A, E, and F are right angles, as marked. Which of the following statements is NOT justifiable from the given information?



A. \overleftrightarrow{AB} is parallel to \overleftrightarrow{EF}

B. \overline{DE} is perpendicular to \overline{BE}

C. $\angle ACB$ is congruent to $\angle FCE$

D. \overline{CE} is congruent to \overline{ED}


Answer: D



View Text Solution

51. In the figure below, all line segments are either horizontal or vertical and the dimensions given are in inches. What is the

perimeter, in inches, of the figure?



A. 10

B. 12

C. 13

D. 14


Answer: D



Watch Video Solution

52. Triangle $\triangle ABC$ has vertices $A(8,2)$, $B(0,6)$, and $C(-3,2)$. Point C can be moved along a certain line, with points A and B remaining stationary, and the area of $\triangle ABC$ will not

change. What is the slope of that line?



A. $-\frac{1}{2}$

B. $-\frac{3}{4}$

C. 0

D. $\frac{4}{3}$

Answer: A



Watch Video Solution

53. On his first day as a telemarketer, Marshall made 24 calls. His goal was to make 5 more calls on each successive day than he had made the day before. If Marshall met, but did not exceed, his goal, how many calls had he made in all after spending exactly 20 days making calls as a telemarketer?

A. 670

B. 690

C. 974

D. 1430


Answer: D




Watch Video Solution

54. Which of the following is the graph of the functions $f(x)$ defined below?


$$f(x) = \begin{cases} x^2 - 2 & \text{for } x \leq 1 \\ x - 7 & \text{for } 1 < x < 5 \\ 4 - 7 & \text{for } x \geq 5 \end{cases}$$




A.



B.



C.



D.

Answer: D



Watch Video Solution

55. Which of the following expressions given the number of permutations of 15 objects taken 5 at a time?

A. $15(5)$

B. $(15 - 5)!$

C. $\frac{15!}{5!}$

D. $\frac{15!}{(15 - 5)!}$

Answer: D



Watch Video Solution

56. For all $x > 0$, which of the following expressions is equivalent to $\frac{i}{\sqrt{x} - i}$, where $i = \sqrt{-1}$?

A. i

B. $\frac{\sqrt{x}}{x}$

C. $\frac{\sqrt{x} - 1}{x + 1}$


D. $\frac{i\sqrt{x} - 1}{x + 1}$

Answer: D



Watch Video Solution

57. Vectors \overrightarrow{AB} and \overrightarrow{CD} are shown in the standard (x,y) coordinate plane below. One of the following is the unit vector notation of the vector $\overrightarrow{AB} + \overrightarrow{CD}$. Which one?



A. $-6i + 3j$

B. $3i + 1j$

C. $3i + 9j$

D. $9i + 11j$

Answer: D



Watch Video Solution

58. A simple pendulum consists of a small mass suspended from a string that is fixed at its upper end and has negligible mass. The length of time, t second, for complete swing of a simple pendulum can be modeled by the

equation $t = 2\pi\sqrt{\frac{L}{32}}$, where L is the length, in feet, of the string. If the time required for a complete swing of Pendulum 1 is triple the time required for a complete swing of Pendulum 2, the length of Pendulum 1's string is how many times the length of Pendulum 2's string?

A. $\frac{1}{3}$

B. 3

C. 6

D. 9

Answer: D



Watch Video Solution

59. If $\log_e x = s$ and $\log_e y = t$, then

$$\log_e (xy)^2 = ?$$

A. $2(s + t)$

B. $s + t$

C. $4st$

D. $2st$

Answer: A



Watch Video Solution

60. Jennifer's best long jump distance increased by 10 % from 1990 to 1991 and by 20% from 1991 to 1992. By what percent did her best long jump distance increase from 1990 to 1992?

A. 0.32

B. 0.3

C. 0.2

D. 0.15

Answer: A



Watch Video Solution