



## MATHS

### NCERT - NCERT MATHEMATICS(ENGLISH)

#### PAIR OF LINEAR EQUATIONS IN TWO VARIABLES

##### Exercise 3.3

1. Solve the following pair of linear equations by the substitution method.

(i)  $x + y = 14; x - y = 4$ (ii)  $s - t = 3; \frac{s}{3} + \frac{t}{2} = 6$ (iii)

$3x - y = 3; 9x - 3y = 9$  (iv)  $0.2x + 0.3y = 1.3; 0.4x + 0.5y = 2.3$

(v)  $\sqrt{2}x + \sqrt{3}y = 0; \sqrt{3}x - \sqrt{8}y = 0$ (vi)

$3\frac{x}{2} - 5\frac{y}{2} = -2; \frac{x}{3} + \frac{y}{2} = \frac{13}{6}$



Watch Video Solution

2. From the pair of linear equations for the following problems and find their solution by substitution method.(i) The difference between two numbers is 26 and one number is three times the other. Find them.(ii) The larger of two supplementary

 [Watch Video Solution](#)

3. Solve  $2x + 3y = 11$  and  $2x - 4y = 24$  and hence find the value of 'm' for which  $y = mx + 3$ .

 [Watch Video Solution](#)

### Exercise 3 2

1. Given the linear equation  $2x + 3y - 8 = 0$ , write another linear equation in two variables such that the geometrical representation of the pair so formed is:(i) intersecting lines (ii) parallel lines (iii) coincident lines

 [Watch Video Solution](#)

 Watch Video Solution

2. Draw the graphs of  $x - y + 1 = 0$  and  $3x + 2y - 12 = 0$ . Determine the coordinates of the vertices of the triangle formed by these lines and x-axis and shade the triangular area. Calculate the area bounded by these lines and x-axis.

 Watch Video Solution

3. Which of the following pairs of linear equations are consistent / inconsistent? If consistent, obtain the solution graphically :

(i)  $x + y = 5$ ,  $2x + 2y = 10$  (ii)  $xy = 8$ ,  $3x3y = 16$  (iii)  $2x + y6$

 Watch Video Solution

4. Half the perimeter of a rectangular garden, whose length is 4 m more than its width, is 36 m. Find the dimensions of the garden.

 Watch Video Solution

5. On comparing the ratios  $\frac{a_1}{a_2}$ ,  $\frac{b_1}{b_2}$  and  $\frac{c_1}{c_2}$ , find out whether the following pair of linear equations are consistent, or inconsistent. (i) (ii) (iii)  $3x + 2y = 5$ ;  $2x - 3y = 7$  (iv) (v) (vi) (vii) (viii)  $2x - 3y = 8$ ;  $4x - y = 9$  (iii)  $\frac{3}{2}x + \frac{5}{3}y = 7$ ;  $9x - 10y = 14$  (iv)  $5x - 3y = 11$ ;  $-10x + 6y = -22$  (v)  $\frac{4}{3}x + 2y = 8$ ;  $2x + 3y = 12$

 [Watch Video Solution](#)

6. On comparing the ratios  $\frac{a_1}{a_2}$ ,  $\frac{b_1}{b_2}$  and  $\frac{c_1}{c_2}$ , find out whether the following pair of linear equations are consistent, or inconsistent. (i)  $3x + 2y = 5$ ;  $2x - 3y = 7$  (ii)  $2x - 3y = 8$ ;  $4x - y = 9$  (iii)  $\frac{3}{2}x + \frac{5}{3}y = 7$ ;  $9x - 10y = 14$  (iv)  $5x - 3y = 11$ ;  $-10x + 6y = -22$  (v)  $\frac{4}{3}x + 2y = 8$ ;  $2x + 3y = 12$

 [Watch Video Solution](#)

7. From the pair of linear equations in the following problems, and find their solutions graphically. (i) 10 students of Class X took part in a Mathematics quiz. If the number of girls is 4 more than the number of

boys, find the number of boys and girls who took part in the quiz.(ii) 5 pencils and 7 pens together cost Rs 50, whereas 7 pencils and 5 pens together cost Rs 46. Find the cost of one pencil and that of one pen.

 [Watch Video Solution](#)

## Solved Examples

1. Check whether the pair of equations  $x + 3y = 6$  . . . (1) and  $2x + 3y = 12$  . . . (2) is consistent. If so, solve them graphically.

 [Watch Video Solution](#)

2. Graphically, find whether the following pair of equations has no solution, unique solution or infinitely many solutions:  $5x - 8y + 1 = 0$  . . .

$$(1) 3x - \frac{24}{5}y + \frac{3}{5} = 0 \dots (2)$$

 [Watch Video Solution](#)

3. Champa went to a 'Sale' to purchase some pants and skirts. When her friends asked her how many of each she had bought, she answered, The number of skirts is two less than twice the number of pants purchased. Also, the number of skirts is four less than four times the number of pants purchased. Help her friends to find how many pants and skirts Champa bought.

 [Watch Video Solution](#)

4. Solve the following pair of equations by substitution method :

$$7x + 15y = 2 \dots (1) \quad x + 2y = 3 \dots (2)$$

 [Watch Video Solution](#)

5. Akhila goes to a fair with Rs 20 and wants to have rides on the Giant Wheel and play Hoopla. Represent this situation algebraically and graphically (geometrically).

 [Watch Video Solution](#)

6. Romila went to a stationery shop and purchased 2 pencils and 3 erasers for Rs 9. Her friend Sonali saw the new variety of pencils and erasers with Romila, and she also bought 4 pencils and 6 erasers of the same kind for Rs 18. Represent this situation

 [Watch Video Solution](#)

7. Two lines are represented by the equations  $x + 2y - 4 = 0$  and  $2x + 4y - 12 = 0$ . Represent this situation geometrically.

 [Watch Video Solution](#)

8. Solve question no. 1 of exercise 1 by the method of substitution.

 [Watch Video Solution](#)

9. Let us consider Example 2 in Section 3.3, i.e., the cost of 2 pencils and 3 erasers is Rs 9 and the cost of 4 pencils and 6 erasers is Rs 18. Find the cost of each pencil and each eraser.

 [Watch Video Solution](#)

10. Solve the pair of equations :  $\frac{2}{x} + \frac{3}{y} = 13, \frac{5}{x} - \frac{4}{y} = -2$

 [Watch Video Solution](#)

11. For what values of  $k$  will the following pair of linear equations have infinitely many solutions?

$$kx + 3y - (k - 3) = 0 \text{ and } 12x + ky - k = 0$$

 [Watch Video Solution](#)

12. For which values of  $p$  does the pair of equations given below has unique solution?  
 $4x + py + 8 = 0$   
 $2x + 2y + 2 = 0$





[Watch Video Solution](#)

13. From a bus stand in Bangalore. if we buy 2 tickets to Malleswaram and 3 tickets to Yeshwanthpur, the total cost is Rs 46; but if we buy 3 tickets to Malleswaram and 5 tickets to Yeshwanthpur the total cost is Rs 74. Find the fares from the bus stand to Malleswaram, and to Yeshwanthpur.



[Watch Video Solution](#)

14. The sum of a two-digit number and the number formed by reversing the order of digits is 66. If the two digits differ by 2, find the number. How many such numbers are there?



[Watch Video Solution](#)

15. Use elimination method to find all possible solutions of the following pair of linear equations:  $2x + 3y = 8$ ,  $4x + 6y = 7$



[Watch Video Solution](#)

[▶ Watch Video Solution](#)

16. The ratio of incomes of two persons is  $9:7$  and the ratio of their expenditures is  $4:3$ . If each of them manages to save Rs 2000 per month, find their monthly incomes.

[▶ Watch Video Solution](#)

17. Let us consider the Example 3 of Section 3.2. Will the rails cross each other?

[▶ Watch Video Solution](#)

18. A boat goes 30 km upstream and 44 km downstream in 10 hours. In 13 hours, it can go 40 km upstream and 55 km downstream. Determine the speed of the stream and that of the boat in still water.

[▶ Watch Video Solution](#)

19. Solve the following pair of equations by reducing them to a pair of

linear equations: 
$$\frac{5}{x-1} + \frac{1}{y-2} = 2\frac{6}{x-1} - \frac{3}{y-2} = 1$$



Watch Video Solution

### Exercise 3 6

1. Formulate the following problems as a pair of equations, and hence find their solutions:

(i) Ritu can row downstream 20 km in 2 hours, and upstream 4 km in 2 hours. Find her speed of rowing in still water and the speed of the current.

(ii) 2 women and 5 men can together finish an embroidery work in 4 days, while 3 women and 6 men can finish it in 3 days. Find the time taken by 1 woman alone to finish the work, and also that taken by 1 man alone.

(iii) Roohi travels 300 km to her home partly by train and partly by bus. She takes 4 hours if she travels 60 km by train and the remaining by bus.

If she travels 100 km by train and the remaining by bus, she takes 10 minutes longer. Find the speed of the train and the bus separately.

 [Watch Video Solution](#)

2. Solve the following pairs of equations by reducing them to a pair of linear equations: (i)  $\frac{1}{2x} + \frac{1}{3y} = 2$ ;  $\frac{1}{3x} + \frac{1}{2y} = \frac{13}{6}$  (ii)  $\frac{2}{\sqrt{x}} + \frac{3}{\sqrt{y}} = 2$   
;  $\frac{4}{\sqrt{x}} - \frac{9}{\sqrt{y}} = -1$  (iii)  $\frac{4}{x} + 3y = 14$ ;  $\frac{3}{x} - 4y = 23$

 [Watch Video Solution](#)

### Exercise 3 5

1. about to only mathematics

 [Watch Video Solution](#)

2. Solve the following pair of linear equations by the substitution and cross multiplication methods:  $8x + 5y = 9$ ;  $3x + 2y = 4$



[Watch Video Solution](#)

3. (i) For which values of  $a$  and  $b$  does the following pair of linear equations have an infinite number of solutions?

$$2x + 3y = 7$$

$$(a - b)x + (a + b)y = 3a + b - 2$$

(ii) For which value of  $k$  will the following pair of linear equations have no solution?

$$3x + y = 1$$

$$(2k - 1)x + (k - 1)y = 2k + 1$$



[Watch Video Solution](#)

4. In the following system of equations determine whether it has unique solution, no solution or infinitely many solutions. In case there is a unique

solution, find it:  $x - 3y = 3$ ,  $3x - 9y = 2$

 [Watch Video Solution](#)

### Exercise 3 1

1. The cost of 2kg of apples and 1 kg of grapes on a day was found to be Rs 160. After a month, the cost of 4 kg of apples and 2 kg of grapes is Rs 300. Represent the situation algebraically and geometrically.

 [Watch Video Solution](#)

2. The coach of a cricket team buys 3 bats and 6 balls for Rs 3900. Later, he buys another bat and 3 more balls of the same kind for Rs 1300. Represent this situation algebraically and geometrically.

 [Watch Video Solution](#)

3. Aftab tells his daughter, Seven years ago, I was seven times as old as you were then. Also, three years from now, I shall be three times as old as you will be. Is not this interesting? Represent this situation algebraically and graphically.

 [Watch Video Solution](#)

### Exercise 3 4

1. Solve the following pair of linear equations by the elimination method and the substitution method:(i)  $x + y = 5$  and  $2x - 3y = 4$  (ii)  $2x + 4y = 10$  and  $2x - 2y = 2$

 [Watch Video Solution](#)

2. From the pair of linear equations in the following problems, and find their solutions (if they exist) by the elimination method:(i) If we add 1 to the numerator and subtract 1 from the denominator, a fraction reduces

to 1. It becomes  $\frac{1}{2}$  if we only add 1 to the denominator. What is the fraction?

 [Watch Video Solution](#)

### Exercise 3 7

1. ABCD is a cyclic quadrilateral (see Figure). Find the angles of the cyclic quadrilateral.

 [Watch Video Solution](#)

2. In a  $\triangle ABC$ ,  $\angle C = 3\angle B = 2(\angle A + \angle B)$ . Find the three angles.

 [Watch Video Solution](#)

3. The students of a class are made to stand in rows. If 3 students are extra in a row; there would be 1 row less. If 3 students are less in a row,



there would be 2 rows more. Find the number of students in the class.

 [Watch Video Solution](#)

4. Solve the following pair of linear equations:(i)

$$px + qy = pq; \quad qxy = p + q \text{ (ii)} \qquad ax + by = c; \quad bx + ay = 1 + c \text{ (iii)}$$

$$\frac{x}{a} - \frac{y}{b} = 0; \qquad ax + by = a^2 + b^2 \text{ (iv)}$$

$$(a - b)x + (a + b)y = a^2 - 2ab - b^2; \quad (a + b)(x + y) = a^2 + b^2 \text{ (v)}$$

$$x = 378, y = 74; \quad x = 378$$

 [View Text Solution](#)

5. Draw the graphs of the equations  $5x - y = 5$  and  $3x - y = 3$ .

Determine the co-ordinates of the vertices of the triangle formed by these lines and y-axis. Calculate the area of the triangle so formed.

 [Watch Video Solution](#)

6. The ages of two friends Ani and Biju differ by 3 years. Ani's father Dharam is twice as old as Ani and Biju is twice as old as his sister Cathy. The ages of Cathy and Dharam differ by 30 years. Find the ages of Ani and Biju.



[Watch Video Solution](#)

7. A train covered a certain distance at a uniform speed. If the train would have been 10 km/h faster, it would have taken 2 hours less than the scheduled time. And, if the train were slower by 10 km/h; it would have taken 3 hours more than the scheduled time. Find the distance covered by the train.



[Watch Video Solution](#)

8. One says, give me a hundred, friend ! I shall then become twice as rich as you. The other replies, 'If you give me ten, I shall be six times as rich as

you. Tell me what is the amount of their (respective) capital? [From the Bijaganita of Bhaskara II]



[Watch Video Solution](#)