



CHEMISTRY

BOOKS - AIIMS PREVIOUS YEAR PAPERS

AIIMS 1999

Chemistry

1. Bohr's model of the structure of atom is not

in conformity with

A. Heisenberg's uncertainty principle

- B. Hund's rule of maximum multiplicity
- C. Aulbau principle
- D. Paulis exclusion principle

Answer: A



2. The first ionization energy of hydrogen is $2.179 imes 10^{-18}$ J The second ionization energy of helium atom will be

A. $8.716 imes10^{-18}J$

B. $4.358 imes 10^{-18}J$

C. $5.45 imes10^{-17}$ J

D. $1.09 imes 10^{-18}J$

Answer: A

Watch Video Solution

3. The spectrum of He is expected to be similar to.

A. H

B. Li^+

C. He^+

D. Na

Answer: B



4. Among the following species , the one that

does not exist is

A.
$$\left[SiCl_6
ight]^{2\,-}$$

$$\mathsf{B.}\left[CCl_{6}\right]^{2-}$$

 $\mathsf{C.}\left[\textit{GeCl}_{6}\right] ^{2-}$

D.
$$\left[SnCl_6
ight]^{2-}$$

Answer: B

Watch Video Solution

5. The conjugate acid of NH^{2-} is

A.
$$N^{3-}$$

B. gt NH^{2-}

$\mathsf{C}.NH_3$

D. NH_4^+

Answer: C

Watch Video Solution

6. Transition metals are often paramagnetic

owing to the presence of

A. valency electrons in the outer two

electrons shells

B. unpaired electrons in their atoms

C. vacant d orbitals in the n th orbit

D. electrons in d orbitals of the (n-1) orbit.

Answer: B

Watch Video Solution

7. High pressure and high temperature will be favourable conditions for a high equilibrium yield in the reaction

Α.

 $2Cl_2O_7(g)
ightarrow 2Cl_2(g) + 7O_2(g) + 126.8$ kcal Β. $N_{2\,(\,g\,)}\,+ 3H_{2\,(\,g\,)}\,
ightarrow 2NH_{3\,(\,g\,)}\,+ 22.08kcal$ C. $Cl_{2(g)} + 2O_{2(g)} \rightarrow 2ClO_{2(g)}$ -49.4 kcal D. $2NF_{3(g)}
ightarrow N_{2(g)} + 3F_{2(g)}$ - 54.4 kcal

Answer: C



8. Among the oxy-acids of chlorine , the strongest oxidizing agent is

A. $HClO_4$

B. $HClO_3$

 $C. HClO_2$

D. HClO

Answer: D



9. When dry silver chloride is fused with sodium carbonate, silver is obtained as

A. free metal

 $\mathsf{B.}\,Ag_2C_2$

 $\mathsf{C}.Ag_2O$

D. Ag_2CO_3






10. Which one of the following tetrachlorides does not undergo hydrolysis ?

A. $SnCl_4$

- B. $GeCl_4$
- C. $SiCl_4$

D. CCl_4





11. The unit of dipole moment is

A. curie

B. debye

C. faraday

D. none of these

Answer: B



12. Among the following acids , the one that can act as both an oxidizing agent and a reducing agent is

A. HNO_2

B. $HClO_4$

 $C.HNO_3$

D. H_2SO_4





13. The osmotic pressure of a dilute solution increases when

A. more of solute is added

B. more of solvent is added

C. temperature is increased

D. any one of the change is made

Answer: B





14. Which of the following statement about boron halides is WRONG ?

A. They form tetrahedral molecules

B. They react with ethers to form addition

compounds

C. They all hydrolyse in water

D. They are all strong Lewis acids

Answer: A



15. The As_2S_3 colloid will be most readily coagulated by

A. $MgCl_2$

B. $AlCl_3$

 $\mathsf{C.}\,Na_2SO_4$

D. Na_3PO_4

Answer: B





16. The [OH] in a solution is $1 imes 10^8$. The pH of

the solution is

A. 10.0

- B.8.0
- C. 6.0
- $\mathsf{D.}\,4.0$

Answer: B



17. Equal weights of methane and hydrogen are mixed in an empty container at $25^{\circ}C$. The fraction of the total pressure exerted by hydrogen is

- A. 16/17
- B. 1/9
- $\mathsf{C.8/9}$
- D. 1/2

Answer: C



18. Heat of neutralization of HCl by NaOH is 13.7 kcal per equivalent and by NH_4OH is 12.27 kcal. The heat of dissociation of NH_4OH is

A. -25.97 kcal

B. 25.97 kcal

 $\mathrm{C.}-1.43~\mathrm{kcal}$

D. 1.43 kcal

Answer: D




19. That the conventional representation of oxygen molecule $:\ddot{O}:$ $:\ddot{O}:$ Is wrong is suggested by the fact that

A. oxygen is a colourless gas

B. oxygen atoms join to form the triatomic

ozone molecule

C. oxygen is paramagnetic



Answer: C



20. The alkane with the carbon chain $C - \bigcup_{c}^{C} - C$ could not be named

A. 2-methyl isobutane

- B. neopentane
- C. 2,2-dimethylpropane

D. tetramethyl methane

Answer: B

Watch Video Solution

21. Given the enthalpy of formation of $CO_2(g)$ is -94.0 KJ, of CaO(s) is -152 KJ, and the enthalpy of the reaction $CaCO_3(s) \rightarrow CaO(s) + CO_2(g)$ is 42KJ, the enthalpy of formation of $CaCO_3(s)$ is

 ${\sf A.}-288~{\sf kJ}$

 $\mathrm{B.}+202~\mathrm{kJ}$

 ${\rm C.}-202~{\rm kJ}$

 $\mathrm{D.}-42~\mathrm{kJ}$

Answer: A

Watch Video Solution

22. Acidic hydrogen is present in:

A. arenes

B. ethyne

C. ethene

D. ethane

Answer: B



23. In the series of reactions $CH_3COOH \xrightarrow{NH_3}_{P_2O_5} A$ $A \xrightarrow{\text{Heat}} B \xrightarrow{P_2O_5} C$ the end product C is

A. CH_4

B. acetonitrile

$\mathsf{C.}\,CH_3OH$

D. methyl cyanate

Answer: B

Watch Video Solution

24. Dry distillation of a mixture of the calcium salts of acetic acid and propionic acid will yield

A. methyl ethyl ketone

B. acetic acid

C. acetone

D. acetaldehyde

Answer: A

?

Watch Video Solution

25. Which of the following compounds does not dissolve in conc. H_2SO_4 even on warming

A. aniline

B. benzene

C. hexane

D. ethylene

Answer: C

Watch Video Solution

26. A nucleophilic reagent is

A. CO_2

 $\mathsf{B.}\,BF_3$

$C. dAlCl_3$

D. NH_3

Answer: D

Watch Video Solution

27. Lucas reagent is:

A. am. Cu_2Cl_2

B. conc. HCl + anhydrous $ZnCl_2$

 $\mathsf{C.}\,NaNO_2\mathsf{+}\,\mathsf{dil}\;\mathsf{HCl}$

D. acidified $KMnO_4$

Answer: A

Watch Video Solution

28. Natural rubber is vulcanized by heating it with

A. carbon disulphide

B. sulphur

C. carbon black

D. zinc oxide

Answer: B



29. Cannizaro's reaction is given by

A. benzaldehyde

B. trimethylacetaldehyde

C. formaldehyde

D. all of the above

Answer: D

Watch Video Solution

30. The salt A forms a colourless solution . When $NaHCO_3$ was added to the aqueous solution of A_1 there was no change observed. However when the mixed solution was boiled. It becomes milky. The salt A contains the cation A. $Mg^{2\,+}$

 $\mathsf{B.}\, Ca^{2\,+}$

- C. either Ca^{2+} or Mg^{2+}
- D. K^+

Answer: C



31. The function of anhydous $AlCl_3$ in the

Friedel Craft reaction is to

- A. produce a nucleophile
- B. produce an electrophile
- C. absorb hydrogen chloride
- D. absorb water

Answer: B



32. The ultimate product of the hydrolysis of

starch is

A. maltose

B. sucrose

C. fructose

D. glucose

Answer: D

Watch Video Solution

33. For testing nitrogen in organic compounds, they are fused with sodium metal, extracted with water, and treated with $FeSO_4$

soln. and acidified. The presence of nitrogen is indicated by a blue or green colour or precipitate. This test is not given by

A. urea

B. hdrazine

C. phenylhydrazine

D. anthranilic acid

Answer: B

View Text Solution

34. The use of NH_4Cl in the detection of third

group radicals is to

A. decrease the solubility of the hydroxides

of the group III cations

B. counter the activity of any interfering

anions

C. prevent the precipitation of group IV

cations as hydroxides

D. ensure complete precipitation of the

third group cations.

Answer: C



35. DDT is prepared by condensing chlorobenzene with

A. hexachloroethane

B. chloroform

C. chloral

D. methyl chloride





36. The best indicator for titrating 0.1 Na_2CO_3 against 0.1 N HCl is

A. methyl red

B. litmus

C. phenolphthalein

D. universal indicator

Answer: A



37. Given standard enthalpy of formation of $CO(-110 \mathrm{KJ} \mathrm{mol}^{-1})$ and $CO_2 \left(-394 \mathrm{KJ} \mathrm{\ mol}^{-1} \right)$. The heat of combustion when one mole of graphite burns is

A. -504 kl

 $B. - 394 \, kI$

 $\mathrm{C.}-284~\mathrm{kJ}$

 $\mathrm{D.}-110~\mathrm{kJ}$

Answer: B



38. Aldehydes and ketones may be distinguished by using

A. saturated solution of $NaHSO_3$

B. 2:4 dinitrophenylhydrazine

C. Tollen's reagent

D. Baeyer's reagent

Answer: C



39. Cyclisation of n-heptane will give

A. toluene

B. naphthalene

C. benzene

D. all the above

Answer: A

Watch Video Solution

40. A sample of chloroform before using as an anaesthetic is tested by :

A. Fehling solution

B. Ammonical Cu_2Cl_2 soln.

C. $AgNO_3$ soln.

D. $BaCl_2$ soln.

Answer: C

Watch Video Solution

41. The protons and neutrons in the nuclei of atoms undergo inter-conversions through the exchange of

A. electron or β -particle

B. charged mesons

C. photons

D. positrons

Answer: B



42. 18 carat gold contains

A. 90

B. 75

C. 50

D. 25

Answer: B

Watch Video Solution

43. Liquid hydrogen is being seriously considered as automobile fuel. It is because liquid hydrogen

A. is an abundant and cheap fuel

B. is non-corrosive

C. is a pollution-free fuel

D. has a high calorific value

Answer: C

Watch Video Solution

44. One a.m.u. is equal to

A.
$$1.66 imes 10^{-8}$$
 g

 $\texttt{B}.\,1.66\times10^{-4}~\texttt{g}$

C. $1.66 imes 10^{-16}$ g

D. $1.66 imes 10^{-24}$ g

Answer: D

Watch Video Solution

45. The normality of conc. HCl used in the laboratory is

A. 10 N

B. 8 N

C. 4 N

D. 2 N

Answer: A

Watch Video Solution

46. Which of the following will have least hindered rotation about carbon-carbon bond?

A. Ethyne

B. Ethene

C. Ethane

D. Hexachloroethane

Answer: C

Watch Video Solution

47. Units for the rate constant k of the zero order rate equation are

A.
$$L^2 mol^{-2} \sec^{-1}$$

B.
$$Lmol^{-1} \sec^{-1}$$

$$\mathsf{C.\,sec}^{-1}$$

D.
$$molL^{-1} \sec^1$$

Answer: D

Watch Video Solution

48. Proteins are characterized by the linkage

A.
$$- \displaystyle \mathop{C}\limits_{\mid N}^{\mid} - H - \displaystyle \mathop{N}\limits_{\mid N}^{o}$$

 $\mathsf{B}.\,H-O-C\equiv N$

0 H $\mathsf{D}.-\overset{||}{C}-\overset{n}{N}-$

Answer: D

Watch Video Solution

49. Which compound does not dissolve in hot

dil. HNO_3 ?

A. CdS

B. CuS

C. PbS

D. HgS

Answer: D

Watch Video Solution

50. Which of the following ions is not isoelectronic with the other three ?

A.
$$CO_3^{2-}$$

 $\mathsf{B.} NO_3^-$

$$\mathsf{C.}\,SO_3^{2\,-}$$

D. $BO_3^{3\,-}$

Answer: C

Watch Video Solution

51. Assertion: Both 12g. of carbon and 27g. of aluminium will have 6.02×10^{23} atoms. Reason: Gram atomic mass of an element contains Avogadro's number of atoms. A. Both Assertion and Reason are true and Reason is the correct explanation of Assertion B. Both Assertion and Reason are true but Reason is not a correct explanation of Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: A

Watch Video Solution

52. Assertion: Sucrose is sweetest in taste Reason : Sucrose is converted by the enzyme invertase present In living systems to glucose and fructose

A. Both Assertion and Reason are true and Reason is the correct explanation of Assertion

B. Both Assertion and Reason are true but

Reason is not a correct explanation of

Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: D

Watch Video Solution

53. Assertion (A): Potassium cannot be obtained by the electrolysis of used KCI in molten $CaCI_2$.

Reason (R): Metallic potassium is soluble in

molten $CaCI_2$. Thus, the cell for electrolysis gets short circuited.

A. Both Assertion and Reason are true and

Reason is the correct explanation of

Assertion

B. Both Assertion and Reason are true but Reason is not a correct explanation of

Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: C



54. Assertion: Electrons are ejected from a certain metal when either blue or violet light strikes the metal surface. However only violet light cause electron ejection from a second metal.

Reason: The electrons in the first metal requires less energy for ejection.

A. Both Assertion and Reason are true and Reason is the correct explanation of Assertion B. Both Assertion and Reason are true but Reason is not a correct explanation of Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: A

Watch Video Solution

55. Assertion: Cyclobutane is less stable than cyclopentane

Reason : The bond angles in cyclobutane and cyclopentane are 90° and 108° , respectively

A. Both Assertion and Reason are true and

Reason is the correct explanation of

Assertion

B. Both Assertion and Reason are true but

Reason is not a correct explanation of

Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: A

Watch Video Solution

56. Assertion:Benzoyl chloride is used for the preparation of derivative of tertiary amines Reason:It forms solid benzoyl derivatives

A. Both Assertion and Reason are true and Reason is the correct explanation of Assertion B. Both Assertion and Reason are true but Reason is not a correct explanation of Assertion

C. Assertion is true but Reason is false


D. Assertion is false but Reason is true

Answer: D

Watch Video Solution

57. Assertion: In formaldehyde, all the four

atoms are in the same plane



Reason:The carbon atom in formaldehyde is sp^3 hybridized

A. Both Assertion and Reason are true and Reason is the correct explanation of Assertion B. Both Assertion and Reason are true but Reason is not a correct explanation of Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: C

Watch Video Solution

58. Assertion (A) : A spectral line will be seen for $2p_x-2p_y$ transition Reason (R) : Energy is raleased in the form of wave of light when the electron drops from $2p_x$, to $2p_y$ orbital.

A. Both Assertion and Reason are true and

Reason is the correct explanation of

Assertion

B. Both Assertion and Reason are true but

Reason is not a correct explanation of

Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: D

Watch Video Solution

59. Assertion: It is very difficult to subject vinyl chloride to nucleophilic substitution as compared to ethyl chloride Reason :The vinyl group is electron donating in viny chloride

A. Both Assertion and Reason are true and Reason is the correct explanation of Assertion

B. Both Assertion and Reason are true but

Reason is not a correct explanation of

Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true

Answer: C

Watch Video Solution

60. Statement-I : The configuration of B atom

cannot be $1s^2 2s^3$.

Because

Statement-II : Hund's rule demands that the

multiplicity.

A. Both Assertion and Reason are true and

Reason is the correct explanation of

Assertion

B. Both Assertion and Reason are true but Reason is not a correct explanation of

Assertion

C. Assertion is true but Reason is false

D. Assertion is false but Reason is true



