




## CHEMISTRY

### BOOKS - AIIMS PREVIOUS YEAR PAPERS

#### AIIMS 2003

#### Chemistry

1. The paramagnetic species is



D.  $BaO_2$

**Answer: A**



[Watch Video Solution](#)

2. The reagent commonly used to determine hardness of water titrimetrically is :

- A. Oxalic acid
- B. Disodium salt of EDTA
- C. Sodium citrate
- D. Sodium thiosulphate.


**Answer: B**



[Watch Video Solution](#)

3. The true statement of the acids of phosphorus  $H_3PO_2$ ,  $H_3PO_3$  and  $H_3PO_4$  is

A. The order of their acidity is



B. All of them are reducing in nature

C. All of them are tribasic acids



D. The geometry of phosphorus is tetrahedral in all the three.

**Answer: D**



Watch Video Solution

4. The ion which is not tetrahedral in shape is






**Answer: C**



**Watch Video Solution**

5. The complex used as an anticancer agent is







**Answer: B**



**Watch Video Solution**

**6. The colourless species is**



**Answer: C**

 [Watch Video Solution](#)

7.  $MnO_4^{2-}$  (1 mole) in neutral aqueous medium is disproportionate to

A.  $2/3$  mole of  $MnO_4^-$  and  $1/3$  mole of  $MnO_2$

B.  $1/3$  mole of  $MnO_4^-$  and  $2/3$  mole of  $MnO_2$

C.  $1/3$  mole of  $Mn_2O_7$  and  $1/3$  mole of  $MnO_2$

D.  $2/3$  mole of  $Mn_2O_7$  and  $1/3$  mole of  $MnO_2$

**Answer: A**

 [Watch Video Solution](#)

8. Lanthanide for which +II and +III oxidation states are common is

A. La

B. Nd

C. Ce



D. Eu

**Answer: D**



**Watch Video Solution**

9. The mixture of concentrated  $HCl$  and  $HNO_3$  made in 3:1 ratio contains



**Answer: B**



**Watch Video Solution**

**10.** On dissolving moderate amount of sodium metal in liquid ammonia at low temperature, which of the following does not occur ?

A. Blue coloured solution is obtained

B.  $Na^+$  ions are formed in the solution



C. Liquid  $NH_3$  becomes good conductor of electricity

D. Liquid ammonia remains diamagnetic.

**Answer: D**

 [Watch Video Solution](#)

11. The ligand called  $\pi$  acid is

A. CO

B.  $NH_3$

C.  $C_2O_4^{2-}$



D. Ethylene diamine

**Answer: A**



Watch Video Solution

12. The compound used for gravimetric estimation of  $Cu(II)$  is:



**Answer: A**



Watch Video Solution

13. In the extraction of Cu from its sulphide ore, the metal is formed by reduction of  $Cu_2O$  with

A. FeS

B. CO

C.  $Cu_2S$

D.  $SO_2$


**Answer: A**



**Watch Video Solution**

14. Among the following the strongest acid is


A.  $CH_3COOH$



**Answer: C**

 [Watch Video Solution](#)

15. Among the following the weakest base is .




**Answer: C**



**Watch Video Solution**

16. IUPAC name of



is

A. 3-methyl cyclohexene

B. 1-methyl cyclohex-2-ene

C. 6-methyl cyclohexene

D. 1-methyl cyclohex-5-ene

**Answer: A**



**Watch Video Solution**

**17.** Intermolecular hydrogen bonding is strongest in

A. Methylamine

B. Phenol

C. Formaldehyde

D. Methanol

**Answer: D**



Watch Video Solution

18. The ortho/para directing group among the following is

A. COOH

B. CN

C.  $COCH_3$

D.  $NHCOCH_3$

Answer: D



Watch Video Solution

19. The treatment of benzene with isobutene in the presence of sulphuric acid gives






- A. Iso-butyl benzene
- B. Teri- butyl benzene
- C. n-butyl benzene
- D. No reaction


**Answer: B**



**Watch Video Solution**

20. Which of the following alkoxides is the most reactive nucleophile?






**Answer: D**



**Watch Video Solution**

21. The absolute configuration of the following compound is



A. 2 S, 3 R

B. 2 S, 3 S

C. 2 R, 3 S

D. 2 R, 3 R

**Answer: B**



**Watch Video Solution**

**22. Subunits present in haemoglobin are:**

A. 2

B. 3

C. 4


D. 5

**Answer: C**



**Watch Video Solution**

23. At higher temperature, iodoform reaction is given by:



**Answer: B**



**Watch Video Solution**

24. Among the following the achiral amino acid is:

A. 2 - ethylalanine

B. 2 - methylglycine

C. 2- hydroxymethyl serine

D. Tryptophan.

**Answer: C**



**Watch Video Solution**

25. Nitrobenzene gives N-phenylhydroxylamine by

A. Sn/HCl

B.  $H_2/Pd-C$

C. Zn/NaOH




D.  $Zn/NH_4Cl$

**Answer: D**



Watch Video Solution

26. Prop-1-ol can be prepared from propene



Answer: C



Watch Video Solution

27. Which of the following are arranged in the decreasing order of dipole moment ?

A.  $CH_3Cl$ ,  $CH_3Br$ ,  $CH_3F$

B.  $CH_3Cl$ ,  $CH_3F$ ,  $CH_3Br$

C.  $CH_3Br$ ,  $CH_3Cl$ ,  $CH_3F$

D.  $CH_3Br$ ,  $CH_3F$ ,  $CH_3Cl$

**Answer: B**



**Watch Video Solution**

**28.** What is the co-ordination number of sodium in  $Na_2O$  ?

A. 6

B. 4

C. 8

D. 2



**Answer: B**

 [Watch Video Solution](#)

**29.** Which of the following compounds possesses the  $C - H$  bonds with the lowest bond dissociation energy?

A. Toluene

B. Benzene

C. n-pentane

D. 2,2- dimethylpropane

**Answer: A**

 [Watch Video Solution](#)

30. One gram sample of  $NH_4NO_3$  is decomposed in a bomb calorimeter. The temperature of the calorimeter increases by  $6.12K$ . The heat capacity of the system is  $1.23KJ/g/deg$ . What is the molar heat of decomposition for  $NH_4NO_3$ ?

- A.  $-7.53kJ/mol$
- B.  $-398.1kJ/mol$
- C.  $-16.1kJ/mol$
- D.  $-602kJ/mol$

**Answer: D**



**Watch Video Solution**

**31.** Which one of the following given below concerning properties of solutions, describe a colligative effect ?

A. Boiling point of pure water decreases by the addition of ethenol.

B. Vapour pressure of pure water decreases by the addition of nitric acid.

C. Vapour pressure of pure benzene decreases by the addition of naphthalene

D. Boiling point of pure benzene increases by the addition of toluene

**Answer: D**






**Watch Video Solution**

32. Which of the following reaction is reaction is used to make a fuel cell .

A.



B.







Answer: C



Watch Video Solution

33. Which one of the following is not a buffer solution ?







Answer: D



Watch Video Solution

34. Which of the following has  $\Delta S^\circ$  greater than zero





**Answer: C**

 [Watch Video Solution](#)

**35.** The quantum numbers 'm' of a free gaseous atom is associated with :





- A. The effective volume of the orbital
- B. The shape of the orbital
- C. The spatial orientation of the orbital
- D. The energy of the orbital in the absence of a magnetic field.

Answer: C



Watch Video Solution

36. Which one of the following is not a surfactant?



Answer: B



Watch Video Solution

37. Time required to deposit one milli"mole" of aluminium metal by the passage of 9.65 amp through aqueous solution of aluminium ion is:

A. 30s

B. 10s

C. 30,000 s

D. 10,000 s

**Answer: B**



**Watch Video Solution**

38. In which of the following acid-base titration, the pH is greater than 8 at the equivalence point ?



- A. Acetic acid versus ammonia
- B. Acetic acid versus sodium hydroxide
- C. Hydrochloric acid versus ammonia
- D. Hydrochloric acid versus sodium hydroxide

**Answer: B**

 [Watch Video Solution](#)


**39.** Which of the following is not a green house gas ?

- A. Carbon dioxide
- B. Water vapour
- C. Methane
- D. Oxygen

Answer: D

 Watch Video Solution

40. The potential energy diagram for a reaction  $R \rightarrow P$  is given below.  $\Delta H^\ominus$  of the reaction corresponds to the energy



A. a

B. b

C. c

D. a+b

**Answer: C**



**Watch Video Solution**

**41.** Assertion : Solution of  $Na_2CrO_4$  in water is intensely  
electrons.

Reason : Oxidation state of  $Cr$  in  $Na_2CrO_4$  is  $+VI$ .

A. If the both assertion and reason are true and the  
reason is the correct explanation of the assertion

- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: A**



**Watch Video Solution**

**42.** The question consist of two statements each, printed as Assertion and Reason. While answering these questions you are required to choose any one of the following four responses:

Assertion:  $NF_3$  is weaker ligand than  $N(CH_3)_3$ .

Reason:  $NF_3$  ionizes to give  $F^-$  ions in aqueous solution.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: C**



**Watch Video Solution**

**43.** Assertion :  $PbI_4$  is a stable compound.

Reason : Iodide stabilizes higher oxidation state.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: D**

 [Watch Video Solution](#)

44. Assertion :  $^{22}_{11}\text{Na}$  emits a positron giving  $^{22}_{12}\text{Mg}$

Reason : In  $\beta^+$  emission neutron is transformed into proton.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: D**



**Watch Video Solution**

**45.** Assertion: Barium is not required for normal biological function in human.

Reason: Barium does not show variable oxidation state.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: A**



**Watch Video Solution**



**46.** Assertion : Haemoglobin is an oxygen carrier.

Reason : Oxygen binds as  $O_2$  to  $Fe$  of haemoglobin.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: C**



**Watch Video Solution**

**47.** Assertion : Glycosides are hydrolysed in acidic conditions.

Reason : Glycosides are acetals

A. If the both assertion and reason are true and the reason is the correct explanation of the assertion

B. If both assertion and reason are true and the reason is not the correct explanation of the assertion

C. If assertion is true but reason is false

D. If both assertion and reason are false statements.

**Answer: D**

 [Watch Video Solution](#)

**48.** Assertion: Benzyl bromide when kept in acetone water produces benzyl alcohol.

Reason: The reaction follows  $S_N2$  mechanism.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: A**



**Watch Video Solution**

**49.** Assertion(A): Activity of an enzyme is  $pH$  dependent.

Reason(R): Change in  $pH$  affects the solution of the enzyme in water.

A. If the both assertion and reason are true and the reason is the correct explanation of the assertion

B. If both assertion and reason are true and the reason is not the correct explanation of the assertion

C. If assertion is true but reason is false

D. If both assertion and reason are false statements.

**Answer: B**



**Watch Video Solution**

**50.** Assertion : Alkyl benzene is not prepared by Friedel Craft alkylation of benzene.

Reason : Grignard reagents react with hydroxyle group

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: B**



**Watch Video Solution**

**51. Assertion:** Hydroxyketones are not directly used in Grignard reaction.

**Reason :** Grignard reagents react with hydroxyl group.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: A**



**Watch Video Solution**

52. Assertion : trans - 2 - Butene on reaction with  $Br_2$  gives meso-2, 3 - dibromobutane.

Reason : The reaction involves syn - addition of bromine.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: C**



**Watch Video Solution**

53. Assertion : *Cis* – 1, 3 dihydroxy cyclohexane exists in chair conformation.

Reason : In the chair form, there will not be hydrogen bonding between the two hydroxyl groups.

A. If the both assertion and reason are true and the reason is the correct explanation of the assertion

B. If both assertion and reason are true and the reason is not the correct explanation of the assertion

C. If assertion is true but reason is false

D. If both assertion and reason are false statements.

**Answer: D**



**Watch Video Solution**



**54.** Assertion: The increase in internal energy ( $\Delta E$ ) for the vaporisation of 1 mole of water at 1 atm and  $373K$  is zero.

Reason: For all isothermal processes  $\Delta E = 0$ .

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: A**



**Watch Video Solution**

55. Assertion (A):  $BaCO_3$  is more soluble in  $HNO_3$  than in water.

Reason (R ): Carbonate is a weak base and reacts with  $H^{\oplus}$  ions to form strong acid causing barium salt to dissociate.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: A**



**Watch Video Solution**

56. Assertion:  $\Delta H$  and  $\Delta E$  are almost the same for the reaction.  $N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$

Reason: All reactants and products are gases.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: B**



**Watch Video Solution**

**57.** Assertion : Photochemical smog is produced by nitrogen oxides.

Reason : Vehicular pollution is a major source of nitrogen oxides.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: B**



**Watch Video Solution**

**58.** Assertion (A): The increasing pressure on water decreases its freezing point.

Reason (R ):The density of water is maximum at  $273K$ .

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: B**

 [Watch Video Solution](#)

**59. Assertion(A):** The micelle formed by sodiumm stearate in water has  $-COO$  groups at the surface.

**Reason(R):** Surface tension of water is reduced by addition of stearate.

A. If the both assertion and reason are true and the reason is the correct explanation of the assertion

B. If both assertion and reason are true and the reason is not the correct explanation of the assertion

C. If assertion is true but reason is false

D. If both assertion and reason are false statements.

**Answer: B**



**Watch Video Solution**

60. Assertion (A) The O-O bond length in  $H_2O_2$  is shorter than that in  $O_2$ .

Reason (R )  $H_2O_2$  is ionic compound.

- A. If the both assertion and reason are true and the reason is the correct explanation of the assertion
- B. If both assertion and reason are true and the reason is not the correct explanation of the assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false statements.

**Answer: D**



**Watch Video Solution**