



CHEMISTRY

BOOKS - AIIMS PREVIOUS YEAR PAPERS

AIIMS 2017



1. Sodium metal crystallises in a body centred cubic lattice with edge length of the unit cell equal to 4.29Å The radius of the sodium atom is approximately

A. 5.72\AA

B. 0.93Å

C. 1.86Å

D. 3.22Å

Answer: C



2. Which of the following compounds is not an antacid?

A. Phenelzine

B. Ranitidine

C. Aluminium hydroxide

D. Cimetidine

Answer: A



3. The synthesis of alkyl fluoride is best accomplished by:

A. Finkelstein reaction

B. Swarts reaction

- C. Free radical fluorination
- D. Sandmeyer's reaction

Answer: B

Watch Video Solution

4. In Bohr series of lines of hydrogen spectrum, third line from the red end corresponds to which one of the following inner orbit jumps of electron for Bohr orbit in atom in hydrogen :

A. 5
ightarrow 2

- $\text{B.4} \rightarrow 1$
- ${\rm C.}\,2 \rightarrow 5$

 ${\rm D.}\,3 \rightarrow 2$

Answer: A



5. The ether that undergoes electrophilic substitution reactions is

A. $CH_3OC_2H_5$

 $\mathsf{B.}\, C_6H_5OCH_3$

 $\mathsf{C.}\,CH_3OCH_3$

 $\mathsf{D.}\, C_2H_5OC_2H_5$

Answer: B

Watch Video Solution

6. Aldol condensation will not be observed in

A. chloral

B. phenylacetaldehyde

C. hexanal

D. nitromethane

Answer: A



7. In the following sequence of reaction, the end product is :

 $HC \equiv CH \stackrel{Hg^{2+} \, / \, H_2SO_4}{\longrightarrow} (A) \stackrel{CH_3MgX}{\underset{[H_2O]}{\longrightarrow}} (B) \stackrel{[O]}{\longrightarrow} (C)$

A. acetic acid

B. isopropyl alcohol

C. acetone

D. ethanol

Answer: C

Watch Video Solution

8. The reaction $RCH_2CH_2COOH \xrightarrow{RedP} R - CH_2 - CH - COOH$

A. Reimer- Tiemann reaction

B. Hell-volhard Zelinsky reaction

C. Cannizzaro reaction

D. Sandmeyer reaction

Answer: B

Watch Video Solution

9. A triglyceride can have how many different acyl groups?

A. 3 B. 2

C. 1

D. 4

Answer: A



10. $lpha - D(+) - {
m glucose}$ and $eta - D(+) - {
m glucose}$ are:

A. conformers

B. epimers

C. anomers

D. enatiomers

Answer: C



11. Which one of the following is not a condensation polymer?

A. Melamine

B. Glyptal

C. Dacron

D. Neoprene

Answer: D

Watch Video Solution

12. Teflon and neoprene are

A. copolymers

B. condensation polymers

C. homopolymers

D. monomers

Answer: C

Watch Video Solution

13. In the reaction

 $ext{Phenol} \stackrel{NaOH}{\longrightarrow} (A) \stackrel{CO_2 + HCl}{140} (B)$ here B is

A. benzaldehyde

B. chlorobenzene

C. benzoic acid

D. salicylic acid

Answer: D

Watch Video Solution

14. The molar heat capacity of water at constant pressure, C, is $75JK^{-1}mol^{-1}$. When 1.0 kJ of heat is supplied to 100 g water which is free to expand, the increase in temperature of water is :

A. 6.6K

B. 1.2K

C. 2.4K

D. 4.8K

Answer: B

Watch Video Solution

15. ΔH_1° for $CO_2(g)$, CO(g) and $H_2O(g)$ are -393.5, -110.5 and $-241.8kJmol^{-1}$ respectively. Standard enthalpy change for the reaction $CO_2(g) + H_2(g) \rightarrow CO(g) + H_2O(g)$ is

A. 524.1

 $\mathsf{B.}\,41.2$

 ${\rm C.}-265.5$

 $\mathsf{D.}-41.2$

Answer: B

16. Which of the following relation represents correct relation between

standard electrode potential and equilibrium constant?

I.
$$\log K = \frac{nFE^{\circ}}{2.303RT}$$

II. $K = e^{\frac{nFE}{RT}}$
III. $\log K = \frac{-nFE^{\circ}}{2.303RT}$
IV. $\log K = 0.4342 \frac{-nFE^{\circ}}{RT}$

Choose the correct statement(s).

A. I, II and III are correct

B. II and III are correct

C. I, II and IV are correct

D. I and IV are correct

Answer: C

Watch Video Solution

17. At $25^{\circ}C$, the solubility product of $Mg(OH)_2$ is 1.0×10^{-11} . At which pH, will Mg^{2+} ions start precipitating in the form of $Mg(OH)_2$ from a solution of $0.001MMg^{2+}$ ions ?

| A. 9 | |
|-------|--|
| B. 10 | |
| C. 11 | |
| D. 8 | |

Answer: B





The X is

A. C_2H_5ONa

B. Conc. $HCl + AnhyZnCl_2$

C. Anh. $AlCl_3$

D. $KMnO_4 / OH^-$

Answer: D

Watch Video Solution

19. The strongest ortho/para and the strongest meta directing groups, respectively, are

 $A - NO_2$ and $-NH_2$

 $B.-CONH_2$ and $-NH_2$

 $C. - NH_2$ and $-CONH_2$

 $D.-NH_2$ and $-NO_2$

Answer: D

Watch Video Solution

20. Volume of water needed to mix with 10 mL 10N HNO_3 to get 0.1 N

 HNO_3 is :

A. 1000 mL

B. 990 mL

C. 1010 mL

D. 10mL

Answer: B

Watch Video Solution

21. Hybridisation states of C in CH_3 and CH_4 are

A. $sp^2 \& sp^3$ B. $sp^2 \& sp^2$ C. $sp^2 \& sp^2$

D. $sp^3\&sp^3$

Answer: A



22. Which of the following substances has the least covalent character ?

A. Cl_2O

B. NCl_3

 $C. PbCl_2$

D. $BaCl_2$

Answer: D



23. The law of triad is applicable to a group of a)Cl, Br, I b)C,N,O c) Na, K, Rb d)H, O, N

A. Cl, Br, I

B. C, N, O

C. Na, K, Rb

D. H, O, N

Answer: A

Watch Video Solution

24. Consider the following reaction occuring in basic medium

 $2MnO_4^- + Br^-(aq)
ightarrow 2MnO_2(s) + BrO_3^-(aq)$

How the above reaction can be balanced further ?

A. By adding $2OH^{-}$ ions on right side

B. By adding one H_2O molecule to left side

C. By adding $2H^+$ ions on right side

D. Both (a) and (b)

Answer: D



25. On the basis of the following E° values, the stongest oxidizing agent is $[Fe(CN)_6]^{4-} \rightarrow [Fe(CN)_6]^{3-} + e^-, E^{\circ} = -0.35V$ $Fe^{2+} \rightarrow Fe^{3+} + e^-, E^{\circ} = -0.77V$ A. $[Fe(CN)_6]^{4-}$ B. Fe^{2+} C. Fe^{3+} D. $[Fe(CN)_6]^{3-}$

Answer: C

26. Consider the following cell reation :

$$2Fe(s)+O_2(g)+4H^{\oplus}(aq)
ightarrow 2Fe^{2+}(aq)+2H_2O(l) \qquad E^{c-}=1.67V$$
 $Atig[Fe^{2+}ig]=10^{-3}M, p(O_2)=0.1atm$ and $pH=3$.

The cell potential at $25^{\,\circ}\,C$ is

A. 1.47 V

B. 1.77 V

C. 1.87 V

D. (c) 1.87 V (d)

Answer: D

Watch Video Solution

27. Which one of the following impurities present in colloidal solution cannot be removed by electrodialysis?

A. Sodium chloride

- B. Potassium sulphate
- C. Urea
- D. Calcium chloride

Answer: C

View Text Solution

28. The pronounced change from non-metallic behaviour and also increase in the basicity of oxides from nitrogen to bismuth in group 15 is principally due to increasing size of the atoms. The ionisation potential of nitrogen is very high on account of its small size. However, ionisation potential decreases regularly on descending the group.

Which one of the following fluorides does not exist ?

- A. NF_5
- B. PF_5
- C. AsF_5

D. SbF_5

Answer: B



29. Which of the following are peroxoacids of sulphur?

A. H_2SO_5 and $H_2S_2O_8$

 $B. H_2 SO_5$ and $H_2 S_2 O_7$

C. $H_2S_2O_7$ and $H_2S_2O_8$

D. $H_2S_2O_6$ and $H_2S_2O_7$

Answer: A

Watch Video Solution

30. For d block elements the first ionization potential is of the order

A.
$$Zn > Fe > Cu > Cr$$

- $\operatorname{B.} Sc = Ti < V = Cr$
- $\mathsf{C}.\,Zn > Cu > \ < Ni < Co$
- $\mathsf{D}.\, V > Cr > Mn > Fe$

Answer: A



31. Which of the following coordination compounds would exhibit optical isomerism?

A. pentamminenitrocobalt(III) iodide

B. diamminedichloroplatinum(II)

C. trans-dicyanobis (ethylenediamine) chromium (III) chloride

D. tris-(ethylendiamine) cobalt (III) bromide

Answer: D

32. A solution of urea boils at $100.18^{\circ}C$ at the atmospheric pressure. If K_f and K_b for water are 1.86 and $0.512Kkgmol^{-1}$ respectively, the above solution will freeze at,

A. 0.654°

 $\mathrm{B.}-0.645^{\,\circ}\,C$

 $\mathsf{C.}\, 6.54^{\,\circ}\, C$

 $\mathrm{D.}-6.54^{\,\circ}\,C$

Answer:

> Watch Video Solution

33. Pure hydrogen sulphide is stored in a tank of 100 litre capacity at 20°

C and 2 atm pressure. The mass of the gas will be

A. 34 g

B. 340 g

C. 282.68 g

D. 28.24 g

Answer:

Watch Video Solution

34. $2CuFeS_2 + O_2
ightarrow Cu_2S + 2FeS + SO_2$ Which process of

metallurgy of copper is represented by above equation ?

A. Concentration

B. Roasting

C. Reduction

D. Purification

Answer:

35. Which of the following are intermediates in Sandmeyer reaction ?

 $C_6 H_5 N^{\,+}\,=\,N C l^{\,-}$ (ii) $C_6 H_5 N^{\,+}\,\equiv\,N$

 $(ii)C_5H_5$ (iv) C_6H_5Cl

A. (ii) and (iii)

B. (ii) and (iv)

C. (i) and (ii)

D. (i) and (iv)

Answer:

View Text Solution

36. When zeolite (hydrated sodium aluminium silicate) is treated with hard water the sodium ions are exchanged with

A. H^+ ions

B. Ca^{2+} ions

C. SO_4^2 ions

D. None of these

Answer:

Watch Video Solution

37. A laboratory reagent imparts green colour to the flame. On heating with solid $K_2Cr_2O_7$ and conc. H_2SO_4 it evolves a red gas. Identify the regent .

A. $CaCl_2$

B. $BaCl_2$

 $C. CuCl_2$

D. None of these

Answer:

View Text Solution

38. Assertion : Both rhombic and monoclinic sulphur exist as S_8 but oxygen exists as O_2 .

Reason : Oxygen forms $p\pi - p\pi$ multiple bond due to small size and small length but $p\pi - p\pi$ bonding is not possible in sulphur.

A. Assertion is correct, reason is correct, reason is a correct explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

- C. Assertion is correct, reason is incorrect
- D. Assertion is incorrect, reason is correct.

Answer:

39. Assertion: Aniline does not undergo Friedel-Crafts reactions. Reason:

 $-NH_2$ group of aniline reacts with $AlCl_3$ to give acid-base reaction.

A. Assertion is correct, reason is correct, reason is a correct explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer:



40. Assertion: Equal moles of different substnaces contains same number

of constituent particles.

Reason: Equal weights of different substances contain the samme number of contituent particles.

A. Assertion is correct, reason is correct, reason is a correct explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer:

Watch Video Solution

41. Assertion: $HClO_4$ is a stronger acid than $HClO_3$.

Reason: Oxidation state of Cl in $HClO_4$ is +VII and in $HClO_3 + V$.

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer:

Watch Video Solution

42. Assertion : Lithium carbonate is not so stable to heat.

Reason : Lithium being very small in size polarizes large CO_2^3 ion leading

to the fomation of more stable Li_2)O and CO_2

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer:

View Text Solution

43. Statement - If one component obeyed Raoult's law over a certain range of composition, the other component would not obey Henry's law in that range.

Explanation - Raoult's law is a special case of Henry's law.

A. Assertion is correct, reason is correct, reason is a correct explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer:

Watch Video Solution

44. Assertion (A) Gases do not liquefy above their critical temperature, even on applying high pressure.

Reason (R) Above critical temperature, the molecular speed is high and intermolecular attractions cannot hold the molecules together because they escape because of high speed.

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer:



45. Assertion : Aniline is better nucleophile than anilium ion.

Reason : Anilium ion have +ve charge.

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer: C

View Text Solution

46. Assertion : Benzene exhibit tow different bond length , due to C- C single and C = C double bonds .

Reason : Actual structure of benzene is a hybrid of following two structures.



A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer: A

47. Assertion (A): Galvanized iron does not rust.

Reason (R): Zn has a more negative electrode potential than Fe.

- A. Assertion is correct, reason is correct, reason is a correct explanation for assertion.
- B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer: C



48. Assertion : Atomic radius of gallium is higher than that of aluminium Reason : The presence of additional d-electron offer poor screening effect for the outer electrons from increased nuclear charge.

- A. Assertion is correct, reason is correct, reason is a correct explanation for assertion.
- B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

- C. Assertion is correct, reason is incorrect
- D. Assertion is incorrect, reason is correct.

Answer: A

Watch Video Solution

49. Assertion : The radius of the first orbit of hydrogen atom is $0.529 {
m \AA}$

Reason : NF_3 ionizes to give F^{-1} ions in aqueous solution.

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer: C

View Text Solution

50. Assertion : SN_2 reaction of an optically active aryl halide with an aqueous solution of KOH always gives an alcohol with opposite sign of rotation.

Reason : S_N reactions always proceed with inversion of configuration.

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer: D

View Text Solution

51. Assertion : Magnetic moment values of actinides are lesser than the theoretically predicted values.

Reason : Actinide elements are strongly paramagnetic.

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer: B

View Text Solution

52. Assertion : Sedatives are given to patients who are mentally agitated and violent.

Reason : Sedatives are used to suppress the activities of central nervous system.

A. Assertion is correct, reason is correct, reason is a correct

explanation for assertion.

B. Assertion is correct, reason is correct, reason is not a correct

explanation for assertion

C. Assertion is correct, reason is incorrect

D. Assertion is incorrect, reason is correct.

Answer: A

