



MATHS

NCERT - NCERT

MATHEMATICS(HINGLISH)

QUADRATIC EQUATIONS

Exercise 4 4

1. Find the nature of the roots of the following quadratic equations. If the real roots exist, find

them:

$$(i) 2x^2 - 3x + 5 = 0$$

$$(ii) 3x^2 - 4\sqrt{3}x + 4 = 0$$

$$(iii) 2x^2 - 6x + 3 = 0$$



[Watch Video Solution](#)

2. Is it possible to design a rectangular mango grove whose length is twice its breadth, and the area is $800 m^2$? If so, find its length and breadth.



[Watch Video Solution](#)

3. Find the values of k for each of the following quadratic equations, so that they have two equal roots. (i) $2x^2 + kx + 3 = 0$ (ii)

$$kx(x - 2) + 6 = 0$$



[Watch Video Solution](#)

4. Is it possible to design a rectangular park of perimeter 80 m and area 400 m²? If so, find its length and breadth.



[Watch Video Solution](#)

5. Determine their present ages. The sum of the ages of two friends is 20 years. Four years ago, the product of their ages in years was 48.



[Watch Video Solution](#)

Solved Examples

1. Find the roots of $4x^2 + 3x + 5 = 0$ by the method of completing the square.



[Watch Video Solution](#)

2. Find the roots of the equation $5x^2 - 6x - 2 = 0$ by the method of completing the square.



[Watch Video Solution](#)

3. Find the roots of the quadratic equation $3x^2 - 2\sqrt{6}x + 2 = 0$



[Watch Video Solution](#)

4. Find the roots of the quadratic equation

$$6x^2 - x - 2 = 0.$$

A. $-1/2, 3/2$

B. $-1/2, 2/3$

C. $-1/2, -2/3$

D. None of these

Answer: B



Watch Video Solution


5. Solve the equation given by the method of completing the square.

$$2x^2 - 5x + 3 = 0$$



[Watch Video Solution](#)

6. Find the dimensions of the prayer hall discussed in Section 4.1.





Watch Video Solution

7. Represent the following situations mathematically:(i) John and Jivanti together have 45 marbles. Both of them lost 5 marbles each, and the product of the number of marbles they now have is 124. We would like to find out how many marbles they had to start with.(ii) A cottage industry produces a certain number of toys in a day. The cost of production of each toy (in rupees) was found to be 55 minus the number of toys produced

in a day. On a particular day, the total cost of production was Rs 750. We would like to find out the number of toys produced on that day.



[Watch Video Solution](#)

8. Find the roots of the equation $2x^2 - 5x + 3 = 0$, by factorisation.



[Watch Video Solution](#)

9. Check whether the following are quadratic

equations : (i) $(x - 2)^2 + 1 = 2x - 3$ (ii)

$x(x + 1) + 8 = (x + 2)(x^2)$ (iii)

$x(2x + 3) = x^2 + 1$ (iv) $(x + 2)^3 = x^3 - 4$



[Watch Video Solution](#)

10. A rectangular park is to be designed whose breadth is 3 m less than its length. Its area is to be 4 square metres more than the area of a park that has already been made in the shape

of an isosceles triangle with its base as the breadth of the rectangular park and of altitude 12 m (see Figure). Find its length and breadth.



[Watch Video Solution](#)

11. Find the roots of the following quadratic equations, if they exist, using the quadratic formula:(i) $3x^2 - 5x + 2 = 0$ (ii)

$x^2 + 4x + 5 = 0$ (iii) $2x^2 - 2\sqrt{2}x + 1 = 0$



[Watch Video Solution](#)

12. Solve by using the quadratic formula.

The area of a rectangular plot is 528 m^2 . The length of the plot (in metres) is one more than twice its breadth. We need to find the length and breadth of the plot.



Watch Video Solution

13. Find two consecutive odd positive integers, sum of whose squares is 290.

A. 11, 13

B. 12, 14

C. 15, 18

D. None of these

Answer:



Watch Video Solution

14. Find the discriminant of the quadratic equation $2x^2 - 4x + 3 = 0$, and hence find the nature of its roots.



[Watch Video Solution](#)

15. A pole has to be erected at a point on the boundary of a circular park of diameter 13 metres in such a way that the differences of its distances from two diametrically opposite fixed gates A and B on the boundary is 7 metres. Is it possible to do so? If yes, at what distances from the two gates should the pole be erected?



[Watch Video Solution](#)

16. Find the roots of the following equations :

(i) $x + \frac{1}{x} = 3, x \neq 0$ (ii)

$\frac{1}{x} - \frac{1}{x-2} = 3, x \neq 0, 2$



Watch Video Solution

17. A motor boat whose speed is 18 km/h in still water takes 1 hour more to go 24 km upstream than to return downstream to the same spot. Find the speed of the stream.



Watch Video Solution

18. Find the discriminant of the equation

$$3x^2 - 2x + \frac{1}{3} = 0$$
 and hence find the nature

of its roots. Find them, if they are real.



Watch Video Solution

Exercise 4 1

1. Represent the following situations in the form of quadratic equations :

(i) The area of a rectangular plot is 528 m^2 .

The length of the plot (in metres) is one more than twice its breadth. We need to find the length and breadth of the plot.

(ii) The product of two consecutive positive integers is 306. We need to find the integers.

(iii) Rohan's mother is 26 years older than him.

The product of their ages (in years) 3 years from now will be 360. We would like to find Rohan's present age.

(iv) A train travels a distance of 480 km at a uniform speed. If the speed had been 8 km/h less, then it would have taken 3 hours more to

cover the same distance. We need to find the speed of the train.



Watch Video Solution

2. Check whether the following are quadratic equation

(i) $(x + 1)^2 = 2(x - 3)$

(ii) $x^2 - 2x = (-2)(3 - x)$

(iii) $(x - 2)(x + 1) = (x - 1)(x + 3)$

(iv) $(x - 3)(2x + 1) = x(x + 5)$

(v) $(2x - 1)(x - 3) = (x + 5)(x - 1)$

$$(vi) x^2 + 3x + 1 = (x - 2)^2$$

$$(vii) (x + 2)^3 = 2x(x^2 - 1)$$

$$(viii) x^3 - 4x^2 - x + 1 = (x - 2)^3$$



Watch Video Solution

Exercise 4 3

1. Find the roots of the following quadratic equations, if they exist, by the method of completing the square:

$$(i) 2x^2 - 7x + 3 = 0$$

$$(ii) 2x^2 + x - 4 = 0$$

$$(iii) 4x^2 + 4\sqrt{3}x + 3 = 0$$

$$(iv) 2x^2 + x + 4 = 0$$



Watch Video Solution

2. Find the roots of the quadratic equations by applying the quadratic formula.

$$(i) 2x^2 - 7x + 3 = 0$$

$$(ii) 2x^2 + x - 4 = 0$$

$$(iii) 4x^2 + 4\sqrt{3}x + 3 = 0$$

$$(iv) 2x^2 + x + 4 = 0$$



Watch Video Solution

3. Find the roots of the following equations :

$$(i) x - \frac{1}{x} = 3, x \neq 0$$

$$(ii) \frac{1}{x+4} - \frac{1}{x-7} = \frac{11}{30}, x \neq -4, 7$$



Watch Video Solution

4. The sum of the reciprocals of Rehman's ages,

(in years) 3 years ago and 5 years from now is

$\frac{1}{3}$. Find his present age.



Watch Video Solution

5. In a class test, the sum of Shefalis marks in Mathematics and English is 30. Had she got 2 marks more in Mathematics and 3 marks less in English, the product of their marks would have been 210. Find her marks in the two subjects.



[Watch Video Solution](#)

6. The diagonal of a rectangular field is 60 metres more than the shorter side. If the longer side is 30 metres more than the shorter side, find the sides of the field.



[Watch Video Solution](#)

7. The difference of squares of two numbers is 180. The square of the smaller number is 8 times the larger number. Find the two numbers.





[Watch Video Solution](#)

8. A train travels 360 km at a uniform speed. If the speed had been 5 km/h more, it would have taken 1 hour less for the same journey. Find the speed of the train.



[Watch Video Solution](#)

9. Two water taps together can fill a tank in $9\frac{3}{8}$ hours. The tap of larger diameter takes 10 hours less than the smaller one to fill the tank

separately. Find the time in which each tap can separately fill the tank.



[Watch Video Solution](#)

10. Sum of the areas of two squares is 468 m^2 .

If the difference of their perimeters is 24 m,

find the sides of the two squares.



[Watch Video Solution](#)

11. An express train takes 1 hour less than a passenger train to travel 132 km between Mysore and Bangalore (without taking into consideration the time they stop at intermediate stations). If the average speed of the express train is 11 km/h more than that of the passenger train, find the average speed of the two trains.



[Watch Video Solution](#)

1. Find two numbers whose sum is 27 and product is 182.



[Watch Video Solution](#)

2. Represent the following situations mathematically:

(i) John and Jivanti together have 45 marbles.

Both of them lost 5 marbles each and the product of the number of marbles they now have is 124. We would like to find out how

many marbles they had to start with.

A cottage industry produces a certain number of toys in a day. The cost of production of each toy (in rupees) was found to be 55 minus the number of toys produced in a day. On a particular day, the total cost of production was RS.750. We would like to find out the number of toys produced on that day.



Watch Video Solution

3. Find the roots of the following quadratic equations by factorisation:

(i) $x^2 - 3x - 10 = 0$

(ii) $2x^2 - x - 6 = 0$

(iii) $\sqrt{2}x^2 + 7x + 5\sqrt{2} = 0$

(iv) $100x^2 - 20x + 1 = 0$

(v) $100x^2 - 20x + 1 = 0$



Watch Video Solution

4. A cottage industry produces a certain number of pottery articles in a day. It was observed on a particular day that the cost of production of each article (in rupees) was 3 more than twice the number of articles produced on that day. If the total cost of production on that day was Rs 90. Find the number of articles produced and the cost of each article.



[Watch Video Solution](#)

5. The altitude of a right triangle is 7 cm less than its base. If the hypotenuse is 13 cm, find the other two sides.



[Watch Video Solution](#)

6. Find two consecutive positive integers, sum of whose squares are 365.

A. 13,14

B. 12,13

C. 14,15

D. none of these

Answer: A



Watch Video Solution