



## CHEMISTRY

### NCERT - NCERT CHEMISTRY(HINGLISH)

#### HYDROCARBONS

##### Solved Example

1. Write the structure of different isomeric alkanes corresponding to the molecular formula  $C_6H_{14}$ . Also give their *IUPAC* names.

Strategy: Start with the longest continuous chain with no branching and go on increasing the number of

branching by removing one, two, etc,  $C$  atoms from the longest chain and reattaching them, but do not attach them to the terminal  $C$  atoms.



Watch Video Solution


2. Write the structures of different isomeric alkyl groups corresponding to the molecular formula  $C_5H_{11}$ . Also give the *IUPAC* names of alcohols obtained by attachment of the  $-OH$  groups to these groups.

Strategy: There are three different skeletons of five  $C$  atoms. Pentane has three different type of  $H$  atoms, isopentane has four different types of  $H$  atoms, and neopentane has only one type of  $H$  atoms.



Watch Video Solution

3. Write IUPAC names of the following compounds :



(iii) tetra -tert-butylmethane



Watch Video Solution

4. Write structural formulas of the following compounds

:

(i) 3, 4, 4, 5–Tetramethylheptane

(ii) 2,5-Dimethylhexane



Watch Video Solution

5. Write structures for each of the following compounds.

Why are the given names incorrect? Write correct IUPAC names.

(i) 2-Ethylpentane

(ii) 5-Ethyl – 3-methylheptane







[Watch Video Solution](#)

6. Sodium salt of which acid will be needed for the preparation of propane ? Write chemical equation for the reaction.



[Watch Video Solution](#)

7. Write IUPAC names of the following compounds:



## Watch Video Solution


**8.** Calculate number of sigma ( $\sigma$ ) and pi ( $\pi$ ) bonds in the above structures (i-iv).



## Watch Video Solution



9. Work out all possible structural isomeric alkenes corresponding to  $C_5H_{10}$  and also give their *IUPAC* names.

Strategy: Alkene isomers are deduced by writing the different  $C$  skeletons and then introducing the double bond at different locations. The possible skeletons are







Watch Video Solution

10. Draw cis and trans isomers of the following compounds. Also write their *IUPAC* names :



Watch Video Solution

11. Which of the following compounds will show cis-trans isomerism?



Watch Video Solution

**12.** Write IUPAC names of the products obtained by addition reactions of HBr to hex-1-ene

(i) in the absence of peroxide and

(ii) in the presence of peroxide.



**Watch Video Solution**

**13.** Write structures of different isomers corresponding to the 5th member of alkyne series. Also write IUPAC names of all the isomers. What type of isomerism is exhibited by different pairs of isomers?



**Watch Video Solution**



14. How will you convert ethanoic acid into benzene?



Watch Video Solution


## Exercise







1. How do you account for the formation of ethane during chlorination of methane ?



Watch Video Solution

2. Write IUPAC names of the following compounds : (a)






(c)

(d)

(e)



Watch Video Solution

3. For the following compounds, write structural formulas and IUPAC names for all possible isomers having the number of double or triple bond as indicated:

(a)  $C_4H_8$  (one double bond)

(b)  $C_5H_8$  (one triple bond)



**Watch Video Solution**

4. Write IUPAC names of the products obtained by the ozonolysis of the following compounds:

(i) Pent-2-ene (ii) 3,4-Dimethyl-hept-3-ene

(iii) 2-Ethylbut-1-ene (iv) 1-Phenylbut-1-ene



**Watch Video Solution**

5. An alkene 'A' on ozonolysis gives a mixture of ethanal and pentan-3-one. Write structure and IUPAC name of 'A'.

[Watch Video Solution](#)

6. An alkene 'A' contains three C – C, eight C – H ( $\sigma$ ) bonds and one C – C ( $\pi$ ) bond. 'A' on ozonolysis gives two moles of an aldehyde of molar mass 44 u. Write IUPAC name of 'A'.

[Watch Video Solution](#)

7. Propanal and pentan-3-one are the ozonolysis products of an alkene? What is the structural formula of the alkene?

[Watch Video Solution](#)

8. Write chemical equations for combustion reaction of the following hydrocarbons:

(i) Butane

(ii) Pentene

(iii) Hexyne

(iv) Toluene



**Watch Video Solution**

9. Draw the cis and trans structures of hex-2-ene. Which isomer will have higher b.p. and why?



**Watch Video Solution**

10. Why is benzene extra ordinarily stable though it contains three double bonds?




Watch Video Solution

11. What are the necessary conditions for any system to be aromatic?



Watch Video Solution

12. Explain why the following systems are not aromatic?



Watch Video Solution

13. How will you convert benzene into

(i) p-nitrobromobenzene

(ii) m-nitrochlorobenzene


(iii) p -nitrotoluene

(iv) acetophenone



Watch Video Solution

14. In the alkane



identify  $1^\circ$ ,  $2^\circ$ ,  $3^\circ$ , carbon atoms and give the number of H atoms bonded to each one of these.



Watch Video Solution

**15.** What effect does branching of an alkane chain has on its boiling point?



**Watch Video Solution**

**16.** Addition of HBr to propene yields 2-bromopropane, while in the presence of benzoyl peroxide, the same reaction yields 1-bromopropane. Explain and give mechanism.



**Watch Video Solution**



17. Write down the products of ozonolysis of 1, 2-dimethylbenzene (o-xylene). How does the result support Kekulé structure for benzene?



Watch Video Solution

18. Arrange benzene, n-hexane and ethyne in decreasing order of acidic behaviour. Also give reason for this behaviour.



Watch Video Solution

19. Why does benzene undergo electrophilic substitution reactions easily and nucleophilic substitutions with

difficulty?



Watch Video Solution

**20.** How would you convert the following compounds into benzene?

(i) Ethyne

(ii) Ethene

(iii) Hexane



Watch Video Solution

**21.** Write structures of all the alkenes which on hydrogenation give 2-methylbutane.



[Watch Video Solution](#)

22. Arrange the following set of compounds in order of their decreasing relative reactivity with an electrophile,  $E^+$

(a) Chlorobenzene, 2,4-dinitrochlorobenzene, p-nitrochlorobenzene

(b) Toluene,  
 $p - H_3C - C_6H_4 - NO_2$ ,  $p - O_2N - C_6H_4 - NO_2$ .

[Watch Video Solution](#)

23. Out of benzene, m-dinitrobenzene and toluene which will undergo nitration most easily and why?



[Watch Video Solution](#)

24. Suggest the name of a Lewis acid other than anhydrous aluminium chloride which can be used during ethylation of benzene.



[Watch Video Solution](#)

25. Why is Wurtz reaction not preferred for the preparation of alkanes containing odd number of carbon atoms? Illustrate your answer by taking one example.



[Watch Video Solution](#)