



MATHS

BOOKS - RD SHARMA MATHS (HINGLISH)

GEOMETRIC PROGRESSIONS

Solved Examples And Exercises

1. Find the sum of $2n$ terms of the series whose every even term is ' a ' times the term before it and every odd term is ' c ' times the term before it, the first term being unity.

 [Watch Video Solution](#)

2. Let a_n be the n th term of a G.P. of positive numbers. Let $\sum_{n=1}^{100} a_{2n} = \alpha$ and $\sum_{n=1}^{100} a_{2n-1} = \beta$, such that $\alpha \neq \beta$, then the common ratio is α/β b.

$$\beta/\alpha \text{ c. } \sqrt{\alpha/\beta} \text{ d. } \sqrt{\beta/\alpha}$$

 [Watch Video Solution](#)

3. The fifth term of a G.P. is 81 whereas its second term is 24. Find the series and sum of its first eight terms.

 [Watch Video Solution](#)

4. Find the sum: $\sum_{n=1}^{10} \left\{ \left(\frac{1}{2} \right)^{n-1} + \left(\frac{1}{5} \right)^{n+1} \right\}$.

 [Watch Video Solution](#)

5. If S_1, S_2, \dots, S_n are the sum of n term of n G.P., whose first term is 1 in each and common ratios are 1, 2, 3, ..., n respectively, then prove that

$$S_1 + S_2 + 2S_3 + 3S_4 + (n-1)S_n = 1^n + 2^n + 3^n + \dots + n^n.$$

 [Watch Video Solution](#)

6. If S_1, S_2, S_3 be respectively the sums of $n, 2n, 3n$ terms of a G.P., then prove that $(S_1)^2 + (S_2)^2 = S_1(S_2 + S_3)$.

 [Watch Video Solution](#)

7. Find the least value of n for which the sum $1 + 3 + 3^2 + \dots \rightarrow n$ terms is greater than 7000.

 [Watch Video Solution](#)

8. Prove that the sum of n terms of the series:
 $11 + 103 + 1005 + \dots$ is $\frac{10}{9}(10^n - 1) + n^2$.

 [Watch Video Solution](#)

9. How many terms of the sequence $\sqrt{3}, 3, 3\sqrt{3}$ must be taken to make the sum $39 + 13\sqrt{3}$?

A. 3

B. 6

C. 9

D. not possible

Answer: B



[Watch Video Solution](#)

10. How many terms of the G.P. $3, 3/2, 3/4, \dots$ be taken together to make $\frac{3069}{512}$?



[Watch Video Solution](#)

11. If a, b, c, d are in A.P. and x, y, z are in G.P., then show that

$$x^{b-c} \cdot y^{c-a} \cdot z^{a-b} = 1.$$



[Watch Video Solution](#)

12. If a, b, c, d are in G.P., prove that $a + b, b + c, c + d$ are also in G.P.

 [Watch Video Solution](#)

13. If a, b, c are in G.P., then prove that $\log a^n, \log b^n, \log c^n$ are in A.P.

 [Watch Video Solution](#)

14. If p, q, r are in A.P., show that the p th, q th and r th terms of any G.P. are in G.P.

 [Watch Video Solution](#)

15. If S denotes the sum of an infinite G.P. and S_1 denotes the sum of the squares of its terms, then prove that the first term and common ratio are respectively $\frac{2SS_1}{s^2 + S_1}$ and $\frac{S^2 - S_1}{S^2 + S_1}$.

 [Watch Video Solution](#)

16. The sum of first two terms of an infinite G.P. is 5 and each term is three times the sum of the succeeding terms. Find the G.P.

 [Watch Video Solution](#)

17. One side of an equilateral triangle is 18 cm. The mid-point of its sides are joined to form another triangle whose mid-points, in turn, are joined to form still another triangle. The process is continued indefinitely. Find the sum of the (i) perimeters of all the triangles. (ii) areas of all triangles.

 [Watch Video Solution](#)

18. If S_p denotes the sum of the series $1 + r^p + r^{2p} + \dots \rightarrow \infty$ and S_{2p} the sum of the series $1 - r^p + r^{2p} - \dots \rightarrow \infty$, prove that $S_+ S_{2p} = 2S_{2p}$.

 [Watch Video Solution](#)

19. If each term of an infinite G.P. is twice the sum of the terms following it, then find the common ratio of the G.P.

 [Watch Video Solution](#)

20. If $|x| < 1$ and $|y| < 1$, find the sum of infinity of the following series:

$$(x + y) + (x^2 + xy + y^2) + (x^3 + x^2y + xy^2 + y^3) + \dots$$

 [Watch Video Solution](#)

21. Find the sum of n terms of the sequence

$$\left(x + \frac{1}{x}\right)^2, \left(x^2 + \frac{1}{x^2}\right)^2, \left(x^3 + \frac{1}{x^3}\right)^2,$$

 [Watch Video Solution](#)

22. Find the sum to n terms of the sequence given by

$$a_n = \sum 2^n, n \in N.$$

 [Watch Video Solution](#)

23. Sum the series : $x(x + y) + x^2(x^2 + y^2) + x^3(x^3 + y^3) + \dots \rightarrow n$ terms.

 [Watch Video Solution](#)

24. Find the sum of the following series : $0.7 + 0.77 + 0.777 + \dots \rightarrow n$ terms

 [Watch Video Solution](#)

25. The product of three numbers in G.P. is 216. If 2, 8, 6, be added to them, the results are in A.P. find the numbers.

 [Watch Video Solution](#)

26. Find the sum of 10 terms of the G.P. 3, 6, 12,...

 [Watch Video Solution](#)

27. In an increasing G.P. , the sum of the first and the last term is 66, the product of the second and the last but one is 128 and the sum of the terms is 126. How many terms are there in the progression?

 [Watch Video Solution](#)

28. If S_1 , S_2 and S_3 be respectively the sum of n , $2n$ and $3n$ terms of a G.P., prove that $S_1(S_3 - S_2) = (S_2 - S_1)^2$

 [Watch Video Solution](#)

29. Determine the number of terms in G.P. if $a_1 = 3$, $a_n = 96$ and $S_n = 189$.

 [Watch Video Solution](#)

30. How many terms of the geometric series $1 + 4 + 16 + 64 + \dots$ will make the sum 5461 ?

 [Watch Video Solution](#)

31. Find the sum of an infinitely decreasing G.P. whose first term is equal to $b + 2$ and the common ratio to $2/c$, where b is the least of the product of the roots of the equation $(m^2 + 1)x^2 - 3x + (m^2 + 1)^2 = 0$ and c is the greatest value of the sum of its roots.

 [Watch Video Solution](#)

32. If $x = \sum_{n=0}^{\infty} r^n \cos^{2n} \theta, y = \sum_{n=0}^{\infty} r^n \sin^{2n} \theta, z = \sum_{n=0}^{\infty} r^n$ here $0 < r < 1$

 [Watch Video Solution](#)

33. The sum of an infinite G.P. is 57 and the sum of their cubes is 9457, find the G.P.

 [Watch Video Solution](#)

34. Which is the rational number having the decimal expansion $0.3\overline{56}$?

 [Watch Video Solution](#)

35. A square is drawn by joining the mid-points of the sides of a square. A third square is drawn inside the second square in the same way and the processes continued indefinitely. If the side of the square is 10cm , find the sum of the areas of all the squares so formed.

 [Watch Video Solution](#)

36. After striking a floor a certain ball rebounds $\left(\frac{4}{5}\right)^{th}$ of the height from which it has fallen. Find the total distance that it travels before coming to rest, if it is gently dropped from a height of 120metres.

 [Watch Video Solution](#)

37. Sum the following geometric series to infinity:

(a) $(\sqrt{2} + 1) + 1 + (\sqrt{2} - 1) \dots + \infty$

(b) $\frac{1}{2} + \frac{1}{3^3} + \frac{1}{2^3} + \frac{1}{3^4} + \frac{1}{2^5} + \frac{1}{3^6} \dots + \infty$

 [Watch Video Solution](#)

38. If

$$x = a + \frac{a}{r} + \frac{a}{r^2} + \infty, y = b - \frac{b}{r} + \frac{b}{r^2} + \infty, \text{ and } z = c + \frac{c}{r^2} + \frac{c}{r^4} + \infty$$

prove that $\frac{xy}{z} = \frac{ab}{.}$

 [Watch Video Solution](#)

39.

If

$x = 1 + a + a^2 + \dots + \infty$, where $|a| < 1$ and $y = 1 + b + b^2 + \dots + \infty$, where $|b| < 1$

prove that: $1 + ab + a^2b^2 + \dots + \infty = \frac{xy}{x + y - 1}$


[Watch Video Solution](#)

40. If $A = 1 + r^a + r^{2a} + \dots + \infty$ and $B = 1 + r^b + r^{2b} + \dots + \infty$, prove that

$$r = \left(\frac{A - 1}{A} \right)^{1/a} = \left(\frac{B - 1}{B} \right)^{1/b}$$


[Watch Video Solution](#)

41. Prove that the product n geometric means between two quantities is equal to the n th power of a geometric mean of those two quantities.


[Watch Video Solution](#)

42. If a, b, c, d are four distinct positive numbers in G.P. then show that

$$a + d > b + c.$$



Watch Video Solution

43. Find the value of n so that $\frac{a^{n+1} + b^{n+1}}{a^n + b^n}$ may be the geometric mean between a and b .



Watch Video Solution

44. Insert 5 geometric means between 576 and 9.



Watch Video Solution

45. Let x be the arithmetic mean and y, z be two geometric means between any two positive numbers. Then, prove that $\frac{y^3 + z^3}{xyz} = 2$.



Watch Video Solution

46. Find two positive numbers whose difference is 12 and whose A.M. exceeds the G.M. by 2.

 [Watch Video Solution](#)

47. If one geometric mean G and two arithmetic means A_1 and A_2 be inserted between two given quantities, prove that $G^2 = (2A_1 - A_2)(2A_2 - A_1)$.

 [Watch Video Solution](#)

48. If a is the A.M. of b and c and the two geometric means are G_1 and G_2 , then prove that $G_1^3 + G_2^3 = 2abc$

 [Watch Video Solution](#)

49. If $x \in R$, find the minimum value of the expression $3^x + 3^{1-x}$.

 [Watch Video Solution](#)

50. If x, y, z are distinct positive numbers, then prove that $(x + y)(y + z)(z + x) > 8xyz$.

 [Watch Video Solution](#)

51. If a, b, c are in G.P. then prove that $\frac{a^2 + ab + b^2}{bc + ca + ab} = \frac{b + a}{c + b}$

 [Watch Video Solution](#)

52. If $\frac{1}{a + b}, \frac{1}{2b}, \frac{1}{b + c}$ are three consecutive terms of an A.P., prove that a, b, c are the three consecutive terms of a G.P.

 [Watch Video Solution](#)

53. If a, b, c, d are in G.P. prove that: $\frac{ab - cd}{b^2 - c^2} = \frac{a + c}{b}$

 [Watch Video Solution](#)

54. If a, b, c, d are in G.P. prove that: $(a^2 + b^2), (b^2 + c^2), (c^2 + d^2)$ are in G.P. $(a^2 - b^2), (b^2 - c^2), (c^2 - d^2)$ are in G.P. $\frac{1}{a^2 + b^2}, \frac{1}{b^2 + c^2}, \frac{1}{c^2 + d^2}$ are in G.P. $(a^2 + b^2 + c^2), (ab + bc + cd), (b^2 + c^2 + d^2)$

 [Watch Video Solution](#)

55. The sum of three numbers a, b, c in A.P. is 18 . If a and b are each increased by 4 and c is increased by 36, the new numbers form a G.P. Find a, b, c

 [Watch Video Solution](#)

56. If a, b, c are in G.P., prove that: 1) $a(b^2 + c^2) = c(a^2 + b^2)$

$$, 2) A^2 b^2 c^2 \left(\frac{1}{a^3} + \frac{1}{b^3} + \frac{1}{c^3} \right) = a^3 + b^3 + c^3$$

$$, 3) \frac{(a + b + c)^2}{a^2 + b^2 + c^2} = \frac{a + b + c}{a - b + c}$$

$$, 4) \frac{1}{a^2 - b^2} + \frac{1}{b^2} = \frac{1}{b^2 - c^2}$$

$$, 5) (a + 2b = 2c)(a - 2b + 2c) = a^2 + 4c^2.$$



Watch Video Solution

57. If m th, n th and p th terms of a G.P. form three consecutive terms of a G.P. Prove that $m, n,$ and p form three consecutive terms of an arithmetic system.



Watch Video Solution

58. If a, b, c are in G.P. and x, y are the arithmetic means of a, b and b, c

respectively, then prove that $\frac{a}{x} + \frac{c}{y} = 2$ and $\frac{1}{x} + \frac{1}{y} = \frac{2}{b}$



Watch Video Solution

59. If $x^a = x^{b/2}z^{b/2} = z^c$, then prove that $\frac{1}{a}, \frac{1}{b}, \frac{1}{c}$ are in A.P.

 [Watch Video Solution](#)

60. If a, b, c are three distinct real numbers in G.P. and $a + b + c = xb$, then prove that either $x < -1$ or $x > 3$

 [Watch Video Solution](#)

61. If the sum of three numbers in G.P. is 38 and their product is 1728, find them.

 [Watch Video Solution](#)

62. If the p^{th} and q^{th} terms of a G.P. are q and p respectively, show that

$(p + q)^{th}$ term is $\left(\frac{q^p}{p^q}\right)^{\frac{1}{p-q}}$.



 [Watch Video Solution](#)

63. In a finite G.P. the product of the terms equidistant from the beginning and the end is always same and equal to the product of first and last term.

 [Watch Video Solution](#)

64. The product of first three terms of a G.P. is 1000. If 6 added to its second term and 7 added to its third term, the terms become in A.P. Find the G.P.

 [Watch Video Solution](#)

65. Find three numbers in G.P. whose sum is 52 and the sum of whose products pairs is 624.

A. 2, 12, 32

B. 2,12, 72

C. 4, 12, 36

D. None of these

Answer: C



[Watch Video Solution](#)

66. Three numbers are in G.P. whose sum is 70. If the extremes be each multiplied by 4 and the means by 5, they will be in A.P. Find the numbers.



[Watch Video Solution](#)

67. If the continued product of three numbers in G.P. is 216 and the sum of their products in pairs is 156, find the numbers.



[Watch Video Solution](#)

68. Find four numbers in G.P. whose sum is 85 and product is 4096.

 [Watch Video Solution](#)

69. Find three numbers in G.P. whose sum is 13 and the sum of whose squares is 91.

 [Watch Video Solution](#)

70. Find 4th term from the end of the G.P. 3, 6, 12, 24, , 3072.

 [Watch Video Solution](#)

71. Which term of the G.P. $2, \frac{1}{2}, \frac{1}{4}, \dots$ is $\frac{1}{128}$?

 [Watch Video Solution](#)

72. Which term of the G.P. 5, 10, 20, 40, is 5120?



Watch Video Solution

73. The fourth, seventh and the last term of a G.P. are 10, 80 and 2560 respectively. Find the first term and the number in the G.P.



Watch Video Solution

74. If a, b, c are respectively the $p^{\text{th}}, q^{\text{th}}$ and r^{th} terms of a G.P. show that $(q - r)\log a + (r - p)\log b + (p - q)\log c = 0$.



Watch Video Solution

75. In a G.P. of positive terms if any term is equal to the sum of next two terms, find the common ratio of the G.P.



Watch Video Solution

76. The $(m + n)$ th and $(m - n)$ th terms of a G.P. are p and q respectively.

Show that the m th and n th terms are \sqrt{pq} and $p\left(\frac{q}{p}\right)^{m/2n}$ respectively.



[Watch Video Solution](#)

77. If the p th, q th and r th terms of a GP are a , b and c , respectively. Prove

that $a^{q-r}b^{r-p}c^{p-q} = 1$.



[Watch Video Solution](#)

78. Find all sequences which are simultaneously A.P. and G.P.



[Watch Video Solution](#)

79. Let S be the sum, P be the product and R be the sum of the reciprocals of 3 terms of a G.P. then $P^2R^3 : S^3$ is equal to

(a) 1 : 1

(b) (common ratio)ⁿ : 1

(c) (First term)²(common ratio)²

(d) None of these



Watch Video Solution

80. If the A.M. of two positive numbers a and b ($a > b$) is twice their geometric mean. Prove that : $a : b = (2 + \sqrt{3}) : (2 - \sqrt{3})$.



Watch Video Solution

81. If one A.M., A and two geometric means G_1 and G_2 inserted between any two positive numbers, show that $\frac{G_1 G_2}{G_2} + \frac{G_2 G_1}{G_1} = 2A$.



Watch Video Solution

82. If a, b, c are in G.P. and $a^{1/x} = b^{1/y} = c^{1/z}$, then xyz are in AP (b) GP
(c) HP (d) none of these

 [Watch Video Solution](#)

83. If A be one A.M. and p, q be two G.M. 's between two numbers, then $2A$ is equal to (a) $\frac{p^3 + q^3}{pq}$ (b) $\frac{p^3 - q^3}{pq}$ (c) $\frac{p^2 + q^2}{2}$ (d) $\frac{pq}{2}$

 [Watch Video Solution](#)

84. If p, q be two A.M. 's and G be one G.M. between two numbers, then $G^2 =$ a) $(2p - q)(p - 2q)$ (b) $(2p - q)(2q - p)$ c) $(2p - q)(p + 2q)$ (d)
none of these

 [Watch Video Solution](#)

85. If x is positive, the sum to infinity of the series

$$\frac{1}{1+x} - \frac{1-x}{(1+x)^2} + \frac{(1-x)^2}{(1+x)^3} - \frac{(1-x)^3}{(1+x)^4} + \dots$$

is (a) $1/2$ (b) $3/4$ (c) 1 (d) none of these



Watch Video Solution

86. If $(4^3)(4^6)(4^9)(4^{12})(4^{3x}) = (0.0625)^{-54}$, the value of x is (a) 7 (b) 8 (c) 9 (d) 10



Watch Video Solution

87. The sequence 4,12,36,108, is a G.P., because $\frac{12}{4} = \frac{36}{12} = \frac{108}{36} = 3$, which is constant.



Watch Video Solution

88. The sequence $\frac{1}{3}, -\frac{1}{2}, \frac{3}{4}, -\frac{9}{8}$ is a G.P. with first term $\frac{1}{3}$ and common ratio equal to $\left(-\frac{1}{2}\right) \div \left(\frac{1}{3}\right) = -\frac{3}{2}$.

 [Watch Video Solution](#)

89. Show that the sequence given by $a_n = 3(2^n)$, for all $n \in N$, is a G.P.

Also find its common ratio.

 [Watch Video Solution](#)

90. Find the 9^{th} term and the general term of the progressions:

$$\frac{1}{4}, -\frac{1}{2}, 1, -2$$

 [Watch Video Solution](#)

91. Find the 5th term of the progression

$$1, \frac{(\sqrt{2}-1)}{2\sqrt{3}}, \left(\frac{3-2\sqrt{2}}{12}\right), \left(\frac{5\sqrt{2}-7}{24\sqrt{3}}\right), \dots$$



[Watch Video Solution](#)

92. Which term of the G.P. 5, 10, 20, 40, is 5120 ?



[Watch Video Solution](#)

93. The first term of a G.P. is 1. The sum of the third and fifth terms is 90.

Find the common ratio of the G.P.



[Watch Video Solution](#)

94. If the 4th and 9th terms of a G.P. be 54 and 13122 respectively, find the

G.P.



[Watch Video Solution](#)

95. Find a G.P. for which sum of the first two terms is -4 and the fifth term is 4 times the third term.

 [Watch Video Solution](#)

96. (ii) If the third term of G.P. is 4, then find the product of first five terms

 [Watch Video Solution](#)

97. If the p th, q th and r th terms of a G.P. are a , b , c respectively, prove that: $a^{q-r} \cdot b^{r-p} \cdot c^{p-q} = 1$

 [Watch Video Solution](#)

98. Find four numbers forming a geometric progression in which the third term is greater than the first term by 9, and second term is greater than the 4th by 18.



[Watch Video Solution](#)

99. The number of bacteria in a certain culture doubles every hour. If there were 30 bacteria present in the culture originally, how many bacteria will be present at the end of 2nd hour, 4th hour and nth hour?



[Watch Video Solution](#)

100. What will Rs. 500 amounts to in 10 years after its deposit in a bank which pays annual interest are 10% compounded annually?



[Watch Video Solution](#)

101. A manufacturer reckons that the value of a machine, which costs him Rs. 15625, will depreciate each year by 20%. Find the estimated value at the end of 5 years.



[Watch Video Solution](#)

102. If the first and the n th terms of a G.P., are a and b , respectively, and if P is the product of the first n terms prove that $P^2 = (ab)^n$.

 [Watch Video Solution](#)

103. Show that the products of the corresponding terms of the sequences $a, ar, ar^2, \dots, ar^{n-1}$ and $A, AR, AR^2, \dots, AR^{n-1}$ form a G.P. and find the common ratio.

 [Watch Video Solution](#)

104. If $p^{\text{th}}, q^{\text{th}}, r^{\text{th}}$ and s^{th} terms of an A.P. are in G.P., then show that $(p - q), (q - r), (r - s)$ are also in G.P.

 [Watch Video Solution](#)

105. Show that each of one of the following progression is a G.P. Also, find the common ratio in each case: 4, - 2, 1, - 1/2

 [Watch Video Solution](#)

106. Show that each of one of the following progression is a G.P. Also, find the common ratio in each case: $a, \frac{3a^2}{4}, \frac{9a^3}{16}, ,$

 [Watch Video Solution](#)

107. Show that each of one of the following progression is a G.P. Also, find the common ratio in each case: $-2/3 - 6, - 54$.

 [Watch Video Solution](#)

108. Show that each of one of the following progression is a G.P. Also, find the common ratio in each case: $1/2, 1/3, 2/9, 4/27$.



 [Watch Video Solution](#)

109. Show that the sequence defined by $a_n = \frac{2}{3^n}$, $n \in \mathbb{N}$ is a G.P.

 [Watch Video Solution](#)

110. Find: the ninth term of the G.P. 1,4,16,64,.....

 [Watch Video Solution](#)

111. Find: the 10th term of the G.P. $-\frac{3}{4}, \frac{1}{2}, -\frac{1}{3}, \frac{2}{9}, \dots$

 [Watch Video Solution](#)

112. Find: the 8th term of the G.P. 0.03, 0.06, 0.012,

 [Watch Video Solution](#)

113. Find: the 12th term of the G.P. $\frac{1}{a^3x^3}$, ax , a^5x^5 , .

 [Watch Video Solution](#)

114. Find: n th term of the G.P. $\sqrt{3}$, $\frac{1}{\sqrt{3}}$, $\frac{1}{3\sqrt{3}}$,

 [Watch Video Solution](#)

115. Find: the 10th term of the G.P. $\sqrt{2}$, $\frac{1}{\sqrt{2}}$, $\frac{1}{2\sqrt{2}}$,

 [Watch Video Solution](#)

116. Find the 4th term from the end of the G.P. $\frac{2}{27}$, $\frac{2}{9}$, $\frac{2}{3}$, , , , , , 162.

 [Watch Video Solution](#)

117. Which term of the progression 0.004,0.02,0.1,... is 12.5.?



[Watch Video Solution](#)

118. Which term of the G.P.: $\sqrt{2}, \frac{1}{\sqrt{2}}, \frac{1}{2\sqrt{2}}, \frac{1}{4\sqrt{2}}, \dots$ is $\frac{1}{512\sqrt{2}}$?



[Watch Video Solution](#)

119. Which term of the G.P.: $2, 2\sqrt{2}, 4, \dots$ is 128?



[Watch Video Solution](#)

120. Which term of the G.P.: $\sqrt{3}, 3, 3\sqrt{3}, \dots$ is 729?



[Watch Video Solution](#)

121. Which term of the G.P.: $\frac{1}{3}, \frac{1}{9}, \frac{1}{27}, \dots$ is $\frac{1}{19683}$?



[Watch Video Solution](#)

122. Find the 4th term from the end of the G.P. $\frac{1}{2}, \frac{1}{6}, \frac{1}{18}, \frac{1}{54}, \dots, \frac{1}{4374}$

 [Watch Video Solution](#)

123. The fourth term of a G.P. is 27 and the 7th term is 729, find the G.P.

 [Watch Video Solution](#)

124. The 7th term of a G.P. is 8 times the 4th term and the 5th term is 48.

Find the G.P.

 [Watch Video Solution](#)

125. If the G.Ps 5, 10, 20, and 1280, 640, 320 have their n th terms equal, find the value of n .

 [Watch Video Solution](#)

126. The 5th, 8th and 11th terms of a G.P. are p , q and s , respectively. Show that $q^2 = ps$.

 [Watch Video Solution](#)

127. The 4th term of a G.P. is square of its second term and the first term is -3 . Find its 7th term.

 [Watch Video Solution](#)

128. In a GP the 3rd term is 24 and the 6th term is 192. Find the 10th term.

 [Watch Video Solution](#)

129. If a , b , c , d and p are different real numbers such that:
 $(a^2 + b^2 + c^2)p^2 - 2(ab + bc + cd)p + (b^2 + c^2 + d^2) \leq 0$, then show that a , b , c and d are in G.P.

 [Watch Video Solution](#)

 Watch Video Solution

130. If $\frac{a + bx}{a - bx} = \frac{b + cx}{b - cx} = \frac{c + dx}{c - dx}$ ($x \neq 0$) , then show that a , b , c and d are in G.P.

 Watch Video Solution

131. the sum of three numbers in G.P. is 56. If we subtract 1,7,21 from these numbers in that order then we obtain an A.P. the three numbers is

 Watch Video Solution

132. Find three numbers in G.P. whose sum is 65 and whose product is 3375.

 Watch Video Solution

133. If the sum of three numbers in G.P. is 38 and their product is 1728, find them.

 [Watch Video Solution](#)

134. The sum of first three terms of a G.P. is $\frac{13}{12}$ and their product is -1. Find the G.P.

 [Watch Video Solution](#)

135. The product of the three numbers in G.P. is 125 and sum of their product taken in pairs is $\frac{175}{2}$. Find them.

 [Watch Video Solution](#)

136. The sum of first three terms of a G.P. is $\frac{39}{10}$ and their product is 1. Find the common ratio and the terms.





[Watch Video Solution](#)

137. The sum of three numbers in G.P. is 14. If the first two terms are each increased by 1 and the third term decreased by 1, the resulting numbers are in A.P. find the numbers.



[Watch Video Solution](#)

138. Find three numbers in G.P. whose product is 729 and the sum of their products in pairs is 819.



[Watch Video Solution](#)

139. The sum of three numbers in G.P. is 21 and the sum of their squares is 189. Find the numbers.



[Watch Video Solution](#)

140. Find the sum of 7 terms of the G.P. 3,6,12...



Watch Video Solution

141. Find the sum of 7 terms of the sequence

$$\left(\frac{1}{5} + \frac{2}{5^2} + \frac{3}{5^3}\right), \left(\frac{1}{5^4} + \frac{2}{5^5} + \frac{3}{5^6}\right), \left(\frac{1}{5^7} + \frac{2}{5^8} + \frac{3}{5^9}\right), ,$$



Watch Video Solution

142. Find the sum of the series $2 + 6 + 18 + \dots + 4374$



Watch Video Solution

143. The sum of first three terms of a G.P is 16 and the sum of the next three terms is 128. Determine the first term, the common ratio and the sum to n terms of the G.P.



Watch Video Solution

144. Find a G.P. for which sum of the first two terms is -4 and the fifth term is 4 times the third term.

 [Watch Video Solution](#)

145. The sum of some terms of a G.P. is 315 whose first term and the common ratio are 5 and 2, respectively. Find the last term and the number of terms.

 [Watch Video Solution](#)

146. Find the sum of the products of the corresponding terms of the sequences 2, 4, 8, 16, 32 *and* 128, 32, 8, 2, $\frac{1}{2}$.

 [Watch Video Solution](#)

147. if S is the sum , P the product and R the sum of reciprocals of n terms in $G. P.$ prove that $P^2 R^n = S^n$

 [Watch Video Solution](#)

148. A person writes a letter to four of his friends. He asks each one of them to copy the letter and mail to four different persons with instruction that they move the chain similarly. Assuming that the chain is not broken and that it costs 50 paise to mail one letter. Find the amount spend on the postage when 8th set of letter is mailed.

 [Watch Video Solution](#)

149. If f is a function satisfying $f(x + y) = f(x) \times f(y)$ for all $x, y \in N$ such that $f(1) = 3$ and $\sum_{x=1}^n f(x) = 120$, find the value of n .

 [Watch Video Solution](#)

150. Find the natural number a for which $\sum_{k=1}^n f(a+k) = 16(2^n - 1)$, where the function f satisfies the relation $f(x+y) = f(x)f(y)$ for all natural number x, y and, further, $f(1) = 2$.

 [Watch Video Solution](#)

151. Find the sum of the following geometric progression: 2,6,18... to 7 terms

 [Watch Video Solution](#)

152. Find the sum of the following geometric progression: 1,3,9,27,... to 8 terms.

 [Watch Video Solution](#)

153. Find the sum of the following geometric progression:

1, $-1/2$, $1/4$, $-1/8$.



[Watch Video Solution](#)

154. Find the sum of the following geometric progression:

$(a^2 - b^2)$, $(a - b)$, $\left(\frac{a - b}{a + b}\right)$, $\rightarrow n$ terms.



[Watch Video Solution](#)

155. Find the sum of the following geometric progression:

4, 2, 1, $1/2$, 10 terms.



[Watch Video Solution](#)

156. Find the sum of the following geometric series: $0.15 + 0.015 + 0.0015 +$
to..... 8 t e r m s

 [Watch Video Solution](#)

157. Find the sum of the following geometric series:

$$\sqrt{2} - \frac{1}{\sqrt{2}} + \frac{1}{2\sqrt{2}} - \rightarrow 8 \text{ terms};$$

 [Watch Video Solution](#)

158. Find the sum of the following geometric series: $2/9 - 1/3 + 1/2 - 3/4 + \dots$ to 5 terms.

 [Watch Video Solution](#)

159. Find the sum of n terms of series

$$(x + y) + (x^2 + xy + y^2) + (x^3 + x^2y + xy^2 + y^3) + \dots$$

 [Watch Video Solution](#)

160. Find the sum of the series upto infinite terms

$$\frac{3}{4} - \frac{5}{4^2} + \frac{3}{4^3} - \frac{5}{4^4} + \dots$$

 [Watch Video Solution](#)

161. Find the sum of the following geometric series:

$$\frac{a}{1+i} + \frac{a}{(1+i)^2} + \frac{a}{(1+i)^3} + \dots + \frac{a}{(1+i)^n}$$

 [Watch Video Solution](#)

162. Find the sum of the following geometric series:

$$1, -a, a^2, -a^3, \rightarrow n \text{ terms } (a \neq 1)$$

 [Watch Video Solution](#)

163. Find the sum of the following geometric series: $x^3, x^5, x^7, \rightarrow n$ terms

 [Watch Video Solution](#)

164. Find the sum of the following geometric series:

$$\sqrt{7}, \sqrt{21}, 3\sqrt{7}, \rightarrow n \text{ terms.}$$

 [Watch Video Solution](#)

165. Evaluate the following: $\sum_{n=1}^{11} (2 + 3^n)$

 [Watch Video Solution](#)

166. Evaluate the following: $\sum_{n=2}^{10} 4^n$

 [Watch Video Solution](#)

167. Find the sum of the following series: $5 + 55 + 555 + \rightarrow n \text{ terms.}$

 [Watch Video Solution](#)

168. Find the sum of the following series : $0.7 + 0.77 + 0.777 + \dots \rightarrow n$ terms

 [Watch Video Solution](#)

169. Find the sum of the following series: $9 + 99 + 999 + \dots \rightarrow n \text{ terms}$

 [Watch Video Solution](#)

170. Find the sum of the following series:

$0.5 + 0.55 + 0.555 + \dots \rightarrow n \text{ terms}$

 [Watch Video Solution](#)

171. Find the sum of the following series:

$0.5 + 0.55 + 0.555 \rightarrow n \text{ terms}$



[Watch Video Solution](#)

172. How many terms of the series 3,6,12,.. having sum 381?



[Watch Video Solution](#)

173. Find the G.P., if the common ratio of G.P. is 3, nth term is 486 and sum of first n terms is 728.



[Watch Video Solution](#)

174. The ratio of the sum of first three terms is to that of first 6 terms of a G.P. is 125:152. Find the common ratio.



[Watch Video Solution](#)

175. The 4th and 7th terms of a G.P. are $\frac{1}{27}$ and $\frac{1}{729}$ respectively. Find the sum of n terms of the G.P.

 [Watch Video Solution](#)

176. Show that the ratio of the sum of first n terms of a G.P. to the sum of terms from $(n + 1)^{th}$ to $(2n)^{th}$ term is $\frac{1}{r^n}$

 [Watch Video Solution](#)

177. If a and b are the roots of $x^2 - 3x + p = 0$ and c, d are the roots of $x^2 - 12x + q = 0$ where a, b, c, d form a G.P. Prove that $(q + p) : (q - p) = 17 : 15$.

 [Watch Video Solution](#)

178. How many terms of the G.P. $3, 3/2, 3/4,$ be taken together to make $\frac{3069}{512}$?



[Watch Video Solution](#)

179. A person has 2 parents, 4 grandparents, 8 great grand parents, and so on. Find the number of his ancestors during the ten generations preceding his one.

A. 1023

B. 1024

C. 2046

D. None of the above

Answer: C



[Watch Video Solution](#)

180. A. G.P. consists of an even number of terms. If the sum of all the terms is 5 times the sum of the terms occupying the odd places. Find the common ratio of the G.P.



Watch Video Solution

181. Find the sum to infinity of GP $-\frac{5}{4}, \frac{5}{16}, -\frac{5}{64}, \dots$



Watch Video Solution

182. Prove that $6^{1/2} \times 6^{1/4} \times 6^{1/8} \dots \infty = 6$.



Watch Video Solution

183. If $b = a + a^2 + a^3 + \dots \infty$ prove that $a = \frac{b}{1+b}$.



Watch Video Solution

184. The first term of G.P. is 2 and the sum to infinity is 6. Find the common ratio.



[Watch Video Solution](#)

185. The sum of an infinite G.P. is 57 and the sum of their cubes is 9747, then the common ratio of the G.P. is

A. $1/2$

B. $2/3$

C. $1/6$

D. none of these

Answer: null



[Watch Video Solution](#)

186. Use geometric series to express $0.555\dots = 0.\bar{5}$ as a rational number



[Watch Video Solution](#)

187. The inventor of the chess board suggested a reward of one grain of wheat for the first square, 2 grains for the second, 4 grains for the third and so on, doubling the number of the grains for subsequent squares. How many grains would have to be given to inventor? (There are 64 square in the chess board).



[Watch Video Solution](#)

188. The sum of an infinite geometric series is 15 and the sum of the squares of these terms is 45. Find the series.



[Watch Video Solution](#)

189. Find the sum of the following series to infinity:

$$1 - \frac{1}{3} + \frac{1}{3^2} - \frac{1}{3^3} + \frac{1}{3^4} + \infty$$



[Watch Video Solution](#)



Watch Video Solution

190. Find the sum of the following series to infinity:

$$2/5 + 3/5^2 + 2/5^3 + 3/5^4 + \infty$$



Watch Video Solution

191. Find the sum of the following series to infinity:

$$\frac{1}{3} + \frac{1}{5^2} + \frac{1}{3^3} + \frac{1}{5^4} + \frac{1}{3^5} + \frac{1}{5^6} + \infty$$



Watch Video Solution

192. Find the sum of the following series to infinity: $8 + 4\sqrt{2} + 4 + \infty$



Watch Video Solution

193. Find the sum of the following series to infinity:

$$10 - 9 + 8.1 - 7.29 + \infty$$



Watch Video Solution

194. Find the value of $9^{\frac{1}{3}} \cdot 9^{\frac{1}{9}} \cdot 9^{\frac{1}{27}} \dots$ up to ∞ .



Watch Video Solution

195. Prove that: $2^{\frac{1}{4}} \cdot 4^{\frac{1}{8}} \cdot 8^{\frac{1}{16}} \cdot 16^{\frac{1}{32}} \dots \dots \dots \infty = 2$.



Watch Video Solution

196. The terms of an infinitely decreasing $G. P.$ in which all the terms are positive, the first term is 4 and the difference between the third and fifth term is $\frac{81}{32}$, then find the common ratio.



Watch Video Solution

197. Express the recurring decimal $0.125125125\dots$ as a rational number.



Watch Video Solution

198. Find the rational numbers having the following decimal expansion:

$$0.\overline{231}$$



Watch Video Solution

199. Find the rational numbers shaving the following decimal expansion:

$$3.\overline{52}$$



Watch Video Solution

200. Find the rational numbers having the following decimal expansion:

$$0.231$$



Watch Video Solution

201. Find an infinite G.P. whose first term is 1 and each term is the sum of all the terms which follow it.

 [Watch Video Solution](#)

202. Show that in an infinite G.P. with common ratio r ($|r| < 1$), each term bears a constant ratio to the sum of all terms that follow it.

 [Watch Video Solution](#)

203. Three numbers whose sum is 15 are in A.P. If they are added by 1, 4 and 19 respectively, they are in GP. The numbers are

 [Watch Video Solution](#)

204. If a, b, c, d are in G.P, then $(b - c)^2 + (c - a)^2 + (d - b)^2$ is equal to

A. $(a - d)^2$

B. $(ad)^2$

C. $(a + d)^2$

D. $(a/d)^2$

Answer: A

 [Watch Video Solution](#)

205. If a, b, c, d are in G.P., show that:

$$(ab + bc + cd)^2 = (a^2 + b^2 + c^2)(b^2 + c^2 + d^2)$$

 [Watch Video Solution](#)

206. If a, b, c, d are in G.P. prove that $(a^n + b^n), (b^n + c^n), (c^n + d^n)$ are in G.P.

 [Watch Video Solution](#)

207. If a, b, c are in $G. P.$ and $a^{\frac{1}{x}} = b^{\frac{1}{y}} = c^{\frac{1}{z}}$ prove that x, y, z are in $A. P.$



Watch Video Solution

208. If $a^2 + b^2, ab + bc$ and $b^2 + c^2$ are in G.P., then a, b, c are in

A. A.P.

B. G.P.

C. H.P.

D. None of these

Answer: B



Watch Video Solution

209. If a, b, c are in G.P. prove that $\log a, \log b, \log c$ are in A.P.



Watch Video Solution

 Watch Video Solution

210. If a, b, c are in G.P. prove that $\frac{1}{(\log)_a m}, \frac{1}{(\log)_b m}, \frac{1}{(\log)_c m}$ are in A.P.

 Watch Video Solution

211. Find k such that $k + 9, k - 6$ and 4 from three consecutive terms of a G.P.

 Watch Video Solution

212. Three numbers are in A.P. and their sum is 15. If 1, 3, 9 be added to them respectively they form a G.P. Find the numbers.

 Watch Video Solution

213. The sum of three numbers which are consecutive terms of an A.P. is 21. If the second number is reduced by 1 and the third is increased by 1 we obtain three consecutive terms of a G.P. Find the numbers.

 [Watch Video Solution](#)

214. The sum of three numbers in G.P. is 56. If we subtract 1, 7, 21 from these numbers in that order then we obtain an A.P. the three numbers is

 [Watch Video Solution](#)

215. If a, b, c are in G.P., prove that the following are also in G.P.: a^2, b^2, c^2

 [Watch Video Solution](#)

216. If a, b, c are in G.P., prove that the following are also in G.P.: a^3, b^3, c^3

 [Watch Video Solution](#)

217. If a, b, c are in $G. P.$, prove that $a^2 + b^2, ab + bc, b^2 + c^2$ are also in $G. P$



[Watch Video Solution](#)

218. If $(a - b), (b - c), (c - a)$ are in $G.P.$ then prove that $(a + b + c)^2 = 3(ab + bc + ca)$



[Watch Video Solution](#)

219. If the $4th, 10th$ and $16th$ terms of a $G.P.$ are $x, y,$ and z respectively. Prove that x, y, z are in $G.P.$



[Watch Video Solution](#)

220. If a, b, c are in $A.P$ and a, b, d are in $G.P$, prove that $a, a - b, d - c$ are in $G.P$.



[Watch Video Solution](#)

221. If the p th, q th, r th, and s th terms of an A.P. are in G.P., then $p - q, q - r, r - s$ are in

A. A.P.

B. G.P.

C. H.P.

D. None of these

Answer: null



[Watch Video Solution](#)

222. If a, b, c are in A.P. b, c, d are in G.P. and $\frac{1}{c}, \frac{1}{d}, \frac{1}{e}$ are in A.P. prove that a, c, e are in G.P.?

 [Watch Video Solution](#)

223. If a, b, c are in A.P. and a, b, d are in G.P., prove that $a, a - b, d - c$ are in G.P.

 [Watch Video Solution](#)

224. If $p^{\text{th}}, q^{\text{th}},$ and r^{th} terms of an A.P. and G.P. are both a, b and c respectively show that $a^{b-c}b^{c-a}c^{a-b} = 1$.

 [Watch Video Solution](#)

225. Find two numbers whose arithmetic mean is 34 and the geometric mean is 16.

[Watch Video Solution](#)

226. If A.M. and G.M. between two numbers is in the ratio $m:n$ then prove that the numbers are in the ratio $(m + \sqrt{m^2 - n^2}) : (m - \sqrt{m^2 - n^2})$

[Watch Video Solution](#)

227. a, b, c are positive real numbers forming a G.P. If $ax^2 + 2bx + c = 0$ and $x^2 + 2ex + f = 0$ have a common root, then prove that $\frac{d}{a}, \frac{e}{b}, \frac{f}{c}$ are in A.P.

[Watch Video Solution](#)

228. If a, b, c and d are distinct positive no in AP. then

A. (a) $ad < bc$

B. (b) $a + c = b + d$

C. (c) $a + d = 2(b + c)$

D. (D) $a + d = 3(b + c)$

Answer: (b) $a + c = b + d$

 [Watch Video Solution](#)

229. Insert 6 geometric means between 27 and $\frac{1}{81}$

 [Watch Video Solution](#)

230. Insert 5 geometric means between 16 and $\frac{1}{4}$

 [Watch Video Solution](#)

231. Insert 5 geometric means between $\frac{32}{9}$ and $\frac{81}{2}$

 [Watch Video Solution](#)

232. Find the geometric means of the following pairs of number: 2 and 8.

 [Watch Video Solution](#)

233. Find the geometric means of the following pairs of number: a^3b and ab^3

 [Watch Video Solution](#)

234. Find the geometric means of the following pairs of number: -8 and -2 .

 [Watch Video Solution](#)

235. If a is the G.M. of 2 and $\frac{1}{4}$, find a

 [Watch Video Solution](#)

236. Find the two numbers whose A.M. is 25 and GM is 20.

 [Watch Video Solution](#)

237. If A and G are respectively arithmetic and geometric mean between positive no. a and b ; then the quadratic equation having a,b as its roots is $x^2 - 2Ax + G^2 = 0$.

 [Watch Video Solution](#)

238. The sum of two numbers is 6 times their geometric mean, show that numbers are in the ratio $(3 + 2\sqrt{2}) : (3 - 2\sqrt{2})$.

 [Watch Video Solution](#)

239. If A.M. and GM. of roots of a quadratic equation are 8 and 5, respectively, then obtain the quadratic equation.



[Watch Video Solution](#)

 [Watch Video Solution](#)

240. If AM and GM of two positive numbers a and b are 10 and 8 respectively, find the numbers.

 [Watch Video Solution](#)

241. If the fifth term of a G.P. is 2, then write the product of its 9 terms.

 [Watch Video Solution](#)

242. If $(p + q)^{th}$ and $(p - q)^{th}$ terms of a G.P. be m and n respectively, then write its p^{th} term.

 [Watch Video Solution](#)

243. If $(\log)_x a$, $a^{x/2}$ and $(\log)_b x$ are in G.P., then write the value of x

(a) $\log a(\log_b a)$

(b) $\log a(\log_e a) - \log a(\log_e b)$

(c) $-\log a(\log_a b)$

(d) none of these



Watch Video Solution

244. If the sum of an infinite decreasing G.P. is 3 and the sum of the squares of its terms is $\frac{9}{2}$, then write its first term and common difference.



Watch Video Solution

245. If p^{th} , q^{th} and r^{th} terms of G.P. are x , y , z respectively then write the value of $x^{q-r}y^{r-p}z^{p-q}$.



Watch Video Solution

246. If A_1 and A_2 are two A.M.s between a and b and G_1 and G_2 are two G.M between the same numbers then what is the value of $\frac{A_1 + A_2}{G_1 G_2}$



[Watch Video Solution](#)

247. If second, third and sixth terms of an A.P. are consecutive terms of a G.P. write the common ratio of the G.P.



[Watch Video Solution](#)

248. If A and G are respectively arithmetic and geometric mean between positive no. a and b ; then the quadratic equation having a,b as its roots is $x^2 - 2Ax + G^2 = 0$.



[Watch Video Solution](#)

249. If n geometric means are inserted between two quantities ; then the product of n geometric means is the nth power of the single geometric mean between two quantities.



[Watch Video Solution](#)

250. If $a = 1 + b + b^2 + b^3 + \dots \rightarrow \infty$, then write b in terms of a given that $|b| < 1$.



Watch Video Solution

251. If in an infinite G.P., first term is equal to 10 times the sum of all successive terms then its common ratio is

a. $1/10$

b. $1/11$

c. $1/9$

d. $1/20$



Watch Video Solution

252. If the first term of a G.P. a_1, a_2, a_3, \dots is unity such that $4a_2 + 5a_3$ is least then the common ratio of G.P. is

a. $-2/5$

b. $-3/5$

c. $2/5$

d. none of these



Watch Video Solution

253. If a, b, c are in A.P. and x, y, z are in G.P., then show that

$$x^{b-c} \cdot y^{c-a} \cdot z^{a-b} = 1.$$



Watch Video Solution

254. The first three of four given numbers are in G.P. and their last three are in A.P. with common difference 6. If first and fourth numbers are equal, then the first number is

a. 2

b. 4

c. 6

d. 8



Watch Video Solution

255. If S be the sum P the product and R be the sum of the reciprocals of n terms of a GP then p^2 is equal to

(a). S/R

(b). R/S

(c). $(R/S)^n$

(d). $(S/R)^n$



Watch Video Solution