



MATHS

BOOKS - RD SHARMA MATHS (HINGLISH)

SINE AND COSINE FORMULAE AND THEIR APPLICATIONS

Solved Examples And Exercises

1. Two boats leave a place at the same time. One travels 56 km in the direction N 40° E, while the other travels 48 km in the direction S 80° E. What is the distance between the boats?



[Watch Video Solution](#)

2. In any triangle ABC , prove that:

$$a^3 \cos(B - C) + b^3 \cos(C - A) + c^3 \cos(A - B) = 3abc$$

 [Watch Video Solution](#)

3. With usual notations, if in a triangle ABC $\frac{b+c}{11} = \frac{c+a}{12} = \frac{a+b}{13}$,
then prove that: $\frac{\cos A}{7} = \frac{\cos B}{19} = \frac{\cos C}{25}$

 [Watch Video Solution](#)

4. If a^2, b^2, c^2 are in A.P., prove that $\cot A, \cot B, \cot C$ are in A.P.

 [Watch Video Solution](#)

5. If in a triangle ABC , $\cos A + 2 \cos B + \cos C = 2$ prove that the sides
of the triangle are in A.P.

 [Watch Video Solution](#)

6. In a triangle ABC , $\angle C = 60^\circ$, then prove that:

$$\frac{1}{a+c} + \frac{1}{b+c} = \frac{3}{a+b+c}.$$

 [Watch Video Solution](#)

7. $b(\cos A - a \cos C) = c^2 - a^2$

 [Watch Video Solution](#)

8. $2(bc \cos A + ca \cos B + ab \cos C) = a^2 + b^2 + c^2$

 [Watch Video Solution](#)

9. In a ABC , if $\angle B = 60^\circ$, prove that $(a + b + c)(a - b + c) = 3ca$

 [Watch Video Solution](#)

10. In any ΔABC , prove that: $\frac{\sin B}{\sin C} = \frac{c - a \cos B}{b - a \cos C}$

 [Watch Video Solution](#)

11. In any ABC , prove that: $2\left\{a\frac{\sin^2 C}{2} + c\frac{\sin^2 A}{2}\right\} = a + c - b$

 [Watch Video Solution](#)

12. In any ABC , prove that:

$$2\left\{b\cos^2\left(\frac{C}{2}\right) + c\cos^2\left(\frac{B}{2}\right)\right\} = a + c + b$$

 [Watch Video Solution](#)

13. In any ABC , prove that:

$$(b + c)\cos A + (c + a)\cos B + (a + b)\cos C = a + b + c$$

 [Watch Video Solution](#)

14. For any triangle ABC, prove that $a(b \cos C - c \cos B) = b^2 - c^2$

 [Watch Video Solution](#)

15. In a ΔABC , if $a = 2$, $\angle B = 60^\circ$ and $\angle C = 75^\circ$, then $b =$ (a) $\sqrt{3}$
(b) $\sqrt{6}$ (c) $\sqrt{9}$ (d) $1 + \sqrt{2}$

 [Watch Video Solution](#)

16. If a^2, b^2, c^2 are in A.P., prove that $\cot A, \cot B, \cot C$ are in A.P.

 [Watch Video Solution](#)

17. In any triangle ABC, prove that:
$$\frac{1 + \cos(A - B)\cos C}{1 + \cos(A - C)\cos B} = \frac{a^2 + b^2}{a^2 + c^2}$$

 [Watch Video Solution](#)

18. If in a ABC , $\frac{a^2 - b^2}{a^2 + b^2} = \frac{\sin(A - B)}{\sin(A + B)}$, prove that it is either a right angled or an isosceles triangle.

 [Watch Video Solution](#)

19. In any triangle ABC , prove that:
 $a \cos A + b \cos B + c \cos C = 2a \sin B \sin C$

 [Watch Video Solution](#)

20. In any triangle ABC ,
 $(b - c) \frac{\cot A}{2} + (c - a) \frac{\cot B}{2} + (a - b) \frac{\cot C}{2} = 0$

A. 0

B. 1

C. 2

D. 3

Answer: A

 [Watch Video Solution](#)

21. If in a ABC , $\frac{\sin A}{\sin C} = \frac{\sin(A - B)}{\sin(B - C)}$, prove that a^2, b^2, c^2 are in AP .

 [Watch Video Solution](#)

22. In a triangle ABC , if $a \cos A = b \cos B$, show that the triangle is either isosceles or right angled.

 [Watch Video Solution](#)

23. If in triangle the angles are in the ratio as $1:2:3$, prove that the corresponding sides are $1:\sqrt{3}:2$.

 [Watch Video Solution](#)

24. In the sides of a triangle are in the ratio $1:\sqrt{3}:2$, then the measure of its greatest angle is $\frac{\pi}{6}$ (b) $\frac{\pi}{3}$ (c) $\frac{\pi}{2}$ (d) $\frac{2\pi}{3}$

A. $\frac{\pi}{6}$

B. $\frac{\pi}{2}$

C. $\frac{\pi}{3}$

D. $\frac{2\pi}{3}$

Answer: B



Watch Video Solution

25. In any triangle ABC , prove that:

$$\frac{a^2 \sin(B - C)}{\sin B + \sin C} + \frac{b^2 \sin(C - A)}{\sin C + \sin A} + \frac{c^2 \sin(A - B)}{\sin A + \sin B} = 0$$



Watch Video Solution

26. The angles of a triangle ABC are in AP , and it is being given that $b:c = \sqrt{3}:\sqrt{2}$, find $\angle A$.

 [Watch Video Solution](#)

27. In ABC , prove that $(a-b)^2 \frac{\cos^2 C}{2} + (a+b)^2 \frac{\sin^2 C}{2} = c^2$.

 [Watch Video Solution](#)

28. In a ABC , if $a = 3$, $b = 5$ and $c = 7$, find $\cos A$, $\cos B$ and $\cos C$

 [Watch Video Solution](#)

29. If the sides a, b, c of a $\triangle ABC$ are in HP , prove that $\sin^2\left(\frac{A}{2}\right), \sin^2\left(\frac{B}{2}\right), \sin^2\left(\frac{C}{2}\right)$ are in HP

 [Watch Video Solution](#)

30. A person observes the angle of elevation of the peak of a hill from a station to be α . He walks c metres along a slope inclined at the angle β and finds the angle of elevation of the peak of the hill to be γ . Show that the height of the peak above the ground is $\frac{c \sin \alpha \sin(\gamma - \beta)}{\sin(\gamma - \alpha)}$

 [Watch Video Solution](#)

31. If in a triangle ABC , $\frac{2 \cos A}{a} + \frac{\cos B}{b} + \frac{2 \cos C}{c} = \frac{a}{bc} + \frac{b}{ca}$, then prove that the triangle is right angled.

 [Watch Video Solution](#)

32. In a triangle ABC , if $\cos A = \frac{\sin B}{2 \sin C}$, show that the triangle is isosceles.

 [Watch Video Solution](#)

33. In any ΔABC , prove that:

$$\frac{\cos A}{b \cos C + c \cos B} + \frac{\cos B}{c \cos A + a \cos C} + \frac{\cos C}{a \cos B + b \cos A} = \frac{a^2 + b^2 + c^2}{2abc}$$

 Watch Video Solution

34. In any ΔABC , $\sum a(\sin B - \sin C) = a^2 + b^2 + c^2$ (b) a^2 (c) b^2 (d) 0

 Watch Video Solution

35. In a ΔABC , if $\sin A$ and $\sin B$ are the roots of the equation $c^2x^2 - c(a+b)x + ab = 0$, then find $\angle C$.

 Watch Video Solution

36. In any ABC , prove that: $\Delta = \frac{a^2 - b^2}{2} \frac{\sin A \sin B}{\sin(A - B)}$

 Watch Video Solution

37. In any triangle ABC , prove that: $\Delta = \frac{b^2 + c^2 - a^2}{4 \cot a}$.

 [Watch Video Solution](#)

38. In a triangle ABC , $a = 4$, $b = 3$, $\angle A = 60^\circ$ then c is root of the equation $c^2 - 3c - 7 = 0$ (b) $c^2 + 3c + 7 = 0$ (c) $c^2 - 3c + 7 = 0$ (d) $c^2 + 3c - 7 = 0$

 [Watch Video Solution](#)

39. In any ΔABC , $2(bc \cos A + ca \cos B + ab \cos C) =$

 [Watch Video Solution](#)

40. In any ΔABC , the value of $2ac \sin\left(\frac{A - B + C}{2}\right)$ is (a) $a^2 + b^2 - c^2$
(b) $c^2 + a^2 - b^2$ (c) $b^2 - c^2 - a^2$ (d) $c^2 - a^2 - b^2$



Watch Video Solution

41. In a ΔABC , if $(c + a + b)(a + b - c) = ab$, then the measure of angle C is $\frac{\pi}{3}$ (b) $\frac{\pi}{6}$ (c) $\frac{2\pi}{3}$ (d) $\frac{\pi}{2}$



Watch Video Solution

42. If any triangle ABC , that:

$$\frac{b^2 - c^2}{\cos B + \cos C} + \frac{c^2 - a^2}{\cos C + \cos A} + \frac{a^2 - b^2}{\cos A + \cos B} = 0$$



Watch Video Solution

43. In a right angled triangle ABC , write the value of $\sin^2 A + \sin^2 B + \sin^2 C$



Watch Video Solution

44. If any triangle ABC , that:

$$\frac{a \sin(B - C)}{b^2 - c^2} = \frac{b \sin(C - A)}{c^2 - a^2} = \frac{c \sin(A - B)}{a^2 - b^2}$$

 [Watch Video Solution](#)

45. In a ΔABC , if $\cos C = \frac{\sin A}{2 \sin B}$, prove that the triangle is isosceles.

 [Watch Video Solution](#)

46. Problem on sine rule Type:-2

(i) The angle of elevation of the top of the tower from a point A due South of the tower is α and from B due east of the tower is β . If $AB=d$ Show that the height of the tower is $\frac{d}{\cot^2 \alpha + \cot^2 \beta}$

(ii) A tree stands vertically on a hill side which makes an angle of 15° with the horizontal. From a point on the ground 35m down the hill from the base of the tree; the angle of elevation of the top of the tree is 60° . Find the height of the tree?

 [Watch Video Solution](#)

$$47. \frac{\sqrt{\sin A} - \sqrt{\sin B}}{\sqrt{\sin A} + \sqrt{\sin B}} = \frac{a + b - 2\sqrt{ab}}{a - b}$$

 [Watch Video Solution](#)

48. The angle of elevation of the top of a tower from a point A due south of the tower is α and from B due east of tower is β . If $AB = d$, show that the height of the tower is $\frac{d}{\sqrt{\cot^2 \alpha + \cot^2 \beta}}$.

 [Watch Video Solution](#)

$$49. \frac{b \sec B + c \sec C}{\tan B + \tan C} = \frac{c \sec C + a \sec A}{\tan C + \tan A} = \frac{a \sec A + b \sec B}{\tan A + \tan B}$$

 [Watch Video Solution](#)

$$50. a(\cos C - \cos B) = 2(b - c) \frac{\cos^2 A}{2}$$

 [Watch Video Solution](#)

51.

$$a^2(\cos^2 B - \cos^2 C) + b^2(\cos^2 C - \cos^2 A) + c^2(\cos^2 A - \cos^2 B) = 0.$$

 [Watch Video Solution](#)

52.
$$\frac{\cos(2A)}{a^2} - \frac{\cos(2B)}{b^2} = \frac{1}{a^2} - \frac{1}{b^2}$$

 [Watch Video Solution](#)

53. In a $\triangle ABC$, if $a = 2$, $b = 3$ and $\sin A = \frac{2}{3}$ then find $\angle B$

 [Watch Video Solution](#)

54. In any triangle ABC , prove that:
$$\frac{\sin(B - C)}{\sin(B + C)} = \frac{b^2 - c^2}{a^2}$$

 [Watch Video Solution](#)

55. In any triangle ABC , prove that:

$$a \sin(B - C) + b \sin(C - A) + c \sin(A - B) = 0$$

 [Watch Video Solution](#)

56. In any triangle ABC , prove that:

$$a^3 \sin(B - C) + b^3 \sin(C - A) + c^3 \sin(A - B) = 0$$

 [Watch Video Solution](#)

57. In any triangle ABC prove that: $\sin\left(\frac{B - C}{2}\right) = \left(\frac{b - c}{a}\right) \frac{\cos A}{2}$

 [Watch Video Solution](#)

58. In any triangle ABC , prove that: $\frac{b - c}{b + c} = \frac{\tan\left(\frac{B - C}{2}\right)}{\tan\left(\frac{B + C}{2}\right)}$

 [Watch Video Solution](#)

 Watch Video Solution

59. In any triangle ABC , prove that: $a \cos \left(\frac{B + C}{2} \right) = (b + c) \frac{\sin A}{2}$

 Watch Video Solution

60. A tree stands vertically on a hill side which makes an angle of 15° with the horizontal. From a point on the ground 35 m down the hill from the base of tree, the angle of elevation of the top of the tree is 60° . Find the height of the tree.

 Watch Video Solution

61. A person, standing on the bank of a river, observes that the angle subtended by a tree on the opposite bank is 60° . When he retreats 20m from the bank, he finds the angle to be 30° . Find the height of the tree and the breadth of the river.

 Watch Video Solution

62. The angle of elevation of the top point P of the vertical tower PQ of height h from point A is 45° and from a point B , the angle of elevation is 60° , where B is a point at a distance d from the point A measured along the line AB which makes an angle 30° with AQ . Prove that $d = (\sqrt{3} - 1)h$.

 [Watch Video Solution](#)

63. The elevation of a tower at a station A due North of it is α and at a station B due West of A is β . Prove that height of the tower is $\frac{AB \sin \alpha \sin \beta}{\sin^2 \alpha - \sin^2 \beta}$.

 [Watch Video Solution](#)

64. If in a $\triangle ABC$, $\angle A = 45^\circ$, $\angle B = 60^\circ$, and $\angle C = 75^\circ$, find the ratio of its sides.

 [Watch Video Solution](#)

 Watch Video Solution

65. If in any ΔABC , $\angle C = 105^\circ$, $\angle B = 45^\circ$, $a = 2$, then find b .

 Watch Video Solution

66. In ΔABC , if $a = 18$, $b = 24$ and $c = 30$ and $\angle C = 90^\circ$ find $\sin A$, $\sin B$ and $\sin C$.

 Watch Video Solution

67. In any triangle ABC , prove that following :
$$\frac{a - b}{a + b} = \frac{\tan\left(\frac{A - B}{2}\right)}{\tan\left(\frac{A + B}{2}\right)}$$

 Watch Video Solution

68. In any triangle ABC , prove that following :

$$(a - b)\cos\left(\frac{C}{2}\right) = c\sin\left(\frac{A - B}{2}\right)$$



Watch Video Solution

69. In any triangle ABC , prove that following :

$$\frac{c}{a-b} = \frac{\tan\left(\frac{A}{2}\right) + \tan\left(\frac{B}{2}\right)}{\tan\left(\frac{A}{2}\right) - \tan\left(\frac{B}{2}\right)}$$



Watch Video Solution

70. In any triangle ABC , prove that following :

$$\frac{c}{a+b} = \frac{1 - \tan\left(\frac{A}{2}\right)\tan\left(\frac{B}{2}\right)}{1 + \tan\left(\frac{A}{2}\right)\tan\left(\frac{B}{2}\right)}$$



Watch Video Solution

71. In any triangle ABC , prove that following : $\frac{a+b}{c} = \frac{\cos\left(\frac{A-B}{2}\right)}{\sin\left(\frac{C}{2}\right)}$



Watch Video Solution

72. In any triangle ABC , prove that following:

$$\sin\left(\frac{B - C}{2}\right) = \frac{b - c}{a} \frac{\cos A}{2}$$

 [Watch Video Solution](#)

73. In any triangle ABC , prove that following: $\frac{a^2 - c^2}{b^2} = \frac{\sin(A - C)}{\sin(A + C)}$

 [Watch Video Solution](#)

74. In any triangle ABC , prove that following:

$$b \sin B - c \sin C = a \sin(B - C)$$

 [Watch Video Solution](#)

75. In any triangle ABC , prove that following:

$$a^2 \sin(B - C) = (b^2 - c^2) \sin A$$

 [Watch Video Solution](#)

76. In any triangle ABC , prove that following:

$$a(\sin B - \sin C) + b(\sin C - \sin A) + c(\sin A - \sin B) = 0$$

 [Watch Video Solution](#)

77. In any triangle ABC , prove that following:

$$\frac{a^2 \sin(B - C)}{\sin A} + \frac{b^2 \sin(C - A)}{\sin B} + \frac{c^2 \sin(A - B)}{\sin C} = 0$$

 [Watch Video Solution](#)

78. In any triangle ABC , prove that following:

$$b \cos B + c \cos C = a \cos(B - C)$$

 [Watch Video Solution](#)

79. In any triangle ABC , prove that following:

$$\frac{\cos^2 B - \cos^2 C}{b + c} + \frac{\cos^2 C - \cos^2 A}{c + a} + \frac{\cos^2 A - \cos^2 B}{a + b} = 0$$

 [Watch Video Solution](#)

80. In any triangle ABC , prove that following:

$$a \sin\left(\frac{A}{2}\right) \sin\left(\frac{B - C}{2}\right) + b \sin\left(\frac{B}{2}\right) \sin\left(\frac{C - A}{2}\right) + c \sin\left(\frac{C}{2}\right) \sin\left(\frac{A - B}{2}\right) = 0$$

 [Watch Video Solution](#)

81. In any triangle ABC , prove that following:

$$a \cos A + b \cos B + c \cos C = 2b \sin A \sin C = 2c \sin A \sin B$$

 [Watch Video Solution](#)

82. In any triangle ABC , prove that following:

$$a(\cos B \cos C + \cos A) = b(\cos C \cos A + \cos B) = c(\cos A \cos B + \cos C)$$

 [Watch Video Solution](#)

83. In a ΔABC , if $\sin^2 A + \sin^2 B = \sin^2 C$, show that the triangle is right angled.

 [Watch Video Solution](#)

84. The upper part of a tree broken over by the wind makes an angle of 30° with the ground and the distance from the root to the point where the top of the tree touches the ground is 15m. Using sine rule, find the height of the tree.

 [Watch Video Solution](#)

85. If the sides of a ΔABC are $a = 4$, $b = 6$ and $c = 8$, show that $4 \cos B + 3 \cos C = 2$.

 [Watch Video Solution](#)

86. In any $\triangle ABC$, prove that: $a(b \cos C - c \cos B) = b^2 - c^2$

 [Watch Video Solution](#)

87. In any $\triangle ABC$, prove that:

$$\frac{\cos A}{a} + \frac{\cos B}{b} + \frac{\cos C}{c} = \frac{a^2 + b^2 + c^2}{2abc}$$

 [Watch Video Solution](#)

88. In any $\triangle ABC$, prove that:

$$2(bc \cos A + ca \cos B + ab \cos C) = a^2 + b^2 + c^2$$

 [Watch Video Solution](#)

89. In a $\triangle ABC$, prove that:

$$(b^2 - c^2) \cot A + (c^2 - a^2) \cot B + (a^2 - b^2) \cot C = 0$$

 [Watch Video Solution](#)

90. In a ΔABC , prove that:

$$\left(\frac{b^2 - c^2}{a^2}\right)\sin 2A + \left(\frac{c^2 - a^2}{b^2}\right)\sin 2B + \left(\frac{a^2 - b^2}{c^2}\right)\sin 2C = 0$$



Watch Video Solution

91. In any ΔABC prove that $a \cos A + b \cos B + c \cos C = \frac{8\Delta^2}{abc}$.



Watch Video Solution

92. Two ships leave port at the same time. One goes 24 km per hour in the direction $N 45^\circ E$ and other travels 32 km per hour in the direction $S 75^\circ E$. Find the distance between the ships at the end of 3 hours.



Watch Video Solution

93. A lamp post is situated at the middle point M of the side AC of a triangular plot of ABC with $BC = 7m$, $CA = 8$ and $AB = 9m$. Lamp post subtends an angle of 15^0 at the point B. determine the height of the lamp post.

 [Watch Video Solution](#)

94. Two trees, A and B are on the same side of a river. From a point C in the river the distance of trees A and B are 25 m and 300 m respectively. If the angle C is 45^0 , find the distance between the trees (use $\sqrt{2} = 1.44$)

 [Watch Video Solution](#)

95. In a ABC , prove the following : In a ΔABC , if $a = 5$, $m b = 6$ and $C = 60^0$, show that its area is $\frac{15\sqrt{3}}{2}$ sq.units.

 [Watch Video Solution](#)

96. In a ΔABC , prove the following : If $a = \sqrt{2}$, $b = \sqrt{3}$ and $c = \sqrt{5}$, shos that its area is $\frac{1}{2}\sqrt{6}$ sq. units.

 [Watch Video Solution](#)

97. In a ΔABC , prove the following : The sides of a triangle area $a = 5$, $b = 6$ and $c = 8$, show that $8 \cos A + 16 \cos B + 4c \cos C = 17$.

 [Watch Video Solution](#)

98. In a ΔABC , prove the following :If $a = 18$, $b = 24$, $c = 30$, find $\cos A$, $\cos B$ and $\cos C$.

 [Watch Video Solution](#)

99. In a ΔABC , prove the following : $c (a \cos B - b \cos A) = a^2 - b^2$.

 [Watch Video Solution](#)

100. In a ΔABC , prove the following :

$$(c^2 + b^2 - a^2)\tan A = (a^2 + c^2 - b^2)\tan B = (a^2 + b^2 - c^2)\tan C$$

 [Watch Video Solution](#)

101. In a ΔABC , prove the following : $\frac{c - b \cos A}{b - c \cos A} = \frac{\cos B}{\cos C}$

 [Watch Video Solution](#)

102. In a ΔABC , prove the following :

$$a(\cos B + \cos C - 1) + b(\cos C + \cos A - 1) + c(\cos A + \cos B - 1) = 0$$

 [Watch Video Solution](#)

103. In a $\triangle ABC$, prove the following :

$$a \cos A + b \cos B + c \cos C = 2a \sin B \sin C.$$

 [Watch Video Solution](#)

104. In a $\triangle ABC$, prove the following : $a^2 = (b + c)^2 - 4bc \cos^2\left(\frac{A}{2}\right)$.

 [Watch Video Solution](#)

105. In a $\triangle ABC$, prove the following :

$$4 \left(bc \cos^2\left(\frac{A}{2}\right) + ca \cos^2\left(\frac{B}{2}\right) + ab \cos^2\left(\frac{C}{2}\right) \right) = (a + b + c)^2$$

 [Watch Video Solution](#)

106. In a $\triangle ABC$, prove that

$$\sin^3 A \cos(B - C) + \sin^3 B \cos(C - A) + \sin^3 C \cos(A - B) = 3 \sin A \sin B \sin C$$

 [Watch Video Solution](#)

107. In any ΔABC , $\frac{b+c}{12} = \frac{c+a}{13} = \frac{a+b}{15}$, then prove that $\frac{\cos A}{2} = \frac{\cos B}{7} = \frac{\cos C}{11}$.

 [Watch Video Solution](#)

108. If in a ΔABC , $\cos^2 A + \cos^2 B + \cos^2 C = 1$, prove that the triangle is right angled.

 [Watch Video Solution](#)

109. Two ships leave a port at the same time. One goes 24 km/hr in the direction $N38^\circ E$ and other travels 32 km/hr in the direction $S52^\circ E$. Find the distance between the ships at the end of 3 hrs.

 [Watch Video Solution](#)

110. Find the area of the triangle $\triangle ABC$ in which $a = 1$, $b = 2$ and $\angle C = 60^\circ$.

 [Watch Video Solution](#)

111. In a $\triangle ABC$, if $b = \sqrt{3}$, $c = 1$ and $\angle A = 30^\circ$, then find a

 [Watch Video Solution](#)

112. In a $\triangle ABC$, if $\cos A = \frac{\sin B}{2 \sin C}$, then show that $c = a$.

 [Watch Video Solution](#)

113. In a $\triangle ABC$, if $b = 20$, $c = 21$ and $\sin A = \frac{3}{5}$ find a .

 [Watch Video Solution](#)

114. In ΔABC , if $a = 8$, $b = 10$, $c = 12$ and $C = \lambda A$, find the value of λ .

 [Watch Video Solution](#)

115. If the sides of a triangle are proportional to 2 , $\sqrt{6}$ and $\sqrt{3} - 1$, find the measure of its greatest angle.

 [Watch Video Solution](#)

116. If in a ΔABC , $\frac{\cos A}{a} = \frac{\cos B}{b} = \frac{\cos C}{c}$, then find the measures of angles A , B , C .

 [Watch Video Solution](#)

117. If any triangle ABC , find the value of $a \sin(B - C) + b \sin(C - A) + c \sin(A - B)$.

 [Watch Video Solution](#)

118. In any $\triangle ABC$, find the value of $\sum a(\sin B - \sin C)$.

 [Watch Video Solution](#)

Others

1. Let O be a point inside a triangle ABC such that $\angle OAB = \angle OBC = \angle OCA = \omega$, then show that:

$$\cot \omega = \cot A + \cot B + \cot C$$

$$\cos ec^2 \omega = \cos ec^2 A + \cos ec^2 B + \cos ec^2 C$$

 [View Text Solution](#)