



MATHS

BOOKS - CENGAGE MATHS (HINGLISH)

EQUATION OF PLANE AND ITS APPLICATIONS - II

Dpp 3 4

1. Let $A(0, 6, 6)$, $B(6,6,0)$ and $C(6,0,6)$ are three points and point D is moving on the line $x + z - 3 = 0 = y$. If G is centroid of $\triangle ABC$, then minimum value of GD is

A. $\sqrt{\frac{47}{2}}$

B. $\sqrt{\frac{37}{2}}$

C. $\sqrt{\frac{57}{2}}$

D. $\sqrt{\frac{23}{2}}$

Answer: C



View Text Solution

2. Equation of line of projection of the line

$3x - y + 2z - 1 = 0 = x + 2y - z = 2$ on the plane

$3x + 2y + z = 0$ is

A. $\frac{x + 1}{11} = \frac{y - 1}{-9} = \frac{z - 1}{-15}$

B. $3x - 8y + 7z + 4 = 0 = 3x + 2y + z$

$$C. \frac{x + 12}{11} = \frac{y + 8}{-9} = \frac{z + 14}{15}$$

$$D. \frac{x + 12}{11} = \frac{y + 8}{-9} = \frac{z + 14}{-15}$$

Answer: B



View Text Solution

3. The orthocenter of triangle whose vertices are

$A(a, 0, 0)$, $B(0, b, 0)$ and $C(0, 0, c)$ is $\left(\frac{k}{a}, \frac{k}{b}, \frac{k}{c}\right)$ then

k is equal to

$$A. \left(\frac{1}{a^2} + \frac{1}{b^2} + \frac{1}{c^2}\right)^{-1}$$

$$B. \left(\frac{1}{a} + \frac{1}{b} + \frac{1}{c}\right)^{-1}$$

$$C. \left(\frac{1}{a^2} + \frac{1}{b^2} + \frac{1}{c^2}\right)$$

D. $\left(\frac{1}{a} + \frac{1}{b} + \frac{1}{c}\right)$

Answer: A



View Text Solution

4. The shortest distance between the lines $2x + y + z - 1 = 0 = 3x + y + 2z - 2$ and $x = y = z$, is

A. $\frac{1}{\sqrt{2}}$ units

B. $\sqrt{2}$ units

C. $\frac{3}{\sqrt{2}}$ units

D. $\frac{\sqrt{3}}{2}$ units

Answer: A



View Text Solution

5. If plane $2x + 3y + 6z + k = 0$ is tangent to the sphere $x^2 + y^2 + z^2 + 2x - 2y + 2z - 6 = 0$, then a value of k is

A. 26

B. 16

C. -26

D. none of these

Answer: A



[View Text Solution](#)

6. The shortest distance from $(1,1,1)$ to the line of intersection of the pair of planes $xy + yz + zx + y^2 = 0$ is

A. $\sqrt{\frac{8}{3}}$

B. $\frac{2}{\sqrt{3}}$

C. $\frac{1}{\sqrt{3}}$

D. $\frac{2}{3}$

Answer: A

[View Text Solution](#)

7. A variable plane makes intercepts on x , y and z axes and it makes a tetrahedron of volume 64 cu. Units. The locus of foot of perpendicular from origin on the plane is

A. $(x^2 + y^2 + z^2)^2 = 384xyz$

B. $xyz = 681$

C. $(x + y + z) \left(\frac{1}{x} + \frac{1}{y} + \frac{1}{z} \right)^2 = 16$

D. $xyz(x + y + z) = 81$

Answer: A

 [View Text Solution](#)

8. If the projection of the line $\frac{x}{2} = \frac{y-1}{2} = \frac{z-1}{1}$ on a plane P is $\frac{x}{1} = \frac{y-1}{1} = \frac{z-1}{-1}$. Then the distance of

plane P from origin is

A. $\sqrt{3}$

B. $\sqrt{\frac{3}{2}}$

C. $\sqrt{6}$

D. $\frac{2}{\sqrt{3}}$

Answer: B



[View Text Solution](#)

9. Image of sphere $x^2 + y^2 + z^2 = 9$ in plane $2x + 3y + 4z - 29 = 0$ is

A. $x^2 + y^2 + z^2 - 8x - 12y - 16z + 107 = 0$

B. $x^2 + y^2 + z^2 + 8x - 12y - 16z + 107 = 0$

C. $x^2 + y^2 + z^2 - 8x + 12y - 16z + 107 = 0$

D. $x^2 + y^2 + z^2 - 8x - 12y + 16z + 107 = 0$

Answer: A

 [View Text Solution](#)

10. The locus of a point which moves in such a way that its diameter from the plane $x + y + z = 0$ is

A. $x^2 + y^2 + z^2 - 5x - 3y - 3z = 0$

B. $x^2 + y^2 + z^2 - 5x + 3y + 3z = 0$

C. $x^2 + y^2 + z^2 + 5xy + 3yz + zx = 0$

$$D. x^2 + y^2 + z^2 + 5xy + 3yz + 3zx = 0$$

Answer: C



View Text Solution

11. A plane cutting the axes in P,Q,R passes through $(\alpha, \beta, \beta - \lambda, \lambda - \alpha)$. If O is origin, then locus of center of sphere OPQR is

A. $\alpha x + \beta y + \lambda z = 4$

B. $(\alpha - \beta)x + (\beta - \lambda)y + (y - \alpha)z = 0$

C. $(\alpha - \beta)yz + (\beta - y)zx + (\lambda - \alpha)xy = 2xyz$

D. $\left(\frac{1}{\alpha^2} + \frac{1}{\beta^2} + \frac{1}{\lambda^2}\right)(x^2 + y^2 + z^2) = xyz$

Answer: C

 [View Text Solution](#)

12. A line is drawn from the point $P(1,1,1)$ and perpendicular to a line with direction ratios, $(1,1,1)$ to intersect the plane $x + 2y + 3z = 4$ at Q . The locus of point Q is

A. $\frac{x}{1} = \frac{y - 5}{-2} = \frac{z - + 2}{1}$

B. $\frac{x}{-2} = \frac{y - 5}{1} = \frac{z + 2}{1}$

C. $x = y = z$

D. none of these

Answer: A



13. Let a plane pass through origin and be parallel to the line $\frac{x-1}{2} = \frac{y_3}{-1} = \frac{z+1}{-2}$ is such that distance between the plane and the line is $\frac{5}{3}$. Then equation of the plane is/are

A. $x - 2y + 2z = 0$

B. $x - 2y - 2z = 0$

C. $2x + 2y + z = 0$

D. $x + y + z = 0$

Answer: A::C

14. The planes $ax + 4y + z = 0$, $2y + 3z - 1 = 0$ and $3x - bz + 2 = 0$ will

A. meet at a point if $ab \neq 15$.

B. meet on a line if $ab = 15$, $a = 3$

C. have no common point if $ab = 15$, $a \neq 3$.

D. have no common point if $ab = 15$, $a \neq 5$

Answer: A::B::C



[View Text Solution](#)

15. If the line $\frac{x}{1} = \frac{y}{2} = \frac{z}{3}$ intersects the the line $3\beta^2 + 3(1 - 2\alpha)y + z = 3 - \frac{1}{2}\{6\alpha^2x + 3(1 - 2\beta)y + 2z\}$

then point $(\alpha, \beta, 1)$ lies on the plane

A. $2x - y + z = 4$

B. $x + y - z = 0$

C. $x - 2y = 0$

D. $2x - y = 0$

Answer: A::B::C



[View Text Solution](#)

16. Let $A = (1, 1, -1)$, $B = (0, 2, 1)$ be two given points. Also, let $P: x + y + z = 0$ be a plane.

If A' and B' are the feet of perpendicular from A and B , respectively, on the plane 'P' then $A'B'$ equals

A. $\frac{\sqrt{14}}{3}$

B. $\sqrt{\frac{5}{3}}$

C. $\sqrt{3}$

D. $\sqrt{\frac{2}{3}}$

Answer: A



View Text Solution

17. The equation of the line perpendicular to \overrightarrow{AB} and lying completely in the plane 'P' is

A. $\frac{x - \frac{2}{3}}{1} = \frac{y - \frac{1}{2}}{-3} = \frac{z + 2}{2}$

B. $\frac{x - 3}{2} = \frac{y - 1}{-6} = \frac{z + 2}{2}$

C. $x = y = z$

D. $x - 3 = y - 1 = z = 2$

Answer: A

 [View Text Solution](#)

18. Let $P_1: x + y + 2z - 3 = 0$ and $x - 2y + z = 4$ be two planes. Also, let $A(1, 3, 4)$ and $B(3, 2, 7)$ be two points in space.

The equation of plane which passes through line of intersection of P_1 and $P_2 = x - 2y + z = 4$ be two planes. Also, let $A(1, 3, 4)$ and $B(3, 2, 7)$ be two points in space.

The equation of plane which passes through line of

intersection of P_1 and P_2 upon which length of projection of the line segment AB is the greatest, is

A. $2x + 3y + z + 4 = 0$

B. $3x - 3y + 4z - 11 = 0$

C. $x + 3y + z + 2 = 0$

D. $3y + z + 1 = 0$

Answer: D

 [View Text Solution](#)

19. The equation of plane which passes through line of intersection of P_1 and P_2 upon which length of projection of the line segment AB is the least, is

A. $x + 3y + z + 2 = 0$

B. $3y + z + 1 = 0$

C. $2x - y + 3z - 7 = 0$

D. $3x - 3y + 4z - 11 = 0$

Answer: C



View Text Solution