



## MATHS

### BOOKS - CENGAGE MATHS (HINGLISH)

## GRAPHS OF TRIGONOMETRIC FUNCTIONS

### Illustrations

1. Plot  $y = \sin x$  and  $y = \sin 2x$ .



Watch Video Solution

2. Plot  $y = \sin x$  and  $y = \frac{\sin x}{2}$



[Watch Video Solution](#)

3. Draw the graph of  $y = \tan(3x)$ .



[Watch Video Solution](#)

4. Draw the graph of  $y = \sec^2 x - \tan^2 x$ . Is  $f(x)$  periodic? If yes, what is its fundamental period?



[Watch Video Solution](#)

5. Draw the graph of  $y = \frac{\tan x}{\tan x}$ . Is  $f(x)$  periodic? If

yes, what is its fundamental period?



**Watch Video Solution**


6. Which of the following is highest?

(a) cosec 1

(b) cosec 2

(c) cosec 4

(d) cosec (-6)



**Watch Video Solution**

7. Draw the graph of the function

$$y = f(x) = \lim_{n \rightarrow \infty} \cos^{2n} x \text{ and find its period.}$$



[Watch Video Solution](#)

8. Find the number of solution to the equation

$$x^2 \tan x = 1, x \in [0, 2\pi].$$



[Watch Video Solution](#)

9. Solve  $\tan x > \cot x$ , where  $x \in [0, 2\pi]$ .



[Watch Video Solution](#)

**10.** Let  $f(x) = x \sin \pi x$ ,  $x > 0$ . Then for all natural numbers  $n$ ,  $f'(x)$  vanishes at A unique point in the interval  $\left(n, n + \frac{1}{2}\right)$  a unique point in the interval  $\left(n + \frac{1}{2}, n + 1\right)$  a unique point in the interval  $(n, n + 1)$  two points in the interval  $(n, n + 1)$



**Watch Video Solution**

**11.** If  $0 < \alpha < \frac{\pi}{3}$ , then prove that  $\alpha(\sec \alpha) < \frac{2\pi}{3}$ .



**Watch Video Solution**

12. Draw the graph of  $y = [\sin x]$ ,  $x \in [0, 2\pi]$ , where  $[\cdot]$  represents the greatest integer function.

 [Watch Video Solution](#)

13. Draw the graph of  $f(x) = [\tan x]$ ,  $0 \leq x \leq 5\pi/12$ , where  $[\cdot]$  represents the greatest integer function.

 [Watch Video Solution](#)

14. Draw the graph of  $f(x) = e^{\sin x}$ .

 [Watch Video Solution](#)

Watch Video Solution

15. Draw the graph of  $y = \sin 2^x$ .



Watch Video Solution

16. Draw the graph of  $y = (\sin 2x) \sqrt{1 + \tan^2 x}$ , find its domain and range.



Watch Video Solution

17. Draw the graph  $y = \sin^2 x$ .



Watch Video Solution

18. Draw the graph of  $y = \sin^3 x$ .



Watch Video Solution

19. Draw the graph of

$$f(x) = |\sin x| + |\cos x|, x \in \mathbb{R}.$$



Watch Video Solution

20. Draw the graph of  $f(x) = \sqrt{\sin x}$ .



Watch Video Solution



21. Draw the graph of  $y = \frac{\cos\left(|x| + \frac{\pi}{2}\right)}{\sin x}$ . Is the function periodic?



[Watch Video Solution](#)

22. Draw the graph of  $f(x) = \cos \pi[x]$ , where  $[\cdot]$  represents the greatest integer function. Find the period of the function.



[Watch Video Solution](#)

23. Draw the graph of

$$f(x) = \sec x + \operatorname{cosec} x, x \in (0, 2\pi) - \{\pi/2, \pi, 3\pi/2\}$$

Also find the values of 'a' for which the equation  $\sec x + \operatorname{cosec} x = a$  has two distinct root and four distinct roots.



[View Text Solution](#)

24. Draw the graph of

$$f(x) = \frac{\sin x}{\sqrt{1 + \tan^2 x}} - \frac{\cos x}{\sqrt{1 + \cot^2 x}}. \text{ Then find}$$

the range of f(x).



[View Text Solution](#)

**25.** Find the area bounded by the following curve :

(i)  $f(x) = \sin x, g(x) = \sin^2 x, 0 \leq x \leq 2\pi$

(ii)  $f(x) = \sin x, g(x) = \sin^4 x, 0 \leq x \leq 2\pi$



**View Text Solution**

**26.** Write the equivalent (piecewise) definition of

$$f(x) = \operatorname{sgn}(\sin x).$$



**Watch Video Solution**

**27.** Draw the graph of  $f(x) = \{\sin x\}$ , where  $\{\cdot\}$  represents the fractional part function.



[Watch Video Solution](#)

28. Draw a graph of  $f(x) = \sin\{x\}$ , where  $\{x\}$  represents the greatest integer function.



[View Text Solution](#)

29. Draw the graph of

$f(x) = \max\{2 \sin x, 1 - \cos x\}$ ,  $x \in (0, \pi)$ .

Also find the range of

$g(x) = \min\{2 \sin x, 1 - \cos x\}$ ,  $x \in (0, \pi)$



[View Text Solution](#)

30. Draw the graph of  $y = \log_e(\sin x)$ .



[View Text Solution](#)

31. Draw the graph of  $[y] = \sin x, x \in [0, 2\pi]$  where  $[\cdot]$  denotes the greatest integer function



[View Text Solution](#)

32. Draw the graph of  $y = x \sin x$ .



[View Text Solution](#)

33. Draw the graph of  $y = e^x \sin 2\pi x$ .



[View Text Solution](#)

34. Let  $[x]$  denotes the greatest integer less than or equal to  $x$ . If  $f(x) = [x \sin \pi x]$ , then  $f(x)$  is



[Watch Video Solution](#)

35. Evaluate :  $\left[ \lim_{x \rightarrow 0} \frac{\sin x}{x} \right]$ , where  $[\cdot]$  represents the greatest integer function.



[Watch Video Solution](#)

**36.** Discuss maxima/minima of

$$f(x) = \frac{x}{1 + x \tan x}, x \in \left(0, \frac{\pi}{2}\right)$$



[View Text Solution](#)

**37.** Find the values of  $a$  if equation

$$1 - \cos x = \frac{\sqrt{3}}{2} |x| x a, x \in (0, \pi),$$
 has exactly one

solution.



[Watch Video Solution](#)

**38.** Find the number of solution to the equation

$$\sin x = x^2 + 2x + 1.$$



[View Text Solution](#)

39.

Prove

that

$$\sin x + 2x \geq \frac{3x(x+1)}{\pi}, \quad \forall x \in \left[0, \frac{\pi}{2}\right] \text{ (Justify the$$

inequality, if any used).



[Watch Video Solution](#)

40. Find the ratio of the areas of two regions of the curve  $C_1 \equiv 4x^2 + \pi^2 y^2 = 4\pi^2$  divided by the curve  $C_2 \equiv y = -\left(\operatorname{sgn}\left(x - \frac{\pi}{2}\right)\right) \cos x$  (where  $\operatorname{sgn}(x) = \operatorname{signum}(x)$ ).



[View Text Solution](#)



41. Solve  $\tan x < 2$ .

 [Watch Video Solution](#)

42. Solve  $\sin x > \frac{1}{2}$  or find the domain of

$$f(x) = \frac{1}{\sqrt{1 + 2 \sin x}}$$

 [Watch Video Solution](#)

43. Solve :  $2 \cos^2 \theta + \sin \theta \leq 2$ , where

$$\pi/2 \leq \theta \leq 3\pi/2.$$





Watch Video Solution

44. Solve  $\sin \theta + \sqrt{3} \cos \theta \geq 1, \pi$



Watch Video Solution

45. Let  $f(x) = \begin{cases} x^2 + 3x, & -1 \leq x < 0 \\ -\sin x, & 0 \leq x < \pi/2 \\ -1 - \cos x, & \frac{\pi}{2} \leq x \leq \pi \end{cases}$ .

Draw the graph of the function and find the following

(a) Range of the function

(b) Point of inflection

(c) Point of local minima



Watch Video Solution

 Watch Video Solution

46. If `



Watch Video Solution

## Exercise

1. Draw the graph of  $y = \operatorname{cosec}^2 x - \cot^2 x$ . Is  $f(x)$  periodic? If yes, what is its fundamental period?



Watch Video Solution

2. Draw the graph of  $y = \cos \pi x$ .



[View Text Solution](#)

3. Draw the graph of  $y = \cos^2 x$ .



[Watch Video Solution](#)

4. Find the values of  $x$  for which

$f(x) = \sqrt{\sin x - \cos x}$  is defined.



[Watch Video Solution](#)

5. Draw the graph of  $y = \tan^2 x$ .



[View Text Solution](#)

6. Draw the graph of  $y = \sin x + \cos x, x \in [0, 2\pi]$ .



[Watch Video Solution](#)

7. Draw the graph of  $y = [\cos x], x \in [0, 2\pi]$ , where

$[\cdot]$  represents the greatest integer function.



[Watch Video Solution](#)

8. Draw the graph of  $y = \sin \pi \sqrt{x}$ .



[View Text Solution](#)

9. Find the number of roots of the equation  $x \sin x = 1, x \in [-2\pi, 0) \cup (0, 2\pi]$ .



[Watch Video Solution](#)

10. Evaluate :  $\left[ \lim_{x \rightarrow 0} \frac{\tan x}{x} \right]$ , where  $[\cdot]$  represents the greatest integer function.



[Watch Video Solution](#)

11. For  $f(x) = \sin x - x^2 + 1$ , check whether the function is increasing, decreasing or has a point of extremum ?



[Watch Video Solution](#)

12. Draw the graph of the function  $f(x) = \max\{\sin x, \cos 2x\}$ ,  $x \in [0, 2\pi]$ . Write the equivalent definition of  $f(x)$  and find the range of the function.



[Watch Video Solution](#)

13. Draw the graph of  $[y] = \cos x$ ,  $x \in [0, 2\pi]$ , where  $[\cdot]$  denotes the greatest integer function.

 [Watch Video Solution](#)

14. The total number of solution of  $\sin\{x\} = \cos\{x\}$  (where  $\{.\}$  denotes the fractional part) in  $[0, 2\pi]$  is equal to

 [Watch Video Solution](#)

15. Draw the graph of  $f(x) = |\tan x| + |\cot x|$ .

 [Watch Video Solution](#)



16. Find the number of solutions to  $\cos x = \frac{x}{10}$ ,  $x > 0$ .

 [Watch Video Solution](#)

17. The number of solutions of  $\tan x - mx = 0$ ,  $m > 1$ , in  $\left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$  is 1 (b) 2 (c) 3 (d)  $m$

 [Watch Video Solution](#)

18. Find the number of solutions to

$$\log_e |\sin x| = -x^2 + 2x \text{ in } \left[ -\frac{\pi}{2}, \frac{3\pi}{2} \right].$$



[View Text Solution](#)

19. Solve :  $\cos x \leq -\frac{1}{2}$ .



[Watch Video Solution](#)

20. Prove that the least positive value of  $x$ , satisfying

$$\tan x = x + 1, \text{ lies in the interval } \left( \frac{\pi}{4}, \frac{\pi}{2} \right)$$



[Watch Video Solution](#)

21. Draw the graph of  $y = \frac{x^2}{10} \sin x$ .



[View Text Solution](#)

22. Draw the graph of  $y = \frac{\sin x}{x}$ .



[View Text Solution](#)