




BIOLOGY

BOOKS - MTG BIOLOGY (ENGLISH)

DIGESTION AND ABSORPTION

Digestive System

1. The given figure represents the human digestive system. Identify A,B,C D and E.



A. A-Parotid gland, B-Lvier, C-Pancreas, D-Caecu, E-Vermiform appendix

B. A-Parotid gland, B-Pancereas, C-Liver, D-Aecum, E-Vermiform appendix


C. A-Parotid gland, B-Caecum, C-Pancreas, D-Liver, E-Vermiform appendix

D. A-Parotid galnd, B-Liver. C-Caecu, D-Pancreas,E=Vermiform appendix

Answer: A

 Watch Video Solution

2. The given figure shown the arrangement of different types of teeth in the jaw on one side. Identify A,B,C and D.



	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
A.	Inclisors	Canine	Premolars	Molars

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
B.	Molars	Premolar	Canines	Incisors

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
C.	Premolasrs	Molar	Incisors	Canines

- | | | | | |
|----|----------|----------|----------|-----------|
| | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> |
| D. | Incisors | Canine | Molars | Premolars |

Answer: A



Watch Video Solution

3. Which of the following correctly depicts the dental formula of a child?

A.
$$\frac{2112}{2112}$$

B.
$$\frac{2102}{2102}$$

C.
$$\frac{2123}{2123}$$

D.
$$\frac{2111}{2111}$$

Answer: B



Watch Video Solution

4. Read the following statements and select the correct option.

Statement 1: Dental formula gives the number of teeth in the half of each jaw.

Statement 2: Dental formula can be expressed for insectivorous mammals as well as for the nonmammalian vertebrates.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: B



Watch Video Solution

5. In man even though both air and food go through the pharynx, food does not normally enter the wind pipe because during swallowing of food

- A. the epiglottis covers the glottis
- B. sphincter of Oddi closes the hepato-pancreatic duct
- C. pyloric sphincter converts the opening of stomach into the duodenum
- D. none of these

Answer: A



Watch Video Solution

6. Two friends are eating together on a dining table. One of them suddenly starts coughing while swallowing some food. This coughing would have been due to improper movement of

- A. epiglottis
- B. diaphragm
- C. neck
- D. tongue.

Answer: A



Watch Video Solution

7. Read the following statements and select the correct option.

Statement 1: The worm-like structure attached to the caecum at the beginning of the large intestine is known as vermiform appendix.

Statement 2 : Vermiform appendix has no apparent digestive function.


- A. Both statements 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect.
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: A



Watch Video Solution

8. The diagram of large intestine of man is given here. Identify the parts labelled as A,B,C,D,E and F



A. A-Caecum, B-Vermiform appendix,

B. Ascending colon

C. Transverse colon,

D. Descending colon, F-Sigmoid colon

Answer: A



Watch Video Solution

9. Match the column I with column II and select the correct option from the given codes.

Column I

Sphincter ani

Cardiac sphincter

Sphincter of Oddi

Ileocaecal sphincter

Pyloric sphincter

Column II

(i) Opening of hepatopancreatic ampulla into duodenum

(ii) Between duodenum and posterior stomach

(iii) Guarding the terminal part of alimentary canal

(iv) Between oesophagus and anterior stomach

(v) Between small intestine and large intestine

A. iii,ii,iv,i,v

B. ii,v,i,iv,iii

C. iii,iv,i,v,ii

D. iv,iii,i,ii,v

Answer: C



Watch Video Solution

10. The lining of intestinal wall from outside to inside is made up of


- A. circular muscles \rightarrow longitudinal muscles \rightarrow submucosa \rightarrow mucosa
- B. longitudinal muscles \rightarrow circular muscles \rightarrow submucosa \rightarrow mucosa
- C. mucosa \rightarrow submucosa \rightarrow circular muscles \rightarrow longitudinal muscles
- D. submucosa \rightarrow longitudinal muscles \rightarrow circular muscles \rightarrow mucosa.

Answer: B



Watch Video Solution

11. The given diagram represents the T.S. of gut. Identify A,B,C and D.



- A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Serosa	Muscularis	Submucosa	Mucosa
- B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Muscularis	Serosa	Submucosa	Mucosa
- C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Serosa	Muscularis	Mucosa	Submucosa
- D.


<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Serosa	Submucos	Muscularis	Mucosa

Answer: A



Watch Video Solution

12. The diagram given below represents a section of small intestinal mucosa. Identify A,B and C



A. A-Villi,B-Lacteal, C-Capillaries

B. A-Lacteal,B-Villi,C-Capillaries

C. A-Villi,B-Lacteal,C-Crypts

D. A-Crypts,B-Lacteal,C-Capillaries

Answer: C



Watch Video Solution

13. Crypts of Lieberkuhn are present in

- A. pancreas and secrete pancreatic juice
- B. small intestine and secrete digestive enzymes
- C. stomach and secrete dilute HCl
- D. stomach and secrete trypsin.

Answer: B



Watch Video Solution

14. Which of the following statements is incorrect?

- A. Mucosal epithelium has goblet cells which secrete mucus for lubrication.
- B. Mucosa forms gastric glands in the stomach and crypts in between the bases of villi in intestine.

C. Cells lining the villi has brush border or microvilli.

D. All the four basic layers in the wall of gut never show modifications in different parts of the alimentary canal.

Answer: D



Watch Video Solution

15. Which of the following is not a salivary gland?

A. Sublingual

B. Submaxillary

C. Lacrimal

D. Parotid

Answer: C



Watch Video Solution

16. Stenson's duct is associated with

- A. parotid gland
- B. cardiac gland
- C. pancreatic gland
- D. thyroid gland.

Answer: A



Watch Video Solution

17. Glisson's capsules is the characteristic feature of

- A. mammals
- B. birds
- C. reptiles
- D. arthropods.

Answer: A



Watch Video Solution

18. Which of the following statements is incorrect?

- A. Brunner's glands are submucosal.
- B. Irregular folds of gastric mucosa rugae.
- C. Glisson's capsule is the connective tissue sheath of hepatic lobule.
- D. Mesothelium or serosa lies in close proximity to the circular layer of muscularis.

Answer: D



Watch Video Solution

19. In man, the gall bladder is situated in ____ lobe of liver.

- A. left
- B. right
- C. caudate
- D. quadrate

Answer: B



Watch Video Solution

20. The common bile duct in human is formed by the joining of


- A. pancreatic duct and bile duct
- B. cystic duct and hepatic duct
- C. cystic duct and pancreatic duct
- D. hepatic duct and pancreatic duct.

Answer: B



Watch Video Solution

21. The given diagram shows a duct system of liver, gall bladder and pancreas. Write the names of ducts from A to D.



A. A-Cystic duct, B-Common bile duct, C-Pancreatic duct, D-Hepatopancreatic duct

B. A-Common bile duct, B-Cystic duct, C-Pancreatic duct, D-Hepatopancreatic duct

C. A-Cystic duct, B-Bile duct, C-Hepatopancreatic duct, D-Pancreatic duct

D. A-Cystic duct, B-Pancreatic duct, C-Common bile duct, D-

Hepatopancreatic duct

Answer: A



Watch Video Solution

22. Match column I with column II and select the correct option from the given codes.

Column I

Hepatic lobule

Crypts of Lieberkuhn

Sphincter of Oddi

Cystic duct

Column II

(i) Base of villi

(ii) Glisson's capsule

(iii) Gall bladder

(iv) Hepato-pancreatic duct

A. ii,i,iv,iii

B. i,ii,iv,iii

C. i,ii,iii,iv

D. iv,iii,ii,i

Answer: A



[Watch Video Solution](#)

23. Read the following statements and select the correct option.

Statement 1 : The glycogen of the liver is the principal source of blood sugar in case of emergency. Statement 2: Blood sugar level falls rapidly after hepatectomy.

- A. Both statement 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: C



[Watch Video Solution](#)

24. Read the following statements and select the correct option.

Statement 1 : The second largest digestive gland in our body is pancreas.

Statement 2 : Pancreas functions both as an exocrine and endocrine gland.

- A. Both statement 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect.
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: A



Watch Video Solution

25. Which of the following statements is incorrect about pancreas?

- A. It is compound gland as it has both exocrine and endocrine part.
- B. Exocrine part secretes alkaline pancreatic juice having enzymes.
- C. Endocrine part secretes hormones like insulin and glucagon.
- D. It is surrounded by glisson's capsule.

Answer: D



Watch Video Solution

26. Match the column I with column II and select the correct option from the given codes.

Column I (Types of cells)	Column II (secretions)
Beta cells	(i) Lysozyme
Mast cells	(ii) Mucus
Paneth cells	(iii) Histamine
Acinar cells	(iv) Insulin
	(v) Pancreatic enzymes

A. A) iv,ii,i,v

B. B) v,ii,iii,iv

C. C) iv,iii,i,v

D. D) ii,iii,i,v

Answer: C



Watch Video Solution

27. Which part of the mammalian alimentary canal does not secrete any enzyme?

- A. Mouth
- B. Oesophagus
- C. Stomach and secrete dilute HCl
- D. Duodenum

Answer: B



Watch Video Solution

Digestion Of Food

1. Major utility of breaking up of food into small bites during chewing is

- A. to reduce surface area of the food eaten up
- B. to increase surface area of the food eaten up

C. to make the food soluble.

D. to enjoy taste of food

Answer: B



Watch Video Solution

2. A lubricant mucin, in saliva is made up of

A. polyunsaturated fats

B. actin and myosin

C. glycoproteins

D. phospholipids.

Answer: C



Watch Video Solution

3. A bolus is

- A. a mass of crushed food moistened with saliva
- B. the semisolid material resulting from partial digestion in the stomach
- C. the milky emulified fat absorbed from small intestine
- D. indigestible materials that help in movement and absorption of food.

Answer: A



Watch Video Solution

4. If you chew on a piece of bread long enough, it will begin to taste sweet because

- A. maltase is breaking down maltose
- B. lipases are forming fatty acids

C. amylase is breaking down starches to disaccharides

D. disaccharides are forming glucose.

Answer: C



Watch Video Solution

5. Which of the following statements is incorrect regarding lysozyme present in saliva?

A. It acts as an antibacterial agent.

B. It prevents infections.

C. It acts as an enzyme.

D. All of these

Answer: C



Watch Video Solution

6. If we take food rich in lime juice, then

- A. a) action of ptylain on strach is enhanced
- B. b) action of ptyalin on starch is reduced
- C. c) action of ptylain on starch is unaffected
- D. d) action of ptyalin on starch stops.

Answer: B



Watch Video Solution

7. In which layer of stomach are gastric glands located?

- A. Serosa
- B. Mucosa
- C. Submucosa
- D. Muscularis mucosa

Answer: B



Watch Video Solution

8. Read the following statements and select the correct option.

Statement 1: Deglutition starts as a reflex and then continues by voluntary action.

Statement 2: Oesophagus has smooth muscles in the beginning and striated muscles in the rest of its wall.

- A. (a) Both statements 1 and 2 are correct.
- B. (b) Statement 1 is correct but statement 2 is incorrect.
- C. (c) Statement 1 is incorrect but statement 2 is correct.
- D. (d) Both statements 1 and 2 are incorrect.

Answer: D



Watch Video Solution

9. Match column I with column II and select the correct option from the given codes.

{:("Column I)(Types of cell)", "Column II(Secretions)",("Peptic cells",
(i)"Mucus"),("Oxyntic cells",(ii)"Alkaline fluid"),("Goblet cells",(iii)"Pro-
enzymes"),(, (iv)"HCl"):-}

A. ii,iii,i

B. iii,ii,i

C. i,ii,iii,iv

D. ii,i,iii

Answer: D



View Text Solution

10. Match column I with column II and select the correct option from the given codes.

Column I	Column II
Mucous neck cells	(i) HCl, intrinsic factor
Peptic//chief cells	(ii) Mucus
Parietal//Oxyntic cells	(iii) Pepsinogen

A. ii,iii,i

B. iii,ii,i

C. i,ii,iii,iv

D. ii,i,iii

Answer: A



Watch Video Solution

11. Which one of the following types of cells and their secretion is correctly matched?

A. Oxyntic cells-a secretion with pH between 2.0 and 3.0

B. Alpha cells of Islets of Langerhans-secretion that decreases blood sugar level

C. Kupffer cells-a digestive enzyme that hydrolyses nucleic acids

D. none of these

Answer: A



Watch Video Solution

12. Match column I with column II and select the correct option from the given codes.

Column I

Van kupffer cells

β – cells

Oxyntic cells

Crypts of lieberkuhn

Column II

Islets of langerhans

(ii) Liver sinusoids

(iii) Thyroid gland

(iv) Stomach

(v) Small intestine

A. iv,v,i,ii

B. iii,i,iv,ii

C. iv,v,iii,i

D. ii,i,iv,v

Answer: D



Watch Video Solution

13. Match the column I with column II and select the correct option from the given codes.

Column I

Column II

A. Goblet cells (i) Antibacterial Agent

B. Lysozyme (ii) Mucus

C. Saliva (iii) HCl

D. Oxyntic cells (iv) Sublingual gland

A. (a) A-iii, B-i, C-iv, D-ii

B. (b) A-i, B-iii, C-iv, D-ii

C. (c) A-ii, B-iii, C-i, D-iv

D. (d) A-ii, B-i, C-iv, D-iii

Answer: D



Watch Video Solution

14. Which of the following statements is correct?

- A. Goblet cells secrete pepsinogen.
- B. Parietal cells secrete hydrochloric acid.
- C. Argentaffin cells secrete mucus.
- D. Chief cells secrete gastrin.


Answer: B



Watch Video Solution

15. Examine the figure of gastric gland given below and identify the labelled parts A to D.

(Opening of gastric gland



- A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Oxyntic cell	Chief cell	Mucous cell	Argentaffin cell
- B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Argentaffin cell	Oxyntic cell	Mucous cell	Chief cell
- C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
G cell	Chief cell	Mucous cell	Argentaffin cell
- D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Oxyntic cell	G cell	Mucous cell	Chief cell

Answer: A



Watch Video Solution

16. The food mixed thoroughly with the acidic gastric juice of the stomach by the churning movements of its muscular wall. What do we call the food then?

A. Bolus

B. Chyme

C. Succus entericus

D. Chylomicron

Answer: B



Watch Video Solution

17. Pepsin converts proteins into ___

- A. rennin
- B. proteoses and peptones
- C. amino acids
- D. lipase.

Answer: B



Watch Video Solution

18. The site of action and substrate of rennin are respectively

- A. mouth and starch
- B. small intestine and protein
- C. stomach and casein
- D. stomach and fat.

Answer: C



Watch Video Solution

19. Refer to the given flow chart. Milk casein \xrightarrow{Y} Paracasein \xrightarrow{Z} .

Calcium paracaseinate (Curdling of milk). In it, letter 'y' and 'z' denote

- A. rennin and Ca^{++}
- B. Ca^{++} and rennin
- C. rennin, HCL and Ca^{++}
- D. renin and Ca^{++}

Answer: A



Watch Video Solution

20. Which enzyme initiates protein digestion?

- A. (a) Pepsin
- B. (b) Trypsin
- C. (c) Aminopeptidase

D. (d) Carboxypeptidase

Answer: A



Watch Video Solution

21. Digestion of proteins begins in the (i) and digestion of polysaccharides begins in the (ii).

A. mouth stomach

B. stomach small intestine

C. stomach mouth

D. stomach stomach

Answer: C



Watch Video Solution

22. What will happen if the secretion of parietal cells of gastric glands is blocked with an inhibitor?

- A. In the absence of HCl secretion, inactive pepsinogen is not converted into the active enzyme pepsin.
- B. Enterokinase will not be released from the duodenal mucosa and so trypsinogen is not converted to trypsin.
- C. Gastric juice will be deficient in chymosin.
- D. Gastric juice will be deficient in perpsinogen.

Answer: A



Watch Video Solution

23. If for some reason the parietal cells of the gut epithelium become partially non-functional, what is likely to happen?

- A. The pancreatic enzymes and specially the trypsin and lipase will not work efficiently.
- B. The pH of stomach will fall abruptly.
- C. Steapsin will be more effective.
- D. Proteins will not be adequately hydrolysed by pepsin into proteoses and peptones.

Answer: D



Watch Video Solution

24. The epithelial cells lining the stomach of vertebrates are protected from damage by HCl because

- A. (a) HCl is too dilute
- B. (b) the epithelial cells are resistant to the action of HCl
- C. (c) HCl is neutralised in the stomach

D. (d) the epithelial cells are covered by a mucus secretion.

Answer: D



Watch Video Solution

25. Digestion of which component of food will be affected if the pH of stomach is made 7?

- A. (a) Fat
- B. (b) Protein
- C. (c) Sucrose
- D. (d) Vitamins

Answer: B



Watch Video Solution

26. Which of the following has minimum pH?

- A. (a) Bile
- B. (b) Gastric juice
- C. (c) Saliva
- D. (d) Pancreatic juice

Answer: B



Watch Video Solution

27. Pepsin acts in

- A. basic medium
- B. acidic medium
- C. neutral medium
- D. all types of medium.

Answer: B



Watch Video Solution

28. If pH of stomach is 1.6, then which enzyme wil digest protein?

A. Amylase

B. Trypsin

C. Erypsin

D. Pepsin

Answer: D



Watch Video Solution

29. Which of the follwing statements is false?

A. The stomach stores the food for 1-2 hours.

- B. Gastric gland never secretes even a small amount of lipase.
- C. Rennin. A proteolytic enzyme is found in gastric juice of infants.
- D. All of these

Answer: B



Watch Video Solution

30. Which one of the following pairs of food components in human reaches the stomach totally undigested?

- A. Starch and fat
- B. Fat and cellulose
- C. Starch and cellulose
- D. Protein and starch

Answer: B



Watch Video Solution

31. Various types of movements are generated by the ____ layer of the small intestine.

- A. serosa
- B. muscularis
- C. mucosa
- D. submucosa

Answer: B



Watch Video Solution

32. The enzyme enterokinase helps in the conversion of

- A. caesinogen into caesin
- B. trypsinogen into trypsin
- C. pepsinogen into pepsin

D. proteins into polypeptides.

Answer: B



Watch Video Solution

33. In this enzyme is absent in our small intestine, digestion of proteins in our body would be severely affected identify the enzyme.

A. Pancreatic amylase

B. Maltase

C. Lipase

D. Enterokinase

Answer: D



Watch Video Solution

34. In humans one of the constituents of the pancreatic juice which is poured into the duodenum is

- A. trypsinogen
- B. chymotrypsin
- C. trypsin
- D. enterokinase.

Answer: A



Watch Video Solution

35. Mark the odd one in each series and select the correct option

(i) Villi, Brunner's glands, crypts of Lieberkuhn, gastric glands

(ii) Pepsin, lipase, trypsin, rennin

(iii) Bile salts, bile pigments, gall bladder, gastric juice

- | | | | |
|----|----------------|--------|---------------|
| A. | (i) | (ii) | (iii) |
| | Gastric glands | Lipase | Gastric juice |

- (i) (ii) (iii)
- B. Villi Rennin Gall bladder
- (i) (ii) (iii)
- C. Brunner's glands Trypsin Bile pigments
- (i) (ii) (iii)
- D. Crypts of lieberkuhn Pepsin Bile salts

Answer: A



Watch Video Solution

36. A young infant may be feeding entirely on mother's milk which is white in colour but the stools which the infant passes out is quite yellowish. The yellow colour of stool is due to

- A. bile pigments passed through bile juice
- B. undigested milk protein casein
- C. pancreatic juice poured into duodenum
- D. intestinal juice.

Answer: A

[Watch Video Solution](#)

37. Match column I with column II and select the correct option from the given codes.

Column I

Column II

A. Salivary amylase (i) Proteins

B. Bile salts (ii) Milk proteins

C. Rennin (iii) Starch

D. Pepsin (iv) Lipids

A. (a) A-iii, B-iv, C-ii, D-i

B. (b) A-iii, B-iv, C-i, D-ii

C. (c) A-iv, B-iii, C-ii, D-i

D. (d) A-i, B-ii, C-iii, D-iv

Answer: A

[Watch Video Solution](#)

38. The pH of succus entericus is

A. 6.6

B. 5.6

C. 2

D. 7.8

Answer: D



Watch Video Solution

39. Brunner's gland is present in

A. liver

B. duodenum

C. oesophagus

D. stomach.

Answer: B



Watch Video Solution

40. Which one of the following is the correct matching of the site of action on the given substrate, the enzyme acting upon it and the end product?

A. Small intestine: Proteins $\xrightarrow{\text{Pepsin}}$ Amino acids

B. Stomach : Fats $\xrightarrow{\text{Lipase}}$ Micelles

C. Duodenum: Triglycerides $\xrightarrow{\text{Trypsin}}$ Monoglycerides

D. Small intestine: Starch $\xrightarrow{\alpha\text{-amylase}}$ Disaccharide (maltose)

Answer: D



Watch Video Solution

41. Consider the following four statements and select the correct option stating which one are true(T) and which ones are false(F)

A. Salivary amylase hydrolyses proteins to amino acids.

- B. Pancreatic amylase hydrolyses polysaccharides to disaccharides.
- C. Enteropeptidase activates pepsinogen to pepsin.
- D. Trypsin coagulates the milk protein casein

Answer: C



Watch Video Solution

42. Fill in the blanks with appropriate enzymes that are required for the following changes.

A. Trypsinogen $\xrightarrow{?}$ Trypsin

B. Casein $\xrightarrow{?}$ Paracasein + Whey proteins

C. RNA $\xrightarrow{?}$ Ribonucleotides

D. Triglycerides $\xrightarrow{?}$ Fatty acids + Glycerol

Answer: D



Watch Video Solution

43. Select the incorrect statement.

- A. (a) Lipases and nucleases are not present in pancreatic juice.
- B. (b) Goblet cells secrete mucus.
- C. (c) Brunner's glands are sub-mucosal glands.
- D. (d) Carboxypeptidase catalyzes conversion of proteins, peptones and proteoses to dipeptides.

Answer: A



Watch Video Solution

44. Which of the following is incorrectly represented?

- A. Proteins $\xrightarrow[\text{Carboxypeptidase}]{\text{Trypsin//Chymotrypsin}}$ dipeptides
- B. Nucleic acids $\xrightarrow{\text{Nucleotidases}}$ nucleotides
- C. Fats $\xrightarrow{\text{Lipases}}$ di/monoglycerides

D. Starch $\xrightarrow{\text{Salivary amylase}}$ maltose

Answer: B



Watch Video Solution

45. Which of the option given below would not correctly fills the blanks in the following sentence ? In order to absorb and use__ by the body, these must be broken down by hydrolysis into ____

- A. monosaccharides, polysaccharides
- B. proteins, amino acids
- C. glycerol, fatty acids and fats
- D. monosaccharides, disaccharides

Answer: B



Watch Video Solution

46. The back flow of faecal matter from the large intestine into the small intestine is prevented by the presence of

- A. epiglottis
- B. sphincter of Oddi closes the hepato-pancreatic duct
- C. ileo-caecal valve
- D. gastro-oesophageal sphincter.

Answer: C



Watch Video Solution

47. Choose the wrong enzymatic reaction.

- A. (a) Sucrose $\xrightarrow{\text{Invertase}}$ Glucose + Fructose
- B. (b) Lactose $\xrightarrow{\text{Lactase}}$ Glucose + Fructose
- C. (c) Maltose $\xrightarrow{\text{Maltase}}$ Glucose + Glucose
- D. (d) Pepsinogen $\xrightarrow{\text{HCl}}$ Pepsin

Answer: B



Watch Video Solution

48. A child took sugarcane and sucked its juice, regarding this which of the following match is correct?

A. (a)

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Proteins	Pepsin	Duodenum	Polypeptides

B. (b)

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Starch	Amylase	Salivary glands	Glucose

C. (c)

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Lipids	Lipase	Pancreas	Fat globules

D. (d)

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Sucrose	Invertase	Duodenum	Glucose+fructose

Answer: D





Watch Video Solution

49. Which of the following match is correct?


- A. Renin-protein
- B. Trypsin-Starch
- C. Invertase-Sucrose
- D. Amylase-Lactose

Answer: C



Watch Video Solution

50. Which of the following processes is helped by bile salts?




C. Fats $\xrightarrow{\text{Lipase}}$ Diglycerides $\xrightarrow{\text{Lipase}}$ Monoglycerides

D. Proteins, peptones, proteoses $\xrightarrow[\text{Carboxypeptidase}]{\text{Trypsin//Chymotrypsin}}$ Dipeptides

Answer: C

 **Watch Video Solution**

51. The given flowchart shows the fate of carbohydrates during digestion in the human alimentary canal. Identify the enzymes acting at stages indicated as A, B, C and D and select the correct option.



A. (a) A-amylase, B-maltase, C-lactase, D-invertase

B. (b) A-amylase, B-maltase, C-invertase, D-lactase

C. (c) A-amylase, B-invertase, C-maltase, D-lactase

D. (d) A-amylase, B-lactase, C-maltase, D-invertase

Answer: D



Watch Video Solution

52. Consider the following four statements and select the correct option stating which ones are true (T) and which ones are false (F).

(i) The stomach has the lowest pH.

(ii) The liver contains lipid emulsifier

(iii) Large intestine secretes many enzymes.

(iv) All proteases function in the lumen of small intestine.

A. T F T F

B. F T F T

C. F F T T

D. T T F F

Answer: D



Watch Video Solution

Absorption Of Digested Products

1. Which of the following is not the function of Large intestine?

- A. (a) Absorption of water
- B. (b) Nutrient absorption
- C. (c) Secretion of mucus to lubricate faeces
- D. (d) Temporary storage of faeces in rectum

Answer: B



Watch Video Solution

2. Carrier ions like Na^+ facilitate the absorption of substance like

- A. amino acids, and glucose
- B. glucose and fatty acids
- C. fatty acids and glycerol
- D. fructose and some amino acids.

Answer: D



Watch Video Solution

3. Which one of the following statements is true regarding digestion and absorption of food in humans?

- A. a) Fructose and amino acids are absorbed through intestinal mucosa with the help of carrier ions like Na^+
- B. b) Chylomicrons are small lipoprotein particles that are transported from intestine into blood capillaries.

C. c) About 60% of starch is hydrolysed by salivary amylase in our mouth

D. d) Oxyntic cells in our stomach secrete the proenzyme pepsinogen.

Answer: A



Watch Video Solution

4. Consider the following statements each with one or two blanks

(i) Trypsinogen is activated to trypsin by (1)

(ii) Fatty acids and glycerol are absorbed into (2) but glucose and amino acids are absorbed into (3).

Which one of the following options give the correct fill ups for the respective blanks (1) to (3) in the statements?

A. A) (1)-cholecystokinin, (2)-blood vessels, (3)-lacteals

B. B) (2)-lacteals, (3)-blood capillaries

C. C) (1)-enterokinase, (2)-blood capillaries,

D. D) (1)-chymotrypsinogen,(3)-lacteals

Answer: B



Watch Video Solution

5. Fill up the blanks in the following paragraph by selecting the correct option. Small amounts of monosaccharides like glucose, amino acids and some of electrolytes like chloride ions are absorbed by (i). However, some of the substances like fructose and some amino acids are absorbed by the mechanism called the (ii). Various nutrients like amino acids and electrolytes like Na^+ are absorbed into the blood by (iii).

- | | | | |
|----|-----------------------|-----------------------|-----------------------|
| | (i) | (ii) | (iii) |
| A. | Facilitated transport | active transport | simple diffusion |
| | (i) | (ii) | (iii) |
| B. | simple diffusion | facilitated transport | active transport |
| | (i) | (ii) | (iii) |
| C. | active transport | transport active | diffusion facilitated |
| | (i) | (ii) | (iii) |
| D. | simple diffusion | active transport | facilitated transport |

Answer: B



[Watch Video Solution](#)

6. During absorption of carbohydrates in the blood the most rapidly transported monosaccharide is

- A. (a) glucose
- B. (b) galactose
- C. (c) fructose
- D. (d) sucrose.

Answer: B



[Watch Video Solution](#)

7. Consider the following statements each with one or two blanks.

- (i) The bile duct and the pancreatic duct open together into the duodenum as the (1) which is guarded by a sphincter called the (2)
- (ii) (3) is a proteolytic enzyme found in gastric juice of infants which helps

in the digestion of milk proteins.

(iii) Fatty acids and glycerol being insoluble, cannot be absorbed into the blood. They are first incorporated into small droplets called (4) which move into the intestinal mucosa. They are re-formed into very small protein coated fat globules called the (5) which are transported into the lymph vessels (lacteals) in the villi.

Which of the following options gives the correct fill ups for the respective blanks in the above statements?

A. (1)-common bile duct, (2)-sphincter of Boyden, (3)-Pepsin

B. (3) Rennin,(4)-chyme, (5)-micelles

C. (1)-Common hepato-pancreatic duct, (2)-sphincter of Oddi, (4)-micelles, (5)-chylomicrons

D. (3)-Casein,(4)-chylomicrons,(5)-micelles

Answer: C



Watch Video Solution

8. Which of the following statements are incorrect about chylomicrons?

- (i) Chylomicrons are produced in the epithelial cells of small intestine.
- (ii) It contains triglycerides, cholesterol and phospholipids.
- (iii) They are protein coated small vesicles.
- (iv) Chylomicrons are released from the epithelial cell into lacteals

A. i and iv

B. ii and iii

C. i,ii,iii and iv

D. none of these

Answer: D



Watch Video Solution

9. Which of the following statements is false?

- A. (a) The breakdown of most of the biomacromolecules occurs in duodenum.

- B. (b) Simple substances (digested foods) are absorbed in the jejunum and ileum.
- C. (c) Significant digestive activity occurs in large intestine.
- D. (d) Undigested and unabsorbed substances are passed on to the large intestine.

Answer: C



Watch Video Solution

10. Read the following statements and select the correct option.

Statement 1 : The human small intestine is the longest portion in the alimentary canal.

Statement 2: Absorption of digested food requires a very large surface area.

- A. Both statement 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect

C. Statement 1 is incorrect but statement 2 is correct.

D. Both statements 1 and 2 are incorrect.

Answer: A



Watch Video Solution

11. Which of the following statements is/are incorrect?

- (i) Absorption of simple sugar, alcohol, some water and medicines takes place in stomach.
- (ii) Maximum water absorption occurs in large intestine.
- (iii) Small intestine is the major site of digestion and absorption of food.
- (iv) Fatty acid and glycerol are absorbed by lacteals.
- (v) Nothing is absorbed in mouth and large intestine.

A. i, iv and v

B. v only

C. iv only

D. ii and iii

Answer: B



Watch Video Solution

12. Read the following four statements (i) to (iv) with certain mistakes in two of them.

- (i) Fructose is generally absorbed by simple diffusion.
- (ii) The digestive wastes, solidified into coherent faeces in the rectum initiate an endocrine action causing an urge or desire for its removal.
- (iii) The food mixes thoroughly with the acidic gastric juice of the stomach by the churning movements of its muscular wall and is called the chyme.
- (iv) The secretions of the brush border cells of the mucosa along with the secretions of the goblet cells constitute the succus entericus.

Which of the above two statements have mistake?

A. (a) i and ii

B. (b) ii and iii

C. (c) iii and iv

D. (d) i and iii

Answer: A



Watch Video Solution

Disorders Of Digestive System

1. In which of the following order, the process of digestion proceeds ?

A. Digestion → Ingestion → Absorption → Assimilation →
Egestion

B. Digestion → Ingestion → Assimilation → absorption →
Egestion

C. Ingestion → Digestion → Assimilation → Absorption →

Egestion

D. Ingestion → Digestion → Absorption → Assimilation →

Egestion

Answer: D



Watch Video Solution

2. Stool of a person is whitish grey coloured due to malfunction of which of the following organs?

A. Pancreas

B. Spleen

C. Kidney

D. Liver

Answer: D



[Watch Video Solution](#)

3. Which of the following is correct regarding jaundice?

- A. Skin turns yellow
- B. Eues turn yellow
- C. Liver gets affected
- D. All of these

Answer: D



[Watch Video Solution](#)

4. Ejection of stomach contents through the mouth is called ____.

- A. diarrhoea
- B. constipation
- C. vomiting

D. indigestion

Answer: C



Watch Video Solution

5. Which of the following statements is incorrect?

- A. Faecal accumulation in the rectum initiates a neural reflex causing an urge for its removal.
- B. Irregular bowel movements cause constipation.
- C. in diarrhoea absorption of food is increased.
- D. All of these

Answer: C



Watch Video Solution

6. Anxiety and eating spicy food together in an otherwise normal human, may lead to

- A. indigestion
- B. jaundice
- C. diarrhoea
- D. vomiting.

Answer: A



Watch Video Solution

7. Which of the following are the causes of indigestion?

- A. Anxiety
- B. Food poisoning
- C. Over eating
- D. All of these

Answer: D



Watch Video Solution

8. Emaciation of the body, thinning of limbs, skin becoming dry, thin and wrinkled, impairment of growth and development of brain and mental difficulties in infants less than a year in age occurs in_____

- A. (a) Kwashiorkor
- B. (b) Marasmus
- C. (c) Constipation
- D. (d) Jaundice

Answer: B



Watch Video Solution

9. Kwashiorkor occurs due to

A. (a) deficiency of proteins and calories

B. (b) protien deficiency

C. (c) deficiency of calcium

D. (d) deficiency of fats.

Answer: B




Watch Video Solution

Higher Order Thinking Skills

1. A and B in the given graph are the action spectra of the two enzymes.

The two enzymes are



A. A: amylase B: trypsin

B. A: pepsin B: trypsin

C. A: chymotrypsin B: rennin

D. A: lactate dehydrogenase B: amylase.

Answer: B



Watch Video Solution

2. If the inner surface of the ileum in the human small intestine was smooth, rather than being folded and subdivided into villi, which of the following statements would be true?

A. a) The rate of absorption of digested food molecules would be higher, because the digested food would pass more easily through the digestive tract.

B. b) Digestion would not be as effective, because there would be fewer cells secreting trypsin (a protein-digesting enzyme).

C. c) Humans would have needed to evolve a much longer small intestine to absorb sufficient nutrients from their food.

D. d) Humans would not be able to survive, because the digestive tract would be more susceptible to damage.

Answer: C



Watch Video Solution

3. Digestion of food involves breaking down of food components into smaller molecules by enzymes. These enzymes are active only at certain hydrogen ion concentration. As a result, certain food combinations can facilitate or retard the process of digestion. Of the following combinations, one that can result in very efficient digestion is

A. meal with high proteins and acid fruits

B. meal with high starch and high proteins

C. meals with high starch and acid fruits

D. meal with high fat and high proteins.

Answer: A



Watch Video Solution


4. In the given figure of human tooth, some parts are labelled as A,B,C and D identify these parts and match them with their description given below.

(i) Contains mineral matter, mainly calcium

70% mineral matter, mainly calcium

(iii) Hardest material in the body

(iv) Connects root to the jawbone



A. i,ii,iii,iv

B. ii,iii,iv,i

C. iii,ii,iv,i

D. ii,iii,i,iv

Answer: D




Watch Video Solution

5. The given dissection figure shows the blood vessels in liver tissue. The three main blood vessels are indicated by capital letters (A-C). Following statements describe properties of blood that flows through these blood vessels. For each description, indicate the vessel where that blood would be found.

- (i) Blood with the highest oxygen content.
- (ii) Blood that contains newly absorbed nutrients.

(iii) Deoxygenated blood.



A. i-A,ii-C,iii-B

B. i-A,ii-B,iii-C

C. i-C,ii-A,iii-B

D. i-C,ii-B,iii-A

Answer: B



Watch Video Solution

6. Which of the following statements regarding small intestine are incorrect?

- (i) Throughout the small intestine, there are crypts of Lieberkuhn at the base of the villi.
- (ii) In duodenum, there are, in addition, small rounded peptic glands.
- (iii) The small intestine is strongly self-protective, by means of a copious production of mucus and a mechanism of the rapid replacement of cells damaged by contact with food and digestive juices.
- (iv) Each villus is richly supplied with blood capillaries only

A. i and iv

B. ii and iv

C. iii and iv


D. i and iii

Answer: B



Watch Video Solution

7. Effect of some compounds (present in partially digested food) on pancreatic secretion is depicted in the bar graph. Compounds 1, 2 and 3 represent.



- A. 1 2 3
Acid Fat Salt
- B. 1 2 3
Salt Peptone Fat
- C. 1 2 3
Acid Fat Peptone
- D. 1 2 3
Pepsin Acid Fat

Answer: C



Watch Video Solution

8. Which of the following is the primary absorptive process in the large intestine?

- A. Active transport of Na^+ from the lumen to the blood
- B. Absorption of amino acids and fructose
- C. Active transport of potassium from the lumen to the blood
- D. Active absorption of HCO_3^- into the blood

Answer: A



Watch Video Solution

9. Which of the following statements are correct regarding secretion of pepsinogen by gastric oxyntic cells?

- (i) It denatures proteins and softens fibrous connective tissues in the blood.
- (ii) It activates rennin.

(iii) It has a role in maturation of RBCs.

(iv) It activates trypsin.

A. (a) i and iv

B. (b) ii, iii and iv

C. (c) i, ii and iii


D. (d) i, ii, iv

Answer: C



Watch Video Solution

10. Observe the given figure having arrows to illustrate the movement of absorbed food in the body select the correct option regarding it.




- | | Sugars | | Amino acids | | Fat/fatty acids/
glycerol |
|----|--------|---|-------------|---|------------------------------|
| A. | X | Y | X | Y | X Y |
| | ✓ | × | × | × | ✓ ✓ |
| | Sugars | | Amino acids | | Fat/fatty acids/
glycerol |
| B. | X | Y | X | Y | X Y |
| | ✓ | × | ✓ | × | × |
| | Sugars | | Amino acids | | Fat/fatty acids/
glycerol |
| C. | X | Y | X | Y | X Y |
| | × | ✓ | × | ✓ | × |
| | Sugars | | Amino acids | | Fat/fatty acids/
glycerol |
| D. | X | Y | X | Y | X Y |
| | ✓ | ✓ | × | × | ✓ ✓ |

Answer: B



Watch Video Solution

11. Glands of the gut are of three types as shown in the figure



Classify the following examples of glands under X,Y and Z.

(i) Salivary gland (ii) Liver

(iii) Crypts of Lieberkuhn (iv) Brunner's gland

(v) Pancreas (vi) Gastric gland

A. I,ii,v,iv,iii,vi

B. iii,iv,v,vi,I,ii

C. iii,v,I,ii,iv,vi

D. I,ii,v,iv,iii,vi

Answer: D



Watch Video Solution

12. Which of the following is incorrect regarding the given digestion and absorption of protein?

- A. The breakdown of proteins to peptides is catalyzed by pepsin in the stomach and by the pancreatic enzymes trypsin and chymotrypsin in the small intestine.
- B. Peptides are broken down into amino acids by pancreatic carboxypeptidase and intestinal aminopeptidase.
- C. Small peptides consisting of two or three amino acids can diffuse through epithelial cell and broken down into carbon dioxide and ammonia which are released into the blood.
- D. none of these

Answer: C



13. One of the following is not a common disorder associated with digestive system.

- A. Tetanus
- B. Diarrhoea
- C. jaundice
- D. Dysentery

Answer: A



Watch Video Solution

14. A gland not associated with the alimentary canal is

- A. (a) Pancreas
- B. (b) Adrenal
- C. (c) Liver

D. (d) Salivary glands

Answer: B



Watch Video Solution

15. Match the two columns and select the correct among options given.

Column I

Biomacromolecules

Human digestive system

Stomach

Thecodont

Serosa

Column II

(i) Alimentary canal and associated gland

(ii) Embedded in jawbones

(iii) Outer wall of visceral organs

(iv) Converted into simple substances

(v) J-shaped bag like structure

A. ii, i, v, iii, iv

B. iv, iv, ii, iii

C. i, ii, iii, iv, v

D. i, iii, ii, iv, v

Answer: B



Watch Video Solution

16. Match the two column and select the right one among option given

Column I Column II

Duodenum (i) A cartilaginous flap

Epiglottis (ii) Small blind sac

Glottis (iii) 'C' shaped structure emerging from the stomach

Caecum (iv) Opening of wind pipe

A. I,ii,iii,iv

B. iv,iii,ii,i

C. iii,I,iv,ii

D. ii,iv,I,iii

Answer: C



Watch Video Solution

17. Match the enzymes with their respective substrates and choose the right one among options given.

Column I	Column II
Lipase	(i) Dipeptides
Nuclease	(ii) Fats
Carboxypeptidase	(iii) Nucleic acids
Cipeptidases	(iv) Proteins, peptones and proteoses

A. a) ii,iii,i,iv

B. b) iii,iv,ii,i

C. c) iii,i,iv,ii

D. d) ii,iii,iv,i

Answer: D



Watch Video Solution

Exemplar Problems

1. Select what is not true of intestinal villi among followings.

A. They possess microvilli.

B. They increase the surface area.

C. They are supplied with capillaries and the lacteal vessels.

D. They only participate in digestion of fats.

Answer: D



Watch Video Solution

2. Hepato-pancreatic duct opens into the duodenum and carries

A. (a) bile

B. (b) pancreatic juice

C. (c) both bile and pancreatic juice


D. (d) saliva.

Answer: C



Watch Video Solution

1. The given figure represents the human digestive system. Identify A,B,C D and E.



A. A-Parotid gland, B-Lvier, C-Pancreas, D-Caecu, E-Vermiform appendix

B. A-Parotid gland, B-Pancereas, C-Liver, D-Aecum, E-Vermiform appendix

C. A-Parotid gland, B-Caecum, C-Pancreas, D-Liver, E-Vermiform appendix


appendix

D. A-Parotid gland, B-Liver. C-Caecum, D-Pancreas, E=Vermiform appendix

Answer: A

 **Watch Video Solution**

2. The given figure shown the arrangement of different types of teeth in the jaw on one side. Identify A,B,C and D.



- A. $\begin{array}{cccc} A & B & C & D \\ \text{Inclisors} & \text{Canine} & \text{Premolars} & \text{Molars} \end{array}$
- B. $\begin{array}{cccc} A & B & C & D \\ \text{Molars} & \text{Premolar} & \text{Canines} & \text{Incisors} \end{array}$
- C. $\begin{array}{cccc} A & B & C & D \\ \text{Premolasrs} & \text{Molar} & \text{Incisors} & \text{Canines} \end{array}$
- D. $\begin{array}{cccc} A & B & C & D \\ \text{Incisors} & \text{Canine} & \text{Molars} & \text{Premolars} \end{array}$

Answer: A



Watch Video Solution

3. Which of the following correctly depicts the dental formula of a child?

- A. $\frac{2112}{2112}$
- B. $\frac{2102}{2102}$
- C. $\frac{2123}{2123}$
- D. $\frac{2111}{2111}$

Answer: B



Watch Video Solution

4. Read the following statements and select the correct option.

Statement 1: Dental formula gives the number of teeth in the half of each jaw.

Statement 2: Dental formula can be expressed for insectivorous mammals as well as for the nonmammalian vertebrates.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect Statement 1 is incorrect but statement 2 is correct.
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: B



Watch Video Solution

5. In man even though both air and food go through the pharynx, food does not normally enter the wind pipe because during swallowing of food

- A. the epiglottis covers the glottis
- B. sphincter of Oddi closes the hepato-pancreatic duct
- C. pyloric sphincter converts the opening of stomach into the duodenum
- D. none of these

Answer: A



Watch Video Solution

6. Two friends are eating together on a dining table. One of them suddenly starts coughing while swallowing some food. This coughing would have been due to improper movement of

- A. epiglottis

B. diaphragm

C. neck

D. tongue.

Answer: A



Watch Video Solution

7. Read the following statements and select the correct option.

Statement 1: The worm-like structure attached to the caecum at the beginning of the large intestine is known as vermiform appendix.

Statement 2 : Vermiform appendix has no apparent digestive function.

A. Both statements 1 and 2 are correct.

B. Statement 1 is correct but statement 2 is incorrect.

C. Statement 1 is incorrect but statement 2 is correct.


D. Both statements 1 and 2 are incorrect.

Answer: A



Watch Video Solution

8. The diagram of large intestine of man is given here. Identify the parts labelled as A,B,C,D,E and F



A. A-Caecum, B-Vermiform appendix,

B. Ascending colon

C. Transverse colon,

D. Descending colon, F-Sigmoid colon

Answer: A



Watch Video Solution

9. Match the column I with column II and select the correct option from the given codes.

Column I

Sphincter ani

Cardiac sphincter

Sphincter of Oddi

Ileocaecal sphincter

Pyloric sphincter

Column II

(i) Opening of hepatopancreatic ampulla into duodenum

(ii) Between duodenum and posterior stomach

(iii) Guarding the terminal part of alimentary canal

(iv) Between oesophagus and anterior stomach

(v) Between small intestine and large intestine

A. iii,ii,iv,i,v

B. ii,v,i,iv,iii

C. iii,iv,i,v,ii

D. iv,iii,i,ii,v

Answer: C



Watch Video Solution

10. The lining of intestinal wall from outside to inside is made up of


- A. circular muscles \rightarrow longitudinal muscles \rightarrow submucosa \rightarrow mucosa
- B. longitudinal muscles \rightarrow circular muscles \rightarrow submucosa \rightarrow mucosa
- C. mucosa \rightarrow submucosa \rightarrow circular muscles \rightarrow longitudinal muscles
- D. submucosa \rightarrow longitudinal muscles \rightarrow circular muscles \rightarrow mucosa.

Answer: B



Watch Video Solution

11. The given diagram represents the T.S. of gut. Identify A,B,C and D.




- | | | | | |
|----|------------|------------|------------|-----------|
| | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> |
| A. | Serosa | Muscularis | Submucosa | Mucosa |
| | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> |
| B. | Muscularis | Serosa | Submucosa | Mucosa |
| | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> |
| C. | Serosa | Muscularis | Mucosa | Submucosa |
| | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> |
| D. | Serosa | Submucos | Muscularis | Mucosa |

Answer: A



Watch Video Solution

12. The diagram given below represents a section of small intestinal mucosa. Identify A,B and C



- A. A-Villi,B-Lacteal, C-Capillaries
- B. A-Lacteal,B-Villi,C-Capillaries
- C. A-Villi,B-Lacteal,C-Crypts
- D. A-Crypts,B-Lacteal,C-Capillaries

Answer: C



Watch Video Solution

13. Crypts of Lieberkuhn are present in

- A. pancreas and secrete pancreatic juice
- B. small intestine and secrete digestive enzymes
- C. stomach and secrete dilute HCl
- D. stomach and secrete trypsin.

Answer: B



Watch Video Solution

14. Which of the following statements is incorrect?

- A. Mucosal epithelium has goblet cells which secrete mucus for lubrication.
- B. Mucosa forms gastric glands in the stomach and crypts in between the bases of villi in intestine.

C. Cells lining the villi has brush border or microvilli.

D. All the four basic layers in the wall of gut never show modifications in different parts of the alimentary canal.

Answer: D



Watch Video Solution

15. Which of the following is not a salivary gland?

A. Sublingual

B. Submaxillary

C. Lacrimal

D. Parotid

Answer: C



Watch Video Solution

16. Stenson's duct is associated with

- A. parotid gland
- B. cardiac gland
- C. pancreatic gland
- D. thyroid gland.

Answer: A



Watch Video Solution

17. Glisson's capsules is the characteristic feature of

- A. mammals
- B. birds
- C. reptiles
- D. arthropods.

Answer: A



Watch Video Solution

18. Which of the following statements is incorrect?

- A. Brunner's glands are submucosal.
- B. Irregular folds of gastric mucosa rugae.
- C. Glisson's capsule is the connective tissue sheath of hepatic lobule.
- D. Mesothelium or serosa lies in close proximity to the circular layer of muscularis.

Answer: D



Watch Video Solution

19. In man, the gall bladder is situated in ____ lobe of liver.

- A. left
- B. right
- C. caudate
- D. quadrate

Answer: B



Watch Video Solution

20. The common bile duct in human is formed by the joining of


- A. pancreatic duct and bile duct
- B. cystic duct and hepatic duct
- C. cystic duct and pancreatic duct
- D. hepatic duct and pancreatic duct.

Answer: B



Watch Video Solution

21. The given diagram shows a duct system of liver, gall bladder and pancreas. Write the names of ducts from A to D.



A. A-Cystic duct, B-Common bile duct, C-Pancreatic duct, D-Hepatopancreatic duct

B. A-Common bile duct, B-Cystic duct, C-Pancreatic duct, D-Hepatopancreatic duct

C. A-Cystic duct, B-Bile duct, C-Hepatopancreatic duct, D-Pancreatic duct

D. A-Cystic duct, B-Pancreatic duct, C-Common bile duct, D-

Hepatopancreatic duct

Answer: A



Watch Video Solution

22. Match column I with column II and select the correct option from the given codes.

Column I

Hepatic lobule

Crypts of Lieberkuhn

Sphincter of Oddi

Cystic duct

Column II

(i) Base of villi

(ii) Glisson's capsule

(iii) Gall bladder

(iv) Hepato-pancreatic duct

A. ii,i,iv,iii

B. i,ii,iv,iii

C. i,ii,iii,iv

D. iv,iii,ii,i

Answer: A



[Watch Video Solution](#)

23. Read the following statements and select the correct option.

Statement 1 : The glycogen of the liver is the principal source of blood sugar in case of emergency. Statement 2: Blood sugar level falls rapidly after hepatectomy.

- A. Both statement 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: C



[Watch Video Solution](#)

24. Read the following statements and select the correct option.

Statement 1 : The second largest digestive gland in our body is pancreas.

Statement 2 : Pancreas functions both as an exocrine and endocrine gland.

- A. Both statement 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect.
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: A



Watch Video Solution

25. Which of the following statements is incorrect about pancreas?

- A. It is compound gland as it has both exocrine and endocrine part.
- B. Exocrine part secretes alkaline pancreatic juice having enzymes.
- C. Endocrine part secretes hormones like insulin and glucagon.
- D. It is surrounded by glisson's capsule.

Answer: D



Watch Video Solution

26. Match the column I with column II and select the correct option from the given codes.

Column I (Types of cells)	Column II (secretions)
Beta cells	(i) Lysozyme
Mast cells	(ii) Mucus
Paneth cells	(iii) Histamine
Acinar cells	(iv) Insulin
	(v) Pancreatic enzymes

A. iv,ii,i,v

B. v,ii,iii,iv

C. iv,iii,iv

D. ii,iii,i,v

Answer: C



Watch Video Solution

27. Which part of the mammalian alimentary canal does not secrete any enzyme?

- A. Mouth
- B. Oesophagus
- C. Stomach and secrete dilute HCl
- D. Duodenum

Answer: B



Watch Video Solution

28. Major utility of breaking up of food into small bites during chewing is

- A. to reduce surface area of the food eaten up
- B. to increase surface area of the food eaten up
- C. to make the food soluble.
- D. to enjoy taste of food

Answer: B



Watch Video Solution

29. A lubricant mucin, in saliva is made up of

- A. polyunsaturated fats
- B. actin and myosin
- C. glycoproteins
- D. phospholipids.

Answer: C



Watch Video Solution

30. A bolus is

- A. a mass of crushed food moistened with saliva

- B. the semisolid material resulting from partial digestion in the stomach
- C. the milky emulified fat absorbed from small intestine
- D. indigestible materials that help in movement and absorption of food.

Answer: A



Watch Video Solution

31. If you chew on a piece of bread long enough, it will begin to taste sweet because

- A. maltase is breaking down maltose
- B. lipases are forming fatty acids
- C. amylase is breaking down starches to disaccharides
- D. disaccharides are forming glucose.

Answer: C



Watch Video Solution

32. Which of the following statements is incorrect regarding lysozyme present in saliva?

- A. It acts as an antibacterial agent.
- B. It prevents infections.
- C. It acts as an enzyme.
- D. All of these

Answer: C



Watch Video Solution

33. If we take food rich in lime juice, then

- A. action of ptylain on strach is enhanced
- B. action of ptyalin on starch is reduced
- C. action of ptylain on starch is unaffected
- D. action of ptyalin on starch stops.

Answer: B



Watch Video Solution

34. In which layer of stomach are gastric glands located?

- A. Serosa
- B. Mucosa
- C. Submucosa
- D. Muscularis mucosa

Answer: B



Watch Video Solution

35. Read the following statements and select the correct option.

Statement 1: Deglutition starts as a reflex and then continues by voluntary action.

Statement 2: Oesophagus has smooth muscles in the beginning and striated muscles in the rest of its wall.

- A. Both statements 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect.
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statements 1 and 2 are incorrect.

Answer: D



Watch Video Solution

36. Match column I with column II and select the correct option from the given codes.

{("Column I)(Types of cell)", "Column II(Secretions)"},("Peptic cells", (i)"Mucus"),("Oxyntic cells", (ii)"Alkaline fluid"),("Goblet cells", (iii)"Pro-enzymes"), (iv)"HCl":}

A. ii,iii,i

B. iii,ii,i

C. i,ii,iii,iv

D. ii,i,iii

Answer: D



View Text Solution

37. Match column I with column II and select the correct option from the given codes.

Column I

Column II

Mucous neck cells

(i) HCl, intrinsic factor

Peptic//chief cells

(ii) Mucus

Parietal//Oxyntic cells

(iii) Pepsinogen

A. ii,iii,i

B. iii,ii,i

C. i,ii,iii,iv

D. ii,i,iii

Answer: A



Watch Video Solution

38. Which one of the following types of cells and their secretion is correctly matched?

A. Oxyntic cells-a secretion with pH between 2.0 and 3.0

B. Alpha cells of Islets of Langerhans-secretion that decreases blood sugar level

C. Kupffer cells-a digestive enzyme that hydrolyses nucleic acids

D. none of these

Answer: A

[Watch Video Solution](#)

39. Match column I with column II and select the correct option from the given codes.

Column I

Van kupffer cells

β – cells

Oxyntic cells

Crypts of lieberkuhn

Column II

Islets of langerhans

(ii) Liver sinusoids

(iii) Thyroid gland

(iv) Stomach

(v) Small intestine

A. iv,v,i,ii

B. iii,i,iv,ii

C. iv,v,iii,i

D. ii,i,iv,v

Answer: D

[Watch Video Solution](#)

40. Match the column I with column II and select the correct option from the given codes.

Column I	Column II
A. Goblet cells	(i) Antibacterial Agent
B. Lysozyme	(ii) Mucus
C. Saliva	(iii) HCl
D. Oxyntic cells	(iv) Sublingual gland

A. iii,i,iv,ii

B. i,iii,iv,ii

C. ii,iii,i,iv

D. ii,i,iv,iii

Answer: D



Watch Video Solution

41. Which of the following statements is correct?

A. Goblet cells secrete pepsinogen.

B. Parietal cells secrete hydrochloric acid.

C. Argentaffin cells secrete mucus.

D. Chief cells secrete gastrin.


Answer: B



Watch Video Solution

42. Examine the figure of gastric gland given below and identify the labelled parts A to D.

Opening of gastric gland



- A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Oxyntic cell	Chief cell	Mucous cell	Argentaffin cell
- B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Argentaffin cell	Oxyntic cell	Mucous cell	Chief cell
- C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
G cell	Chief cell	Mucous cell	Argentaffin cell
- D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
Oxyntic cell	G cell	Mucous cell	Chief cell

Answer: A



Watch Video Solution

43. The food mixed thoroughly with the acidic gastric juice of the stomach by the churning movements of its muscular wall. What do we call the food then?

A. Bolus

B. Chyme

C. Succus entericus

D. Chylomicron

Answer: B



Watch Video Solution

44. Pepsin converts proteins into ___

- A. rennin
- B. proteoses and peptones
- C. amino acids
- D. lipase.

Answer: B

 [Watch Video Solution](#)

45. The site of action and substrate of rennin are respectively

- A. mouth and starch
- B. small intestine and protein
- C. stomach and casein
- D. stomach and fat.

Answer: C

 [Watch Video Solution](#)

46. Refer to the given flow chart. Milk casein \xrightarrow{Y} Paracasein \xrightarrow{Z} .

Calcium paracaseinate (Curdling of milk). In it, letter 'y' and 'z' denote

- A. rennin and Ca^{++}
- B. Ca^{++} and rennin
- C. rennin, HCL and Ca^{++}
- D. renin and Ca^{++}

Answer: A



Watch Video Solution

47. Which enzyme initiates protein digestion?

- A. Pepsin
- B. Trypsin
- C. Aminopeptidase

D. Carboxypeptidase

Answer: A



Watch Video Solution

48. Digestion of proteins begins in the (i) and digestion of polysaccharides begins in the (ii).

A. mouth stomach

B. stomach small intestine

C. stomach mouth

D. stomach stomach

Answer: C



Watch Video Solution

49. What will happen if the secretion of parietal cells of gastric glands is blocked with an inhibitor?

- A. In the absence of HCl secretion, inactive pepsinogen is not converted into the active enzyme pepsin.
- B. Enterokinase will not be released from the duodenal mucosa and so trypsinogen is not converted to trypsin.
- C. Gastric juice will be deficient in chymosin.
- D. Gastric juice will be deficient in perpsinogen.

Answer: A



Watch Video Solution

50. If for some reason the parietal cells of the gut epithelium become partially non-functional, what is likely to happen?

- A. The pancreatic enzymes and specially the trypsin and lipase will not work efficiently.
- B. The pH of stomach will fall abruptly.
- C. Steapsin will be more effective.
- D. Proteins will not be adequately hydrolysed by pepsin into proteoses and peptones.

Answer: D



Watch Video Solution

51. The epithelial cells lining the stomach of vertebrates are protected from damage by HCl because

- A. HCl is too dilute
- B. the epithelial cells are resistant to the action of HCl
- C. HCl is neutralised in the stomach

D. the epithelial cells are covered by a mucus secretion.

Answer: D



Watch Video Solution

52. Digestion of which component of food will be affected if the pH of stomach is made 7?

A. Fat

B. Protein

C. Sucrose

D. Vitamins

Answer: B



Watch Video Solution

53. Which of the following has minimum pH?

- A. Bile
- B. Gastric juice
- C. Saliva
- D. Pancreatic juice

Answer: B



Watch Video Solution

54. Pepsin acts in

- A. basic medium
- B. acidic medium
- C. neutral medium
- D. all types of medium.

Answer: B



Watch Video Solution

55. If pH of stomach is 1.6, then which enzyme wil digest protein?

A. Amylase

B. Trypsin

C. Erypsin

D. Pepsin

Answer: D



Watch Video Solution

56. Which of the follwing statements is false?

A. The stomach stores the food for 1-2 hours.

- B. Gastric gland never secretes even a small amount of lipase.
- C. Rennin. A proteolytic enzyme is found in gastric juice of infants.
- D. All of these

Answer: B



Watch Video Solution

57. Which one of the following pairs of food components in humans reaches the stomach totally undigested?

- A. Starch and fat
- B. Fat and cellulose
- C. Starch and cellulose
- D. Protein and starch

Answer: B



Watch Video Solution

58. Various types of movements are generated by the ____ layer of the small intestine.

- A. serosa
- B. muscularis
- C. mucosa
- D. submucosa

Answer: B



Watch Video Solution

59. The enzyme enterokinase helps in the conversion of

- A. caesinogen into caesin
- B. trypsinogen into trypsin
- C. pepsinogen into pepsin

D. proteins into polypeptides.

Answer: B



Watch Video Solution

60. In this enzyme is absent in our small intestine, digestion of proteins in our body would be severely affected identify the enzyme.

A. Pancreatic amylase

B. Maltase

C. Lipase

D. Enterokinase

Answer: D



Watch Video Solution

61. In humans one of the constituents of the pancreatic juice which is poured into the duodenum is

- A. trypsinogen
- B. chymotrypsin
- C. trypsin
- D. enterokinase.

Answer: A



Watch Video Solution

62. Mark the odd one in each series and select the correct option

(i) Villi, Brunner's glands, crypts of Lieberkuhn, gastric glands

(ii) Pepsin, lipase, trypsin, rennin

(iii) Bile salts, bile pigments, gall bladder, gastric juice

- | | | | |
|----|----------------|--------|---------------|
| A. | (i) | (ii) | (iii) |
| | Gastric glands | Lipase | Gastric juice |

- (i) (ii) (iii)
- B. Villi Rennin Gall bladder
- (i) (ii) (iii)
- C. Brunner's glands Trypsin Bile pigments
- (i) (ii) (iii)
- D. Crypts of lieberkuhn Pepsin Bile salts

Answer: A



Watch Video Solution

63. A young infant may be feeding entirely on mother's milk which is white in colour but the stools which the infant passes out is quite yellowish. The yellow colour of stool is due to

- A. bile pigments passed through bile juice
- B. undigested milk protein casein
- C. pancreatic juice poured into duodenum
- D. intestinal juice.

Answer: A

[Watch Video Solution](#)

64. Match column I with column II and select the correct option from the given codes.

Column I

Column II

- | | |
|---------------------|--------------------|
| A. Salivary amylase | (i) Proteins |
| B. Bile salts | (ii) Milk proteins |
| C. Rennin | (iii) Starch |
| D. Pepsin | (iv) Lipids |

A. iii,iv,ii,i

B. iii,iv,i,ii

C. iv,iii,ii,i

D. i,ii,iii,iv

Answer: A

[Watch Video Solution](#)

65. The pH of succus entericus is

A. 6.6

B. 5.6

C. 2

D. 7.8

Answer: D



Watch Video Solution

66. Brunner's gland is present in

A. liver

B. duodenum

C. oesophagus

D. stomach.

Answer: B



Watch Video Solution

67. Which one of the following is the correct matching of the site of action on the given substrate, the enzyme acting upon it and the end product?

A. Small intestine: Proteins $\xrightarrow{\text{Pepsin}}$ Amino acids

B. Stomach : Fats $\xrightarrow{\text{Lipase}}$ Micelles

C. Duodenum: Triglycerides $\xrightarrow{\text{Trypsin}}$ Monoglycerides

D. Small intestine: Starch $\xrightarrow{\alpha\text{-amylase}}$ Disaccharide (maltose)

Answer: D



Watch Video Solution

68. Consider the following four statements and select the correct option stating which one are true(T) and which ones are false(F)

A. Salivary amylase hydrolyses proteins to amino acids.

- B. Pancreatic amylase hydrolyses polysaccharides to disaccharides.
- C. Enteropeptidase activates pepsinogen to pepsin.
- D. Trypsin coagulates the milk protein casein

Answer: C



Watch Video Solution

69. Fill in the blanks with appropriate enzymes that are required for the following changes.

A. Trypsinogen $\xrightarrow{?}$ Trypsin

B. Casein $\xrightarrow{?}$ Paracasein + Whey proteins

C. RNA $\xrightarrow{?}$ Ribonucleotides

D. Triglycerides $\xrightarrow{?}$ Fatty acids + Glycerol

Answer: D



Watch Video Solution

70. Select the incorrect statement.

- A. Lipases and nucleases are not present in pancreatic juice
- B. Goblet cells secrete mucus.
- C. Brunner's glands are sub-mucosal glands.
- D. Carboxypeptidase catalyses conversion of proteins, peptones and proteoses to dipeptides.

Answer: A



Watch Video Solution

71. Which of the following is incorrectly represented?

A. Proteins $\xrightarrow[\text{Carboxypeptidase}]{\text{Trypsin//Chymotrypsin}}$ dipeptides

B. Nucleic acids $\xrightarrow{\text{Nucleotidases}}$ nucleotides

C. Fats $\xrightarrow{\text{Lipases}}$ di/monoglycerides

D. Starch $\xrightarrow{\text{Salivary amylase}}$ maltose

Answer: B



Watch Video Solution

72. Which of the option given below would not correctly fills the blanks in the following sentence ? In order to absorb and use__ by the body, these must be broken down by hydrolysis into ____

- A. monosaccharides, polysaccharides
- B. proteins, amino acids
- C. glycerol, fatty acids and fats
- D. monosaccharides, disaccharides

Answer: B



Watch Video Solution

73. The back flow of faecal matter from the large intestine into the small intestine is prevented by the presence of



- A. epiglottis
- B. sphincter of Oddi closes the hepato-pancreatic duct
- C. ileo-caecal valve
- D. gastro-oesophageal sphincter.

Answer: C



Watch Video Solution

74. Choose the wrong enzymatic reaction.



C.



Answer: B



Watch Video Solution

75. A child took sugarcane and sucked its juice, regarding this which of the following match is correct?

A.

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Proteins	Pepsin	Duodenum	Polypeptides

B.

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Starch	Amylase	Salivary glands	Glucose

C.

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Lipids	Lipase	Pancreas	Glucose+

D.

Substrate	Enzyme	Site of secretion of enzyme	Products formed
Sucrose	Invertase	Duodenum	Glucose+fructose

Answer: D





Watch Video Solution

76. Which of the following match is correct?



- A. Renin-protein
- B. Trypsin-Starch
- C. Invertase-Sucrose
- D. Amylase-Lactose

Answer: C



Watch Video Solution

77. Which of the following processes is helped by bile salts?




C. Fats $\xrightarrow{\text{Lipase}}$ Diglycerides $\xrightarrow{\text{Lipase}}$ Monoglycerides

D. Proteins, peptones, proteoses $\xrightarrow[\text{Carboxypeptidase}]{\text{Trypsin//Chymotrypsin}}$ Dipeptides

Answer: C

 **Watch Video Solution**

78. The given flowchart shows the fate of carbohydrates during digestion in the human alimentary canal. Identify the enzymes acting at stages indicated as A, B, C and D and select the correct option.



A. A-amylase, B-maltase, C-lactase, D-invertase

B. A-amylase,B-maltase,C-invertase,D-lactase

C. A-amylase,B-invertase,C-maltase,D-lactase

D. A-amylase,B-lactase,C-maltase,D-invertase

Answer: D



Watch Video Solution

79. Consider the following four statements and select the correct option stating which ones are true (T) and which ones are false (F).

(i) The stomach has the lowest pH.

(ii) The liver contains lipid emulsifier

(iii) Large intestine secretes many enzymes.

(iv) All proteases function in the lumen of small intestine.

A. T F T F

B. F T F T

C. F F T T

D. T T F F

Answer: D



Watch Video Solution

80. Which of the following is not the function of Large intestine?

- A. Absorption of water
- B. Nutrient absorption
- C. Secretion of mucus to lubricate faeces
- D. Temprrory storage of faeces in rectum

Answer: B



Watch Video Solution

81. Carrier ions like Na^+ facilitate the absorption of substance like

- A. amino acids, and glucose
- B. glucose and fatty acids
- C. fatty acids and glycerol
- D. fructose and some amino acids.

Answer: D



Watch Video Solution

82. Which one of the following statements is true regarding digestion and absorption of food in humans?

- A. Fructose and amino acids are absorbed through intestinal mucosa with the help of carrier ions like Na^+
- B. Chylomicrons are small lipoprotein particles that are transported from intestine into blood capillaries.
- C. About 60% of starch is hydrolysed by salivary amylase in our mouth

D. Oxyntic cells in our stomach secrete the proenzyme pepsinogen.

Answer: A



Watch Video Solution

83. Consider the following statements each with one or two blanks

(i) Trypsinogen is activated to trypsin by (1)

(ii) Fatty acids and glycerol are absorbed into (2) but glucose and amino acids are absorbed into (3).

Which one of the following options give the correct fill ups for the respective blanks (1) to (3) in the statements?

A. (1)-cholecystokinin, (2)-blood vessels, (3)-lacteals

B. (2)-lacteals, (3)-blood capillaries

C. (1)-enterokinase, (2)-blood capillaries,

D. (1)-chymotrypsinogen, (3)-lacteals

Answer: B

[Watch Video Solution](#)

84. Fill up the blanks in the following paragraph by selecting the correct option. Small amounts of monosaccharides like glucose, amino acids and some of electrolytes like chloride ions are absorbed by (i). However, some of the substances like fructose and some amino acids are absorbed by the mechanism called the (ii). Various nutrients like amino acids and electrolytes like Na^+ are absorbed into the blood by (iii).

- | | | | |
|----|-----------------------|-----------------------|-----------------------|
| | (i) | (ii) | (iii) |
| A. | Facilitated transport | active transport | simple diffusion |
| | (i) | (ii) | (iii) |
| B. | simple diffusion | facilitated transport | active transport |
| | (i) | (ii) | (iii) |
| C. | active transport | transport active | diffusion facilitated |
| | (i) | (ii) | (iii) |
| D. | simple diffusion | active transport | facilitated transport |

Answer: B

[Watch Video Solution](#)

85. During absorption of carbohydrates in the blood the most rapidly transported monosaccharide is

- A. glucose
- B. galactose
- C. fructose
- D. sucrose.

Answer: B



Watch Video Solution

86. Consider the following statements each with one or two blanks.

- (i) The bile duct and the pancreatic duct open together into the duodenum as the (1) which is guarded by a sphincter called the (2)
- (ii) (3) is a proteolytic enzyme found in gastric juice of infants which helps in the digestion of milk proteins.
- (iii) Fatty acids and glycerol being insoluble, cannot be absorbed into the

blood. They are first incorporated into small droplets called (4) which move into the intestinal mucose. They are re-formed into very small protein coated fat globules called the (5) which are transported into the lymph vessels (lacteals) in the villi.

Which of the following options gives the correct fill ups for the respective blanks in the above statements?

- A. (1)-common bile duct, (2)-sphincter of Boyden, (3)-Pepsin
- B. (3) Rennin,(4)-chyme, (5)-micelles
- C. (1)-Common hepato-pancreatic duct, (2)-sphincter of Oddi, (4)-micelles, (5)-chylomicrons
- D. (3)-Casein,(4)-chylomicrons,(5)-micelles

Answer: C



Watch Video Solution

87. Which of the following statements are incorrect about chylomicrons?

(i) Chylomicrons are produced in the epithelial cells of small intestine.

- (ii) It contains triglycerides, cholesterol and phospholipids.
- (iii) They are protein coated small vesicles.
- (iv) Chylomicrons are released from the epithelial cell into lacteals

- A. i and iv
- B. ii and iii
- C. i,ii,iii and iv
- D. none of these

Answer: D



Watch Video Solution

88. Which of the following statements is false?

- A. The breakdown of most of biomacromolecules occurs in duodenum.
- B. Simple substances (digested foods) are absorbed in the jejunum and ileum.

C. Significant digestive activity occurs in large intestine.

D. Undigested and unabsorbed substances are passed on to the large intestine.

Answer: C



Watch Video Solution

89. Read the following statements and select the correct option.

Statement 1 : The human small intestine is the longest portion in the alimentary canal.

Statement 2: Absorption of digested food requires a very large surface area.

A. Both statement 1 and 2 are correct.

B. Statement 1 is correct but statement 2 is incorrect

C. Statement 1 is incorrect but statement 2 is correct.

D. Both statements 1 and 2 are incorrect.

Answer: A



Watch Video Solution

90. Which of the following statements is/are incorrect?

- (i) Absorption of simple sugar, alcohol, some water and medicines takes place in stomach.
- (ii) Maximum water absorption occurs in large intestine.
- (iii) Small intestine is the major site of digestion and absorption of food.
- (iv) Fatty acid and glycerol are absorbed by lacteals.
- (v) Nothing is absorbed in mouth and large intestine.

A. i,iv and v

B. v only

C. iv only

D. ii and iii

Answer: B





91. Read the following four statements (i) to (iv) with certain mistakes in two of them.

- (i) Fructose is generally absorbed by simple diffusion.
- (ii) The digestive wastes, solidified into coherent faeces in the rectum initiate an endocrine action causing an urge or desire for its removal.
- (iii) The food mixes thoroughly with the acidic gastric juice of the stomach by the churning movements of its muscular wall and is called the chyme.
- (iv) The secretions of the brush border cells of the mucosa along with the secretions of the goblet cells constitute the succus entericus.

Which of the above two statements have mistake?

- A. i and ii
- B. ii and iii
- C. iii and iv
- D. i and iii

Answer: A



Watch Video Solution

92. In which of the following order, the process of digestion proceeds ?

A. Digestion → Ingestion → Absorption → Assimilation →
Egestion

B. Digestion → Ingestion → Assimilation → absorption →
Egestion

C. Ingestion → Digestion → Assimilation → Absorption →
Egestion

D. Ingestion → Digestion → Absorption → Assimilation →
Egestion

Answer: D



Watch Video Solution

93. Stool of a person is whitish grey coloured due to malfunction of which of the following organs?

- A. Pancreas
- B. Spleen
- C. Kidney
- D. Liver

Answer: D



Watch Video Solution

94. Which of the following is correct regarding jaundice?

- A. Skin turns yellow
- B. Eues turn yellow
- C. Liver gets affected

D. All of these

Answer: D



Watch Video Solution

95. Ejection of stomach contents through the mouth is called ____.

A. diarrhoea

B. constipation

C. vomiting

D. indigestion

Answer: C



Watch Video Solution

96. Which of the following statements is incorrect?

- A. Faecal accumulation in the rectum initiates a neural reflex causing an urge for its removal.
- B. Irregular bowel movements cause constipation.
- C. in diarrhoea absorption of food is increased.
- D. All of these

Answer: C



Watch Video Solution

97. Anxiety and eating spicy food together in an otherwise normal human, may lead to

- A. indigestion
- B. jaundice
- C. diarrhoea
- D. vomiting.

Answer: A



Watch Video Solution

98. Which of the following are the causes of indigestion?

- A. Anxiety
- B. Food poisoning
- C. Over eating
- D. All of these

Answer: D



Watch Video Solution

99. Emaciation of the body, thinning of limbs, skin becoming dry, thin and wrinkled, impairment of growth and development of brain and mental difficulties in infants less than a year in age occurs in ____

A. kwashiorkor

B. marasmus

C. constipation

D. jaundice

Answer: B



Watch Video Solution

100. Kwashiorkor occurs due to

A. deficiency of proteins and calories

B. protein deficiency

C. deficiency of calcium

D. deficiency of fats.


Answer: B



Watch Video Solution

101. A and B in the given graph are the action spectra of the two enzymes.

The two enzymes are



A. A: amylase B: trypsin

B. A: pepsin B: trypsin

C. A: chymotrypsin B: rennin

D. A: lactate dehydrogenase B: amylase.

Answer: B



Watch Video Solution

102. If the inner surface of the ileum in the human small intestine was smooth, rather than being folded and subdivided into villi, which of the following statements would be true?

- A. The rate of absorption of digested food molecules would be higher, because the digested food would pass more easily through the digestive tract.
- B. Digestion would not be as effective, because there would be fewer cells secreting trypsin (a protein-digesting enzyme).
- C. Humans would have needed to evolve a much longer small intestine to absorb sufficient nutrients from their food.
- D. Humans would not be able to survive, because the digestive tract would be more susceptible to damage.

Answer: C



Watch Video Solution

103. Digestion of food involves breaking down of good componets into smaller molecules by enzymes. These enzymes are active only at certain hydrogen ion concentration. As a result, certain food combinations can facilitate or retard the process of digestion. Of the following combinations, one that can result in very efficient digestion is

- A. meal with high proteins and cacid fruits
- B. meal with high starch and high proteins
- C. meals with high starch and acid fruits
- D. meal with high fat and high proteins.

Answer: A



Watch Video Solution


104. In the given figure of human tooth, some parts are labelled as A,B,C and D identify these parts and match them with their description given below.

(i) Contains mineral matter, mainly calcium

70% mineral matter, mainly calcium

(iii) Hardest material in the body

(iv) Connects root to the jawbone



A. i,ii,iii,iv

B. ii,iii,iv,i

C. iii,ii,iv,i

D. ii,iii,i,iv

Answer: D




Watch Video Solution

105. The given dissection figure shows the blood vessels in liver tissue. The three main blood vessels are indicated by capital letters (A-C). Following statements describe properties of blood that flows through these blood vessels. For each description, indicate the vessel where that blood would be found.

(i) Blood with the highest oxygen content.

(ii) Blood that contains newly absorbed nutrients.

(iii) Deoxygenated blood.



A. i-A,ii-C,iii-B

B. i-A,ii-B,iii-C

C. i-C,ii-A,iii-B

D. i-C,ii-B,iii-A

Answer: B



Watch Video Solution

106. Which of the following statements regarding small intestine are incorrect?

- (i) Throughout the small intestine, there are crypts of Lieberkuhn at the base of the villi.
- (ii) In duodenum, there are, in addition, small rounded peptic glands.
- (iii) The small intestine is strongly self-protective, by means of a copious production of mucus and a mechanism of the rapid replacement of cells damaged by contact with food and digestive juices.
- (iv) Each villus is richly supplied with blood capillaries only

A. i and iv

B. ii and iv

C. iii and iv


D. i and iii

Answer: B



Watch Video Solution

107. Effect of some compounds (present in partially digested food) on pancreatic secretion is depicted in the bar graph. Compounds 1, 2 and 3 represent.



- A. 1 2 3
Acid Fat Salt
- B. 1 2 3
Salt Peptone Fat
- C. 1 2 3
Acid Fat Peptone
- D. 1 2 3
Pepsin Acid Fat

Answer: C



Watch Video Solution

108. Which of the following is the primary absorptive process in the large intestine?

- A. Active transport of Na^+ from the lumen to the blood
- B. Absorption of amino acids and fructose
- C. Active transport of potassium from the lumen to the blood
- D. Active absorption of HCO_3^- into the blood

Answer: A



Watch Video Solution

109. Which of the following statements are correct regarding secretion of pepsinogen by gastric oxyntic cells?

- (i) It denatures proteins and softens fibrous connective tissues in the blood.
- (ii) It activates rennin.

(iii) It has a role in maturation of RBCs.

(iv) It activates trypsin.

A. I and iv

B. ii,iii and iv

C. I,ii and iii


D. I,ii,iv

Answer: C



Watch Video Solution

110. Observe the given figure having arrows to illustrate the movement of absorbed food in the body select the correct option regarding it.




	Sugars		Amino acids		Fat/fatty acids/glycerol	
A.	X	Y	X	Y	X	Y
	✓	×	×	×	✓	✓
	Sugars		Amino acids		Fat/fatty acids/glycerol	
B.	X	Y	X	Y	X	Y
	✓	×	✓	×	×	✓
	Sugars		Amino acids		Fat/fatty acids/glycerol	
C.	X	Y	X	Y	X	Y
	×	✓	×	✓	×	✓
	Sugars		Amino acids		Fat/fatty acids/glycerol	
D.	X	Y	X	Y	X	Y
	✓	✓	×	×	✓	✓

Answer: B



Watch Video Solution

111. Glands of the gut are of three types as shown in the figure



Classify the following examples of glands under X,Y and Z.

(i) Salivary gland (ii) Liver

(iii) Crypts of Lieberkuhn (iv) Brunner's gland

(v) Pancreas (vi) Gastric gland

A. I,ii,v,iv,iii,vi

B. iii,iv,v,vi,I,ii

C. iii,v,I,ii,iv,vi

D. I,ii,v,iv,iii,vi

Answer: D



Watch Video Solution

112. Which of the following is incorrect regarding the given digestion and absorption of protein?

- A. The breakdown of proteins to peptides is catalyzed by pepsin in the stomach and by the pancreatic enzymes trypsin and chymotrypsin in the small intestine.
- B. Peptides are broken down into amino acids by pancreatic carboxypeptidase and intestinal aminopeptidase.
- C. Small peptides consisting of two or three amino acids can diffuse through epithelial cell and broken down into carbon dioxide and ammonia which are released into the blood.
- D. none of these

Answer: C

[Watch Video Solution](#)

113. Select what is not true of intestinal villi among followings.

- A. They possess microvilli.
- B. They increase the surface area.
- C. They are supplied with capillaries and the lacteal vessels.
- D. They only participate in digestion of fats.

Answer: D



Watch Video Solution

114. Hepato-pancreatic duct opens into the duodenum and carries

- A. bile
- B. pancreatic juice
- C. both bile and pancreatic juice
- D. saliva.

Answer: C



Watch Video Solution

115. One of the following is not a common disorder associated with digestive system.

A. Tetanus

B. Diarrhoea

C. jaundice

D. Dysentery

Answer: A



Watch Video Solution

116. A gland not associated with the alimentary canal is

A. Pancreas

B. adreanal

C. liver

D. salivary glands

Answer: B



Watch Video Solution

117. Match the two columns and select the correct among options given.

Column I

Biomacromolecules

Human digestive system

Stomach

Thecodont

Serosa

Column II

(i) Alimentary canal and associated gland

(ii) Embedded in jawbones

(iii) Outer wall of visceral organs

(iv) Converted into simple substances

(v) J-shaped bag like structure

A. ii,i,v,iii,iv

B. iv,iv,ii,iii

C. I,ii,iii,iv,v

D. I,iii,ii,iv,v

Answer: B



Watch Video Solution

118. Match the two column and select the right one among option given

Column I Column II

Duodenum (i) A cartilaginous flap

Epiglottis (ii) Small blind sac

Glottis (iii) 'C' shaped structure emerging from the stomach

Caecum (iv) Opening of wind pipe

A. I,ii,iii,iv

B. iv,iii,ii,i

C. iii,I,iv,ii

D. ii,iv,I,iii

Answer: C



Watch Video Solution

119. Match the enzymes with their respective substrates and choose the right one among options given.

Column I

Lipase

Nuclease

Carboxypeptidase

Cipeptidases

Column II

(i) Dipeptides

(ii) Fats

(iii) Nucleic acids

(iv) Proteins, peptones and proteoses

A. ii,iii,i,iv

B. iii,iv,ii,i

C. iii,i,iv,ii

D. ii,iii,iv,i

Answer: D



Watch Video Solution

120. Dental formula in human beings is

A. $\frac{3223}{3223}$

B. $\frac{2123}{2123}$

C. $\frac{1232}{1232}$

D. $\frac{2233}{2233}$

Answer: B



Watch Video Solution

121. Liver is the largest gland and is associated with various functions, choose one which is not correct.

A. Metabolism of carbohydrate

B. Digestion of fat

C. Formation of bile

D. Secretion of hormone called gastrin

Answer: D



Watch Video Solution

122. Mark the right statement among the following.

- A. Trypsinogen is an inactive enzyme.
- B. Trypsinogen is secreted by intestinal mucosa.
- C. Enterokinase is secreted by pancreas.
- D. Bile contains trypsin.

Answer: A



Watch Video Solution

123. Assertion: Human beings have two sets of teeth during their life.

Reason: Human beings have thecodont dentition.

- A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

124. Assertion: Oesophagus pierces the diaphragm and enters the abdominal cavity.

Reason: Peristaltic movement starts from oesophagus.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

125. Assertion : Caecum is a small blind sac which hosts some symbiotic microorganisms.

Reason: Escherichia coli in return produces vitamin b_{12} vitamin K, thiamine and riboflavin.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



Watch Video Solution

126. Assertion : Products of digestion are absorbed in the large intestine.

Reason: The mucosal lining of large intestine forms finger-like foldings called villi which aid in absorption.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

127. Assertion: Pancreas is a heterocrine gland.

Reason: Endocrine part secretes insulin and glucagon and exocrine part secretes an acidic pancreatic juice containing enzymes.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

128. Assertion: Mucosal epithelium of gut has goblet cells which secrete mucus.

Reason: The mucus in the gastric and pancreatic juice protects the mucosa from excoriation by acidic secretion.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B



Watch Video Solution

129. Assertion: Gastrectomy can lead to iron-deficiency or anaemia.

Reason: HCl of gastric juice converts Fe^{3+} into Fe^{2+} which makes iron absorbable.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution

130. Assertion: Trypsinogen is activated by enterokinase into active trypsin which in turn activates other enzymes in the pancreatic juice

Reason: The pancreatic juice contains inactive enzymes which are activated by intestinal juice.

- A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

131. Assertion: Bile is not a true digestive juice

Reason: Bile lacks digestive enzymes.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



Watch Video Solution

132. ASSERTION: - Fat is restricted in the diet of a person who has undergone an operation to remove gall bladder. **REASONS:** - The gall bladder stores lipases which are released in small intestine for digestion.

- A. a) If both assertion and reason are true and reason is the correct explanation of assertion
- B. b) If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. c) If assertion is true but reason is false.
- D. d) If both assertion and reason are false.

Answer: C



[Watch Video Solution](#)

133. Assertion: The sight, smell and presence of food in the oral cavity can stimulate secretion of saliva.

Reason: About 70 per cent of the starch is hydrolyzed in oral cavity by salivary amylase.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



[Watch Video Solution](#)

134. Assertion: The sight, smell and presence of food in the oral cavity can stimulate secretion of saliva.

Reason: The activities of the gastro-intestinal tract are only under neural control for proper coordination of different parts.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

135. Assertion: Glucose, Na^+ and amino acids are absorbed actively.

Reason: Na^+ , glucose and amino acids move against the concentration gradient and hence require energy .

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution

136. Assertion: Bile helps in emulsification of fat.

Reason: Bile salts help in incorporating fatty acids and glycerol into water

soluble droplets called chylomicrons.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

137. Assertion: Water and electrolytes are almost fully absorbed in the large intestine.

Reason: In large intestine, haustral contraction (slow segmenting movements) roll the forming faeces over and over, causing absorption of water and electrolytes.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution

Others

1. Dental formula in human beings is

A.
$$\frac{3223}{3223}$$

B.
$$\frac{2123}{2123}$$

C. $\frac{1232}{1232}$

D. $\frac{2233}{2233}$

Answer: B



Watch Video Solution

2. Liver is the largest gland and is associated with various functions, choose one which is not correct.

A. Metabolism of carbohydrate

B. Digestion of fat

C. Formation of bile

D. Secretion of hormone called gastrin

Answer: D



Watch Video Solution

3. Mark the right statement among the following.

- A. Trypsinogen is an inactive enzyme.
- B. Trypsinogen is secreted by intestinal mucosa.
- C. Enterokinase is secreted by pancreas.
- D. Bile contains trypsin.

Answer: A



Watch Video Solution

4. Assertion: Human beings have two sets of teeth during their life.

Reason: Human beings have thecodont dentition.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

5. Assertion: Oesophagus pierces the diaphragm and enters the abdominal cavity.

Reason: Peristaltic movement starts from oesophagus.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

6. Assertion : Caecum is a small blind sac which hosts some symbiotic microorganisms.

Reason: Escherichia coli in return produces vitamin b_{12} vitamin K, thiamine and riboflavin.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution

7. Assertion : Products of digestion are absorbed in the large intestine.

Reason: The mucosal lining of large intestine forms finger-like foldings called villi which aid in absorption.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

8. Assertion: Pancreas is a heterocrine gland.

Reason: Endocrine part secretes insulin and glucagon and exocrine part secretes an acidic pancreatic juice containing enzymes.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

9. Assertion: Mucosal epithelium of gut has goblet cells which secrete mucus.

Reason: The mucus in the gastric and pancreatic juice protects the mucosa from excoriation by acidic secretion.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B



Watch Video Solution

10. Assertion: Gastrectomy can lead to iron-deficiency or anaemia.

Reason: HCl of gastric juice converts Fe^{3+} into Fe^{2+} which makes iron absorbable.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution

11. Assertion: Trypsinogen is activated by enterokinase into active trypsin which in turn activates other enzymes in the pancreatic juice

Reason: The pancreatic juice contains inactive enzymes which are activated by intestinal juice.

- A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

12. Assertion: Bile is not a true digestive juice

Reason: Bile lacks digestive enzymes.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



Watch Video Solution

13. ASSERTION: - Fat is restricted in the diet of a person who has undergone an operation to remove gall bladder. **REASONS:** - The gall bladder stores lipases which are released in small intestine for digestion.

- A. a) If both assertion and reason are true and reason is the correct explanation of assertion
- B. b) If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. c) If assertion is true but reason is false.
- D. d) If both assertion and reason are false.

Answer: C



[Watch Video Solution](#)

14. Assertion: The sight, smell and presence of food in the oral cavity can stimulate secretion of saliva.

Reason: About 70 per cent of the starch is hydrolyzed in oral cavity by salivary amylase.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



[Watch Video Solution](#)

15. Assertion: The sight, smell and presence of food in the oral cavity can stimulate secretion of saliva.

Reason: The activities of the gastro-intestinal tract are only under neural control for proper coordination of different parts.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

16. Assertion: Glucose, Na^+ and amino acids are absorbed actively.

Reason: Na^+ , glucose and amino acids move against the concentration gradient and hence require energy .

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution

17. Assertion: Bile helps in emulsification of fat.

Reason: Bile salts help in incorporating fatty acids and glycerol into water

soluble droplets called chylomicrons.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

18. Assertion: Water and electrolytes are almost fully absorbed in the large intestine.

Reason: In large intestine, haustral contraction (slow segmenting movements) roll the forming faeces over and over, causing absorption of water and electrolytes.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution