



BIOLOGY

BOOKS - MTG BIOLOGY (ENGLISH)

NEURAL CONTROL AND COORDINATION

Neural Control And Coordination

1. In which animal, nerve cell is present but brain is absent ?

- A. Sponge
- B. Honeybee
- C. Cockroach
- D. Hydra

Answer: D



Watch Video Solution



Watch Video Solution

2. Read the given statements and select the incorrect one.

- A. In Hydra, all neurons are similar and join to form a nerve cell.
- B. In earthworms, nervous system consists of a dorsal nerve cord, paired ganglia and segmental nerves.
- C. Brain is present in insects.
- D. Planaria has two nerve cords that join to form rudimentary brain.

Answer: B



Watch Video Solution

3. Neurons in sponges are

- A. unipolar
- B. bipolar

C. multipolar


D. absent

Answer: D



Watch Video Solution

4. In the accompanying diagram of a part of the human body, the structures belonging to the central nervous system are labelled as



A. A and C

B. B and C

C. A and D

D. C and D

Answer: C



[Watch Video Solution](#)

5. Afferent nerve fibre carries impulses from

- A. effector to central neural system
- B. receptor to central neural system
- C. central neural system to muscle
- D. central neural system to receptors.

Answer: B



[Watch Video Solution](#)

6. Skeletal muscles are controlled by

- A. sympathetic nerves
- B. parasympathetic nerves
- C. somatic nerves

D. autonomic nerves

Answer: C



Watch Video Solution

7. In a human being, the number of cranial nerves is

A. 12 pairs

B. 6 pairs

C. 20 pairs

D. 10 pairs

Answer: A



Watch Video Solution

8. The 3rd, 6th and 11th cranial nerves are respectively

A. oculomotor, abducens and accessory

B. oculomotor, trigeminal and accessory

C. optic, facial and accessory

D. trochlear, abducens and vagus.

Answer: A



Watch Video Solution

9. In a man, abducens nerve is injured. Which one of the following functions will be affected ?

A. Movement of the eyeball

B. Movement of the tongue

C. Swallowing

D. Movement of the neck

Answer: A



[Watch Video Solution](#)

10. Which one of the following transmits impulses to central nervous system ?

- A. Abducens nerve
- B. Trochlear nerve
- C. Oculomotor nerve
- D. Auditory nerve

Answer: D



[Watch Video Solution](#)

11. The vagus nerve is the ____ cranial nerve.

- A. 7th
- B. 5th

C. 10^{th}

D. 9^{th}

Answer: C



Watch Video Solution

12. Which of the following nerves is purely a motor nerve ?

A. Vagus

B. Facial

C. Abducens

D. Trigeminal

Answer: C



Watch Video Solution

13. Which of the following cranial nerves of man is both sensory and motor ?

- A. Olfactory
- B. Optic
- C. Vagus
- D. Oculomotor

Answer: C



Watch Video Solution

14. Vagus nerve effects

- A. voice production
- B. peristalsis
- C. respiratory movements
- D. all of these

Answer: D



Watch Video Solution

15. Injury to vagus nerve in humans is not likely to affect

- A. tongue movements
- B. gastrointestinal movements
- C. breathing
- D. cardiac movements

Answer: A



Watch Video Solution

16. Which of the following cranial nerves has the highest number of branches ?

- A. Vagus nerve
- B. Trigeminal nerve
- C. Facial nerve
- D. None of these

Answer: A



Watch Video Solution

17. How many pairs of cranial nerves are mixed nerves ?

- A. 3
- B. 5
- C. 4
- D. 6

Answer: C



Watch Video Solution

18. Hypoglossal nerve controls the movements of

- A. ear
- B. heart
- C. tongue
- D. limbs

Answer: C



Watch Video Solution

19. In a human being, the number of spinal nerves is

- A. 31 pairs
- B. 52 pairs
- C. 12 pairs


D. 36 pairs

Answer: A



Watch Video Solution

20. The flow chart given here shows functional organisation of the human nervous system. Identify A to E and select the correct options.



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>PNS</i>	<i>CNS</i>	<i>ANS</i>	Sympathetic neural system	Parasympathetic

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>ANS</i>	<i>CNS</i>	<i>PNS</i>	Parasympathetic neural system	Sympathetic

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>CNS</i>	<i>PNS</i>	<i>ANS</i>	Sympathetic neural system	Parasympatheti

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
<i>ANS</i>	<i>PNS</i>	<i>CNS</i>	Parasympathetic neural system	Sympatheti

Answer: C



Watch Video Solution

21. One of the examples of the action of the autonomous nervous system is

- A. swallowing of food
- B. pupillary reflex
- C. peristalsis of the intestine
- D. all of these

Answer: D



[Watch Video Solution](#)

22. Sympathetic nervous system induces

- A. secretion of digestive juices
- B. heartbeat
- C. secretion of saliva
- D. all of these

Answer: B



[Watch Video Solution](#)

23. Which of the following options correctly identifies the effect of sympathetic and parasympathetic neural system on given features or organs ?

A.

Feature/organ	Sympathetic neural system	Parasympathetic neur
Salivary glands	Stimulates secretion	Inhibits secretion

B.

Feature/organ	Sympathetic neural system	Parasympathetic neur
Pupil of the eye	Dilates	Constricts

C.

Feature/organ	Sympathetic neural system	Parasympathetic neur
Heart rate	Decreases	Increases

D.

Feature/organ	Sympathetic neural system	Parasympathetic neur
Intestinal peristalsis	Stimulates	Inhibits

Answer: B



Watch Video Solution

24. Which of the following pairs correctly identifies function of parasympathetic nervous system ?

A. Slows heartbeat, promotes pancreatic secretion

- B. Increases secretion of sweat gland and intestinal gland
- C. Accelerates heartbeat, dilates arteries
- D. Raises blood pressure, increases peristaltic activity

Answer: A



Watch Video Solution

25. Visceral nervous system comprises of


- A. nerve fibres
- B. ganglia
- C. plexuses
- D. all of these

Answer: D



Watch Video Solution

26. The given figure shows the structure of a neuron. Select the option that correctly identifies the parts labelled as A to E.



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Nerve fibres	Cyton	Schwann cell	Node of Ranvier	Synaptic knob

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Dendrites	Cyton	Schwann cell	Node of Ranvier	Synaptic knob

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Dendrites	Nerve cell	Schwann cell	Synaptic knob	Node of Ranvier

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Axons	Cyton	Nerve cell	Node of Ranvier	Synaptic knob

Answer: B



Watch Video Solution

27. Myelin sheath is formed by

A. Ranvier cells

B. muscle cells

C. Schwann cells

D. axon

Answer: C



Watch Video Solution

28. In a medullated nerve fibre, the conduction of impulse is faster due to the presence of

- A. pericytes
- B. endoneurium and epineurium
- C. myelin sheath and nodes of Ranvier
- D. Nissle's granules

Answer: C



Watch Video Solution

29. Read the given paragraph.

In the resting state, the axonal membrane is ___ with more ___ charged ions outside than inside. This unequal distribution of ions is due to (1) the selective permeability of the membrane, which forms an almost impenetrable barrier to _____ and (2) the action of the ____, which pumps _____ Na^+ out of the neuron for every ____ K^+ brought in.

Select the option that correctly fills the blanks in the paragraph.

A.

(i)	(ii)	(iii)	(iv)	(v)
depolarised	positively	Na^+	sodium-potassium pump	three

B.

(i)	(ii)	(iii)	(iv)	(v)
depolarised	negatively	Na^+	sodium-potassium pump	three

C.

(i)	(ii)	(iii)	(iv)	(v)	(v)
polarised	negatively	Na^+	sodium-potassium pump	three	two

D.

(i)	(ii)	(iii)	(iv)	(v)	(v)
polarised	positively	Na^+	sodium-potassium pump	three	two

Answer: D



View Text Solution

30. A nerve fibre during resting stage is


- A. more permeable to Na^+
- B. more permeable to K^+
- C. equally permeable for Na^+ and K^+
- D. less permeable to K^+

Answer: B




Watch Video Solution


31. Which of the following options illustrates the distribution of Na^+ and K^+ ions in a section of non-myelinated axon which is at resting potential ?




A.



B.



C.



D.

Answer: A



Watch Video Solution

32. Sodium-potassium pump transports

A. Na^+ and K^+ out of the neuron

B. Na^+ and K^+ into the neuron

C. Na^+ into the neuron and K^+ out of the neuron

D. K^+ into the neuron and Na^+ out of the neuron

Answer: D



Watch Video Solution

33. In the resting state of the neural membrane, diffusion due to concentration gradients, if allowed, would drive

A. Ca^{2+} into the cell

B. K^+ and Na^+ out of the cell

C. Na^+ into the cell

D. Na^+ out of the cell

Answer: D



Watch Video Solution

34. Which of the following statements are correct regarding $\text{Na}^+ - \text{K}^+$ pump ?

- (i) Needs energy (ATP) to work
- (ii) Expels 3 Na^+ for every 2 K^+ ions imported
- (iii) Works against a concentration gradient
- (iv) Maintains resting potential

- A. (i) and (iv)
- B. (ii) and (iii)
- C. (i) and (iii)
- D. all of these

Answer: D



Watch Video Solution

35. The electrical potential difference between outside and inside of a nerve axon before excitation is known as resting potential.

- A. resting potential
- B. action potential
- C. spike potential
- D. reaction potential

Answer: A



Watch Video Solution

36. A typical value of resting membrane potential is

- A. $-100mV$
- B. $-70mV$
- C. $-40mV$
- D. $-60mV$

Answer: B



Watch Video Solution

37. Complete the following paragraph by selecting the option that gives correct sequence of words.

When a stimulus is applied at a site on the polarised membrane, the membrane at that site becomes freely permeable to (i) ions. It causes rapid influx of (ii) leading to (iii) of the membrane.

- A. (i) Na^+ (ii) K^+ (iii) depolarisation
- B. (i) K^+ (ii) K^+ (iii) depolarisation
- C. (i) K^+ (ii) Na^+ (iii) depolarisation
- D. (i) Na^+ (ii) Na^+ (iii) depolarisation

Answer: D



Watch Video Solution

38. During depolarisation the outer surface of the membrane becomes

A. negatively charged

B. positively charged

C. neutrally charged

D. None of these

Answer: A



Watch Video Solution

39. Depolarisation of axolemma during nerve conduction takes place because

A. equal amount of Na^+ and K^+ move out across axolemma

B. only Na^+ move inside

C. more Na^+ moves outside than K^+ moving outside

D. None of these

Answer: B

40. During the propagation of a nerve impulse, the action potential results from the movement of

- A. K^+ ions from intracellular fluid to extracellular fluid
- B. Na^+ ions from extracellular fluid to intracellular fluid
- C. K^+ ions from extracellular fluid to intracellular fluid
- D. Na^+ ions from intracellular fluid to extracellular fluid

Answer: B

41. During the transmission of nerve impulse through a nerve fibre, the potential on the inner side of the plasma membrane has which type of electric charge ?

- A. First positive, then negative and continue to be negative
- B. First negative, then positive and continue to be positive
- C. First positive, then negative and again back to positive
- D. First negative, then positive and again back to negative

Answer: D



View Text Solution

42. Saltatory conduction of impulse occurs in

- A. liver cells
- B. non-myelinated nerve fibres
- C. myelinated nerve fibres
- D. None of these

Answer: C



Watch Video Solution

43. Read the given statements and select the correct ones.

(i) Autonomic neural system transmits impulses from the CNS to the voluntary organs and striated muscles of the body.

(ii) Unmyelinated nerve fibres do not have Schwann cells which form the myelin sheath.

(iii) Axonal membrane of a neuron while not conducting any impulse is comparatively more permeable to potassium ions (K^+) than to sodium ions (Na^+)

(iv) A synapse is formed by the membranes of presynaptic neuron and a post synaptic neuron.

A. (i) and (iv)

B. (ii) and (iii)

C. (iii) and (iv)

D. (i) and (iv)

Answer: C



[Watch Video Solution](#)

44. The junction between the axon of one neuron and the dendrite of the next is called

- A. constant bridge
- B. junction point
- C. joint
- D. synapse

Answer: D



[Watch Video Solution](#)

45. Which of the following statements is/are incorrect about the electrical synapse ?

(i) At electrical synapses, the membranes of pre and post synaptic neurons are in very close proximity.

- (ii)Electricity current can flow directly from one neuron into the other across the synapses.
- (iii)Transmission of an impulse across electrical synapses is very similar to impulse conduction along single axon.
- (iv)Electrical synapses pass electrical signal between cells with the use of Ach.
- (v)Electrical synapses are fast.
- (vi)Electrical synapses are rare in our system.

A. (ii),(iv) and (v)

B. (i) and (iii)

C. (iv) only

D. (i),(v) and (vi)

Answer: C



View Text Solution

46. Nerve fibres transmit the nerve message by ____ means.

- A. chemical
- B. physical
- C. electrochemical
- D. electrical

Answer: C



Watch Video Solution

47. A list of events occurring in the transmission of nerve impulse across the synapse is given below in a random order

- (i) Opening of specific ion channels allows the entry of ions, a new action potential is generated in the post-synaptic neuron.
- (ii) Neurotransmitter binds to the receptor on post synaptic membrane.
- (iii) Synaptic vesicle fuses with pre-synaptic membrane, neurotransmitter release into synaptic cleft.
- (iv) Depolarisation of pre-synaptic membrane.
- (v) Arrival of action potential at axon terminal.

Which of the following options represents these events in a correct order ?

A. $(v) \rightarrow (iv) \rightarrow (iii) \rightarrow (ii) \rightarrow (i)$

B. $(i) \rightarrow (ii) \rightarrow (iii) \rightarrow (iv) \rightarrow (v)$

C. $(i) \rightarrow (ii) \rightarrow (iv) \rightarrow (iii) \rightarrow (v)$


D. $(v) \rightarrow (iv) \rightarrow (iii) \rightarrow (i) \rightarrow (ii)$

Answer: A



View Text Solution

48. The given diagram shows axon terminal. Select the option that correctly matches the steps in transmission of impulses (list i-vii) with the labellings (A-C) in diagram.



(i) Chemicals called neurotransmitters are released in the synaptic cleft through ion channels.

(ii) When an impulse arrives at the axon terminal, it stimulates the movement of synaptic vesicles.

(iii) Neurotransmitters are endocytosed into the neurons.

(iv) The ion channels close with the binding of neurotransmitters to their specific receptors vesicles.

(v) Synaptic vesicles move towards the membrane where they fuse with the plasma membrane.

(vi) Neurotransmitters are released in the synaptic cleft.

(vii) The released transmitters bind to their specific receptors on post-synaptic membrane


- | | | | |
|----|---------------|----------------|----------------|
| | <i>A</i> | <i>B</i> | <i>C</i> |
| A. | (<i>ii</i>) | (<i>iii</i>) | (<i>i</i>) |
| | <i>A</i> | <i>B</i> | <i>C</i> |
| B. | (<i>v</i>) | (<i>vi</i>) | (<i>iv</i>) |
| | <i>A</i> | <i>B</i> | <i>C</i> |
| C. | (<i>ii</i>) | (<i>vi</i>) | (<i>vii</i>) |
| | <i>A</i> | <i>B</i> | <i>C</i> |
| D. | (<i>v</i>) | (<i>iii</i>) | (<i>iv</i>) |

Answer: C



View Text Solution

49. The given diagram shows axon terminal and synapse. Here A,B,C,D and E respectively represent



A. Axon terminal, Synaptic cleft, Synaptic vesicles, Neurotransmitters and Receptors

B. Axon terminal, Synaptic vesicles, Synaptic cleft, Receptors and Neurotransmitters

C. Synaptic cleft, Synaptic vesicles, Axon terminal, Neurotransmitters and Receptors

D. Synaptic cleft, Axon terminal, Synaptic vesicles, Neurotransmitters and Receptors

Answer: B



Watch Video Solution

50. Which one of the following does not act as a neurotransmitter ?

- A. Cortisone
- B. Acetylcholine
- C. Dopamine
- D. Norepinephrine

Answer: A



Watch Video Solution

51. Read the given statements and select the correct option.

- (i) Synaptic cleft of neurons secretes adrenaline.
- (ii) Myelinated nerve fibres are enveloped with Schwann cells, which form a myelin sheath around the axon.
- (iii) Non-myelinated nerve fibre is enclosed by a Schwann cell that does

not form a myelin sheath.

(iv) Spinal and cranial nerves are made of non-myelinated nerve fibres.

A. Statements (i) and (ii) are correct but statements (iii) and (iv) are incorrect.

B. Statements (i), (ii) and (iii) are correct but statement (iv) is incorrect.

C. Statements (iii) and (iv) are correct but statements (i) and (ii) are incorrect.

D. Statement (ii) and (iii) are correct but statements (i) and (iv) are incorrect.

Answer: D



View Text Solution

52. Unidirectional transmission of nerve impulse through nerve fibre is due to the fact that

A. nerve fibre is insulated by a medullary sheath

B. sodium pump starts operating only at the cyton and then continues into the nerve fibre

C. neurotransmitters are released by dendrites and not by axon endings

D. neurotransmitters are released by the axon endings and not by dendrites.

Answer: D



Watch Video Solution

53. Which of the following options correctly describes the sequence of structures present between a receptor and an effector when D refers dendrite, A refers axon, S refers synapse and CB refers to cell body ?

A. D-CB-A-S-D-CB-A

B. A-D-CB-S-A-D-CB

C. D-CB-A-S-A-CB-D

D. D-A-S-CB-D-A-CB

Answer: A



Watch Video Solution

54. Brain depends on blood for the supply of

A. ATP and glucose

B. oxygen and ATP

C. oxygen and glucose


D. oxyn and electrolytes

Answer: C



Watch Video Solution

55. The given figure shows lateral view of the human brain. Identify the parts labelled as A to E and select the correct option.



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Temporal lobe	Corpus callosum	Cerebrum	Medulla oblongata	Frontal lobe

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Frontal lobe	Thalamus	Cerebrum	Medulla oblongata	Occipital lobe

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Temporal lobe	Pons	Cerebrum	Medulla oblongata	Frontal lobe

D.

A

Frontal lobe

B

Corpus callosum

C

Cerebellum

D

Medulla oblongata

E

P

Answer: D



Watch Video Solution

56. The correct sequence of meninges from inner to outer side is

A. duramater → arachnoid membrane → piamater

B. duramater → piamater → arachnoid membrane

C. piamater → arachnoid membrane → duramater

D. arachnoid membrane → duramater → piamater

Answer: C



Watch Video Solution

57. What is the space between arachnoid and piameter called ?

- A. Supra-arachnoid space
- B. Sub-arachnoid space
- C. Subdural space
- D. Meninges

Answer: B




Watch Video Solution

58. The given figure shows a section of brain. Identify the parts labelled as A,B,C and D and match them with the names (i-vii) given below.

(i)Arachnoid membrane , (ii)Subdural space , (iii)Duramater , (iv)Bone ,

(v)White matter , (vi)Grey matter , (vii)Piamater



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(iii)	(ii)	(vi)	(v)

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(i)	(ii)	(iii)	(vi)

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(iii)	(i)	(vii)	(vi)

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(iv)	(vii)	(i)	(ii)

Answer: C



Watch Video Solution

59. Corpus callosum connects two

- A. cerebral hemispheres
- B. ventricles of brain
- C. cerebellar hemispheres
- D. optic thalamus

Answer: A



Watch Video Solution

60. A touch on the right hand stimulates neurons in the

- A. left somatic sensory area
- B. left occipital lobe
- C. right somatic sensory area
- D. right occipital lobe

Answer: A



Watch Video Solution

61. Read the following five statements (i) to (v) regarding left cerebral hemisphere and select the option that correctly states the true (T) and false (F) statements.

(i) It receives most modalities of sensory information from the right side of the body.

(ii) It is usually larger than the right cerebral hemisphere.

(iii) It is the dominant cerebral hemisphere in most individuals.

(iv) It is connected to the right cerebral hemisphere by the corpus callosum.

(v) It contains the main areas for the understanding and production of speech in most individuals.

A. (i) (ii) (ii) (iv) (v)
T T F F F

B. (i) (ii) (ii) (iv) (v)
F T T F T

- C. (i) (ii) (ii) (iv) (v)
T F T T T
- D. (i) (ii) (ii) (iv) (v)
F F T T T

Answer: C



View Text Solution

62. The primary visual area is located in

- A. temporal lobe
- B. occipital lobe
- C. frontal lobe
- D. parietal lobe

Answer: B



Watch Video Solution

63. Which of the following structures is found in diencephalon ?

- A. Pons
- B. Basal ganglia
- C. Corpora quadrigemina
- D. Hypothalamus

Answer: D



Watch Video Solution

64. The Broca's area and Wernicke's centre are the association areas situated in cerebrum. These are associated with

- A. breathing
- B. blind spot
- C. memory
- D. None of these

Answer: D



Watch Video Solution

65. All sensory information to be registered consciously by the forebrain must via the

- A. thalamus
- B. reticular activating system
- C. cerebellum
- D. pons

Answer: A



View Text Solution

66. Human body temperature is maintained by

- A. hypothalamus
- B. medulla oblongata
- C. pituitary
- D. cerebral cortex

Answer: A



Watch Video Solution

67. Satiety centres of brain are present in

- A. cerebral hemispheres
- B. hypothalamus
- C. cerebellum
- D. medulla oblongata

Answer: B



Watch Video Solution

68. Which part of the human brain controls the urge for eating and drinking ?

- A. Forebrain
- B. Midbrain
- C. Hindbrain
- D. Spinal cord

Answer: A



Watch Video Solution

69. Broca's area in human brain controls

- A. speech
- B. taste
- C. respiration

D. heartbeat

Answer: A



Watch Video Solution

70. At room temperature, a dilute solution of urea is prepared by dissolving 0.60 g of urea in 360 g of water. If the vapour pressure of pure water at this temperature is 35 mm Hg, lowering of vapour pressure will be 1.74×10^{-x} mm Hg. The numerical value of x is _____. (Molar mass of urea = 60 g mol^{-1}).

A. occipital lobe

B. temporal lobe

C. olfactory lobe

D. parietal lobe

Answer: A



Watch Video Solution

71. Phylloids are present in

- A. floor of diencephalon
- B. cerebral hemispheres
- C. roof of diencephalon
- D. roof of medulla oblongata

Answer: C



Watch Video Solution

72. Comprehension of spoken and written words takes place in the region of

- A. association area
- B. motor area

C. Wernicke's area

D. Broca's area

Answer: C



Watch Video Solution

73. In an animal assume that rough coat (R) is dominant over smooth coat (r) and the black (B) is dominant over white (b). Consider that these two pairs of alleles assort independently then

(i) What proportion of the offspring from the cross $RrBb \times RRBB$ would be rough and black ?

(ii) From the cross $RrBB \times rrBB$. how many progeny will be homozygous for both of the characters ?

A. Hearing

B. Speech

C. Vision

D. Memory

Answer: C



Watch Video Solution

74. Which of the following is wheat fruit?

A. Corpora allata

B. Corpora adiposa

C. Corpora caradiaca


D. Corpora quadrigemina

Answer: D



Watch Video Solution

75. The pressure-volume of various thermodynamic process is shown in graphs:



Work is the mole of transference of energy. It has been observed that reversible work done by the system is the maximum obtainable work.

$$w_{rev} > w_{irr}$$


The works of isothermal and adiabatic processes are different from each other.

$$\begin{aligned} w_{\text{isothermal reversible}} &= 2.303nRT \log_{10} \left(\frac{V_2}{V_1} \right) \\ &= 2.303nRT \log_{10} \left(\frac{P_2}{P_1} \right) \end{aligned}$$

$$w_{\text{adiabatic reversible}} = C_V(T_1 - T_2)$$

A thermodynamic system goes in a cyclic process as represented in the

following $P - V$ diagram:



The net work done during the complete cycle is given by the area

- A. bigemina
- B. arenacea
- C. striata
- D. quadrigemina

Answer: D



Watch Video Solution

76. Pons' connects the

- A. two cerebral hemispheres
- B. two lobes of cerebellum
- C. cerebrum and cerebellum
- D. spinal cord with the brain

Answer: B



Watch Video Solution

77. Cerebellum of brain is concerned with

- A. controlling rapid muscular activities
- B. learning in early stages
- C. maintaining posture, orientation and equilibrium of body
- D. all of these

Answer: D



Watch Video Solution

78. Tree of life is

- A. branchial tree
- B. lymphatic system
- C. arbor vitae
- D. loop of henle.

Answer: C



Watch Video Solution

79. Match column I with column II and select the correct option from the codes given below.

Column I	Column II
A. Cerebrum	(i) Controls the pituitary
B. Cerebellum	(ii) Controls vision and hearing
C. Hypothalamus	(iii) Controls the rate of heart beat
D. Midbrain	(iv) Seat of intelligence
	(v) Maintains body posture

A. A-(v), B-(iv), C-(ii), D-(iii)

B. A-(iv), B-(v), C-(ii), D-(i)

C. A-(v), B-(iv), C-(i), D-(iii)

D. A-(iv), B-(v), C-(i), D-(ii)

Answer: D



View Text Solution

80. Which of the following statements is correct regarding cerebellum ?

A. It is a part of hindbrain

B. It consists of two cerebellar hemisphere and a vermis

C. Arbor vitae is present in cerebellum

D. all of these

Answer: d



Watch Video Solution

81. The part of hind brain that is responsible for hand eye coordination is

A. cerebellum

B. pons varolii

C. medulla oblongata

D. thalamus

Answer: A



Watch Video Solution

82. The respiratory and cardiac centres are located in

- A. cerebrum
- B. diencephalon
- C. crura cerebri
- D. medulla oblongata

Answer: B



Watch Video Solution

83. Salivation in mammals is under the control of


- A. medulla oblongata
- B. mesencephalon
- C. hypothalamus
- D. cerebellum

Answer: A



Watch Video Solution

84. Which labelled part controls the process of breathing ?



A. A

B. B

C. C


D. D

Answer: C



Watch Video Solution

85. Which of the following functions is performed by the part labelled 'C' in the given figure ?



- A. Regulation of body temperature
- B. Regulation of gastric secretions
- C. Learning
- D. Maintaining posture

Answer: B



View Text Solution

86. Which of the following parts of brain constitute the brain stem ?

- A. Midbrain and hindbrain
- B. Hindbrain and forebrain
- C. Forebrain and midbrain
- D. Forebrain only

Answer: A



Watch Video Solution

87. Cell bodies of neurons bringing afferent information into the spinal cord are located in

- A. dorsal root ganglia
- B. ventral root ganglia
- C. grey matter of the spinal cord
- D. white matter of the spinal cord

Answer: A



Watch Video Solution

88. Which of the following is wheat fruit?

A. Cerebrum

B. medulla oblongata

C. cerebellum

D. Spinal cord

Answer: D



Watch Video Solution

89. Mark the correct match

A. Sensory stimulus → Dendrite → Axon

B. Motor nerves → Acetylcholine → Adjustor neuron

C. Efferent nerves → Connector nerves → Motor nerves

D. Afferent nerves → Efferent nerves → Connector nerves

Answer: A



Watch Video Solution

90. For good reflex actions we require intact

A. spinal cord

B. medulla oblongata

C. hypothalamus


D. cerebellum

Answer: A



Watch Video Solution

91. The path of reflex arc is shown in the given figure. Identify the different labellings A,B,C,D,E,F and select the correct option.



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Effector	Sensory nerve	Motor nerve	Receptor	Resp

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Receptor	Sensory nerve	Motor nerve	Effector	Resp

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Effector	Motor nerve	Sensory nerve	Receptor	Resp

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Receptor	Motor nerve	Sensory nerve	Effector	Resp

Answer: B



Watch Video Solution

92. Which of the following is an example of conditioned reflex ?

- A. Hand withdraws when pierced with a needle
- B. Eyes close, when anything enters into them
- C. During digestion, food goes forward in alimentary canal
- D. Trained dog salivates when you ring a bell

Answer: D



Watch Video Solution

93. Which of the following is not a reflex action ?

- A. Salivation

B. Sweating

C. Withdrawal of hand when pinched by needle


D. None of these

Answer: B



Watch Video Solution

94. The given diagrammatic representation of reflex action shows knee jerk reflex.



Identify the parts labelled as A to E and select the correct option.

A.

A

Dorsal root ganglion

B

White matter

C

Grey matter

D

Afferent pathway

B.

A

Dorsal root ganglion

B

White matter

C

Grey matter

D

Efferent pathway

C.

A

Ventral root ganglion

B

Grey matter

C

White matter

D

Efferent pathway

D.

A

Ventral root ganglion

B

White matter

C

Grey matter

D

Efferent pathway

Answer: B



Watch Video Solution

95. Olfactory receptors are present in

A. eye

B. nose

C. ear

D. skin

Answer: B



Watch Video Solution

96. Taste buds contain

A. gustatory receptors

B. olfactory receptors

C. photoreceptors

D. phonoreceptors

Answer: A



Watch Video Solution


97. Refer to the given diagram. Match the labelled parts (A-J) with their functions and select the correct options.

(i) Carries nerve signals to the brain

(ii) Regulates the size of the pupil to let more or less light into the eye

(iii) Changes the shape of the lens

(iv) Photoreceptors are concentrated at this point



A. (i)-B, (ii)-D, (iii)-F, (iv)-H

B. (i)-J, (ii)-G, (iii)-I, (iv)-C

C. (i)-A, (ii)-C, (iii)-E, (iv)-G

D. (i)-G, (ii)-D, (iii)-C, (iv)-E

Answer: B



View Text Solution

98. Match column I with column II and select the correct option from the codes given below.

Column-I

Column-II

A. Cornea

(*i*) Provides opening for light to enter

B. Iris

(*ii*) Transduces blue, green and red light

C. Lens

(*iii*) Controls the amount of light that enters

D. Optic nerves

(*iv*) Alters the shape of lens

E. Pupil

(*v*) Transmit information to the CNS

F. Ciliary muscles

(*vi*) Focus light directly on retina

G. Fovea

(*vii*) Bends light and protects inner eye

A. A-(vii), B-(iii), C-(vi), D-(v), E-(i), F-(iv), G-(ii)

B. A-(i), B-(ii), C-(iii), D-(iv), E-(v), F-(vi), G-(vii)

C. A-(vii), B-(vi), C-(v), D-(iv), E-(iii), F-(ii), G-(i)

D. A-(vii), B-(iv), C-(vi), D-(v), E-(i), F-(iii), G-(ii)

Answer: A



View Text Solution

99. Cornea transplant in humans is almost never rejected. This is because

- A. it is composed of enucleated cells
- B. it is a non-living layer
- C. its cells are least penetrable by bacteria
- D. it has no blood supply.

Answer: D



Watch Video Solution

100. Cornea is covered externally by a thin transparent membrane which is called

- A. sclerotic
- B. conjunctiva
- C. choroid
- D. None of these

Answer: B



Watch Video Solution

101. The innermost layer of the human eye is

- A. choroid
- B. cornea
- C. sclera
- D. retina

Answer: D



Watch Video Solution

102. The black pigment in the eye, which reduces the internal reflection, is located in

- A. retina
- B. iris
- C. sclerotic
- D. cornea

Answer: A



Watch Video Solution

103. The shape of eye lens is changed by

- A. pupil
- B. iris
- C. optic nerve

D. ciliary muscle

Answer: D



Watch Video Solution

104. The size of pupil is controlled by the

A. ciliary muscles

B. suspensory ligaments

C. cornea

D. iris muscles

Answer: D



Watch Video Solution

105. Why is it difficult to differentiate between red and green colour objects in dark or in night ?

- A. Rods work well only during daytime
- B. Cones work well only during daytime
- C. Rods work well only during night time
- D. Cones work well only during night time

Answer: B



Watch Video Solution

106. Which of the following cells are associated with identification of colours in bright light ?

- A. Cone cells
- B. Rods cells
- C. Lacrimal cells

D. Cells of Muller

Answer: A



Watch Video Solution

107. In the chemistry of vision in mammals, the photosensitive substance is called

A. rhodopsin

B. melanin

C. sclerotin

D. retinol

Answer: A



Watch Video Solution

108. Which one of the following is the correct difference between rod cells and cone cells of our retina ?

A.

Rod cells

Cone cells

Vision in poor light

Colour vision and detailed vision in bright light

B.

Rod cells

Cone cells

More concentrated in centre of retina

Evenly distributed all over retina

C.

Rod cells

Cone cells

Low in number

High in number

D.

Rod cells

Cone cells

Iodopsin

Rhodopsin

Answer: A



Watch Video Solution

109. The point in eye of mammals from which optic nerves and blood vessels leave the eye ball is called

A. yellow spot

- B. blind spot
- C. pars optica
- D. green spot

Answer: B



Watch Video Solution

110. Blind spot in vertebrate eye is the place where

- A. there are no cones
- B. there are no rods
- C. there are neither rods nor cones
- D. retina is absent

Answer: C



Watch Video Solution

111. The depression in the retina of eye which lodges only the cones is called

- A. blind spot
- B. fovea centralis
- C. fenestra rotunda
- D. red nuclei

Answer: B



Watch Video Solution

112. Retina is most sensitive at

- A. macula lutea
- B. optic disc
- C. fovea centralis
- D. periphery

Answer: C



Watch Video Solution

113. The fluid filled in the space between lens and cornea is termed as

A. vitreous humour

B. aqueous humour

C. synovial fluid

D. CSF

Answer: B



Watch Video Solution

114. A list of steps involved in mechanism of vision is given below in a random order.

(i) Neural impulses are analysed and image formed on retina is recognised

by visual cortex.

(ii)Membrane permeability changes

(iii)Ganglion cells are excited

(iv)Bipolar cells are depolarised

(v)Action potentials (impulse) are transmitted by optic nerves to visual cortex.

(vi)Potential differences are generated in the photoreceptor cells.

(vii)Light energy causes a change in shape of rhodopsin, leading to the dissociation of retina (an aldehyde of vitamin A) from opsin (a protein)

(viii)Structure of opsin is changed.

Which of the following options represents these events in a correct order ?

A. (i),(ii),(iii),(iv),(v),(vi),(vii),(viii)

B. (viii),(vii),(vi),(v),(iv),(iii),(ii),(i)

C. (i),(iv),(iii),(ii),(vii),(viii),(vi),(v)

D. (vii),(viii),(ii),(vi),(iv),(iii),(v),(i)

Answer: D



Watch Video Solution

115. Path taken in the eye ball by light rays is

A. cornea → conjunctiva → aqueous humour → lens (through pupil) → vitreous humous → retina

B. conjunctiva → cornea → lens (through pupil) → aqueous humour → viteous humour → retina

C. conjunctiva → cornea → vitreous humour → lens (through pupil) → aqueous humour → retina

D. conjunctiva → cornea → aqueous humour → lens (through pupil) → vitreous humour → retina

Answer: D



Watch Video Solution

116. The light striking the retina generates nerve impulse. Which of the following options correctly describes the path of light ?

A. Photosensory cells → Bipolar neurons → Ganglionic cells →
Sensory nerves

B. Sensory nerves → Bipolar neurons → Ganglionic cells →
Photosensory cells

C. Sensory nerves → Ganglionic cells → Bipolar neurons →
Photosensory cells


D. Photosensory cells → Ganglionic cells → Bipolar neurons →
Sensory nerves

Answer: C



Watch Video Solution

117. A diagram of ear is given here. Identify the parts A to H and select the correct option.



- A. A-Temporal bone, B-Malleus, C-Incus, D-Stapes, E-Cochlea, F-Eustachian tube, G-Tympanic membrane, H-External auditory canal
- B. A-Tympanic membrane, B-Malleus, C-Incus, D-Stapes, E-Cochlea, F-Eustachian tube, G-Temporal bone, H-External auditory canal
- C. A-Tympanic membrane, B-Incus, C-Malleus, D-Stapes, E-Cochlea, F-Eustachian tube, G-Temporal bone, H-External auditory canal

D. A-Temporal bone, B-Malleus, C-Incus, D-Cochlea, E-Stapes, F-Eustachian tube, G-Tympanic membrane, H-External auditory canal

Answer: A



Watch Video Solution

118. Which of the following statements is incorrect ?

- A. Sympathetic neural system controls and coordinates organs which are under voluntary control
- B. Deficiency of vitamin A can causes night blindness
- C. Malleus is the largest ear ossicle
- D. Cranial nerve IX is a mixed nerve

Answer: A



Watch Video Solution

119. Eustachian tube is a passage connecting the

- A. inner ear with pharynx
- B. eye with close
- C. middle ear with pharynx
- D. middle ear with eye

Answer: C



Watch Video Solution

120. Select the answer with correct matching of the structure, its location and function -

	A	B	C
(1)	Cerebellum	Mid brain	Controls respiration and gastric secretions
(2)	Hypothalamus	Fore brain	Controls body temperature, urge for eating and drinking
(3)	Blinds spot	Near the place where optic nerve leaves the eye	Rods and cones are present but inactive here
(4)	Eustachian tube	Anterior part of internal ear	Equalizes air pressure on either sides of tympanic membrane

A.

Structure	Location	Function
Eustachian tube	Anterior part of internal ear	Equalises air pressure

B.

Structure	Location	Function
Cerebellum	Midbrain	Controls respiration and gastric secretions

C.

Structure	Location	Function
Hypothalamus	Forebrain	Controls body temperature, urge for eating and drinking

D.

Structure	Location	Function
Blind spot	Near the place where optic nerve leaves the eye	Rods and cones are present but inactive here

Answer: C



Watch Video Solution

121. The part of the ear where sound is transduced is

- A. tympanic membrane
- B. ear ossicles
- C. semicircular canals
- D. cochlea

Answer: D



Watch Video Solution

122. Bony labyrinth is filled with a fluid called


- A. endolymph
- B. perilymph
- C. hololymph
- D. juxtalymph

Answer: B



[View Text Solution](#)

123. A diagrammatic cross section of a single loop of human cochlea is shown in the given figure.



Which one of the following options correctly represents the names of any three of the labelled parts ?

A. A-endolymph, B-techorial membrane, D-sensory hair cells

B. A-perilymph, B-techorial membrane, C-endolymph

C. B-tectorial membrane, C-perilymph, D-secretory cells

D. A-serum, C-endolymph, D-sensory hair cells

Answer: B



View Text Solution

124. A small passage that permits continuity between scala vestibuli and scala tympani is

A. helicotrema

B. Eustachian tube

C. cochlea

D. vestibule

Answer: A



Watch Video Solution

125. Internal ear is filled with

- A. perilymph
- B. endolymph
- C. lymph
- D. both (a) and (b)

Answer: A



View Text Solution

126. Match column I with column II and select the correct option from the given codes.



- A. A-(i), B-(ii), C-(iii), D-(iv), E-(v), F-(vi), G-(vii)
- B. A-(vii), B-(vi), C-(v), D-(iv), E-(iii), F-(ii), G-(i)
- C. A-(i), B-(ii), C-(iv), D-(iii), E-(v), F-(vi), G-(vii)

D. A-(i), B-(ii), C-(iii), D-(iv), E-(v), F-(vii), G-(vi)

Answer: A



View Text Solution

127. The thin elastic membrane covering the sensory hair cells of the ear is known as

- A. Reissner's membrane
- B. techorial membrane
- C. basilar membrane
- D. neuro-sensory membrane

Answer: D



Watch Video Solution

128. Which of the following is a correct match of ear part and its functions ?

- A. Organ of Corti - Increases the efficiency of sound waves
- B. Eustachian tube - Maintains body balance and posture
- C. Tectorial membrane - Determines patterns of vibration of sound waves
- D. Semicircular canal - Equalises the pressure on either sides of the ear drum

Answer: C



View Text Solution

129. Macula maintains

- A. static equilibrium
- B. dynamic equilibrium

C. both (a) and (b)

D. None of these

Answer: A



View Text Solution

130. The structures in a human body that assist in body balance are located in the

A. outer ear

B. middle ear

C. inner ear

D. Eustachian tube

Answer: C



View Text Solution

131. The balancing organ of ear is

- A. lagena and sacculus
- B. semicircular canal and utricle
- C. semicircular canal and ossicles
- D. otolith and lagena

Answer: B



View Text Solution

132. Following is a list of the events (in a random order) that lead to the formation of an auditory impulse.

- (i) Vibration is transferred from the malleus to the incus to the stapes.
- (ii) Basilar membrane moves up and down.
- (iii) Nerve impulse is transmitted in cochlear nerve to auditory cortex of brain for impulse analysis and recognitions.
- (iv) Sound waves pass through ear canal.

(v) Stereocilia of hair cells of organ of Corti rub against tectorial membrane.

(vi) Sound waves cause ear drum to vibrate.

(vii) Nerve impulse is generated

(viii) Vibrations move from fluid of vestibular canal to the fluid of tympanic canal.

(ix) Membrane at oval window vibrates.

Which of the following options represents these events in a correct order ?

A. (iv), (vi), (i), (ix), (viii), (ii), (v), (vii), (iii)

B. (i), (ii), (iii), (iv), (v), (vi), (vii), (viii), (ix)

C. (ix), (viii), (vii), (vi), (v), (iv), (iii), (ii), (i)


D. (iv), (vi), (i), (viii), (ix), (ii), (v), (vii), (iii)

Answer: A



View Text Solution

133. Identify the parts labelled as A,B,C and D in the given figure and match the correct names from the list (i-viii) given below.



(i)Reissner's membrane , (ii)Basilar membrane

(iii)Tectorial membrane , (iv)Organ of Corti

(v)Hair cells , (vi)Otolith organ

(vii)Scala media , (viii)Scala vestibuli

A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(ii)	(v)	(iii)	(i)

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(vii)	(iv)	(ii)	(iii)

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(vii)	(iv)	(i)	(ii)

- D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(viii)	(vi)	(i)	(iii)

Answer: D



Watch Video Solution

134. High frequency sound waves vibrate the basilar membrane

- A. near the helicotrema
- B. near the oval window
- C. in the middle of cochlea
- D. from oval window to helicotrema

Answer: A



Watch Video Solution

135. The sensory receptors that respond to sound, develop receptor potentials when their

- A. hair are bent
- B. pigments absorb pressure
- C. surface proteins are altered by a change in pH.
- D. sodium-potassium pumps become deactivated.

Answer: A



View Text Solution

136. If a patient suffers a stroke that destroys the optic tract on the right side of the brain, which of the following visual defects will result ?

- A. There will be no vision in the left eye, but vision will be normal in the right eye.

- B. The patient will not perceive images of objects striking the left half of the retina in the left eye.
- C. The patient will not perceive images of objects striking the right half of the retina in the right eye.
- D. Neither eye will perceive objects in the right side of the patient's field of view.

Answer: C



Watch Video Solution

137. Which correctly describes a step in auditory signal transduction ?

- A. Displacement of the basilar membrane with respect to the tectorial membrane stimulates stereocilia on the hair cells.
- B. Pressure waves on the oval window cause vibrations of the malleus, which are transferred via the stapes to the round window.

- C. Movement of the stapes causes oscillations in the tympanic membrane, which is in contact with the endolymph
- D. Oscillations of the stapes against the oval window set up pressure waves in the semicircular canals.

Answer: A



Watch Video Solution

138. An investigator places an isolated neuron in a calcium-free medium, gives the neuron a suprathreshold stimulus and then performs an assay to test whether neurotransmitter is released into the medium. Which of the following outcomes would you predict ?

- A. No neurotransmitter is detected since influx of calcium into the synaptic knob is required for neurotransmitter release.
- B. No neurotransmitter is detected since influx of calcium is required in order for the neurons to conduct an action potential

C. Neurotransmitters is detected since calcium is not required for action potential conduction and the initial stimulus was suprathreshold

D. We cannot predict the outcome without knowing whether the neuron was myelinated or not

Answer: A




Watch Video Solution

139. Following is the figure of a sagittal section of a human brain. Match the labelled parts with the respective statements given below and select the correct option.

- (i) Consists of fibre tracts that interconnect left and right hemispheres
- (ii) Secretes a hormone melatonin
- (iii) Alcohol interferes with the function of this part
- (iv) Contains centres which control respiration , cardiovascular reflexes

and gastric secretions.



A. (A, B, C, D), ((ii), (iii), (i), (iv))

B. (A, B, C, D), ((iv), (i), (iii), (ii))

C. (A, B, C, D), ((iii), (ii), (iv), (i))

D. (A, B, C, D), ((i), (iv), (ii), (iii))

Answer: D



Watch Video Solution

140. Two neurons, A and B, synapse onto a third neuron, C. If neurotransmitter from A opens ligand-gated channels permeable to Na^+ and K^+ and neurotransmitter from B opens ligand-gated Cl^- channels, which of the following statements is true ?

- A. An action potential in neuron A causes a depolarisation in neuron B.
- B. An action potential in neuron B causes a depolarisation in neuron C.
- C. Simultaneous action potentials in A and B will cause hyperpolarisation of neuron C.
- D. Simultaneous action potentials in A and B will cause less depolarisation of neuron C than if only neuron A fired an action potential.

Answer: D



Watch Video Solution

141. Chemicals which are released at the synaptic junction are called

- A. hormones
- B. neurotransmitters
- C. lymph
- D. cerebrospinal fluid

Answer: B



Watch Video Solution

142. Potential difference across resting membrane is negatively charged.

This is due to differential distribution of the following ions

- A. Na^{+} and K^{+} ions
- B. CO_3^{++} and Cl^{-} ions
- C. Ca^{++} and Mg^{++} ions
- D. Ca^{+4} and Cl^{-} ions

Answer: A



Watch Video Solution

143. Resting membrane potential is maintained by

- A. hormones
- B. neurotransmitters
- C. ions pumps
- D. none of the above

Answer: C



Watch Video Solution

144. The function of our visceral organs is controlled by

- A. sympathetic and somatic neural system

B. sympathetic and parasympathetic neural system

C. central and somatic neural system

D. none of the above

Answer: B



Watch Video Solution

145. Which of the following is not involved in Knee-jerk reflex

A. Muscle spindle

B. Motor neuron

C. Brain

D. Interneurons

Answer: C



Watch Video Solution

146. An area in the brain which is associated with strong emotions is

- A. cerebral cortex
- B. cerebellum
- C. limbic system
- D. medulla

Answer: C



Watch Video Solution

147. Mark the vitamin present in Rhodopsin

- A. Vit. A
- B. Vit. B
- C. Vit. C
- D. Vit. D

Answer: A



Watch Video Solution

148. Human eyeball consists of three layers and it encloses

- A. lens, iris , optic nerve
- B. lens, aqueous humor and vitreous humor
- C. cornea, lens, iris
- D. cornea, lens, optic nerve.

Answer: B



Watch Video Solution

149. Wax gland present in the ear canal is called

- A. sweat gland

B. prostate gland

C. cowper's gland

D. sebaceous gland / ceruminous gland

Answer: D



Watch Video Solution

150. The part of internal ear responsible for hear- ing is

A. cochlea

B. semicircular canal

C. utricle

D. sacculus

Answer: A



Watch Video Solution

151. The organ of Corti is a structure present in

- A. external ear
- B. middle ear
- C. semicircular canal
- D. cochlea

Answer: D



Watch Video Solution

152. While travelling to higher altitudes, people can feel pain in the ear and dizziness. Which part, among the following is involved ?

- A. Cochlea, ear ossicles
- B. Tympanic membrane
- C. Eustachian tube, utricle, saccule and semicircular canals
- D. none of the above

Answer: C



Watch Video Solution

153. Assertion: This PNS comprises of all the nerves of the body associated with CNS.

Reason: PNS is the site of information processing and control.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

154. Assertion: Multipolar neurons have two or more axons and one dendrite

Reason: Multipolar neurons are found usually in the embryonic stage.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

155. Assertion: Myelinated nerve fibres are present in spinal and cranial nerves.

Reason: Myelinated nerves conduct impulses more rapidly than unmyelinated nerves.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B



Watch Video Solution

156. Assertion: The resting membrane of the neuron exhibits polarity of charges

Reason: The outer surface of the axonal membrane possesses a negative charge while its inner surface becomes positively charged.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

157. Assertion:Electrical synapses are rare in our system.

Reason:Impulse transmission across an electrical synapse is slower than that across a chemical synapse.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: C



Watch Video Solution

158. Assertion: Association areas are neither clearly sensory nor motor in function.

Reason: Association areas are responsible for complex functions like intersensory associations, memory and communication.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: D



Watch Video Solution

159. Assertion: Medulla contains centres which control respiration, cardiovascular reflexes and gastric secretions.

Reason: Medulla contains several neurosecretory cells which secrete hormones.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: C



Watch Video Solution

160. Assertion: Reflex arc comprises of at least one afferent neuron, one efferent neuron and a part of PNS.

Reason: The efferent neuron receives signal from a sensory organ and transmits the impulse via a ventral nerve root into the PNS.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

161. Assertion:Choroid layer is thick over the posterior two-third of the eye ball but it becomes thin in the anterior part.

Reason:Choroid layer lacks blood vessels It forms ciliary body in the anterior part of the eye ball.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

162. Assertion: When all the three types of cones are stimulated equally, a mosaic of red, green and blue lights is produced.

Reason: cones are responsible for twilight or scotopic vision.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

163. Assertion: At fovea, the visual acuity is the greatest.

Reason: The fovea is a thick area of the retina where both rods and cones

are present.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

164. Assertion: The space between the cornea and the lens is called the vitreous chamber.

Reason: The space between the lens and retina is called the aqueous chamber.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

165. Assertion: The inner ear contains three ossicles (malleus, incus and stapes) which are attached to one another in a chain-like fashion.

Reason: The stapes is attached to the tympanic membrane and the malleus is attached to the oval window of the cochlea.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: D



Watch Video Solution

166. Assertion: The Eustachian tube helps in equalising the pressures on either sides of the ear drum.

Reason: The Eustachian tube connects the middle ear cavity with the pharynx.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

167. Assertion: Vestibular apparatus helps us in maintaining balance of body and posture.

Reason: Due to the arrangement of semicircular canals of vestibular apparatus, movement of head in any direction will stimulate sensory cells to maintain dynamic equilibrium.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



Watch Video Solution

Others

1. In which animal, nerve cell is present but brain is absent ?

A. Sponge

B. Honeybee

C. Cockroach

D. Hydra

Answer: D



Watch Video Solution

2. Read the given statements and select the incorrect one.

- A. In Hydra, all neurons are similar and join to form a nerve cell.
- B. In earthworms, nervous system consists of a dorsal nerve cord, paired ganglia and segmental nerves.
- C. Brain is present in insects.
- D. Planaria has two nerve cords that join to form rudimentary brain.

Answer: B



Watch Video Solution

3. Neurons in sponges are


- A. unipolar
- B. bipolar
- C. multipolar
- D. absent

Answer: D



Watch Video Solution

4. In the accompanying diagram of a part of the human body, the structures belonging to the central nervous system are labelled as



A. A and C

B. B and C

C. A and D

D. C and D

Answer: C



Watch Video Solution

5. Afferent nerve fibre carries impulses from

A. effector to central neural system

B. receptor to central neural system

C. central neural system to muscle

D. central neural system to receptors.

Answer: B



Watch Video Solution

6. Skeletal muscles are controlled by

- A. sympathetic nerves
- B. parasympathetic nerves
- C. somatic nerves
- D. autonomic nerves

Answer: C



Watch Video Solution

7. In a human being, the number of cranial nerves is

- A. 12 pairs
- B. 6 pairs
- C. 20 pairs

D. 10 pairs

Answer: A



Watch Video Solution

8. The 3rd, 6th and 11th cranial nerves are respectively

- A. oculomotor, abducens and accessory
- B. oculomotor, trigeminal and accessory
- C. optic, facial and accessory
- D. trochlear, abducens and vagus.

Answer: A



Watch Video Solution

9. In a man, abducens nerve is injured. Which one of the following functions will be affected ?

- A. Movement of the eyeball
- B. Movement of the tongue
- C. Swallowing
- D. Movement of the neck

Answer: A



Watch Video Solution

10. Which one of the following transmits impulses to central nervous system ?

- A. Abducens nerve
- B. Trochlear nerve
- C. Oculomotor nerve

D. Auditory nerve

Answer: D



Watch Video Solution

11. The vagus nerve is the ____ cranial nerve.

A. 7th

B. 5th

C. 10th

D. 9th

Answer: C



Watch Video Solution

12. Which of the following nerves is purely a motor nerve ?

- A. Vagus
- B. Facial
- C. Abducens
- D. Trigeminal

Answer: C



Watch Video Solution

13. Which of the following cranial nerves of man is both sensory and motor ?

- A. Olfactory
- B. Optic
- C. Vagus
- D. Oculomotor

Answer: C



[Watch Video Solution](#)

14. Vagus nerve effects

- A. voice production
- B. peristalsis
- C. respiratory movements
- D. all of these

Answer: D



[Watch Video Solution](#)

15. Injury to vagus nerve in humans is not likely to affect

- A. tongue movements
- B. gastrointestinal movements
- C. breathing

D. cardiac movements

Answer: A



Watch Video Solution

16. Which of the following cranial nerves has the highest number of branches ?

A. Vagus nerve

B. Trigeminal nerve

C. Facial nerve

D. None of these

Answer: A



Watch Video Solution

17. How many pairs of cranial nerves are mixed nerves ?

A. 3

B. 5

C. 4

D. 6

Answer: C



Watch Video Solution

18. Hypoglossal nerve controls the movements of

A. ear

B. heart

C. tongue

D. limbs

Answer: C



Watch Video Solution

19. In a human being, the number of spinal nerves is

A. 31 pairs

B. 52 pairs

C. 12 pairs


D. 36 pairs

Answer: A



Watch Video Solution

20. The flow chart given here shows functional organisation of the human nervous system. Identify A to E and select the correct options.



A.

A *B* *C* *D* *E*
PNS *CNS* *ANS* Sympathetic neural system Parasympathetic

B.

A *B* *C* *D* *E*
ANS *CNS* *PNS* Parasympathetic neural system Sympathetic

C.

A *B* *C* *D* *E*
CNS *PNS* *ANS* Sympathetic neural system Parasympathetic

D.

A *B* *C* *D* *E*
ANS *PNS* *CNS* Parasympathetic neural system Sympathetic

Answer: C



Watch Video Solution

21. One of the examples of the action of the autonomous nervous system is

- A. swallowing of food
- B. pupillary reflex
- C. peristalsis of the intestine
- D. all of these

Answer: D



Watch Video Solution

22. Sympathetic nervous system induces

- A. secretion of digestive juices
- B. heartbeat
- C. secretion of saliva
- D. all of these

Answer: B



Watch Video Solution

23. Which of the following options correctly identifies the effect of sympathetic and parasympathetic neural system on given features or organs ?

A.

Feature/organ	Sympathetic neural system	Parasympathetic neural system
Salivary glands	Stimulates secretion	Inhibits secretion

B.

Feature/organ	Sympathetic neural system	Parasympathetic neural system
Pupil of the eye	Dilates	Constricts

C.

Feature/organ	Sympathetic neural system	Parasympathetic neural system
Heart rate	Decreases	Increases

D.

Feature/organ	Sympathetic neural system	Parasympathetic neural system
Intestinal peristalsis	Stimulates	Inhibits

Answer: B



Watch Video Solution

24. Which of the following pairs correctly identifies function of parasympathetic nervous system ?

- A. Slows heartbeat, promotes pancreatic secretion
- B. Increases secretion of sweat gland and intestinal gland
- C. Accelerates heartbeat, dilates arteries
- D. Raises blood pressure, increases peristaltic activity

Answer: A



Watch Video Solution

25. Visceral nervous system comprises of

A. nerve fibres

B. ganglia

C. plexuses


D. all of these

Answer: D



Watch Video Solution

26. The given figure shows the structure of a neuron. Select the option that correctly identifies the parts labelled as A to E.



A.

A

Nerve fibres

B

Cyton

C

Schwann cell

D

Node of Ranvier

E

Synaptic knob

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Dendrites	Cyton	Schwann cell	Node of Ranvier	Synaptic knob

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Dendrites	Nerve cell	Schwann cell	Synaptic knob	Node of Ranvier

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Axons	Cyton	Nerve cell	Node of Ranvier	Synaptic knob

Answer: B



Watch Video Solution

27. Myelin sheath is formed by

A. Ranvier cells

B. muscle cells

C. Schwann cells

D. axon

Answer: C



[Watch Video Solution](#)

28. In a medullated nerve fibre, the conduction of impulse is faster due to the presence of

- A. pericytes
- B. endoneurium and epineurium
- C. myelin sheath and nodes of Ranvier
- D. Nissle's granules

Answer: C



[Watch Video Solution](#)

29. Read the given paragraph.

In the resting state, the axonal membrane is ___ with more ___ charged ions outside than inside. This unequal distribution of ions is due to (1) the selective permeability of the membrane, which forms an almost

impenetrable barrier to ____ and (2) the action of the ____, which pumps ____ Na^+ out of the neuron for every ____ K^+ brought in.

Select the option that correctly fills the blanks in the paragraph.

A.

(i)	(ii)	(iii)	(iv)	(v)
depolarised	positively	Na^+	sodium-potassium pump	three

B.

(i)	(ii)	(iii)	(iv)	(v)
depolarised	negatively	Na^+	sodium-potassium pump	three

C.

(i)	(ii)	(iii)	(iv)	(v)	(v)
polarised	negatively	Na^+	sodium-potassium pump	three	two

D.

(i)	(ii)	(iii)	(iv)	(v)	(v)
polarised	positively	Na^+	sodium-potassium pump	three	two

Answer: D



View Text Solution


30. A nerve fibre during resting stage is

- A. more permeable to Na^+
- B. more permeable to K^+
- C. equally permeable for Na^+ and K^+
- D. less permeable to K^+


Answer: B

 **Watch Video Solution**



31. Which of the following options illustrates the distribution of Na^+ and K^+ ions in a section of non-myelinated axon which is at resting potential ?



A.



B.



Answer: A

 Watch Video Solution

32. Sodium-potassium pump transports

- A. Na^+ and K^+ out of the neuron
- B. Na^+ and K^+ into the neuron
- C. Na^+ into the neuron and K^+ out of the neuron
- D. K^+ into the neuron and Na^+ out of the neuron

Answer: D

 Watch Video Solution

33. In the resting state of the neural membrane, diffusion due to concentration gradients, if allowed, would drive

- A. Ca^{2+} into the cell
- B. K^{+} and Na^{+} out of the cell
- C. Na^{+} into the cell
- D. Na^{+} out of the cell

Answer: D



Watch Video Solution

34. Which of the following statements are correct regarding $Na^{+} - K^{+}$ pump ?

- (i) Needs energy (ATP) to work
- (ii) Expels 3 Na^{+} for every 2 K^{+} ions imported

(iii) Works against a concentration gradient

(iv) Maintains resting potential

A. (i) and (iv)

B. (ii) and (iii)

C. (i) and (iii)

D. all of these

Answer: D



Watch Video Solution

35. The electrical potential difference between outside and inside of a nerve axon before excitation is known as resting potential.

A. resting potential

B. action potential

C. spike potential

D. reaction potential

Answer: A



Watch Video Solution

36. A typical value of resting membrane potential is

A. $-100mV$

B. $-70mV$

C. $-40mV$

D. $-60mV$

Answer: B



Watch Video Solution

37. Complete the following paragraph by selecting the option that gives correct sequence of words.

When a stimulus is applied at a site on the polarised membrane, the membrane at that site becomes freely permeable to (i) ions. It causes rapid influx of (ii) leading to (iii) of the membrane.

- A. (i) Na^+ (ii) K^+ (iii) depolarisation
- B. (i) K^+ (ii) K^+ (iii) depolarisation
- C. (i) K^+ (ii) Na^+ (iii) depolarisation
- D. (i) Na^+ (ii) Na^+ (iii) depolarisation

Answer: D



Watch Video Solution

38. During depolarisation the outer surface of the membrane becomes

- A. negatively charged

B. positively charged

C. neutrally charged

D. None of these

Answer: A



Watch Video Solution

39. Depolarisation of axolemma during nerve conduction takes place because

A. equal amount of Na^+ and K^+ move out across axolemma

B. only Na^+ move inside

C. more Na^+ moves outside than K^+ moving outside

D. None of these

Answer: B



Watch Video Solution

40. During the propagation of a nerve impulse, the action potential results from the movement of

- A. K^+ ions from intracellular fluid to extracellular fluid
- B. Na^+ ions from extracellular fluid to intracellular fluid
- C. K^+ ions from extracellular fluid to intracellular fluid
- D. Na^+ ions from intracellular fluid to extracellular fluid

Answer: B



View Text Solution

41. During the transmission of nerve impulse through a nerve fibre, the potential on the inner side of the plasma membrane has which type of electric charge ?

- A. First positive, then negative and continue to be negative

- B. First negative, then positive and continue to be positive
- C. First positive, then negative and again back to positive
- D. First negative, then positive and again back to negative

Answer: D



View Text Solution

42. Saltatory conduction of impulse occurs in

- A. liver cells
- B. non-myelinated nerve fibres
- C. myelinated nerve fibres
- D. None of these

Answer: C



Watch Video Solution

43. Read the given statements and select the correct ones.

(i) Autonomic neural system transmits impulses from the CNS to the voluntary organs and striated muscles of the body.

(ii) Unmyelinated nerve fibres do not have Schwann cells which form the myelin sheath.

(iii) Axonal membrane of a neuron while not conducting any impulse is comparatively more permeable to potassium ions (K^+) than to sodium ions (Na^+)

(iv) A synapse is formed by the membranes of presynaptic neuron and a post synaptic neuron.

A. (i) and (iv)

B. (ii) and (iii)

C. (iii) and (iv)

D. (i) and (iv)

Answer: C



Watch Video Solution

44. The junction between the axon of one neuron and the dendrite of the next is called

- A. constant bridge
- B. junction point
- C. joint
- D. synapse

Answer: D



Watch Video Solution

45. Which of the following statements is/are incorrect about the electrical synapse ?

- (i) At electrical synapses, the membranes of pre and post synaptic neurons are in very close proximity.
- (ii) Electricity current can flow directly from one neuron into the other

across the synapses.

(iii)Transmission of an impulse across electrical synapses is very similar to impulse conduction along single axon.

(iv)Electrical synapses pass electrical signal between cells with the use of Ach.

(v)Electrical synapses are fast.

(vi)Electrical synapses are rare in our system.

A. (ii),(iv) and (v)

B. (i) and (iii)

C. (iv) only

D. (i),(v) and (vi)

Answer: C



View Text Solution

46. Nerve fibres transmit the nerve message by ____ means.

- A. chemical
- B. physical
- C. electrochemical
- D. electrical

Answer: C



Watch Video Solution

47. A list of events occurring in the transmission of nerve impulse across the synapse is given below in a random order

- (i) Opening of specific ion channels allows the entry of ions, a new action potential is generated in the post-synaptic neuron.
- (ii) Neurotransmitter binds to the receptor on post synaptic membrane.
- (iii) Synaptic vesicle fuses with pre-synaptic membrane, neurotransmitter release into synaptic cleft.
- (iv) Depolarisation of pre-synaptic membrane.
- (v) Arrival of action potential at axon terminal.

Which of the following options represents these events in a correct order ?

A. $(v) \rightarrow (iv) \rightarrow (iii) \rightarrow (ii) \rightarrow (i)$

B. $(i) \rightarrow (ii) \rightarrow (iii) \rightarrow (iv) \rightarrow (v)$

C. $(i) \rightarrow (ii) \rightarrow (iv) \rightarrow (iii) \rightarrow (v)$


D. $(v) \rightarrow (iv) \rightarrow (iii) \rightarrow (i) \rightarrow (ii)$

Answer: A



View Text Solution

48. The given diagram shows axon terminal. Select the option that correctly matches the steps in transmission of impulses (list i-vii) with the labellings (A-C) in diagram.



(i) Chemicals called neurotransmitters are released in the synaptic cleft through ion channels.

(ii) When an impulse arrives at the axon terminal, it stimulates the movement of synaptic vesicles.

(iii) Neurotransmitters are endocytosed into the neurons.

(iv) The ion channels close with the binding of neurotransmitters to their specific receptors.

(v) Synaptic vesicles move towards the membrane where they fuse with the plasma membrane.

(vi) Neurotransmitters are released in the synaptic cleft.

(vii) The released transmitters bind to their specific receptors on post-synaptic membrane


- | | | | |
|----|---------------|----------------|----------------|
| | <i>A</i> | <i>B</i> | <i>C</i> |
| A. | (<i>ii</i>) | (<i>iii</i>) | (<i>i</i>) |
| | <i>A</i> | <i>B</i> | <i>C</i> |
| B. | (<i>v</i>) | (<i>vi</i>) | (<i>iv</i>) |
| | <i>A</i> | <i>B</i> | <i>C</i> |
| C. | (<i>ii</i>) | (<i>vi</i>) | (<i>vii</i>) |
| | <i>A</i> | <i>B</i> | <i>C</i> |
| D. | (<i>v</i>) | (<i>iii</i>) | (<i>iv</i>) |

Answer: C



View Text Solution

49. The given diagram shows axon terminal and synapse. Here A,B,C,D and E respectively represent



A. Axon terminal, Synaptic cleft, Synaptic vesicles, Neurotransmitters and Receptors

B. Axon terminal, Synaptic vesicles, Synaptic cleft, Receptors and Neurotransmitters

C. Synaptic cleft, Synaptic vesicles, Axon terminal, Neurotransmitters and Receptors

D. Synaptic cleft, Axon terminal, Synaptic vesicles, Neurotransmitters and Receptors

Answer: B



Watch Video Solution

50. Which one of the following does not act as a neurotransmitter ?

- A. Cortisone
- B. Acetylcholine
- C. Dopamine
- D. Norepinephrine

Answer: A



Watch Video Solution

51. Read the given statements and select the correct option.

- (i) Synaptic cleft of neurons secretes adrenaline.
- (ii) Myelinated nerve fibres are enveloped with Schwann cells, which form a myelin sheath around the axon.
- (iii) Non-myelinated nerve fibre is enclosed by a Schwann cell that does

not form a myelin sheath.

(iv) Spinal and cranial nerves are made of non-myelinated nerve fibres.

A. Statements (i) and (ii) are correct but statements (iii) and (iv) are incorrect.

B. Statements (i), (ii) and (iii) are correct but statement (iv) is incorrect.

C. Statements (iii) and (iv) are correct but statements (i) and (ii) are incorrect.

D. Statement (ii) and (iii) are correct but statements (i) and (iv) are incorrect.

Answer: D



View Text Solution

52. Unidirectional transmission of nerve impulse through nerve fibre is due to the fact that

A. nerve fibre is insulated by a medullary sheath

B. sodium pump starts operating only at the cyton and then continues into the nerve fibre

C. neurotransmitters are released by dendrites and not by axon endings

D. neurotransmitters are released by the axon endings and not by dendrites.

Answer: D



Watch Video Solution

53. Which of the following options correctly describes the sequence of structures present between a receptor and an effector when D refers dendrite, A refers axon, S refers synapse and CB refers to cell body ?

A. D-CB-A-S-D-CB-A

B. A-D-CB-S-A-D-CB

C. D-CB-A-S-A-CB-D

D. D-A-S-CB-D-A-CB

Answer: A



Watch Video Solution

54. Brain depends on blood for the supply of

A. ATP and glucose

B. oxygen and ATP

C. oxygen and glucose


D. oxymen and electrolytes

Answer: C



Watch Video Solution

55. The given figure shows lateral view of the human brain. Identify the parts labelled as A to E and select the correct option.



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Temporal lobe	Corpus callosum	Cerebrum	Medulla oblongata	Frontal lobe

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Frontal lobe	Thalamus	Cerebrum	Medulla oblongata	Occipital lobe

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>
Temporal lobe	Pons	Cerebrum	Medulla oblongata	Frontal lobe

D.

A

Frontal lobe

B

Corpus callosum

C

Cerebellum

D

Medulla oblongata

E

P

Answer: D



Watch Video Solution

56. The correct sequence of meninges from inner to outer side is

A. duramater → arachnoid membrane → piamater

B. duramater → piamater → arachnoid membrane

C. piamater → arachnoid membrane → duramater

D. arachnoid membrane → duramater → piamater

Answer: C



Watch Video Solution

57. What is the space between arachnoid and pia mater called ?

- A. Supra-arachnoid space
- B. Sub-arachnoid space
- C. Subdural space
- D. Meninges

Answer: B




Watch Video Solution

58. The given figure shows a section of brain. Identify the parts labelled as A, B, C and D and match them with the names (i-vii) given below.

(i) Arachnoid membrane , (ii) Subdural space , (iii) Dura mater , (iv) Bone ,

(v)White matter , (vi)Grey matter , (vii)Piamater



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(iii)	(ii)	(vi)	(v)

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(i)	(ii)	(iii)	(vi)

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(iii)	(i)	(vii)	(vi)

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(iv)	(vii)	(i)	(ii)

Answer: C



Watch Video Solution

59. Corpus callosum connects two

- A. cerebral hemispheres
- B. ventricles of brain
- C. cerebellar hemispheres
- D. optic thalamus

Answer: A



Watch Video Solution

60. A touch on the right hand stimulates neurons in the

- A. left somatic sensory area
- B. left occipital lobe
- C. right somatic sensory area
- D. right occipital lobe

Answer: A



Watch Video Solution

61. Read the following five statements (i) to (v) regarding left cerebral hemisphere and select the option that correctly states the true (T) and false (F) statements.

(i) It receives most modalities of sensory information from the right side of the body.

(ii) It is usually larger than the right cerebral hemisphere.

(iii) It is the dominant cerebral hemisphere in most individuals.

(iv) It is connected to the right cerebral hemisphere by the corpus callosum.

(v) It contains the main areas for the understanding and production of speech in most individuals.

A. (i) (ii) (ii) (iv) (v)
 T *T* *F* *F* *F*

B. (i) (ii) (ii) (iv) (v)
 F *T* *T* *F* *T*

- C. (i) (ii) (ii) (iv) (v)
T F T T T
- D. (i) (ii) (ii) (iv) (v)
F F T T T

Answer: C



View Text Solution

62. The primary visual area is located in

- A. temporal lobe
- B. occipital lobe
- C. frontal lobe
- D. parietal lobe

Answer: B



Watch Video Solution

63. Which of the following structures is found in diencephalon ?

- A. Pons
- B. Basal ganglia
- C. Corpora quadrigemina
- D. Hypothalamus

Answer: D



Watch Video Solution

64. The Broca's area and Wernicke's centre are the association areas situated in cerebrum. These are associated with

- A. breathing
- B. blind spot
- C. memory
- D. None of these

Answer: D



Watch Video Solution

65. All sensory information to be registered consciously by the forebrain must via the

- A. thalamus
- B. reticular activating system
- C. cerebellum
- D. pons

Answer: A



View Text Solution

66. Human body temperature is maintained by

- A. hypothalamus
- B. medulla oblongata
- C. pituitary
- D. cerebral cortex

Answer: A



Watch Video Solution

67. Satiety centres of brain are present in

- A. cerebral hemispheres
- B. hypothalamus
- C. cerebellum
- D. medulla oblongata

Answer: B



Watch Video Solution

68. Which part of the human brain controls the urge for eating and drinking ?

- A. Forebrain
- B. Midbrain
- C. Hindbrain
- D. Spinal cord

Answer: A



Watch Video Solution

69. Broca's area in human brain controls

- A. speech
- B. taste
- C. respiration

D. heartbeat

Answer: A



Watch Video Solution

70. At room temperature, a dilute solution of urea is prepared by dissolving 0.60 g of urea in 360 g of water. If the vapour pressure of pure water at this temperature is 35 mm Hg, lowering of vapour pressure will be 1.74×10^{-x} mm Hg. The numerical value of x is _____. (Molar mass of urea = 60 g mol^{-1}).

A. occipital lobe

B. temporal lobe

C. olfactory lobe

D. parietal lobe

Answer: A



Watch Video Solution

71. Phylloids are present in

- A. floor of diencephalon
- B. cerebral hemispheres
- C. roof of diencephalon
- D. roof of medulla oblongata

Answer: C



Watch Video Solution

72. Comprehension of spoken and written words takes place in the region of

- A. association area
- B. motor area

C. Wernicke's area

D. Broca's area

Answer: C



Watch Video Solution

73. In an animal assume that rough coat (R) is dominant over smooth coat (r) and the black (B) is dominant over white (b). Consider that these two pairs of alleles assort independently then

(i) What proportion of the offspring from the cross $RrBb \times RRBB$ would be rough and black ?

(ii) From the cross $RrBB \times rrBB$. how many progeny will be homozygous for both of the characters ?

A. Hearing

B. Speech

C. Vision

D. Memory

Answer: C



Watch Video Solution

74. Which of the following is wheat fruit?

A. Corpora allata

B. Corpora adiposa

C. Corpora caradiaca


D. Corpora quadrigemina

Answer: D



Watch Video Solution

75. The pressure-volume of various thermodynamic process is shown in graphs:



Work is the mole of transference of energy. It has been observed that reversible work done by the system is the maximum obtainable work.

$$w_{rev} > w_{irr}$$


The works of isothermal and adiabatic processes are different from each other.

$$\begin{aligned} w_{\text{isothermal reversible}} &= 2.303nRT \log_{10} \left(\frac{V_2}{V_1} \right) \\ &= 2.303nRT \log_{10} \left(\frac{P_2}{P_1} \right) \end{aligned}$$

$$w_{\text{adiabatic reversible}} = C_V(T_1 - T_2)$$

A thermodynamic system goes in a cyclic process as represented in the

following $P - V$ diagram:



The net work done during the complete cycle is given by the area

- A. bigemina
- B. arenacea
- C. striata
- D. quadrigemina

Answer: D



Watch Video Solution

76. Pons' connects the

- A. two cerebral hemispheres
- B. two lobes of cerebellum
- C. cerebrum and cerebellum
- D. spinal cord with the brain

Answer: B



Watch Video Solution

77. Cerebellum of brain is concerned with

- A. controlling rapid muscular activities
- B. learning in early stages
- C. maintaining posture, orientation and equilibrium of body
- D. all of these

Answer: D



Watch Video Solution

78. Tree of life is

- A. branchial tree
- B. lymphatic system
- C. arbor vitae
- D. loop of henle.

Answer: C



Watch Video Solution

79. Match column I with column II and select the correct option from the codes given below.

Column I	Column II
A. Cerebrum	(i) Controls the pituitary
B. Cerebellum	(ii) Controls vision and hearing
C. Hypothalamus	(iii) Controls the rate of heart beat
D. Midbrain	(iv) Seat of intelligence
	(v) Maintains body posture

A. A-(v), B-(iv), C-(ii), D-(iii)

B. A-(iv), B-(v), C-(ii), D-(i)

C. A-(v), B-(iv), C-(i), D-(iii)

D. A-(iv), B-(v), C-(i), D-(ii)

Answer: D



View Text Solution

80. Which of the following statements is correct regarding cerebellum ?

A. It is a part of hindbrain

B. It consists of two cerebellar hemisphere and a vermis

C. Arbor vitae is present in cerebellum

D. all of these

Answer: d



Watch Video Solution

81. The part of hind brain that is responsible for hand eye coordination is

A. cerebellum

B. pons varolii

C. medulla oblongata

D. thalamus

Answer: A



Watch Video Solution

82. The respiratory and cardiac centres are located in

- A. cerebrum
- B. diencephalon
- C. crura cerebri
- D. medulla oblongata

Answer: B



Watch Video Solution

83. Salivation in mammals is under the control of


- A. medulla oblongata
- B. mesencephalon
- C. hypothalamus
- D. cerebellum

Answer: A



Watch Video Solution

84. Which labelled part controls the process of breathing ?



A. A

B. B

C. C


D. D

Answer: C



Watch Video Solution

85. Which of the following functions is performed by the part labelled 'C' in the given figure ?



- A. Regulation of body temperature
- B. Regulation of gastric secretions
- C. Learning
- D. Maintaining posture

Answer: B



View Text Solution

86. Which of the following parts of brain constitute the brain stem ?

- A. Midbrain and hindbrain
- B. Hindbrain and forebrain
- C. Forebrain and midbrain
- D. Forebrain only

Answer: A



Watch Video Solution

87. Cell bodies of neurons bringing afferent information into the spinal cord are located in

- A. dorsal root ganglia
- B. ventral root ganglia
- C. grey matter of the spinal cord
- D. white matter of the spinal cord

Answer: A



Watch Video Solution

88. Which of the following is wheat fruit?

A. Cerebrum

B. medulla oblongata

C. cerebellum

D. Spinal cord

Answer: D



Watch Video Solution

89. Mark the correct match

A. Sensory stimulus → Dendrite → Axon

B. Motor nerves → Acetylcholine → Adjustor neuron

C. Efferent nerves → Connector nerves → Motor nerves

D. Afferent nerves → Efferent nerves → Connector nerves

Answer: A



Watch Video Solution

90. For good reflex actions we require intact

A. spinal cord

B. medulla oblongata

C. hypothalamus


D. cerebellum

Answer: A



Watch Video Solution

91. The path of reflex arc is shown in the given figure. Identify the different labellings A,B,C,D,E,F and select the correct option.



A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Effector	Sensory nerve	Motor nerve	Receptor	Resp

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Receptor	Sensory nerve	Motor nerve	Effector	Resp

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Effector	Motor nerve	Sensory nerve	Receptor	Resp

D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>
Stimulus	Receptor	Motor nerve	Sensory nerve	Effector	Resp

Answer: B



Watch Video Solution

92. Which of the following is an example of conditioned reflex ?

- A. Hand withdraws when pierced with a needle
- B. Eyes close, when anything enters into them
- C. During digestion, food goes forward in alimentary canal
- D. Trained dog salivates when you ring a bell

Answer: D



Watch Video Solution

93. Which of the following is not a reflex action ?

- A. Salivation

B. Sweating

C. Withdrawal of hand when pinched by needle


D. None of these

Answer: B



Watch Video Solution

94. The given diagrammatic representation of reflex action shows knee jerk reflex.



Identify the parts labelled as A to E and select the correct option.

A.

A

Dorsal root ganglion

B

White matter

C

Grey matter

D

Afferent pathway

B.

A

Dorsal root ganglion

B

White matter

C

Grey matter

D

Efferent pathway

C.

A

Ventral root ganglion

B

Grey matter

C

White matter

D

Efferent pathway

D.

A

Ventral root ganglion

B

White matter

C

Grey matter

D

Efferent pathway

Answer: B



Watch Video Solution

95. Olfactory receptors are present in

A. eye

B. nose

C. ear

D. skin

Answer: B



Watch Video Solution

96. Taste buds contain

A. gustatory receptors

B. olfactory receptors

C. photoreceptors

D. phonoreceptors

Answer: A



Watch Video Solution


97. Refer to the given diagram. Match the labelled parts (A-J) with their functions and select the correct options.

(i) Carries nerve signals to the brain

(ii) Regulates the size of the pupil to let more or less light into the eye

(iii) Changes the shape of the lens

(iv) Photoreceptors are concentrated at this point



A. (i)-B, (ii)-D, (iii)-F, (iv)-H

B. (i)-J, (ii)-G, (iii)-I, (iv)-C

C. (i)-A, (ii)-C, (iii)-E, (iv)-G

D. (i)-G, (ii)-D, (iii)-C, (iv)-E

Answer: B



View Text Solution

98. Match column I with column II and select the correct option from the codes given below.

Column-I

Column-II

A. Cornea

(i) Provides opening for light to enter

B. Iris

(ii) Transduces blue, green and red light

C. Lens

(iii) Controls the amount of light that enters

D. Optic nerves

(iv) Alters the shape of lens

E. Pupil

(v) Transmit information to the CNS

F. Ciliary muscles

(vi) Focus light directly on retina

G. Fovea

(vii) Bends light and protects inner eye

A. A-(vii), B-(iii), C-(vi), D-(v), E-(i), F-(iv), G-(ii)

B. A-(i), B-(ii), C-(iii), D-(iv), E-(v), F-(vi), G-(vii)

C. A-(vii), B-(vi), C-(v), D-(iv), E-(iii), F-(ii), G-(i)

D. A-(vii), B-(iv), C-(vi), D-(v), E-(i), F-(iii), G-(ii)

Answer: A



View Text Solution

99. Cornea transplant in humans is almost never rejected. This is because

- A. it is composed of enucleated cells
- B. it is a non-living layer
- C. its cells are least penetrable by bacteria
- D. it has no blood supply.

Answer: D



Watch Video Solution

100. Cornea is covered externally by a thin transparent membrane which is called

- A. sclerotic
- B. conjunctiva
- C. choroid
- D. None of these

Answer: B



Watch Video Solution

101. The innermost layer of the human eye is

- A. choroid
- B. cornea
- C. sclera
- D. retina

Answer: D



Watch Video Solution

102. The black pigment in the eye, which reduces the internal reflection, is located in

- A. retina
- B. iris
- C. sclerotic
- D. cornea

Answer: A



Watch Video Solution

103. The shape of eye lens is changed by

- A. pupil
- B. iris
- C. optic nerve

D. ciliary muscle

Answer: D



Watch Video Solution

104. The size of pupil is controlled by the

A. ciliary muscles

B. suspensory ligaments

C. cornea

D. iris muscles

Answer: D



Watch Video Solution

105. Why is it difficult to differentiate between red and green colour objects in dark or in night ?

- A. Rods work well only during daytime
- B. Cones work well only during daytime
- C. Rods work well only during night time
- D. Cones work well only during night time

Answer: B



Watch Video Solution

106. Which of the following cells are associated with identification of colours in bright light ?

- A. Cone cells
- B. Rods cells
- C. Lacrimal cells

D. Cells of Muller

Answer: A



Watch Video Solution

107. In the chemistry of vision in mammals, the photosensitive substance is called

A. rhodopsin

B. melanin

C. sclerotin

D. retinol

Answer: A



Watch Video Solution

108. Which one of the following is the correct difference between rod cells and cone cells of our retina ?

A.

Rod cells

Cone cells

Vision in poor light

Colour vision and detailed vision in bright light

B.

Rod cells

Cone cells

More concentrated in centre of retina

Evenly distributed all over retina

C.

Rod cells

Cone cells

Low in number

High in number

D.

Rod cells

Cone cells

Iodopsin

Rhodopsin

Answer: A



Watch Video Solution

109. The point in eye of mammals from which optic nerves and blood vessels leave the eye ball is called

A. yellow spot

- B. blind spot
- C. pars optica
- D. green spot

Answer: B



Watch Video Solution

110. Blind spot in vertebrate eye is the place where

- A. there are no cones
- B. there are no rods
- C. there are neither rods nor cones
- D. retina is absent

Answer: C



Watch Video Solution

111. The depression in the retina of eye which lodges only the cones is called

- A. blind spot
- B. fovea centralis
- C. fenestra rotunda
- D. red nuclei

Answer: B



Watch Video Solution

112. Retina is most sensitive at

- A. macula lutea
- B. optic disc
- C. fovea centralis
- D. periphery

Answer: C



Watch Video Solution

113. The fluid filled in the space between lens and cornea is termed as

A. vitreous humour

B. aqueous humour

C. synovial fluid

D. CSF

Answer: B



Watch Video Solution

114. A list of steps involved in mechanism of vision is given below in a random order.

(i) Neural impulses are analysed and image formed on retina is recognised

by visual cortex.

(ii)Membrane permeability changes

(iii)Ganglion cells are excited

(iv)Bipolar cells are depolarised

(v)Action potentials (impulse) are transmitted by optic nerves to visual cortex.

(vi)Potential differences are generated in the photoreceptor cells.

(vii)Light energy causes a change in shape of rhodopsin, leading to the dissociation of retina (an aldehyde of vitamin A) from opsin (a protein)

(viii)Structure of opsin is changed.

Which of the following options represents these events in a correct order ?

A. (i),(ii),(iii),(iv),(v),(vi),(vii),(viii)

B. (viii),(vii),(vi),(v),(iv),(iii),(ii),(i)

C. (i),(iv),(iii),(ii),(vii),(viii),(vi),(v)

D. (vii),(viii),(ii),(vi),(iv),(iii),(v),(i)

Answer: D



Watch Video Solution

115. Path taken in the eye ball by light rays is

A. cornea → conjunctiva → aqueous humour → lens (through pupil) → vitreous humous → retina

B. conjunctiva → cornea → lens (through pupil) → aqueous humour → viteous humour → retina

C. conjunctiva → cornea → vitreous humour → lens (through pupil) → aqueous humour → retina

D. conjunctiva → cornea → aqueous humour → lens (through pupil) → vitreous humour → retina

Answer: D



Watch Video Solution

116. The light striking the retina generates nerve impulse. Which of the following options correctly describes the path of light ?

A. Photosensory cells → Bipolar neurons → Ganglionic cells →
Sensory nerves

B. Sensory nerves → Bipolar neurons → Ganglionic cells →
Photosensory cells

C. Sensory nerves → Ganglionic cells → Bipolar neurons →
Photosensory cells


D. Photosensory cells → Ganglionic cells → Bipolar neurons →
Sensory nerves

Answer: C



Watch Video Solution

117. A diagram of ear is given here. Identify the parts A to H and select the correct option.



A. A-Temporal bone, B-Malleus, C-Incus, D-Stapes, E-Cochlea, F-Eustachian tube, G-Tympanic membrane, H-External auditory canal

B. A-Tympanic membrane, B-Malleus, C-Incus, D-Stapes, E-Cochlea, F-Eustachian tube, G-Temporal bone, H-External auditory canal

C. A-Tympanic membrane, B-Incus, C-Malleus, D-Stapes, E-Cochlea, F-Eustachian tube, G-Temporal bone, H-External auditory canal

D. A-Temporal bone, B-Malleus, C-Incus, D-Cochlea, E-Stapes, F-Eustachian tube, G-Tympanic membrane, H-External auditory canal

Answer: A



Watch Video Solution

118. Which of the following statements is incorrect ?

- A. Sympathetic neural system controls and coordinates organs which are under voluntary control
- B. Deficiency of vitamin A can causes night blindness
- C. Malleus is the largest ear ossicle
- D. Cranial nerve IX is a mixed nerve

Answer: A



Watch Video Solution

119. Eustachian tube is a passage connecting the

- A. inner ear with pharynx
- B. eye with close
- C. middle ear with pharynx
- D. middle ear with eye

Answer: C



Watch Video Solution

120. Select the answer with correct matching of the structure, its location and function -

	A	B	C
(1)	Cerebellum	Mid brain	Controls respiration and gastric secretions
(2)	Hypothalamus	Fore brain	Controls body temperature, urge for eating and drinking
(3)	Blinds spot	Near the place where optic nerve leaves the eye	Rods and cones are present but inactive here
(4)	Eustachian tube	Anterior part of internal ear	Equalizes air pressure on either sides of tympanic membrane

A.

Structure	Location	Function
Eustachian tube	Anterior part of internal ear	Equalises air pressure

B.

Structure	Location	Function
Cerebellum	Midbrain	Controls respiration and gastric secretions

C.

Structure	Location	Function
Hypothalamus	Forebrain	Controls body temperature, urge for eating and drinking

D.

Structure	Location	Function
Blind spot	Near the place where optic nerve leaves the eye	Rods and cones are present but inactive here

Answer: C



Watch Video Solution

121. The part of the ear where sound is transduced is

- A. tympanic membrane
- B. ear ossicles
- C. semicircular canals
- D. cochlea

Answer: D



Watch Video Solution

122. Bony labyrinth is filled with a fluid called


- A. endolymph
- B. perilymph
- C. hololymph
- D. juxtalymph

Answer: B



[View Text Solution](#)

123. A diagrammatic cross section of a single loop of human cochlea is shown in the given figure.



Which one of the following options correctly represents the names of any three of the labelled parts ?

A. A-endolymph, B-tectorial membrane, D-sensory hair cells

B. A-perilymph, B-tectorial membrane, C-endolymph

C. B-tectorial membrane, C-perilymph, D-secretory cells

D. A-serum, C-endolymph, D-sensory hair cells

Answer: B



View Text Solution

124. A small passage that permits continuity between scala vestibuli and scala tympani is

A. helicotrema

B. Eustachian tube

C. cochlea

D. vestibule

Answer: A



Watch Video Solution

125. Internal ear is filled with

- A. perilymph
- B. endolymph
- C. lymph
- D. both (a) and (b)

Answer: A



View Text Solution

126. Match column I with column II and select the correct option from the given codes.



- A. A-(i), B-(ii), C-(iii), D-(iv), E-(v), F-(vi), G-(vii)
- B. A-(vii), B-(vi), C-(v), D-(iv), E-(iii), F-(ii), G-(i)
- C. A-(i), B-(ii), C-(iv), D-(iii), E-(v), F-(vi), G-(vii)

D. A-(i), B-(ii), C-(iii), D-(iv), E-(v), F-(vii), G-(vi)

Answer: A



View Text Solution

127. The thin elastic membrane covering the sensory hair cells of the ear is known as

- A. Reissner's membrane
- B. techorial membrane
- C. basilar membrane
- D. neuro-sensory membrane

Answer: D



Watch Video Solution

128. Which of the following is a correct match of ear part and its functions ?

- A. Organ of Corti - Increases the efficiency of sound waves
- B. Eustachian tube - Maintains body balance and posture
- C. Tectorial membrane - Determines patterns of vibration of sound waves
- D. Semicircular canal - Equalises the pressure on either sides of the ear drum

Answer: C



View Text Solution

129. Macula maintains

- A. static equilibrium
- B. dynamic equilibrium

C. both (a) and (b)

D. None of these

Answer: A



View Text Solution

130. The structures in a human body that assist in body balance are located in the

A. outer ear

B. middle ear

C. inner ear

D. Eustachian tube

Answer: C



View Text Solution

131. The balancing organ of ear is

- A. lagena and sacculus
- B. semicircular canal and utricle
- C. semicircular canal and ossicles
- D. otolith and lagena

Answer: B



View Text Solution

132. Following is a list of the events (in a random order) that lead to the formation of an auditory impulse.

- (i) Vibration is transferred from the malleus to the incus to the stapes.
- (ii) Basilar membrane moves up and down.
- (iii) Nerve impulse is transmitted in cochlear nerve to auditory cortex of brain for impulse analysis and recognitions.
- (iv) Sound waves pass through ear canal.

(v) Stereocilia of hair cells of organ of Corti rub against tectorial membrane.

(vi) Sound waves cause ear drum to vibrate.

(vii) Nerve impulse is generated

(viii) Vibrations move from fluid of vestibular canal to the fluid of tympanic canal.

(ix) Membrane at oval window vibrates.

Which of the following options represents these events in a correct order ?

A. (iv), (vi), (i), (ix), (viii), (ii), (v), (vii), (iii)

B. (i), (ii), (iii), (iv), (v), (vi), (vii), (viii), (ix)

C. (ix), (viii), (vii), (vi), (v), (iv), (iii), (ii), (i)


D. (iv), (vi), (i), (viii), (ix), (ii), (v), (vii), (iii)

Answer: A



View Text Solution

133. Identify the parts labelled as A,B,C and D in the given figure and match the correct names from the list (i-viii) given below.



(i)Reissner's membrane , (ii)Basilar membrane

(iii)Tectorial membrane , (iv)Organ of Corti

(v)Hair cells , (vi)Otolith organ

(vii)Scala media , (viii)Scala vestibuli

A.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(ii)	(v)	(iii)	(i)

B.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(vii)	(iv)	(ii)	(iii)

C.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(vii)	(iv)	(i)	(ii)

- D.

<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
(viii)	(vi)	(i)	(iii)

Answer: D



Watch Video Solution

134. High frequency sound waves vibrate the basilar membrane

- A. near the helicotrema
- B. near the oval window
- C. in the middle of cochlea
- D. from oval window to helicotrema

Answer: A



Watch Video Solution

135. The sensory receptors that respond to sound, develop receptor potentials when their

- A. hair are bent
- B. pigments absorb pressure
- C. surface proteins are altered by a change in pH.
- D. sodium-potassium pumps become deactivated.

Answer: A



View Text Solution

136. If a patient suffers a stroke that destroys the optic tract on the right side of the brain, which of the following visual defects will result ?

- A. There will be no vision in the left eye, but vision will be normal in the right eye.

- B. The patient will not perceive images of objects striking the left half of the retina in the left eye.
- C. The patient will not perceive images of objects striking the right half of the retina in the right eye.
- D. Neither eye will perceive objects in the right side of the patient's field of view.

Answer: C



Watch Video Solution

137. Which correctly describes a step in auditory signal transduction ?

- A. Displacement of the basilar membrane with respect to the tectorial membrane stimulates stereocilia on the hair cells.
- B. Pressure waves on the oval window cause vibrations of the malleus, which are transferred via the stapes to the round window.

- C. Movement of the stapes causes oscillations in the tympanic membrane, which is in contact with the endolymph
- D. Oscillations of the stapes against the oval window set up pressure waves in the semicircular canals.

Answer: A



Watch Video Solution

138. An investigator places an isolated neuron in a calcium-free medium, gives the neuron a suprathreshold stimulus and then performs an assay to test whether neurotransmitter is released into the medium. Which of the following outcomes would you predict ?

- A. No neurotransmitter is detected since influx of calcium into the synaptic knob is required for neurotransmitter release.
- B. No neurotransmitter is detected since influx of calcium is required in order for the neurons to conduct an action potential

C. Neurotransmitters is detected since calcium is not required for action potential conduction and the initial stimulus was suprathreshold

D. We cannot predict the outcome without knowing whether the neuron was myelinated or not

Answer: A




Watch Video Solution

139. Following is the figure of a sagittal section of a human brain. Match the labelled parts with the respective statements given below and select the correct option.

- (i) Consists of fibre tracts that interconnect left and right hemispheres
- (ii) Secretes a hormone melatonin
- (iii) Alcohol interferes with the function of this part
- (iv) Contains centres which control respiration , cardiovascular reflexes

and gastric secretions.



A. (A, B, C, D), ((ii), (iii), (i), (iv))

B. (A, B, C, D), ((iv), (i), (iii), (ii))

C. (A, B, C, D), ((iii), (ii), (iv), (i))

D. (A, B, C, D), ((i), (iv), (ii), (iii))

Answer: D



Watch Video Solution

140. Two neurons, A and B, synapse onto a third neuron, C. If neurotransmitter from A opens ligand-gated channels permeable to Na^+ and K^+ and neurotransmitter from B opens ligand-gated Cl^- channels, which of the following statements is true ?

A. An action potential in neuron A causes a depolarisation in neuron

B.

B. An action potential in neuron B causes a depolarisation in neuron

C.

C. Simultaneous action potentials in A and B will cause hyperpolarisation of neuron C.

D. Simultaneous action potentials in A and B will cause less depolarisation of neuron C than if only neuron A fired an action potential.

Answer: D



Watch Video Solution

141. Chemicals which are released at the synaptic junction are called

- A. hormones
- B. neurotransmitters
- C. lymph
- D. cerebrospinal fluid

Answer: B



Watch Video Solution

142. Potential difference across resting membrane is negatively charged.

This is due to differential distribution of the following ions

- A. Na^{+} and K^{+} ions
- B. CO_3^{++} and Cl^{-} ions
- C. Ca^{++} and Mg^{++} ions
- D. Ca^{+4} and Cl^{-} ions

Answer: A



Watch Video Solution

143. Resting membrane potential is maintained by

- A. hormones
- B. neurotransmitters
- C. ions pumps
- D. none of the above

Answer: C



Watch Video Solution

144. The function of our visceral organs is controlled by

- A. sympathetic and somatic neural system

B. sympathetic and parasympathetic neural system

C. central and somatic neural system

D. none of the above

Answer: B



Watch Video Solution

145. Which of the following is not involved in Knee-jerk reflex

A. Muscle spindle

B. Motor neuron

C. Brain

D. Interneurons

Answer: C



Watch Video Solution

146. An area in the brain which is associated with strong emotions is

- A. cerebral cortex
- B. cerebellum
- C. limbic system
- D. medulla

Answer: C



Watch Video Solution

147. Mark the vitamin present in Rhodopsin

- A. Vit. A
- B. Vit. B
- C. Vit. C
- D. Vit. D

Answer: A



Watch Video Solution

148. Human eyeball consists of three layers and it encloses

- A. lens, iris , optic nerve
- B. lens, aqueous humor and vitreous humor
- C. cornea, lens, iris
- D. cornea, lens, optic nerve.

Answer: B



Watch Video Solution

149. Wax gland present in the ear canal is called

- A. sweat gland

B. prostate gland

C. cowper's gland

D. sebaceous gland / ceruminous gland

Answer: D



Watch Video Solution

150. The part of internal ear responsible for hear- ing is

A. cochlea

B. semicircular canal

C. utricle

D. sacculus

Answer: A



Watch Video Solution

151. The organ of Corti is a structure present in

- A. external ear
- B. middle ear
- C. semicircular canal
- D. cochlea

Answer: D



Watch Video Solution

152. While travelling to higher altitudes, people can feel pain in the ear and dizziness. Which part, among the following is involved ?

- A. Cochlea, ear ossicles
- B. Tympanic membrane
- C. Eustachian tube, utricle, saccule and semicircular canals
- D. none of the above

Answer: C



Watch Video Solution

153. Assertion: This PNS comprises of all the nerves of the body associated with CNS.

Reason: PNS is the site of information processing and control.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

154. Assertion: Multipolar neurons have two or more axons and one dendrite

Reason: Multipolar neurons are found usually in the embryonic stage.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

155. Assertion: Myelinated nerve fibres are present in spinal and cranial nerves.

Reason: Myelinated nerves conduct impulses more rapidly than unmyelinated nerves.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B



Watch Video Solution

156. Assertion: The resting membrane of the neuron exhibits polarity of charges

Reason: The outer surface of the axonal membrane possesses a negative charge while its inner surface becomes positively charged.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

157. Assertion:Electrical synapses are rare in our system.

Reason:Impulse transmission across an electrical synapse is slower than that across a chemical synapse.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: C



Watch Video Solution

158. Assertion: Association areas are neither clearly sensory nor motor in function.

Reason: Association areas are responsible for complex functions like intersensory associations, memory and communication.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: D



Watch Video Solution

159. Assertion: Medulla contains centres which control respiration, cardiovascular reflexes and gastric secretions.

Reason: Medulla contains several neurosecretory cells which secrete hormones.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: C



Watch Video Solution

160. Assertion: Reflex arc comprises of at least one afferent neuron, one efferent neuron and a part of PNS.

Reason: The efferent neuron receives signal from a sensory organ and transmits the impulse via a ventral nerve root into the PNS.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

161. Assertion:Choroid layer is thick over the posterior two-third of the eye ball but it becomes thin in the anterior part.

Reason:Choroid layer lacks blood vessels It forms ciliary body in the anterior part of the eye ball.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

162. Assertion: When all the three types of cones are stimulated equally, a mosaic of red, green and blue lights is produced.

Reason: cones are responsible for twilight or scotopic vision.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

163. Assertion: At fovea, the visual acuity is the greatest.

Reason: The fovea is a thick area of the retina where both rods and cones

are present.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution

164. Assertion: The space between the cornea and the lens is called the vitreous chamber.

Reason: The space between the lens and retina is called the aqueous chamber.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

165. Assertion: The inner ear contains three ossicles (malleus, incus and stapes) which are attached to one another in a chain-like fashion.

Reason: The stapes is attached to the tympanic membrane and the malleus is attached to the oval window of the cochlea.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: D



Watch Video Solution

166. Assertion: The Eustachian tube helps in equalising the pressures on either sides of the ear drum.

Reason: The Eustachian tube connects the middle ear cavity with the pharynx.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

167. Assertion: Vestibular apparatus helps us in maintaining balance of body and posture.

Reason: Due to the arrangement of semicircular canals of vestibular apparatus, movement of head in any direction will stimulate sensory cells to maintain dynamic equilibrium.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



Watch Video Solution