



BIOLOGY

BOOKS - MTG BIOLOGY (ENGLISH)

PLANT KINGDOM

Mcq S

1. Artificial system of classification were based upon

- A. vegetative characters
- B. androecium structure
- C. habit and habitat
- D. all of these.

Answer: D



Watch Video Solution

2. Plant classification as proposed by carolus linnaeus was artificial because it was based on

- A. only a few orphological characters
- B. all the possible characters
- C. anatomical characters which are adaptive in nature
- D. physiological and morphological characters.

Answer: A

3. Artificial systems have equal weightage to to vegetative and sexual characteristics, this is not acceptable because often___characters are more easily affected by environment.

- A. vegetative characters

B. sexual

C. anatomical characters which are adaptive in nature

D. physiological

Answer: A



Watch Video Solution

4. Each character is given equal importance and at the same time hundreds of characters can be considered in

A. cytotaxonomy

B. morphotaxonomy

C. chemotaxonomy

D. numerical taxonomy.

Answer: D



Watch Video Solution

5. _____ systems of classification were based on nature affinities among the organisms.

- A. Artificial
- B. Natural
- C. Phylogenetic
- D. sexual

Answer: B



Watch Video Solution

6. Natural systems of classification take into consideration

- A. morphological and anatomical characters
- B. cytological and embryological characters
- C. physiological and reproductive characters

D. all of these.

Answer: D



Watch Video Solution

7. A system of classification in which a large number of traits are considered is

A. artifical system

B. phylogenetic system

C. synthetic system

D. natural system.

Answer: D



Watch Video Solution

8. Natural system of classification differs from artificial system in

- A. employing only one floral trait
- B. employing only one vegetative trait
- C. bringing out similarities and dissimilarities
- D. developing evolutionary trends.

Answer: C



Watch Video Solution

9. _____ classification systems were based on evolutionary relationships between various organisms.

- A. Natural
- B. Artificial
- C. Phylogenetic
- D. both a and b

Answer: C



Watch Video Solution

10. Match column I with II and select the correct option from the codes given below.

Column I

A artificial system of classification

B. Natural system of classification

C. Phylogenetic system

Column II

(*i*) bentham and hooker

(*ii*). Linnaeous

(*iii*). Engler and Prantl

A. A-(ii),B-(ii),C-(iii)

B. A-(i),B-(ii),C-(iii)

C. A-(iii),B-(ii),C-(i)

D. A-(iii),B-(i),C-(ii)

Answer: A



Watch Video Solution

11. Select the incorrect pair

- (a) Numerical taxonomy-all observable characteristics
- (b). Cytotaxonomy-Cytological information
- (c). Chemotaxonomy-Chromosome number and structure
- (d). Cladistic taxonomy-Origin from a common ancestor



Watch Video Solution

12. system of classification that employs numerical data to evaluate similarities and differences is known as

- A. cytotaxonomy
- B. biosystematics
- C. phenetics
- D. chemotaxonomy

Answer: C



Watch Video Solution

13. Which out of the following are included under tracheophyta, i.e., vascular plants?

- A. Pteridophytes
- B. Gymnosperms
- C. Angiosperms
- D. all of these.

Answer: D



Watch Video Solution

14. Match column I with column II and select the correct option from the codes given below

Column I

- A. Non-vascular cryptogams
- B. Vascular cryptogams
- C. Phanerogams

Column II

- (i). Gymnosperms, angiosperms
- (ii). pteridophytes
- (iii). Algae, Bryophytes

A. A-(iii),B-(ii),C-(i)

B. A-(ii),B-(i),C-(iii)


C. A-(i),B-(ii),C-(iii)

D. A-(ii),B-(iii),C-(ii)

Answer: A



Watch Video Solution



A



B

15.


Identify the given figures of algae and select the correct option.

- A. *A* *B*
Fucus Polysiphonia
- B. *A* *B*
Dictyota Polysiphonia
- C. *A* *B*
Dictyota Porphyra
- D. *A* *B*
Porphyra Polysiphonia

Answer: B



Watch Video Solution





16.

Refer to the given figure and select the correct

- A. $\begin{matrix} A & B & C \\ \text{stipe} & \text{Holdfast} & \text{Frond} \end{matrix}$
- B. $\begin{matrix} A & B & C \\ \text{Frond} & \text{Stipe} & \text{Holdfast} \end{matrix}$
- C. $\begin{matrix} A & B & C \\ \text{Holdfast} & \text{Frond} & \text{Stipe} \end{matrix}$
- D. $(A, B, C), (\text{stipe}, \text{Frond}, \text{Holdfast})$

Answer: B



Watch Video Solution

17. Match column I with column II and select the correct option from the codes give below.

Column I	Column II
Spirogyra	(i). Unicellular
B. Chlamydomonas	(ii). Filamentous
C. Volvox	(iii). Colonial form
D. Some giant marine forms	(iv) Kelps

A. A-(ii),B-(i),C-(iii)-D-(iv)

B. A-ii,B-iii,C-iv,D-i

C. A-iii,B-ii,C-iv,D-i

D. A-iii,B-ii,C-I,D-iv

Answer: A



Watch Video Solution

18. Read the given statements about algae and select the correct option:

(i). Plant body is thalloid

(ii). They are largely aquatic.

(iii). Reproduction occurs by vegetative, asexual and sexual methods.

(iv). Chlamydomonas, volvox and Ulothrix are the multicellular algae.

- A. Statement I and II are true
- B. Statement ii and iii are true.
- C. statements (i),(ii) and (iii) are ture.
- D. All statements are true.

Answer: C



Watch Video Solution

19. Fusion between morphologically alike gametes is referred to as

- A. isogamy
- B. anisogamy
- C. oogamy
- D. syngamy.

Answer: A



Watch Video Solution

20. Fusion of two gametes which are dissimilar in size is termed as

- A. oogamy
- B. isogamy
- C. anisogamy
- D. both a and c

Answer: D



Watch Video Solution

21. Which type of sexual reproduction is found in volvox?

- A. isogamous
- B. anisogamous
- C. oogamous

D. all of these.

Answer: C



Watch Video Solution

22. At least a half of the total CO_2 fixation on earth is carried out thorough photosynthesis by

- A. angiosperms
- B. gymnosperms
- C. algae
- D. bryophytes.

Answer: C



Watch Video Solution

23. Match column I with column II and select the correct option from the codes given below

Column I

Column II

A. Food

(i). Brown algae

B. Agar

(ii). Porphyra, Laminaria

C. Algin

(iii). Gelidium, Gracilaria

D. Carrageenin

(iv). Red algae

A. A-ii,B-iii,C-I,D-iv

B. A-ii,B-iii,C-iv,D-i

C. A-iii,B-ii,C-iv,D-i

D. A-iii,B-ii,C-I,D-iv

Answer: A



Watch Video Solution

24. Agar-agar is commercially obtained from

A. green algae

B. blue-green algae

C. brown algae

D. red algae.

Answer: D



Watch Video Solution

25. _____ and _____ are unicellular algae, rich in proteins, that are used as food supplements even by space travellers.

A. Chlorella, spirulina

B. Porphyra, Spirogyra

C. Laminaria, Spirogyra

D.

Answer: A



Watch Video Solution

26. Seaweeds are a source of

- A. chlorine
- B. fluorine
- C. bromine
- D. iodine.

Answer: D



Watch Video Solution

27. Major photosynthetic pigments in green algae are

- A. Chl a and b
- B. Chl a,c and fucoxanthin
- C. Chl a,d and phycoerythrin
- D. Chl a and c.

Answer: A



Watch Video Solution

28. Cup-shaped chloroplast is present in

- A. Spirogyra
- B. Chlamydomonas
- C. Ulothrix
- D. Chara.

Answer: B



Watch Video Solution

29. In most green algae, pyrenoids, the storage bodies, are located in_____

- A. chloroplasts

B. mitochondria

C. cytoplasm

D. nucleus

Answer: A



Watch Video Solution

30. Green algae usually have a rigid cell wall made of an inner layer of ____ and an outer layer of ____.

A. cellulose,cellulose

B. pectose,pectose

C. pectose,cellulose

D. cellulose,pectose

Answer: D



Watch Video Solution

31. A member of class chlorophyceae is

- A. Chlamydomonas
- B. volvox
- C. ulothrix
- D. all of these.

Answer: D



Watch Video Solution

32. Read the given statements and select the correct option

Statement-1: Volvox forms spherical colony.

Statement-2: Volvox colony is made up of non-motile cells.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect

C. Statement 1 is incorrect but statement 2 is correct.

D. Both statement 1 and 2 are correct.

Answer: B



Watch Video Solution

33. In Ulothrix, sexual reproduction is by

A. isogamy

B. anisogamy

C. oogamy

D. conjugation.

Answer: A



Watch Video Solution

34. Each cell of volvox colony has a structure similar to

- A. ulothrix
- B. Spirogyra
- C. Chlamydomonas
- D. Nostoc.

Answer: C



Watch Video Solution

35. The member of phaeophyceae or brown algae are found primarily in/on

- A. Freshwater
- B. marine
- C. habitat
- D. tetterrestrial habitat

Answer: B



Watch Video Solution

36. Which of the following pigments are found in brown algae?

- A. Chl a, Chl c
- B. Chl a, Chl d
- C. Chl a, Chl c and fucoxanthin
- D. Chl a, phycoerythrin

Answer: C



Watch Video Solution

37. The "seaweeds" that form the underwater forest are

- A. kelps

B. Laminaria

C. Macrocystic

D. all of these.

Answer: D



Watch Video Solution

38. Laminarin and mannitol, the reserve food of brown algae, are a. lipids
b. complex carbohydrates c. proteins d. lipoproteins

A. lipids

B. complex carbohydrates

C. proteins

D. lipoproteins.

Answer: B



Watch Video Solution

39. Which of the following statements about Phaeophyceae is incorrect?

a. Vegetative reproduction occurs fragmentation. b. Asexual reproduction is by biflagellate pear-shaped zoospores. c. In sexual reproduction, gametes are pyriform and bear 2 laterally attached flagella. d. none of these

A. Vegetative reproduction occurs fragmentation.

B. Asexual reproduction is by biflagellate pear-shaped zoospores.

C. In sexual reproduction, gametes are pyriform and bear 2 laterally attached flagella.

D. None of these.

Answer: D



Watch Video Solution

40. What is the characteristic branching pattern of dictyota thallus? a. monopodial b. excurrent c. dichotomous d. deliquescent

A. Monopodial

B. Excurrent

C. Dichotomous

D. Deliquescent

Answer: C



Watch Video Solution

41. Photosynthetic pigments of Rhodophyceae (red algae) are a. chl a and b b. chl a and c, fucoxanthin c. chl a and d d. chl a, chl d and phycoerythrin.

A. chl a and b

B. chl a and c, fucoxanthin

C. chl a and d

D. chl a, chl d and phycoerythrin.

Answer: D



Watch Video Solution

42. Phycoerythrin is present in a. Euglena b. polysiphonia c. Chlamydomonas d. fucus

A. Euglena

B. Polysiphonia

C. Chlamydomonas

D. fucus.

Answer: B



Watch Video Solution

43. Phycoerythrin, chlorophyll a and chlorophyll d are characteristics of a. Phaeophyceae b. Xanthophyceae c. Chlorophyceae d. Rhodophyceae.

- A. Phaeophyceae
- B. Xanthophyceae
- C. Chlorophyceae
- D. Rhodophyceae.

Answer: D



Watch Video Solution

44. Select the incorrect statement regarding reproduction in rhodophyceae.

- A. Asexual reproduction occurs by non-motile spores.
- B. Sexual reproduction occurs by motile gametes.
- C. Sexual reproduction is oogamous.

D. Complex post-fertilisation developmental events occurs.

Answer: B



Watch Video Solution

45. Common example of red algae is

A. porphyra

B. Batrachospermum

C. ectocarpus

D. both a and b

Answer: D



Watch Video Solution

46. Which out of the following does not belong to brown algae

A. Gelidium,Batrachospermum

B. Ectocarpus,dictyota

C. Laminaria,fucus

D. Sargassum, ectocarpus

Answer: A



Watch Video Solution

47. Batrachospermum is a

A. red algae of sea

B. brown algae

C. blue algae

D. red algae of freshwater

Answer: D



Watch Video Solution

48. Which of the following is a correct match of algal class with its characteristic reserve food?

- A. Chlorophyceae-starch
- B. Phaeophyceae-Mannitol,laminarin
- C. Rhodophyceae-Floridean starch
- D. all of these.

Answer: D



Watch Video Solution

49. Select the correct match of of algal class and its characteristic flagellation.


- A. Chlorophyceae- 2-8 equal, apical
- B. Phaeophyceae- 2, unequal,lateral

C. Rhodophyceae- Absent

D. all of these.

Answer: D

 **Watch Video Solution**



50.

The algae shown in the given figure belong to the class

A. Chlorophyceae

B. Phaeophyceae

C. Rhodophyceae

D. Cyanophyceae

Answer: A



Watch Video Solution

51. Bryophytes include


- A. liverworts and ferns
- B. mosses and ferns
- C. mosses and liverworts
- D. all of these.

Answer: C



Watch Video Solution

52. Select the option that correctly identifies




- A. *A* *B*
Sporophyte Gametophyte
- B. *A* *B*
Gametophyte Sporophyte
- C. *A* *B*
Male shoot Female shoot
- D. *A* *B*
Female shoot male shoot

Answer: A



Watch Video Solution



53.


Select the option that correctly identifies A,B and C in the given figure of female thallus of *Marchantia*.

- A. A-Antheridiophore, B-Gemma cup, C-Rhizoids
- B. A-Antheridiophore, B-Rhizoids, C-Gemma cup
- C. A-Archegoniophore,B-Gemma cup, C-Rhizoids
- D. A-Archegoniophore, B-Rhizoids,C-Gemma cup

Answer: C



Watch Video Solution



54.

Which of the following options correctly identifies the plants shown in figure and the group it belongs to?

- A. Marchantia-Liverwort
- B. Sphagnum-Moss
- C. Sphangum-liverwort
- D. Funaria-Moss

Answer: B



Watch Video Solution

55. Read the given statements and select the correct option

Statement-1: Bryophytes are amphibians of plant kingdom.

Statement-2: They live in soil but depend on water for sexual reproduction.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are correct.

Answer: A



Watch Video Solution

56. The bryophytes are usually found in

- A. damp and shaded areas
- B. marine habitat

C. sandy soils

D. xeric habitat

Answer: A



Watch Video Solution

57. Resemblances between algae and bryophytes include

A. presence of root-like, stem-like structures

B. Thallus-like plant body, lack of vascular tissue, autotrophic nutrition

C. thallus-like plant body, presenece of vascular tissue, autotrophic of roots, heterotrophic nutrition.

D. None of these

Answer: B



Watch Video Solution

58. The prominent phase in the life cycle of bryophytes is

- A. gametophyte
- B. sporophyte
- C. seta
- D. sporogonium.

Answer: A



Watch Video Solution

59. The female sex organ in Riccia and Funaria is

- A. antheridium
- B. paraphysis
- C. archegonium
- D. oogonium

Answer: C



Watch Video Solution

60. A sterile jacket around gametangia is found among

A. bryophytes

B. lichens

C. algae

D. fungi

Answer: A



Watch Video Solution

61. The embryonic development in bryophytes takes place in the

A. protonema

B. sporangium

C. antheridium

D. archegonium

Answer: D



Watch Video Solution

62. Read the following statement regarding bryophytes and select the correct answer.

(i). Bryophytes lack true roots, stem and leaves.

(ii). The main plant body is haploid

(iii). Sex-organs are unicellular and non-jacketed

(iv). Fertilisation produces an embryo inside the water.

A. Statement I and II are true

B. Statement ii and iii are true.

C. Statement iii and iv are correct

D. All statements are true.

Answer: A



Watch Video Solution

63. The sporophyte is attached to the gametophyte in

A. algae

B. fungi

C. bryophytes

D. pteridophytes.

Answer: C



Watch Video Solution

64. In bryophytes

- A. sporophytes are dependent upon gametophytes
- B. sporophyte and gametophyte generation are independent
- C. sporophyte in itself completes the life cycle
- D. gametophytes are dependent upon sporophytes.

Answer: A



Watch Video Solution

65. Peat, obtained from Sphagnum moss, is used as

- A. fuel
- B. manure
- C. corrosive
- D. both a and b.

Answer: D



Watch Video Solution

66. The moss which forms dense extensive mats on the soil prevents

- A. uprooting of trees
- B. soil erosion
- C. falling of leaves
- D. evaporation of water from the soil

Answer: B



Watch Video Solution

67. Asexual reproduction in liverworts takes place by

- A. fragmentation of thalli and gemmae formation
- B. gemmae formation and diploid spore formation
- C. spores formation and isogamy

D. fragmentation and zoospore formation

Answer: A



Watch Video Solution

68. Gemmae are asexual reproductive bodies of

A. brown algae

B. mosses

C. liverworts

D. red algae

Answer: C



Watch Video Solution

69. Gemmae are the specialised structures produced in liverworts. These are

- A. non-green, multicellular, asexual buds which develop in gemma cups
- B. green, multicellular, asexual buds which develops in gemma cups
- C. non-green, multicellular, diploid, sexual spores
- D. green, unicellular, diploid, sexual spores.

Answer: B



Watch Video Solution

70. Gemmae are multicellular green structures for vegetative propagation. These are found inside gemma cups in

- A. riccia capsule
- B. marchantia thallus
- C. funaria protonema

D. polytrichum thallus.

Answer: B



Watch Video Solution

71. Select the option that includes liverworts only.

- A. Riccia, Marchantia
- B. Riccia, Funaria
- C. Polytrichum, Marchantia
- D. both a and c

Answer: A



Watch Video Solution

72. In funaria, the haploid structures is

A. protonema

B. capsule

C. columella

D. seta.

Answer: A



Watch Video Solution

73. The sporophytic phase in funaria is well developed and composed of

A. capsule only

B. spore sac

C. foot and capsule

D. foot, seta and capsule.

Answer: D



Watch Video Solution

74. Which of the following is not a moss?

- A. Polytrichum
- B. Sphagnum
- C. Funaria
- D. Riccia

Answer: D



Watch Video Solution

75. Funaria requires water because

- A. fertilisation occurs in water only
- B. Funaria is a hydrophyte
- C. plants need water for gametogenesis

D. gametangia cannot develop without water.

Answer: A



Watch Video Solution

76. Read the given statements and select the correct option

Statement-1: Each sperm of moss has two flagella.

Statement-2: Water is essential for fertilisation in mosses.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are incorrect.

Answer: A



Watch Video Solution

77. A moss sperm moves by means of

- A. pseudopodia
- B. cilia
- C. flagella
- D. any of these.

Answer: C



Watch Video Solution

78. Which of the following statements is incorrect?

- A. Mosses along with lichens are the first organisms to colonise rocks.
- B. Sphagnum is used as packing material for transportation of living material
- C. in liverworts, spores are produced after meiosis within the capsule.
- D. Funaria possesses unicellular unbranched rhizoids.

Answer: D



Watch Video Solution

79. Read the given statements and select the correct option.

Statement-1: Main plant body of bryophytes is sporophytic.

Statement-2: Main plant body of pteridophytes is gametophytic

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are incorrect.

Answer: D



Watch Video Solution

80. In pteridophytes, main plant body is __(i)__, which is __(ii)__ into true roots, stem and leaves fill the blanks in above statements and select the correct option

- A.


Column I	Column II
sporophyte	differentiated
- B. ("sporophyte","not differentiated");}`
- C.

Column I	Column II
gametophyte	differentiated
- D. ("gametophyte","not differentiated");}`

Answer: A



Watch Video Solution



A



B

81.


Identify the plants shown in figure and select the correct option:

- | | | |
|----|-------------|-----------|
| | <i>A</i> | <i>B</i> |
| A. | Equisetum | Fern |
| | <i>A</i> | <i>B</i> |
| B. | Selaginella | Equisetum |
| | <i>A</i> | <i>B</i> |
| C. | Selaginella | Salvinia |
| | <i>A</i> | <i>B</i> |
| D. | Equisetum | Fern |

Answer: C



Watch Video Solution



82.

Identify the parts labelled as A and B in the given figure of Equisetum and select the correct option

- A. A B
Strobilus Rhizome
- B. A B
sporophylls tuber
- C. A B
Sporangia Rhizome

- D.

<i>A</i>	<i>B</i>
Sporophyte	tuber

Answer: A



Watch Video Solution

83. In pteridophytes, a spore germinates to produce

- A. sporophytes
- B. sporogonium
- C. prothallus
- D. microsporophyll

Answer: C



Watch Video Solution

84. The spread of living pteridophytes is limited and is restricted to narrow geographical region because

- A. gametophytic growth needs cool, damp and shady places
- B. there is requirement of water for fertilisation
- C. there is absence of stomata in leaf and absence of vascular tissue
- D. both a and b

Answer: D



Watch Video Solution

85. In pteridophytes, prothallus produces

- A. sporangia
- B. antheridia and archegonia
- C. vascular tissues
- D. root, stem and leaf.

Answer: B



Watch Video Solution

86. The heterosporous pteridophytes are

- A. Lycopodium and Pteris
- B. Selaginella and Psilotum
- C. Selaginella and Salvinia
- D. Dryopteris and Adiantum.

Answer: C



Watch Video Solution

87. Heterosporous pteridophytes show certain characteristics, which are precursor to the seed habit in gymnosperms. One of such characteristics is

- A. a) presence of vascular tissues
- B. b) external water required for fertilisation
- C. c) presence of embryo stage
- D. d) development of embryo inside the female gametophyte.

Answer: D



Watch Video Solution

88. Match column I with column II and select the correct option from the codes given below

Column I	Column II
A. Psilopsida	(i). Psilotum
B. Lycopsidea	(ii). Equisetum
C. Sphenopsida	(iii). Selaginella
D. Pteropsida	(iv). Dryopteris

- A. a) A-I,B-ii,C-iii,D-iv
- B. b) A-I,B-iv,C-iii,D-ii
- C. c) A-I,B-iii,C-ii,D-iv

D. d) A-I,B-iii,C-iv,D-ii

Answer: C



Watch Video Solution



89.

The given figure shows a/an

- A. Adiantum plant
- B. Dryopteris plant
- C. Selaginella leaf
- D. Psilotum leaf.

Answer: B



View Text Solution

90. Which of the following is a n aquatic fern?

- A. Adiantum
- B. Dryopteris
- C. Salvinia
- D. Equisetum

Answer: C



Watch Video Solution

91. Gymnosperms do not bear fruits because they do not have

- A. seeds
- B. ovary
- C. ovule
- D. pollination.

Answer: B



Watch Video Solution

92. Gymnosperms are referred to as "naked seeded plants".because

- A. they lack ovule
- B. they lack ovaries
- C. they have no seed coat

D. the embryo is unprotected.

Answer: B



Watch Video Solution

93. plants which possess seeds but not fruits are

A. bryophytes

B. pteridophytes

C. gymnosperms

D. algae

Answer: C



Watch Video Solution

94. Gymnosperms do not include

- A. herbs
- B. shrubs
- C. trees
- D. both a and b

Answer: A



Watch Video Solution

95. Mycorrhizal roots of ____ are associated with some fungal symbionts.

- A. Pinus
- B. Cedrus
- C. Cycas
- D. Ginkgo

Answer: A



Watch Video Solution

96. Coralloids roots of ____ have symbiotic association with N_2 -fixing cyanobacteria.

- A. Pinus
- B. Cedrus
- C. Cycas
- D. Ginkgo

Answer: C



Watch Video Solution

97. Which of the following gymnosperms has branched stems?

- A. Pinus
- B. Cycas
- C. Cedrus

D. Both a and c

Answer: D



Watch Video Solution

98. The leaves of gymnosperms are well-adapted to withstand extremes of temperature, humidity and wind, because of which of the following features?

A. Needle like leaves

B. Thick cuticle

C. Sunken stomata

D. all of these.

Answer: D



Watch Video Solution



A



B



C

99.

Identify the gymnosperms shown in figure and select the correct option

- A. *A* *B* *C*
Cycas Cedrus Ginkgo
- B. *A* *B* *C*
pinus Cycas cedrus
- C. *A* *B* *C*
Ginkgo pinus cycas
- D. *A* *B* *C*
Cycas Ginkgo pinus

Answer: A



Watch Video Solution

100. Seed plants are all

A. heterosporous

B. dioecious

C. monoecious

D. homosporous.

Answer: A



Watch Video Solution

101. Select the correct pattern of arrangement of reproductive structures for gymnosperms.

A. spores → Sporophyll → sporangia → strobili

B. spores → sporangia → sporophylls → strobili

C. sporangia → sporophylls → spores → strobili

D. spores → sporangia → strobili → sporophylls

Answer: B



[Watch Video Solution](#)

102. In *Pinus* male strobilus bears a large number of

- A. anthers
- B. stamens
- C. microsporophylls
- D. megasporophylls.

Answer: C



[Watch Video Solution](#)

103. Heterospory is found in some members of ____ and all members of ____

- A. bryophyta, pteridophyta
- B. Pteridophyta, Bryophyta

C. Bryophyta,Gymnospermae

D. Pteridophyta,Spermatophyta

Answer: D



Watch Video Solution

104. Which of the following statements is incorrect about Cycas?

A. It has unbranched stem.

B. it possesses pinnately compound leaves.

C. it is a dioecious plant

D. it is a non-archegoniate plant.

Answer: D



Watch Video Solution

105. Megasporophyll of gymnosperms is homologous to _____ of angiosperms.

- A. stamen
- B. carpel
- C. sepal
- D. petal

Answer: B



Watch Video Solution

106. Which of the following structures are haploid in gymnosperms?

- A. pollen grain, megaspore, embryo
- B. Pollen grain, megaspore, endosperm
- C. Megaspore, leaf, root
- D. Leaf, root, integument

Answer: B



Watch Video Solution

107. _____ do not have free living gametophyte.

- A. Bryophytes
- B. Pteridophyte.
- C. both a and b
- D. gymnosperm

Answer: C



Watch Video Solution

108. Study the given statements about gymnosperms and select the correct option.

- (i). Mode of fertilisation is siphonogamy

(ii). Male and female cones are borne on same tree in pinus.

(iii). Endosperm represents female gametophyte.

A. Statement I and II are true

B. Statement ii and iii are true.

C. statement i and iii are correct

D. statement (i), (ii) and (iii) are correct

Answer: D



Watch Video Solution

109. Match column I with column II and select the correct option from the codes given below

Column I

Column II

A. Sagopalm

(i). Ephedra

B. Chilgoza fruit

(ii). Pinus gerardiana

C. Ephedrine drug

(iii). cycas revolute

D. Cedar wood oil

(iv). Juniperus Virginiana

A. A-iv,B-ii,C-i,D-iii

B. A-iii,B-ii,C-i,D-iv

C. A-iii,B-iv,C-i,D-ii

D. A-ii,B-iii,C-i,D-iv

Answer: B



Watch Video Solution

110. Canada balsam, a mounting agent used to make permanent slides, is obtained from the species of

A. Abies

B. Cedrus

C. Pinus

D. Juniperus

Answer: A



Watch Video Solution

111. Select the mismatched pair.

- A. Cycas-Living fossil
- B. Thuja-Agar production
- C. Pinus-Resin,Turpentine production
- D. Araucaria-Ornamental plant

Answer: B



Watch Video Solution

112. Gymnosperm called as a living fossil is

- A. Cycas
- B. Ginkgo
- C. Juniperus
- D. both a and b

Answer: D



Watch Video Solution

113. Which of the following characters represents the affinities of *Gnetum* with angiosperms and differences with *Cycas* and *Pinus*?

- A. presence of xylem vessel and absence of archegonia
- B. perianth and two integuments
- C. embryo development and apical meristem
- D. Absence of resin ducts and leaf venation

Answer: A



Watch Video Solution

114. The sporophyte is the dominant phase in

A. pteridophytes

B. gymnosperms

C. Angiosperms

D. all of these.

Answer: D



Watch Video Solution

115. Select the mismatched pair.

A. Amphibians of plant kingdom-Bryophytes

B. First terrestrial plants to possess vascular tissues-Gymnosperms

C. Water required for fertilisation-Pteridophytes

D. Seeds enclosed in fruits- Angiosperms

Answer: B



Watch Video Solution

116. Select the mismatched pair.

- A. smallest angiosperm-Rafflesia
- B. Tallest angiosperm-Eucalyptus regnans
- C. Marine angiosperms-Zostera,Thalassia
- D. Angiosperms with smallest seed-orchid

Answer: A



Watch Video Solution



117.

Angiosperms A and B shown in the figure belong to the class ____ and ____ respectively.

- A. (A,B)=(Dicotyledonae,Monocotyledanae)
- B. (A,B)=(Monocotyledonae,Dicotyledonae)
- C. (A,B)=(Monocotyledonae,Monocotyledanae)
- D. (A,B)=(Dicotyledonae,Dicotyledonae)

Answer: B



Watch Video Solution

118. In angiosperms, functional megaspore develops into

- A. embryo sac
- B. ovule
- C. endosperm
- D. pollen sac.

Answer: A



Watch Video Solution

119. In double fertilisation, one male gamete fuses with the (i) to form zygote and the other male gamete fuses with (ii) to form primary endosperm nucleus.

- A. synergids (n), antipodals (n)
- B. egg (n) ,antipodals (n)


C. egg (n), secondary nucleus (2n)

D. egg (n), synergids (n)

Answer: C



Watch Video Solution



120.

The given figure shows two phases, A and B of a typical angiospermic life cycle. Select the correct option regarding it.

- | | |
|--------------------------------|--------------------------------|
| <i>A</i> | <i>B</i> |
| A. Gametophytic generation (n) | B. Sporophytic generation (2n) |

- | | | |
|----|---------------------------------|---------------------------------|
| | <i>A</i> | <i>B</i> |
| B. | Sporophytic generation ($2n$) | Gametophytic generation (n) |
| | <i>A</i> | <i>B</i> |
| C. | Sporophytic generation ($2n$) | Sporophytic generation ($2n$) |
| | <i>A</i> | <i>B</i> |
| D. | Gametophytic generation (n) | Gametophytic generation (n) |

Answer: A



Watch Video Solution

121. Match column I with Column II and select the correct option from the codes given below

Column I	Column II
A. Pteris	(i). Bryophyte
B. Cedrus	(ii). Pteridophyte
C. Sonchus	(iii). Gymnosperms
D. Marchantia	(iv). Angiosperm

A. A-(ii),B-(iii),C-(iv),D-(i)

B. A-(ii),B-(i),C-(iv),D-(iii)

C. A-(i),B-(iii),C-(iv),D-(ii)

D. A-(iii),B-(iv),C-(ii),D-(i)

Answer: A



Watch Video Solution

122. Which of the statements regarding haplontic life cycle is incorrect?

- A. Sporophytic generation is represented only by the one-called zygote.
- B. There is no free-living sporophyte.
- C. Mitosis in the zygote results in the formation of haploid spores.
- D. The haploid spores divide mitotically and form the gametophyte.

Answer: C



Watch Video Solution

123. Haplontic life cycle generally occurs in

- A. most algae
- B. bryophytes
- C. pteridophytes
- D. gymnosperms.

Answer: A



Watch Video Solution

124. Which kind of life-cycle pattern is exhibited by seeds bearing plants?

- A. Haplontic
- B. Diplontic
- C. Haplo-diplontic
- D. all of these.

Answer: B



View Text Solution

125. Read the given statements and select the incorrect ones.

(i). Sporophyte in mosses is more elaborate than that in liverworts.

(ii). *Salvinia* is homosporous

(iii). Life-cycle in all spermatophytes is diplontic.

(iv). In *cycas*, male cones and megasporophylls are borne on the same trees.

A. (i) and (ii)

B. (i) and (iii)



C. (ii) and (iv)

D. (iii) and (iv)

Answer: C



View Text Solution



126.

Refer to the given showing life cycle patterns and identify them.

- | | | |
|----|-----------------|-----------|
| | <i>A</i> | <i>B</i> |
| A. | Diplontic | Haplontic |
| B. | Haplontic | Diplontic |
| C. | Haplo-diplontic | Haplontic |
| D. | Haplo-Diplontic | Diplontic |

Answer: B



Watch Video Solution

127. Haplo-diplontic life cycle is found in

- A. bryophytes
- B. pteridophytes
- C. fungi
- D. both a and b

Answer: D



Watch Video Solution

128. In____, a dominant and independent haploid gametophyte alternates with a short lived, dependent sporophyte.

- A. algae
- B. bryophytes
- C. pteridophytes
- D. gymnosperms.

Answer: B



[Watch Video Solution](#)

129. Read the given statements and select the correct option,

Statement-1: Bryophytes show alternation of generation

Statement-2: A haploid gametophytic generation and a diploid sporophytic generation alternate in the life cycle.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are incorrect.

Answer: A



[Watch Video Solution](#)

130. In____, a dominant and independent diploid sporophyte alternates with a short-lived, independent haploid gametophyte.

A. algae

B. bryophytes


C. pteridophytes

D. gymnosperms.

Answer: C



Watch Video Solution



131.

Refer to the given flow chart regarding different groups of kingdom plantae.


Which of the following is true regarding P,Q,R,S and T?

- A. Examples of group 'P' include Riccia, Marchantia, Sphagnum, etc.
- B. Members of group 'R' can be both homosporous as well as heterosporous.
- C. Group 'Q' includes seedless vascular plants having sporophytic plant body.
- D. Group 'S' is more ancient than group 'T' and formed a dominant vegetation on earth some 200 million years back in mesozoic era.

Answer: C



Watch Video Solution



132.

Refer to the following figures regarding division bryophyta.

- (i). 'A' are the androcyte mother cells of the antheridium, which give rise to a large number of biflagellate male gametes.
- (ii). 'B' is the antheridial chamber and 'C' is multicellular stalk of antheridium.
- (iii). 'D' and 'E' respectively represents venter canal cells and neck canal cell of the female sex organ.
- (iv). 'F' is the egg cell of the archegonium, which usually possesses several female gametes.


Which of the following combinations of above statements is incorrect?

- A. (i) and (ii)
- B. (iii) and (iv)
- C. (ii) and (iii)
- D. (i) and (iv)


Answer: B

 **Watch Video Solution**


133. A phylogenetic tree or evolutionary tree is a branching diagram shown the inferred evolutionary relationships among various biological species. Which of the following phylogenies is correctly represented?




A.



B.



C.




D.

Answer: A



Watch Video Solution



134.

Select the incorrect statements with respect to given type of life cycle.

A. Maiosis occurs at the time of spore formation in sporophytic plant.

B. Gametophytic plant is produced by germination of spores.

C. This life cycle is exhibited by most algae and some seeds bearing plants.

D. This life cycle is exhibited by many bryophytes and pteridophytes.

Answer: C




Watch Video Solution


135. Identify the given structures and select the correction options,



L



M



N

A.

L

M

N

Aplanospore of Ulothrix Prothallus (2n) of pteridophyte Ovule of

B.

L

M

N

Palmella stage of Ulothrix Prothallus (n) of pteridophyte Ovule of

C.

L

M

N

Akinetes of Chlamydomonas Sporophyte (2n) of bryophyte Endosperm of

D.

L

M

N

Palmella stage of chlamydomonas Prothallus (n) of pteridophyte Cotyledon of

Answer: D



View Text Solution

136. Cyanobacteria are classified under

A. protista

B. plantae

C. monera

D. algae.

Answer: C



Watch Video Solution

137. Fusion of two motile gametes which are dissimilar in size is termed as

- A. oogamy
- B. isogamy
- C. anisogamy
- D. zoogamy

Answer: C



Watch Video Solution

138. Holdfast, stipe and frond constitute the plant body in case of

- A. Rhodophyceae

B. Chlorophyceae

C. Phaeophyceae

D. all of these.

Answer: C



Watch Video Solution

139. A plant shows thallus level of organisation. it shows rhizoids and is haploid. It needs water to complete its life cycle because the male gametes are motile. It may belong to

A. pteridophytes

B. gymnosperms

C. monocots

D. bryophytes.

Answer: D



[Watch Video Solution](#)

140. A prothallus is

- A. a structure in pteridophytes formed before the thallus develops
- B. a sporophytic free living structure formed in pteridophytes
- C. a gametophyte free living structure formed in pteridophytes
- D. a primitive structure formed after fertilisation in pteridophytes.

Answer: C



[Watch Video Solution](#)

141. Plants of this group are diploid and well adapted to extreme conditions. They grow bearing sporophylls in compact structures called cones. The group in reference is

- A. monocots

B. dicots

C. pteridophytes

D. gymnosperms.

Answer: D



Watch Video Solution

142. The embryo sac of an Angiosperm is made up of

A. 8 cells

B. 7 cells and 8 nuclei

C. 8 nuclei

D. 7 cells and 7 nuclei

Answer: B



Watch Video Solution

143. if the diploid number of flowering plant is 36, what would be the chromosome number in its endosperms?

A. 36

B. 18

C. 54

D. 72

Answer: C



Watch Video Solution

144. Protonema is

A. haploid and is found in mosses

B. diploid and is found in liverworts

C. diploid and is found in pteridophytes

D. haploid and is found in pteridophytes.

Answer: A



Watch Video Solution

145. The giant redwood tree (*Sequoia sempervirens*) is a/an

- A. angiosperm
- B. free fern
- C. pteridophyte
- D. gymnosperms.

Answer: D



Watch Video Solution

Assertion Reason

1. Assertion: Algae shown only anisogamous type of reproduction.

Reason: In algae, gametes can never be non flagellated.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: D



Watch Video Solution

2. Assertion: Chlorella and spirulina are used as a food supplement by space travellers

Reason: Chlorella and spirulina are unicellular algae.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: B



Watch Video Solution

3. Assertion: In chlorophyceae, plant body is usually grass green.

Reason: Members of chlorophyceae, possess chlorophyll a, c, carotenoids and xanthophyll.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: C



Watch Video Solution

4. Assertion: Brown algae vary from olive green to brown in colour.

Reason: Fucoxanthin is responsible for color variation in brown algae

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: A



Watch Video Solution

5. Assertion: Red colour of rhodophyta is due to abundant formation of r-phycoerythrin.

Reason: r-Phycoerythrin is able to absorb blue green wavelength of light and reflect red colour.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: A



Watch Video Solution

6. Assertion: Bryophytes are called asterrestrial amphibians.

Reason: Bryophytes require an external layer of water on the soil surface for their existence.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: A



Watch Video Solution

7. Assertion: Mosses are of great ecological importance.

Reason: Mosses prevent soil erosion by forming dense mat on the soil

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: B



Watch Video Solution

8. Assertion: Spores in mosses are contained within the capsule.

Reason: Spores are formed by mitotic division in mosses.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: C



Watch Video Solution

9. Asssertion: in pteridophytes, zygote produces a multicellular sporophyte.

Reason: Sporophyte is the dominant phase In life cycle of pteridophytes.

- A. a) If both assertion and reason are true and reason is the correct explanation of assertion.

- B. b) if both assertion and reason are true but reason is not the correct explanation of assertion
- C. c) if assertion is true but reason is false.
- D. d) if both assertion and reason are false.

Answer: B



Watch Video Solution

10. Assertion: Selaginella and salvinia are homosporous.

Reason: Ovules of gymnosperms are enclosed within the ovaries.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: D



Watch Video Solution

11. Assertion: Gymnosperms do not produce fruit

Reason: In gymnosperms, cuticle of leaves is thin.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: C



Watch Video Solution

12. Assertion: stomate are found on the surface of leaves in gymnosperms

Reason: In gymnosperms, cuticle leaves are thin

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: D



Watch Video Solution

13. Assertion: In gymnosperms, the male and female gametophytes do not have indepenent existance.

Reason: They remain within the sporangia retained on the sporophyte.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: A



Watch Video Solution

14. Assertion : In C_4 plants, the chloroplasts of bundle sheath cells are granal.

Reason: PS II is mostly found in the appressed part of granum.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: A



Watch Video Solution

15. Assertion: In diplontic life cycle, gametophyte is dominant.

Reason: In diplontic life cycle, there is not free living sporophyte.

- A. If both A and R are true and R is the correct explanation of A.
- B. If both A and R are true but R is not the correct explanation of A.
- C. If A is true but R is false.
- D. If both A and R are false.

Answer: D



[Watch Video Solution](#)

Plant Kingdom

1. Artificial systems of classification were based upon

- A. vegetative characters
- B. androecium structure
- C. habit and habitat
- D. all of these.

Answer: D



[Watch Video Solution](#)

2. Plant classification as proposed by Carolus Linnaeus was artificial because it was based on

- A. only a few orphological characters
- B. all the possible characters
- C. anatomical characters which are adaptive in nature
- D. physiological and morphological characters.

Answer: A



Watch Video Solution

3. Artifical systems have equal weightage to to vegetative and sexual characteristics, this is not acceptable because often___characters are more easily affected by environment.

- A. vegetative characters
- B. sexual
- C. anatomical characters which are adaptive in nature
- D. physiological

Answer: A



Watch Video Solution

4. Each character is given equal importance and at the same time hundreds of characters can be considered in

- A. cytotaxonomy
- B. morphotaxonomy
- C. chemotaxonomy
- D. numerical taxonomy.

Answer: D



Watch Video Solution

5. _____ systems of classification were based on nature affinities among the organisms.

- A. Artificial
- B. Natural
- C. Phylogenetic
- D. sexual

Answer: B



Watch Video Solution

6. Natual systems of chassification take into consideration

- A. morphological and anatomical characters
- B. cytological and embryological characters
- C. phusiological and reproductive characters
- D. all of these.

Answer: D



Watch Video Solution

7. A system of classification in which a large number of traits are considered is

- A. artifical system
- B. phylogenetic system
- C. synthetic system
- D. natural system.

Answer: D



Watch Video Solution

8. Natural system of classification differs from artifical system in

- A. employing only one floral trait
- B. employing only one vegetative trait
- C. bringing out similarities and dissimilarities

D. developing evolutionary trends.

Answer: C



Watch Video Solution

9. _____classification systems were based on evolutionary relationships between various organisms.

A. Natural

B. Artificial

C. Phylogenetic

D. both a and b

Answer: C



Watch Video Solution

10. Match column I with II and select the correct option from the codes given below.

Column I

- A. artificial system of classification
- B. Natural system of classification
- C. Phylogenetic system

Column II

- (i) bentham and hooker
- (ii). Linnaeous
- (iii). Engler and Prantl

A. A-(ii),B-(ii),C-(iii)

B. A-(i),B-(ii),C-(iii)

C. A-(iii),B-(ii),C-(i)

D. A-(iii),B-(i),C-(ii)

Answer: A



Watch Video Solution

11. Select the incorrect pair

- (a) Numerical taxonomy-all observable characteristics
- (b). Cytotaxonomy-Cytological information

(c). Chemotaxonomy-Chromosome number and structure

(d). Cladistic taxonomy-Origin from a common ancestor



Watch Video Solution

12. system of classification that employs numerical data to evaluate similarities and differences is known as

A. cytotaxonomy

B. biosystematics

C. phenetics

D. chemotaxonomy

Answer: C



Watch Video Solution

13. Which out of the following are included under tracheophyta, i.e., vascular plants?

- A. Pteridophytes
- B. Gymnosperms
- C. Angiosperms
- D. all of these.

Answer: D



Watch Video Solution

14. Match column I with column II and select the correct option from the codes given below

Column I

Column II

- | | |
|----------------------------|-------------------------------|
| A. Non-vascular cryptogams | (i). Gymnosperms, angiosperms |
| B. Vascular cryptogams | (ii). pteridophytes |
| C. Phanerogams | (iii). Algae, Bryophytes |

A. A-(iii), B-(ii), C-(i)

B. A-(ii),B-(i),C-(iii)


C. A-(i),B-(ii),C-(iii)

D. A-(ii),B-(iii),C-(ii)

Answer: A



Watch Video Solution



A



B

15.

Identify the given figures of algae and select the correct option.


- A. *A* *B*
Fucus Polysiphonia
- B. *A* *B*
Dictyota Polysiphonia
- C. *A* *B*
Dictyota Porphyra
- D. *A* *B*
Porphyra Polysiphonia

Answer: B



Watch Video Solution





16.

Refer to the given figure and select the correct

A. A B C
 stipe Holdfast Frond

B. A B C
 Frond Stipe Holdfast

C. A B C
 Holdfast Frond Stipe

D. (A, B, C) , (stipe, Frond, Holdfast)

Answer: B



Watch Video Solution

17. Match column I with column II and select the correct option from the codes give below.

Column I

Spirogyra

B. Chlamydomonas

C. Volvox

D. Some giant marine forms

Column II

(*i*). Unicellular

(*ii*). Filamentous

(*iii*). Colonial form

(*iv*) Kelps

A. A-(ii),B-(i),C-(iii)-D-(iv)

B. A-ii,B-iii,C-iv,D-i

C. A-iii,B-ii,C-iv,D-i

D. A-iii,B-ii,C-I,D-iv

Answer: A



Watch Video Solution

18. Read the given statements about algae and select the correct option:

(i). Plant body is thalloid

(ii). They are largely aquatic.

(iii). Reproduction occurs by vegetative, asexual and sexual methods.

(iv). Chlamydomonas, volvox and Ulothrix are the multicellular algae.

A. Statement I and II are true

B. Statement ii and iii are true.

C. statements (i),(ii) and (iii) are true.

D. All statements are true.

Answer: C



Watch Video Solution

19. Fusion between morphologically alike gametes is referred to as

A. isogamy

B. anisogamy

C. oogamy

D. syngamy.

Answer: A



Watch Video Solution

20. Fusion of two gametes which are dissimilar in size is termed as

A. oogamy

B. isogamy

C. anisogamy

D. both a and c

Answer: D



Watch Video Solution

21. Which type of sexual reproduction is found in volvox?

- A. isogamous
- B. anisogamous
- C. oogamous
- D. all of these.

Answer: C



Watch Video Solution

22. At least a half of the total CO_2 fixation on earth is carried out thorough photosynthesis by

- A. angiosperms
- B. gymnosperms
- C. algae
- D. bryophytes.

Answer: C



Watch Video Solution

23. Match column I with column II and select the correct option from the codes given below

Column I

Column II

A. Food

(i). Brown algae

B. Agar

(ii). Porphyra, Laminaria

C. Algin

(iii). Gelidium, Gracilaria

D. Carrageenin

(iv). Red algae

A. A-ii,B-iii,C-I,D-iv

B. A-ii,B-iii,C-iv,D-i

C. A-iii,B-ii,C-iv,D-i

D. A-iii,B-ii,C-I,D-iv

Answer: A



Watch Video Solution

24. Agar-agar is commercially obtained from

- A. green algae
- B. blue-green algae
- C. brown algae
- D. red algae.

Answer: D



Watch Video Solution

25. _____ and _____ are unicellular algae, rich in proteins, that are used as food supplements even by space travellers.

- A. Phlorella, spirulina
- B. Porphyra, Spirogyra
- C. Laminaria, Spirogyra
- D.

Answer: A



Watch Video Solution

26. Seaweeds are a source of

- A. chlorine
- B. fluorine
- C. bromine
- D. iodine.

Answer: D



Watch Video Solution

27. Major photosynthetic pigments in green algae are

- A. Chl a and b

- B. Chl a,c and fucoxanthin
- C. Chl a,d and phycoerythrin
- D. Chl a and c.

Answer: A



Watch Video Solution

28. Cup-shaped chloroplast is present in

- A. Spirogyra
- B. Chlamydomonas
- C. Ulothrix
- D. Chara.

Answer: B



Watch Video Solution

29. In most green algae, pyrenoids, the storage bodies, are located in ____

- A. chloroplasts
- B. mitochondria
- C. cytoplasm
- D. nucleus

Answer: A



Watch Video Solution

30. Green algae usually have a rigid cell wall made of an inner layer of ____ and an outer layer of ____.

- A. cellulose, cellulose
- B. pectose, pectose
- C. pectose, cellulose
- D. cellulose, pectose

Answer: D



Watch Video Solution

31. A member of class chlorophyceae is

A. Chlamydomonas

B. volvox

C. ulothrix

D. all of these.

Answer: D



Watch Video Solution

32. Read the given statements and select the correct option

Statement-1: Volvox forms spherical colony.

Statement-2: Volvox colony is made up of non-motile cells.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are correct.

Answer: B



Watch Video Solution

33. In Ulothrix, sexual reproduction is by

- A. isogamy
- B. anisogamy
- C. oogamy
- D. conjugation.

Answer: A



Watch Video Solution

34. Each cell of volvox colony has a structure similar to

- A. ulothrix
- B. Spirogyra
- C. Chlamydomonas
- D. Nostoc.

Answer: C



Watch Video Solution

35. The member of phaeophyceae or brown algae are found primarily in/on

- A. Freshwater
- B. marine
- C. habitat

D. tetterestial habitat

Answer: B



Watch Video Solution

36. Which of the following pigments are found in brown algae?

A. Chl a, Chl c

B. Chl a, Chl d

C. Chl a, Chl c ad fucoxanthin

D. Chl a, phycoerythrin

Answer: C



Watch Video Solution

37. The "seaweeds" that for the under water forest are

- A. kelps
- B. Laminaria
- C. Macrocystic
- D. all of these.

Answer: D



Watch Video Solution

38. Laminarin and mannitol, the reserve food of brown algae, are a. lipids
b. complex carbohydrates c. proteins d. lipoproteins

- A. lipids
- B. complex carbohydrates
- C. proteins
- D. lipoproteins.

Answer: B



[Watch Video Solution](#)

39. Which of the following statements about Phaeophyceae is incorrect?

a. Vegetative reproduction occurs fragmentation. b. Asexual reproduction is by biflagellate pear-shaped zoospores. c. In sexual reproduction, gametes are pyriform and bear 2 laterally attached flagella. d. none of these

A. Vegetative reproduction occurs fragmentation.

B. Asexual reproduction is by biflagellate pear-shaped zoospores.

C. In sexual reproduction, gametes are pyriform and bear 2 laterally attached flagella.

D. None of these.

Answer: D



[Watch Video Solution](#)

40. What is the characteristic branching pattern of dictyota thallus? a. monopodial b. excurrent c. dichotomous d. deliquescent

A. Monopodial

B. Excurrent

C. Dichotomous

D. Deliquescent

Answer: C



Watch Video Solution

41. Photosynthetic pigments of Rhodophyceae (red algae) are a. chl a and b b. chl a and c, fucoxanthin c. chl a and d d. chl a, chl d and phycoerythrin.

A. chl a and b

B. chl a and c, fucoxanthin

C. chl a and d

D. chl a, chl d and phycoerythrin.

Answer: D



Watch Video Solution

42. Phycoerythrin is present in a. Euglena b. polysiphonia c. Chlamydomonas d. fucus

A. Euglena

B. Polysiphonia

C. Chlamydomonas

D. fucus.

Answer: B



Watch Video Solution

43. Phycoerythrin, chlorophyll a and chlorophyll d are characteristics of a. Phaeophyceae b. Xanthophyceae c. Chlorophyceae d. Rhodophyceae.

- A. Phaeophyceae
- B. Xanthophyceae
- C. Chlorophyceae
- D. Rhodophyceae.

Answer: D



Watch Video Solution

44. Select the incorrect statement regarding reproduction in rhodophyceae.

- A. Asexual reproduction occurs by non-motile spores.
- B. Sexual reproduction occurs by motile gametes.
- C. Sexual reproduction is oogamous.

D. Complex post-fertilisation developmental events occurs.

Answer: B



Watch Video Solution

45. Common example of red algae is

A. porphyra

B. Batrachospermum

C. ectocarpus

D. both a and b

Answer: D



Watch Video Solution

46. Which out of the following does not belong to brown algae

A. Gelidium,Batrachospermum

B. Ectocarpus,dictyota

C. Laminaria,fucus

D. Sargassum, ectocarpus

Answer: A



Watch Video Solution

47. Batrachospermum is a

A. red algae of sea

B. brown algae

C. blue algae

D. red algae of freshwater

Answer: D



Watch Video Solution

48. Which of the following is a correct match of algal class with its characteristic reserve food?

- A. Chlorophyceae-starch
- B. Phaeophyceae-Mannitol,laminarin
- C. Rhodophyceae-Floridean starch
- D. all of these.

Answer: D



Watch Video Solution

49. Select the correct match of of algal class and its characteristic flagellation.

- A. Chlorophyceae- 2-8 equal, apical
- B. Phaeophyceae- 2, unequal,lateral


C. Rhodophyceae- Absent

D. all of these.

Answer: D



Watch Video Solution



50.

The algae shown in the given figure belong to the class

A. Chlorophyceae

B. Phaeophyceae

C. Rhodophyceae

D. Cyanophyceae

Answer: A



Watch Video Solution

51. Bryophytes include


- A. liverworts and ferns
- B. mosses and ferns
- C. mosses and liverworts
- D. all of these.

Answer: C



Watch Video Solution

52. Select the option that correctly identifies




- A. *A* *B*
Sporophyte Gametophyte
- B. *A* *B*
Gametophyte Sporophyte
- C. *A* *B*
Male shoot Female shoot
- D. *A* *B*
Female shoot male shoot

Answer: A



Watch Video Solution



53.


Select the option that correctly identifies A,B and C in the given figure of female thallus of *Marchantia*.

- A. A-Antheridiophore, B-Gemma cup, C-Rhizoids
- B. A-Antheridiophore, B-Rhizoids, C-Gemma cup
- C. A-Archegoniophore, B-Gemma cup, C-Rhizoids
- D. A-Archegoniophore, B-Rhizoids, C-Gemma cup

Answer: C



Watch Video Solution



54.

Which of the following options correctly identifies the plants shown in figure and the group it belongs to?

- A. Marchantia-Liverwort
- B. Sphagnum-Moss
- C. Sphangum-liverwort
- D. Funaria-Moss

Answer: B



Watch Video Solution

55. Read the given statements and select the correct option

Statement-1: Bryophytes are amphibians of plant kingdom.

Statement-2: They live in soil but depend on water for sexual reproduction.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are correct.

Answer: A



Watch Video Solution

56. The bryophytes are usually found in

- A. damp and shaded areas
- B. marine habitat

C. sandy soils

D. xeric habitat

Answer: A



Watch Video Solution

57. Resemblances between algae and bryophytes include

A. presence of root-like, stem-like structures

B. Thallus-like plant body, lack of vascular tissue, autotrophic nutrition

C. thallus-like plant body, presenece of vascular tissue, autotrophic of roots, heterotrophic nutrition.

D. None of these

Answer: B



Watch Video Solution

58. The prominent phase in the life cycle of bryophytes is

- A. gametophyte
- B. sporophyte
- C. seta
- D. sporogonium.

Answer: A



Watch Video Solution

59. The female sex organ in Riccia and Funaria is

- A. antheridium
- B. paraphysis
- C. archegonium
- D. oogonium

Answer: C



Watch Video Solution

60. A sterile jacket around gametangia is found among

A. bryophytes

B. lichens

C. algae

D. fungi

Answer: A



Watch Video Solution

61. The embryonic development in bryophytes takes place in the

A. protonema

B. sporangium

C. antheridium

D. archegonium

Answer: D



Watch Video Solution

62. Read the following statement regarding bryophytes and select the correct answer.

(i). Bryophytes lack true roots, stem and leaves.

(ii). The main plant body is haploid

(iii). Sex-organs are unicellular and non-jacketed

(iv). Fertilisation produces an embryo inside the water.

A. Statement I and II are true

B. Statement ii and iii are true.

C. Statement iii and iv are correct

D. All statements are true.

Answer: A



Watch Video Solution

63. The sporophyte is attached to the gametophyte in

A. algae

B. fungi

C. bryophytes

D. pteridophytes.

Answer: C



Watch Video Solution

64. In bryophytes

- A. sporophytes are dependent upon gametophytes
- B. sporophyte and gametophyte generation are independent
- C. sporophyte in itself completes the life cycle
- D. gametophytes are dependent upon sporophytes.

Answer: A



Watch Video Solution

65. Peat, obtained from Sphagnum moss, is used as

- A. fuel
- B. manure
- C. corrosive
- D. both a and b.

Answer: D



Watch Video Solution

66. The moss which forms dense extensive mats on the soil prevents

- A. uprooting of trees
- B. soil erosion
- C. falling of leaves
- D. evaporation of water from the soil

Answer: B



Watch Video Solution

67. Asexual reproduction in liverworts takes place by

- A. fragmentation of thalli and gemmae formation
- B. gemmae formation and diploid spore formation
- C. spores formation and isogamy

D. fragmentation and zoospore formation

Answer: A



Watch Video Solution

68. Gemmae are asexual reproductive bodies of

A. brown algae

B. mosses

C. liverworts

D. red algae

Answer: C



Watch Video Solution

69. Gemmae are the specialised structures produced in liverworts. These are

- A. non-green, multicellular, asexual buds which develop in gemma cups
- B. green, multicellular, asexual buds which develops in gemma cups
- C. non-green, multicellular, diploid, sexual spores
- D. green, unicellular, diploid, sexual spores.

Answer: B



Watch Video Solution

70. Gemmae are multicellular green structures for vegetative propagation. These are found inside gemma cups in

- A. riccia capsule
- B. marchantia thallus
- C. funaria protonema

D. polytrichum thallus.

Answer: B



Watch Video Solution

71. Select the option that includes liverworts only.

- A. Riccia, Marchantia
- B. Riccia, Funaria
- C. Polytrichum, Marchantia
- D. both a and c

Answer: A



Watch Video Solution

72. In funaria, the haploid structures is

A. protonema

B. capsule

C. columella

D. seta.

Answer: A



Watch Video Solution

73. The sporophytic phase in funaria is well developed and composed of

A. capsule only

B. spore sac

C. foot and capsule

D. foot, seta and capsule.

Answer: D



Watch Video Solution

74. Which of the following is not a moss?

A. Polytrichum

B. Sphagnum

C. Funaria

D. Riccia

Answer: D



Watch Video Solution

75. Funaria requires water because

A. fertilisation occurs in water only

B. Funaria is a hydrophyte

C. plants need water for gametogenesis

D. gametangia cannot develop without water.

Answer: A



Watch Video Solution

76. Read the given statements and select the correct option

Statement-1: Each sperm of moss has two flagella.

Statement-2: Water is essential for fertilisation in mosses.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are incorrect.

Answer: A



Watch Video Solution

77. A moss sperm moves by means of

- A. pseudopodia
- B. cilia
- C. flagella
- D. any of these.

Answer: C



Watch Video Solution

78. Which of the following statements is incorrect?

- A. Mosses along with lichens are the first organisms to colonise rocks.
- B. Sphagnum is used as packing material for transportation of living material
- C. in liverworts, spores are produced after meiosis within the capsule.
- D. Funaria possesses unicellular unbranched rhizoids.

Answer: D



Watch Video Solution

79. Read the given statements and select the correct option.

Statement-1: Main plant body of bryophytes is sporophytic.

Statement-2: Main plant body of pteridophytes is gametophytic

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are incorrect.

Answer: D



Watch Video Solution


80. In pteridophytes, main plant body is __(i)__, which is __(ii)__ into true roots, stem and leaves fill the blanks in above statements and select the correct option

- | | | |
|----|-------------|--------------------|
| | Column I | Column II |
| A. | sporophyte | differentiated |
| | Column I | Column II |
| B. | sporophyte | not differentiated |
| | Column I | Column II |
| C. | gametophyte | differentiated |
| | Column I | Column II |
| D. | gametophyte | not differentiated |

Answer: A



Watch Video Solution



A



B

81.


Identify the plants shown in figure and select the correct option:

- | | | |
|----|-------------|-----------|
| | <i>A</i> | <i>B</i> |
| A. | Equisetum | Fern |
| | <i>A</i> | <i>B</i> |
| B. | Selaginella | Equisetum |
| | <i>A</i> | <i>B</i> |
| C. | Selaginella | Salvinia |
| | <i>A</i> | <i>B</i> |
| D. | Equisetum | Fern |

Answer: C



Watch Video Solution



82.

Identify the parts labelled as A and B in the given figure of Equisetum and select the correct option

- A. A B
Strobilus Rhizome
- B. A B
sporophylls tuber
- C. A B
Sporangia Rhizome

- D.

<i>A</i>	<i>B</i>
Sporophyte	tuber

Answer: A



Watch Video Solution

83. In pteridophytes, a spore germinates to produce

- A. sporophytes
- B. sporogonium
- C. prothallus
- D. microsporophyll

Answer: C



Watch Video Solution

84. The spread of living pteridophytes is limited and is restricted to narrow geographical region because

- A. gametophytic growth needs cool, damp and shady places
- B. there is requirement of water for fertilisation
- C. there is absence of stomata in leaf and absence of vascular tissue
- D. both a and b

Answer: D



Watch Video Solution

85. In pteridophytes, prothallus produces

- A. sporangia
- B. antheridia and archegonia
- C. vascular tissues
- D. root, stem and leaf.

Answer: B



Watch Video Solution

86. The heterosporous pteridophytes are

- A. Lycopodium and Pteris
- B. Selaginella and Psilotum
- C. Selaginella and Salvinia
- D. Dryopteris and Adiantum.

Answer: C



Watch Video Solution

87. Heterosporous pteridophytes show certain characteristics, which are precursor to the seed habit in gymnosperms. One of such characteristics is

- A. presence of vascular tissues
- B. external water required for fertilisation
- C. presence of embryo stage
- D. development of embryo inside the female gametophyte.

Answer: D



Watch Video Solution

88. Match column I with column II and select the correct option from the codes given below

Column I

Column II

- | | |
|----------------|--------------------|
| A. Psilopsida | (i). Psilotum |
| B. Lycopsidea | (ii). Equisetum |
| C. Sphenopsida | (iii). Selaginella |
| D. Pteropsida | (iv). Dryopteris |

A. A-I,B-ii,C-iii,D-iv

B. A-I,B-iv,C-iii,D-ii

C. A-I,B-iii,C-ii,D-iv

D. A-I,B-iii,C-iv,D-ii

Answer: C



Watch Video Solution



89.

The given figure shows a/an

A. Adiantum plant

B. Dryopteris plant

C. Selaginella leaf

D. Psilotum leaf.

Answer: B



View Text Solution

90. Which of the following is a n aquatic fern?

A. Adiantum

B. Dryopteris

C. Salvinia

D. Equisetum

Answer: C



Watch Video Solution

91. Gymnosperms do not bear fruits because they do not have

- A. seeds
- B. ovary
- C. ovule
- D. pollination.

Answer: B



Watch Video Solution

92. Gymnosperms are referred to as "naked seeded plants".because

- A. they lack ovule
- B. they lack ovaries
- C. they have no seed coat

D. the embryo is unprotected.

Answer: B



Watch Video Solution

93. plants which possess seeds but not fruits are

A. bryophytes

B. pteridophytes

C. gymnosperms

D. algae

Answer: C



Watch Video Solution

94. Gymnosperms do not include

- A. herbs
- B. shrubs
- C. trees
- D. both a and b

Answer: A



Watch Video Solution

95. Mycorrhizal roots of ____ are associated with some fungal symbionts.

- A. Pinus
- B. Cedrus
- C. Cycas
- D. Ginkgo

Answer: A



Watch Video Solution

96. Coralloids roots of ____ have symbiotic association with N_2 -fixing cyanobacteria.

- A. Pinus
- B. Cedrus
- C. Cycas
- D. Ginkgo

Answer: C



Watch Video Solution

97. Which of the following gymnosperms has branched stems?

- A. Pinus
- B. Cycas
- C. Cedrus

D. Both a and c

Answer: D



Watch Video Solution

98. The leaves of gymnosperms are well-adapted to withstand extremes of temperature, humidity and wind, because of which of the following features?

A. Needle like leaves

B. Thick cuticle

C. Sunken stomata

D. all of these.

Answer: D



Watch Video Solution



A



B



C

99.

Identify the gymnosperms shown in figure and select the correct option

- A. *A* *B* *C*
Cycas Cedrus Ginkgo
- B. *A* *B* *C*
pinus Cycas cedrus
- C. *A* *B* *C*
Ginkgo pinus cycas
- D. *A* *B* *C*
Cycas Ginkgo pinus

Answer: A



Watch Video Solution

100. Seed plants are all

A. heterosporous

B. dioecious

C. monoecious

D. homosporous.

Answer: A



Watch Video Solution

101. Select the correct pattern of arrangement of reproductive structures for gymnosperms.

A. spores → Sporophyll → sporangia → strobili

B. spores → sporangia → sporophylls → strobili

C. sporangia → sporophylls → spores → strobili

D. spores → sporangia → strobili → sporophylls

Answer: B



[Watch Video Solution](#)

102. In Pinus male strobilus bears a large number of

- A. anthers
- B. stamens
- C. microsporophylls
- D. megasporophylls.

Answer: C



[Watch Video Solution](#)

103. Heterospory is found in some members of ____ and all members of ____

- A. bryophyta, pteridophyta
- B. Pteridophyta, Bryophyta

C. Bryophyta, Grmnospermae

D. Pteridophyta, Spermatophyta

Answer: D



Watch Video Solution

104. Which of the following statements is incorrect about Cycas?

A. It has unchanged stem.

B. it possesses pinnately compound leaves.

C. it is a dioecious plant

D. it is a non-archegoniate plant.

Answer: D



Watch Video Solution

105. Megasporophyll of gymnosperms is homologous to _____ of angiosperms.

- A. stamen
- B. carpel
- C. sepal
- D. petal

Answer: B



Watch Video Solution

106. Which of the following structures are haploid in gymnosperms?

- A. pollen grain, megaspore, embryo
- B. Pollen grain, megaspore, endosperm
- C. Megaspore, leaf, root
- D. Leaf, root, integument

Answer: B



Watch Video Solution

107. _____ do not have free living gametophyte.

A. Bryophytes

B. Pteridophyte.

C. Bryophytes

D. pteridophytes.

Answer: C



Watch Video Solution

108. Study the given statements about gymnosperms and select the correct option.

(i). Mode of fertilisation is siphonogamy

(ii). Male and female cones are borne on same tree in pinus.

(iii). Endosperm represents female gametophyte.

A. Statement I and II are true

B. Statement ii and iii are true.

C. statement i and iii are correct

D. statement (i), (ii) and (iii) are correct

Answer: D



Watch Video Solution

109. Match column I with column II and select the correct option from the codes given below

Column I

Column II

A. Sagopalm

(i). Ephedra

B. Chilgoza fruit

(ii). Pinus gerardiana

C. Ephedrine drug

(iii). cycas revolute

D. Cedar wood oil

(iv). Juniperus Virginiana

A. A-iv,B-ii,C-i,D-iii

B. A-iii,B-ii,C-i,D-iv

C. A-iii,B-iv,C-i,D-ii

D. A-ii,B-iii,C-i,D-iv

Answer: B



Watch Video Solution

110. Canada balsam, a mounting agent used to make permanent slides, is obtained from the species of

A. Abies

B. Cedrus

C. Pinus

D. Juniperus

Answer: A



Watch Video Solution

111. Select the mismatched pair.

- A. Cycas-Living fossil
- B. Thuja-Agar production
- C. Pinus-Resin,Turpentine production
- D. Araucaria-Ornamental plant

Answer: B



Watch Video Solution

112. Gymnosperm called as a living fossil is

- A. Cycas
- B. Ginkgo
- C. Juniperus
- D. both a and b

Answer: D



Watch Video Solution

113. Which of the following characters represents the affinities of *Gnetum* with angiosperms and differences with *Cycas* and *Pinus*?

- A. presence of xylem vessel and absence of archegonia
- B. perianth and two integuments
- C. embryo development and apical meristem
- D. Absence of resin ducts and leaf venation

Answer: A



Watch Video Solution

114. The sporophyte is the dominant phase in

A. pteridophytes

B. gymnosperms

C. Angiosperms

D. all of these.

Answer: D



Watch Video Solution

115. Select the mismatched pair.

A. Amphibians plants kingdom-Bryophytes

B. First terrestrial plants to possess vascular tissues-Gymnosperms

C. Water required for fertilisation-Pteridophytes

D. Seeds enclosed in fruits- Angiosperms

Answer: B



Watch Video Solution

116. Select the mismatched pair.

- A. smallest angiosperm-Rafflesia
- B. Tallest angiosperm-Eucalyptus regnans
- C. Marine angiosperms-Zostera,Thalassia
- D. Angiosperms with smallest seed-orchid

Answer: A



Watch Video Solution



117.

Angiosperms A and B shown in the figure belong to the class ____ and ____ respectively.

- A. $\{:(A,B),("Dicothyledonae","Monocotyledanae"):\}$
- B. $\{:(A,B),("Monocotyledonae","Dicotyledonae"):\}$
- C. $\{:(A,B),("Monocotyledonae","Monocotyledanae"):\}$
- D. $\{:(A,B),("Dicothyledonae","Dicotyledonae"):\}$

Answer: B



Watch Video Solution

118. In angiosperms, functional megaspore develops into

- A. embryo sac
- B. ovule
- C. endosperm
- D. pollen sac.

Answer: A

[Watch Video Solution](#)

119. In double fertilisation, one male gamete fuses with the (i) to form zygote and the other male gamete fuses with (ii) to form primary endosperm nucleus.

- A. synergids (n), antipodals (n)
- B. egg (n) ,antipodals (n)


C. egg (n), secondary nucleus (2n)

D. egg (n), synergids (n)

Answer: C



Watch Video Solution



120.

The given figure shows two phases, A and B of a typical angiospermic life cycle. Select the correct option regarding it.

- | | |
|--------------------------------|--------------------------------|
| <i>A</i> | <i>B</i> |
| A. Gametophytic generation (n) | B. Sporophytic generation (2n) |

- | | | |
|----|-----------------------------|-----------------------------|
| | <i>A</i> | <i>B</i> |
| B. | Sporophytic generation (2n) | Gametophytic generation (n) |
| | <i>A</i> | <i>B</i> |
| C. | Sporophytic generation (2n) | Sporophytic generation (2n) |
| | <i>A</i> | <i>B</i> |
| D. | Gametophytic generation (n) | Gametophytic generation (n) |

Answer: A



Watch Video Solution

121. Match column I with Column II and select the correct option from the codes given below

Column I	Column II
A. Pteris	(i). Bryophyte
B. Cedrus	(ii). Pteridophyte
C. Sonchus	(iii). Gymnosperms
D. Marchantia	(iv). Angiosperm

A. A-(ii),B-(iii),C-(iv),D-(i)

B. A-(ii),B-(i),C-(iv),D-(iii)

C. A-(i),B-(iii),C-(iv),D-(ii)

D. A-(iii),B-(iv),C-(ii),D-(i)

Answer: A



Watch Video Solution

122. Which of the statements regarding haplontic life cycle is incorrect?

- A. Sporophytic generation is represented only by the one-called zygote.
- B. There is no free-living sporophyte.
- C. Mitosis in the zygote results in the formation of haploid spores.
- D. The haploid spores divide mitotically and form the gametophyte.

Answer: C



Watch Video Solution

123. Haplontic life cycle generally occurs in

- A. most algae
- B. bryophytes
- C. pteridophytes
- D. gymnosperms.

Answer: A



Watch Video Solution

124. Which kind of life-cycle pattern is exhibited by seeds bearing plants?

- A. Haplontic
- B. Diplontic
- C. Haplo-diplontic
- D. all of these.

Answer: B



View Text Solution

125. Read the given statements and select the incorrect ones.



- (i). Sporophyte in mosses is more elaborate than that in liverworts.
- (ii). *Salvinia* is homosporous
- (iii). Life-cycle in all spermatophytes is diplontic.
- (iv). In *cycas*, male cones and megasporophylls are borne on the same trees.

- A. (i) and (ii)
- B. (i) and (iii)
- C. (ii) and (iv)
- D. (iii) and (iv)

Answer: C



View Text Solution



126.

Refer to the given showing life cycle patterns and identify them.

- | | | |
|----|-----------------|-----------|
| | <i>A</i> | <i>B</i> |
| A. | Diplontic | Haplontic |
| B. | Haplontic | Diplontic |
| C. | Haplo-diplontic | Haplontic |
| D. | Haplo-Diplontic | Diplontic |

Answer: B



Watch Video Solution

127. Haplo-diplontic life cycle is found in

- A. bryophytes
- B. pteridophytes
- C. fungi
- D. both a and b

Answer: D



Watch Video Solution

128. In____, a dominant and independent haploid gametophyte alternates with a short lived, dependent sporophyte.

- A. algae
- B. bryophytes
- C. pteridophytes
- D. gymnosperms.

Answer: B



[Watch Video Solution](#)

129. Read the given statements and select the correct option,

Statement-1: Bryophytes show alternation of generation

Statement-2: A haploid gametophytic generation and a diploid sporophytic generation alternate in the life cycle.

- A. Both statements 1 and 2 are correct
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 is correct.
- D. Both statement 1 and 2 are incorrect.

Answer: A



[Watch Video Solution](#)

130. In____, a dominant and independent diploid sporophyte alternates with a short-lived, independent haploid gametophyte.

A. algae

B. bryophytes


C. pteridophytes

D. gymnosperms.

Answer: C



Watch Video Solution



131.

Refer to the given flow chart regarding different groups of kingdom plantae.


Which of the following is true regarding P,Q,R,S and T?

- A. Examples of group 'P' include Riccia, Marchantia, Sphagnum, etc.
- B. Members of group 'R' can be both homosporous as well as heterosporous.
- C. Group 'Q' includes seedless vascular plants having sporophytic plant body.
- D. Group 'S' is more ancient than group 'T' and formed a dominant vegetation on earth some 200 million years back in mesozoic era.

Answer: C



Watch Video Solution



132.

Refer to the following figures regarding division bryophyta.

- (i). 'A' are the androcyte mother cells of the antheridium, which give rise to a large number of biflagellate male gametes.
- (ii). 'B' is the antheridial chamber and 'C' is multicellular stalk of antheridium.
- (iii). 'D' and 'E' respectively represents venter canal cells and neck canal cell of the female sex organ.
- (iv). 'F' is the egg cell of the archegonium, which usually possesses several female gametes.


Which of the following combinations of above statements is incorrect?

- A. (i) and (ii)
- B. (iii) and (iv)
- C. (ii) and (iii)
- D. (i) and (iv)


Answer: B

 **Watch Video Solution**


133. A phylogenetic tree or evolutionary tree is a branching diagram shown the inferred evolutionary relationships among various biological species. Which of the following phylogenies is correctly represented?




A.



B.



C.




D.

Answer: A



Watch Video Solution



134.

Select the incorrect statements with respect to given type of life cycle.

A. Maiosis occurs at the time of spore formation in sporophytic plant.

B. Gametophytic plant is produced by germination of spores.

C. This life cycle is exhibited by most algae and some seeds bearing plants.

D. This life cycle is exhibited by many bryophytes and pteridophytes.

Answer: C




Watch Video Solution


135. Identify the given structures and select the correction options,



L



M



N

A.

L

M

N

Aplanospore of Ulothrix Prothallus (2n) of pteridophyte Ovule of

B.

L

M

N

Palmella stage of Ulothrix Prothallus (n) of pteridophyte Ovule of

C.

L

M

N

Akinetes of Chlamydomonas Sporophyte (2n) of bryophyte Endosperm of

D.

L

M

N

Palmella stage of chlamydomonas Prothallus (n) of pteridophyte Cotyledon of

Answer: D



View Text Solution

136. Cyanobacteria are classified under

A. protista

B. plantae

C. monera

D. algae.

Answer: C



Watch Video Solution

137. Fusion of two motile gametes which are dissimilar in size is termed as

- A. oogamy
- B. isogamy
- C. anisogamy
- D. zoogamy

Answer: C



Watch Video Solution

138. Holdfast, stipe and frond constitute the plant body in case of

- A. Rhodophyceae

B. Chlorophyceae

C. Phaeophyceae

D. all of these.

Answer: C



Watch Video Solution

139. A plant shows thallus level of organisation. it shows rhizoids and is haploid. It needs water to complete its life cycle because the male gametes are motile. It may belong to

A. pteridophytes

B. gymnosperms

C. monocots

D. bryophytes.

Answer: D



[Watch Video Solution](#)

140. A prothallus is

- A. a structure in pteridophytes formed before the thallus develops
- B. a sporophytic free living structure formed in pteridophytes
- C. a gametophyte free living structure formed in pteridophytes
- D. a primitive structure formed after fertilisation in pteridophytes.

Answer: C



[Watch Video Solution](#)

141. Plants of this group are diploid and well adapted to extreme conditions. They grow bearing sporophylls in compact structures called cones. The group in reference is

- A. monocots

B. dicots

C. pteridophytes

D. gymnosperms.

Answer: D



Watch Video Solution

142. The embryo sac of an Angiosperm is made up of

A. 8 cells

B. 7 cells and 8 nuclei

C. 8 nuclei

D. 7 cells and 7 nuclei

Answer: B



Watch Video Solution

143. if the diploid number of flowering plant is 36, what would be the chromosome number in its endosperms?

A. 36

B. 18

C. 54

D. 72

Answer: C



Watch Video Solution

144. Protonema is

A. haploid and is found in mosses

B. diploid and is found in liverworts

C. diploid and is found in pteridophytes

D. haploid and is found in pteridophytes.

Answer: A



Watch Video Solution

145. The giant redwood tree (*Sequoia sempervirens*) is a/an

- A. angiosperm
- B. free fern
- C. pteridophyte
- D. gymnosperms.

Answer: D



Watch Video Solution

146. Assertion: Algae shown only anisogamous type of reproduction.

Reason: In algae, gametes can never be non flagellated.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: D



Watch Video Solution

147. Assertion: Chlorella and spirulina are used as a food supplement by space travellers

Reason: Chlorella and spirulina are unicellular algae.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: B



Watch Video Solution

148. Assertion: In chlorophyceae, plant body is usually grass green.

Reason: Members of chlorophyceae, possess chlorophyll a, c, carotenoids and xanthophyll.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: C



Watch Video Solution

149. Assertion: Brown algae vary from olive green to brown in colour.

Reason: Fucoxanthin is responsible for color variation in brown algae

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: A



Watch Video Solution

150. Assertion: Red colour of rhodophyta is due to abundant formation of r-phycoerythrin.

Reason: r-Phycoerythrin is able to absorb blue green wavelength of light and reflect red colour.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: A



Watch Video Solution

151. Assertion: Bryophytes are called asterrestrial amphibians.

Reason: Bryophytes require an external layer of water on the soil surface for their existence.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: A



Watch Video Solution

152. Assertion: Mosses are of great ecological importance.

Reason: Mosses prevent soil erosion by forming dense mat on the soil

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: B



Watch Video Solution

153. Assertion: Spores in mosses are contained within the capsule.

Reason: Spores are formed by mitotic division in mosses.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: C



Watch Video Solution

154. Asssertion: in pteridophytes, zygote produces a multicellular sporophyte.

Reason: Sporophyte is the dominant phase In life cycle of pteridophytes.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: B



Watch Video Solution

155. Assertion: Selaginella and salvinia are homosporous.

Reason: Ovules of gymnosperms are enclosed within the ovaries.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: D



Watch Video Solution

156. Assertion: Gymnosperms do not produce fruit

Reason: In gymnosperms, cuticle of leaves is thin.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: C



Watch Video Solution

157. Assertion: stomate are found on the surface of leaves in gymnosperms

Reason: In gymnosperms, cuticle leaves are thin

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: D



Watch Video Solution

158. Assertion: In gymnosperms, the male and female gametophytes do not have indepenent existance.

Reason: They remain within the sporangia retained on the sporophyte.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.
- D. if both assertion and reason are false.

Answer: A



Watch Video Solution

159. Assertion :In C_4 plants, the chloroplasts of bundle sheath cells are granal.

Reason: PS II is mostly found in the appressed part of granum.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false.

D. if both assertion and reason are false.

Answer: A



Watch Video Solution

160. Assertion: In diplontic life cycle, gametophyte is dominant.

Reason: In diplontic life cycle, there is not free living sporophyte.

- A. If both A and R are true and R is the correct explanation of A.
- B. If both A and R are true but R is not the correct explanation of A.
- C. If A is true but R is false.
- D. If both A and R are false.

Answer: D



Watch Video Solution