



BIOLOGY

BOOKS - S DINESH & CO BIOLOGY (HINGLISH)

COELENTERATA AND CTENOPHORA (OR CNIDARIA AND ACNIDARIA)

Mcq

1. The study of coelenterates is known as

A. Arthrology

B. Splanchnology

C. Cnidology

D. Nidology

Answer: C



Watch Video Solution

2. Which is a fresh water cnidarian ?

A. Hydra

B. Spongilla

C. Dugesia

D. None of the above.

Answer: A



[Watch Video Solution](#)

3. Coelenterates are

- A. Diploblastic
- B. Triploblastic
- C. Monoblastic
- D. None of the above.

Answer: A



[Watch Video Solution](#)

4. The name Hydra was given by

A. Ellis

B. Aristotle

C. Linnaeus

D. Reaumur.

Answer: C



Watch Video Solution

5. The oral cone of Hydra is called

A. Manubrium

B. Mouth

C. Osculum

D. Ostium

Answer: A

 [Watch Video Solution](#)

6. The number of tentacles in Hydra is called

A. 6 to 10

B. 10 to 16

C. 16 to 20

D. 20 to 26

Answer: A

 [Watch Video Solution](#)

7. Gland cells for secreting adhesive material in Hydra are present in

- A. Pedal disc
- B. Stomach region
- C. Growth region
- D. Hypostome.

Answer: A



[Watch Video Solution](#)

8. Supporting lamella of Hydra is

- A. Mesogloea
- B. Gastrodermis
- C. Epidermis
- D. None of the above.

Answer: A

 [Watch Video Solution](#)

9. Hydra is immortal, because

- A. Old cells are replaced by new cells
- B. Cell do not grow old
- C. Of regeneration

D. It never dies.

Answer: A

 [Watch Video Solution](#)

10. Nematoblasts in Hydra are commonly of

A. 2 types

B. 3 types

C. Four types

D. None of the above.

Answer: C

 [Watch Video Solution](#)

11. What will happen if the cnidocil is touched with a glass rod?

- A. Nematoblasts will be discharged
- B. Nematoblasts will not discharge
- C. Nematoblasts will die
- D. None of the above.

Answer: A



[Watch Video Solution](#)

12. Nematoblasts with blind thread tube is called

A. Stenotele

B. Desmoneme

C. Stereoline glutinant

D. Streptoline glutinant

Answer: B



Watch Video Solution

13. Nematocyst is a

A. Cell

B. Group of cell

C. Organ

D. Part of a cell.

Answer: D



Watch Video Solution

14. The smallest cnidoblast in the body of Hydra is

A. Penetrant

B. Volvent

C. Atrichous isorhiza

D. Holotrichous isorhiza.

Answer: C



Watch Video Solution

15. The largest nematoblast is

- A. Stenotele
- B. Desmoneme
- C. Small glutinant
- D. Large glutinant.

Answer: A



Watch Video Solution

16. Germ cells of Hydra are

- A. Ectodermal

B. Mesodermal

C. Endodermal

D. None of the above.

Answer: A



Watch Video Solution

17. Digestion in Hydra is

A. Intercellular

B. Intracellular

C. Both

D. None.

Answer: C

 [Watch Video Solution](#)

18. One of the following is a coelenterate

A. Sea Fan

B. Sea Dollar

C. Sea Cucumber

D. Sea Horse.

Answer: A

 [Watch Video Solution](#)

19. The mesolamella/mesogloea is formed by

- A. Epidermis
- B. Gastrodermis
- C. Epidermis and gastrodermis
- D. Mesoderm.

Answer: C



Watch Video Solution

20. Undigested food of Hydra is expelled from

- A. Mouth
- B. Anus

C. General surface

D. Hypostome.

Answer: A

 [Watch Video Solution](#)

21. Hydra does not feed on lower animals because

A. They are so small

B. They are distasteful

C. They lack glutathione

D. None of the above.

Answer: C



[Watch Video Solution](#)

22. Digestion in the enteron of Hydra starts with

- A. Proteolytic enzymes
- B. Amylolytic enzymes
- C. Lipolytic enzymes
- D. None of the above.

Answer: A



[Watch Video Solution](#)

23. Perisarc is absent in Hydra because

- A. It is fixed
- B. It is free swimming
- C. Epidermis cannot secrete it
- D. None of the above.

Answer: B

 [Watch Video Solution](#)

24. Great Barrier Reef occurs off the coast of

- A. Sri Lanka
- B. Philippines
- C. Australia

D. Magarashtra.

Answer: C

 [Watch Video Solution](#)

25. Hydra is

A. Insectivorous

B. Frugivorous

C. Omnivorous

D. Carnivorous

Answer: D

 [Watch Video Solution](#)

26. Which part of Hydra is without supporting lamella?

- A. Basal disc
- B. Central part of pedal disc
- C. Tentacles
- D. None of the above.

Answer: B



[Watch Video Solution](#)

27. Which part of Hydra is without nematoblasts ?

- A. Pedal disc

B. Tentacles

C. Manubrium

D. Stomach region.

Answer: A



Watch Video Solution

28. In which nematoblast thread tube is unarmed and open at the tip?

A. Penetrant

B. Volvent

C. Small glutinant

D. Large glutinant.

Answer: C



Watch Video Solution

29. Tentacles of Hydra are

A. Hollow

B. Solid

C. Half hollow and half solid

D. None of the above.

Answer: A



Watch Video Solution

30. The green colour of *Hydra viridis* (*Chlorohydra viridissima*) is due to

- A. Chloroplasts
- B. Pigment
- C. Zoochlorella
- D. None of the above.

Answer: C



[Watch Video Solution](#)

31. Which nematoblasts coil around the prey?

A. Penetrants

B. Volvents

C. Small glutinants

D. Large glutinants.

Answer: B



Watch Video Solution

32. Nematoblasts responsible for locomotion are

A. Penetrants

B. Volvents

C. Glutinants

D. None of the above.

Answer: C

 [Watch Video Solution](#)

33. Hypnotoxin is

A. Protein

B. Carbohydrate

C. Lipid

D. None of the above.

Answer: A

 [Watch Video Solution](#)

34. Fresh Water Polyp is

- A. Hydra
- B. Aurelia
- C. Physalia
- D. Obelia.

Answer: A



Watch Video Solution

35. Epitheleomuscular cells of epidermis of Hydra form

- A. Circular muscles

- B. Oblique muscles
- C. Longitudinal muscles
- D. None of the above.

Answer: C



Watch Video Solution

36. A colonial hydrozoan is

- A. Hydra
- B. Metridium
- C. Aurelia
- D. Obelia.

Answer: D



Watch Video Solution

37. Hydra contracts its body by means of

- A. Interstitial cells
- B. Cnidoblasts
- C. Nutritive cells
- D. Epithelio-muscular cells.

Answer: D



Watch Video Solution

38. Sea Anemone is member of class

- A. Hydrozoa
- B. Scyphozoa
- C. Anthozoa/Actinozoa
- D. None of the above.

Answer: C

 [Watch Video Solution](#)

39. Metagenesis is found in

- A. Hydra
- B. Obelia

C. Aurelia

D. Tubipora

Answer: B



Watch Video Solution

40. Polymorphic animal is

A. Physalia

B. Hydra

C. Tubipora

D. Metridium.

Answer: A



[Watch Video Solution](#)

41. Hydra can digest all types of food except

- A. Proteins
- B. Fats
- C. Starches
- D. None of the above.

Answer: C



[Watch Video Solution](#)

42. Mesogloea of Hydra contains

- A. Nerve cells
- B. Phagocytic cells
- C. Interstitial cells
- D. None of the above.

Answer: D

 [Watch Video Solution](#)

43. Cnidom is a

- A. Battery of a nematoblasts
- B. Group of nematoblasts
- C. Armed thread

D. Unarmed thread.

Answer: B

 [Watch Video Solution](#)

44. Larva of Hydra is

A. aurelya

B. Planula

C. Tadpole

D. Hydrula.

Answer: A

 [Watch Video Solution](#)

45. A coral island with a central shallow lake is known as

A. Coral reef

B. Lagoon

C. Atoll

D. Corallite

Answer: C



Watch Video Solution

46. Gas gland occurs in

A. Gorgonia

B. Physalis

C. Pennatula

D. Red Coral.

Answer: B



Watch Video Solution

47. Chitinous covering or perisarc is present in

A. Obelia

B. Hydra

C. Aurelia

D. Physalia.

Answer: A

 [Watch Video Solution](#)

48. Blastostyle of Obelia bears

A. Tentacles

B. Polyps

C. Medusae

D. Gonads.

Answer: C

 [Watch Video Solution](#)

49. Polyps of Obelia are

- A. Reproductive zooids
- B. Nutritive zooids
- C. Zooids meant for dispersal
- D. All of above.

Answer: B



Watch Video Solution

50. Pneumatophore is present in

- A. Hydra
- B. Obelia

C. Aurelia

D. Physalia.

Answer: D



Watch Video Solution

51. Reproductive zooids of Physalia are

A. Medusae

B. Cormidia

C. Gastrozooids

D. Gonophores.

Answer: D



[Watch Video Solution](#)

52. A cormidium of Physalia consists of

A. Tentacles

B. Zooids

C. Both A and B

D. Tentacles, zooids and pneumatophore.

Answer: C



[Watch Video Solution](#)

53. Jelly Fish is

A. Adamsia

B. Aurelia

C. Scolidon

D. Torpedo.

Answer: B



Watch Video Solution

54. Hermit Carb develops a beneficial association with

A. Adamsia

B. Aurelia

C. Gorgonia

D. Pennatula.

Answer: A



Watch Video Solution

55. Sea Flowers are

A. Corals

B. Red corals

C. Sea Anemones

D. Jelly Fishes.

Answer: C



Watch Video Solution

56. Coral Islands are

- A. Laccadives
- B. Srilanka
- C. Iceland
- D. Mumbai.

Answer: A



Watch Video Solution

57. Pennatula is

- A. Sea Fan

B. Sea Pen

C. Sea Star

D. Sea Flower.

Answer: B



Watch Video Solution

58. The term coelenterate was coined by

A. Linnaeus

B. Leuckart

C. Clark

D. Grant.

Answer: B



Watch Video Solution

59. Which one is polymorphic coelenterate?

A. Obelia

B. Hydra

C. Aurelia

D. Adamsia.

Answer: A



Watch Video Solution

60. Skeleton present in coelenterates is

- A. Endoskeleton
- B. Exoskeleton
- C. Both A and B
- D. None of the above.

Answer: D



Watch Video Solution

61. Exoskeleton of coelenterates is

- A. Siliceous
- B. Chitinous

C. Calcareous

D. Both B and C.

Answer: D



Watch Video Solution

62. Nerve cells of coelenterates is

A. Apolar

B. Unipolar

C. Bipolar

D. Multipolar.

Answer: A



[Watch Video Solution](#)

63. Coelenterates are

- A. Ureotelic
- B. Uricotelic
- C. Ammonotelic
- D. None of the above.

Answer: C



[Watch Video Solution](#)

64. Glutathione is

A. Protein

B. Tripeptide

C. Polysaccharide

D. Trisaccharide.

Answer: B



Watch Video Solution

65. Brown Hydra is

A. Hydra vulgaris

B. Hydra viridis

C. Hydra fusca

D. *Hydra gangeticus*.

Answer: C

 [Watch Video Solution](#)

66. Colour of Brown Hydra is due to

A. Chromoplasts

B. Zooxanthellae

C. Zoochlorellae

D. Both A and B.

Answer: B

 [Watch Video Solution](#)

67. Gonads are endodermal in

A. Hydra

B. Obelia

C. Physalia

D. Aurelia.

Answer: D



Watch Video Solution

68. In corals, the gonads are

A. Endodermal

B. Ectodermal

C. Mesodermal.

D. Mesogloal.

Answer: A



Watch Video Solution

69. Gastrovascular cavity or coelenteron partitioned in

A. Hydrozoa

B. Scyphozoa

C. Actinozoa

D. Both B and C.

Answer: C



Watch Video Solution

70. Coelenterate without medusoid stage in life cycle is

A. Obelia

B. Aurelia

C. Physalia

D. Metridium.

Answer: D



Watch Video Solution

71. Contractile structure of nematoblast is

- A. Lasso
- B. Cnidocil
- C. Tube
- D. Refractive rods

Answer: A

 [Watch Video Solution](#)

72. Sensory structure of a cnidoblast is

- A. Cnidocil
- B. Refractile rods

C. Myonemes

D. Operculum.

Answer: A



Watch Video Solution

73. Zoochlorellae or Zooxanthellae of coloured Hydra occur
in

A. Epithelio-muscular cells

B. Nutritive cells

C. Mesogloea

D. Interstitial cells.

Answer: B



Watch Video Solution

74. Sensory cells of Hydra possess

- A. Flagellum
- B. Hair-like processes
- C. Cilia
- D. Pseudopodia.

Answer: B



Watch Video Solution

75. Growth zone of Hydra is

- A. Diffused
- B. Near the foot
- C. Below hypostome
- D. In the middle.

Answer: C



Watch Video Solution

76. The body of Hydra contracts with the help of

- A. Epitheliomuscular cells
- B. Endotheliomuscular cells

C. Sensory cells

D. Glandulo-muscular cells.

Answer: A



Watch Video Solution

77. In Hydra, all old cells are replaced in

A. 15 days

B. 30 days

C. 45 days

D. 60 days

Answer: C



[Watch Video Solution](#)

78. Sea Fur is

A. Hydra

B. Obelia

C. Adamsia

D. Gorgonia.

Answer: B



[View Text Solution](#)

79. Obelia is

A. Sedentary

B. Attached but capable of locomotion

C. Motile

D. Free floating.

Answer: A



Watch Video Solution

80. Hydra shows locomotion by

A. Somersaulting and looping

B. Gliding and climbing

C. Walking, floating and swimming

D. All the above.

Answer: D

 [Watch Video Solution](#)

81. Number of tentacles in a polyp of Obelia is

A. 5 – 10

B. 10 – 15

C. 15 – 20

D. 20 – 30

Answer: D

 [Watch Video Solution](#)

82. Tentacles of Obelia are

- A. Hollow
- B. Solid
- C. Internally chambered
- D. Spiny and hollow.

Answer: B



Watch Video Solution

83. In Physalia, the float is

- A. Crimson

B. Brown

C. Blue

D. Colourless.

Answer: C



Watch Video Solution

84. Crest or sail of float in Physalia is differently coloured.

It is

A. Yellow

B. Crimson

C. Violet

D. Black.

Answer: C



Watch Video Solution

85. In Pysalia, zooids occur in groups called

A. Conulae

B. Palpons

C. Cormidia

D. Dactyloids.

Answer: C



Watch Video Solution

86. Feeding zooids of Physalia are called

- A. Gastrozooids
- B. Dactylozooids
- C. Gonodendra
- D. Gonopalpons.

Answer: A



Watch Video Solution

87. In Physalia, nematoblasts paralyse the prey by

- A. Haemotoxin

B. Neurotoxin

C. Myotoxin

D. Both B and C.

Answer: B



Watch Video Solution

88. Jelly Fish Aurlia occurs abundantly in

A. Mumbai Coast

B. Tamil Nadu Coast

C. Bay of Bengal

D. All the above.

Answer: B

 [Watch Video Solution](#)

89. Aurelia has

- A. Two smooth oral arms
- B. Two nematoblast rich oral arms
- C. Four tentacles
- D. Four cnidoblast rich oral arms.

Answer: D

 [Watch Video Solution](#)

90. Which one is bioluminescent?

A. Aurelia

B. Astreaea

C. Adamsia

D. Metridium.

Answer: A



Watch Video Solution

91. Sea Anemone is characterised by

A. A whorl of several tentacles

B. Many whorls of tentacles

C. Irregularly placed tentacles

D. Absence of tentacles.

Answer: B



Watch Video Solution

92. Corals are generally

A. Solitary

B. Colonial

C. Stonely

D. Both B and C.

Answer: D



[View Text Solution](#)

93. A coral stone is made of

- A. Several corallites
- B. Corallium
- C. A single corallite
- D. Both A and B.

Answer: D



[Watch Video Solution](#)

94. Coral reef is formed of

A. Siliceous matter

B. Limestone

C. Chitin

D. Lava.

Answer: B



Watch Video Solution

95. A barrier reef develops

A. Near sea shore

B. Deep in sea

C. At some distance from sea shore

D. Around a lagoon.

Answer: C



Watch Video Solution

96. Great Barrier Reef of Australia is

A. 1000 km long

B. 2300 km long

C. 2400 km long

D. 3600 km long.

Answer: B



Watch Video Solution

97. Coral islands are

- A. Fiji
- B. Maldives
- C. Laccadives
- D. All the above.

Answer: D



Watch Video Solution

98. Which one has a tree-like branched form?

- A. Pennatula

B. Gorgonia

C. Physalia

D. Porpita.

Answer: B



Watch Video Solution

99. Anthocodia is

A. Medusoid zooid

B. Polypoid zooid

C. Whole zooid

D. Distal part of zooid with mouth and tentacles.

Answer: D



Watch Video Solution

100. Siphonozoids of Pennatula differ from autozooids in

- A. Having tentacles and gonads
- B. Lacking mesenteries
- C. Lacking tentacles and gonads
- D. Having mesenteries.

Answer: C



Watch Video Solution

101. Autozooids of Pennatula take part in

- A. Capturing prey
- B. Circulation
- C. Feeding and reproduction
- D. Feeding and circulation.

Answer: C



Watch Video Solution

102. Scientific name of Sea Pen/Sea Feather is

- A. Pennatula
- B. Gorgonia

C. Porpita

D. Veleva.

Answer: A



Watch Video Solution

103. Pennatula and Gorgonia are

A. Hydrozoans

B. Scyphozoans

C. Corals

D. Ctenophores.

Answer: C



[Watch Video Solution](#)

104. Intermediate between diploblastic and triploblastic body structure is found in

- A. Porifers
- B. Coelenterates
- C. Ctenophores
- D. Platyhelminthes.

Answer: C



[Watch Video Solution](#)

105. What is present in mesoglea of ctenophores which make it a loose layer of cells?

- A. Amoebocytes
- B. Elastic cells
- C. Nerve cells and muscle cells
- D. All the above.

Answer: D



[Watch Video Solution](#)

106. Which is absent in ctenophores?

- A. Epidermis

B. Intercellular and intracellular digestion

C. Cnidoblasts

D. Medusa phase.

Answer: C



Watch Video Solution

107. Symmetry of ctenophores is generally

A. Bilateral

B. Radial

C. Biradial

D. Absent

Answer: C



Watch Video Solution

108. Tentacles of ctenophores contain

- A. Cnidoblasts
- B. Colloblasts
- C. Digestive glands
- D. All the above.

Answer: B



Watch Video Solution

109. Tentacles are absent in

- A. Beroe
- B. Ctenoplane
- C. Hormiphora
- D. Obelia.

Answer: A

 [Watch Video Solution](#)

110. Ctenophores possess statocysts in

- A. Oral region
- B. Aboral region

C. Base of comb plates

D. Base of tentacles.

Answer: B



Watch Video Solution

111. Ctenophores possess statocysts in

A. Cilia for locomotion

B. Cilia for filter feeding

C. Teeth for crushing

D. Teeth for filtering.

Answer: A



[Watch Video Solution](#)

112. Which one is absent in Beroe?

- A. Statocyst
- B. Stomodaeum
- C. Tentacles
- D. Anal pores.

Answer: C



[Watch Video Solution](#)

113. Ctenoplana differs from Hormiphora and Beroe in having

- A. Pear shaped body
- B. Conical ovate body
- C. Flat bilobed body
- D. Branched axis.

Answer: C



Watch Video Solution

114. Anal pores occur in gastrovascular system of

- A. Physalia

B. Corals

C. Aurelia

D. Ctenophores.

Answer: D



Watch Video Solution

Rq

1. Hydra/Obelia is

A. Diploblastic, radially symmetrical and acoelomate

B. Diploblastic, bilaterally symmetrical and acoelomate

C. Triploblastic, radially symmetrical and coelomate

D. Triploblastic, bilaterally symmetrical and coelomate.

Answer: A

 [Watch Video Solution](#)

2. Zoochlorellae and zooxanthallae present in Hydra are

A. Symbionts in nutritive cells

B. Symbionts in the gut

C. Symbionts in cnidoblasts

D. Organisms that provide hypnotoxin

Answer: A



[Watch Video Solution](#)

3. Precious Red Coral is//Coral used in ornaments is

- A. *Astraea*
- B. *Fungia*
- C. *Corallium*
- D. *Tubipora*.

Answer: C



[Watch Video Solution](#)

4. Jelly Fishes belong to class Hydrozoa

A. Hydrozoa

B. Scyphozoa

C. Anthozoa

D. None of the above

Answer: B



Watch Video Solution

5. Body cavity of Hydra is called

A. Enterocoel

B. Coelenteron

C. Gastrovascular cavity

D. Both B and C.

Answer: D

 [Watch Video Solution](#)

6. Portuguese-Man-of-War is a

A. Colonial monomorphic coelenterate

B. Polymorphic coelenterate

C. Coral

D. Sea Anemone.

Answer: B

 [Watch Video Solution](#)

7. Hypnotoxin is produced by

- A. Sponges
- B. Bath sponge
- C. Nematocysts
- D. Leucosolenia

Answer: C



Watch Video Solution

8. Which is a coelenterate ?

- A. Sea Pen

B. Sea Urchin

C. Sea Fish

D. Sea Cucumber.

Answer: A



Watch Video Solution

9. In Sea Anemone, the symmetry is

A. Radial

B. Spherical

C. Bilateral

D. Absent.

Answer: A

 [Watch Video Solution](#)

10. The cells absent in gastrodermis of Hydra are

- A. Nutritive cells
- B. Stinging cells/Cnidoblasts
- C. Gland cells
- D. Nerve/sensory cells.

Answer: B

 [Watch Video Solution](#)

11. Muscles of Hydra are

A. Smooth

B. Skeletal

C. Both A and B

D. None of the above.

Answer: D



Watch Video Solution

12. A radially symmetrical diploblastic animal is

A. Roundworm

B. Earthworm

C. Hydra

D. Liver fluke.

Answer: C



Watch Video Solution

13. Budding is a normal mode of asexual reproduction in

A. Starfish and Hydra

B. Hydra and sponges

C. Tapeworm and Hydra

D. Sponge and starfish.

Answer: B



[Watch Video Solution](#)

14. Which one of the following animals possesses nerve cells but no nerves?

- A. Hydra
- B. Tapeworm
- C. Earth worm
- D. Frog's tadpole.

Answer: A



[Watch Video Solution](#)

15. Poisonous fluid present in nematocysts of Hydra is

A. Hypnotoxin

B. Heamatin

C. Haemozoin

D. Agglutinogen.

Answer: A



Watch Video Solution

16. Nematocysts take part in

A. Locomotion

B. Offence and defence

C. Food capture

D. All the above.

Answer: D



Watch Video Solution

17. Common between trichocysts of Paramecium and nematocysts of Hydra is

A. Attachment and defence

B. Defence only

C. Sensitivity

D. Food capturing.

Answer: A

 [Watch Video Solution](#)

18. Corals belong to phylum

A. Cnidaria

B. Porifera

C. Mollusca

D. Annelida.

Answer: A

 [Watch Video Solution](#)

19. Special character of coelenterates is

- A. Polymorphism
- B. Nematocysts
- C. Flame cells
- D. Hermaphroditism.

Answer: B



Watch Video Solution

20. Nematocysts are activated by

- A. Water

B. Touch

C. Brain

D. None of the above.

Answer: B



Watch Video Solution

21. Point out a non-parasite

A. Tapeworm

B. Mosquito

C. Leech

D. Sea Anemone.

Answer: D

 [Watch Video Solution](#)

22. Portuguese Man of War is

A. Pennatula

B. Coral

C. Physalia

D. Obelia.

Answer: C

 [Watch Video Solution](#)

23. Which pair of cells is present in epidermis of Hydra but not in its endoderm

- A. Stinging cells and interstitial cells
- B. Gland cells and germ cells
- C. Stinging cells and germ cells
- D. Stinging cells and gland cells.

Answer: C

 [Watch Video Solution](#)

24. Hydra is

- A. Monoblastic

B. Diploblastic

C. Triploblastic

D. Tetrablastic.

Answer: B



Watch Video Solution

25. Nerve cells are found in

A. Hydra

B. Sycon

C. Paramecium

D. Amoeba.

Answer: A

 [Watch Video Solution](#)

26. If Hydra is broken into pieces

- A. Hydra will die
- B. Every fragment will grow into complete Hydra
- C. Some fragments will form complete Hydra
- D. Hydra will undergo sexual reproduction.

Answer: B

 [Watch Video Solution](#)

27. Testes/gonads are formed in Hydra from

- A. Interstitial cells
- B. Epithelio-muscular cells
- C. Nerve cells
- D. All of above.

Answer: A



Watch Video Solution

28. Food of Hydra is

- A. Aquatic plants
- B. Aquatic animals

C. Algae and aquatic animals

D. Some crustaceans.

Answer: D



Watch Video Solution

29. Which group does not contain polyp?

A. Hydrozoa

B. Scyphozoa

C. Anthozoa

D. Calcarea.

Answer: D



[Watch Video Solution](#)

30. A number of buds have developed on Hydra

- A. Oldest bud is towards oral region
- B. Oldest bud is towards aboral region
- C. Both A and B
- D. There is no order.

Answer: B



[Watch Video Solution](#)

31. Cnidaria is characterised by

- A. Nematoblasts
- B. Coelenteron
- C. Tissue level of organisation
- D. All the above.

Answer: D

 [Watch Video Solution](#)

32. Mesogloea of Hydra is made of

- A. Mucopolysaccharides
- B. Protein
- C. Protein and fat

D. Reticulate tissue.

Answer: A

 [Watch Video Solution](#)

33. Characteristic feature of coelenterata is

A. All are marine

B. Presence of tentacles around mouth

C. Polyp

D. Gastrovascular cavity.

Answer: D

 [Watch Video Solution](#)

34. Hydra is famous for a type of reproduction

- A. Budding
- B. Gametogenesis
- C. Position of sex organs
- D. Both B and C.

Answer: A



Watch Video Solution

35. Hydra cut into two pieces will result in

- A. Growth without mouth and basal disc

- B. Growth of mouth and disc according to their position in the parent
- C. Growth of mouth and disc at any end
- D. No regeneration is possible.

Answer: B



Watch Video Solution

36. Common name of *Fungia* is

- A. Mushroom Coral
- B. Red Coral
- C. Brain Coral

D. Organ Pipe Coral.

Answer: A

 [Watch Video Solution](#)

37. In Hydra new nematocysts develop from

- A. Cnidocils
- B. Glandular cells
- C. Germ cells
- D. Inerstitial cells.

Answer: D

 [Watch Video Solution](#)

38. The largest nematocysts of Hydra are

- A. Volvents
- B. Penetrants
- C. Atrichous isorhizas
- D. Holotrichous isorhizas.

Answer: B



Watch Video Solution

39. Polymorphism occurs in

- A. Anthozoa

B. Scyphozoa

C. Rhizopoda

D. Hydrozoa.

Answer: D



Watch Video Solution

40. Hydra is

A. Fresh water, radial and diploblastic

B. Fresh water, biradial and triploblastic

C. Marine, radial and triploblastic

D. Marine, radial and diploblastic.

Answer: A



Watch Video Solution

41. Most appropriate term for the life cycle of Obelia is

A. Alternation of generations

B. Metagenesis

C. Metamorphosis

D. Neoteny.

Answer: B



Watch Video Solution

42. A polymorphic coelenterate is

A. Physalia

B. Fungia

C. Hydra

D. All the above.

Answer: A



Watch Video Solution

43. Which one belongs to anthozoa?

A. Dugesia

B. Fungia

C. Aurelia

D. Stercularia.

Answer: B



Watch Video Solution

44. In Hydra, digestion is

A. Extracelluar

B. Intracellular

C. First extracellular and then intracellular

D. First intracellular and then extracelluar.

Answer: C



[Watch Video Solution](#)

45. Medusa of Obelia is

- A. Carnivorous
- B. Herbivorous
- C. Detritus feeder
- D. Omnivorous.

Answer: A



[Watch Video Solution](#)

46. Sense organs of Aurelia are

A. Tentilla

B. Tentaculocyst

C. Nematocyst

D. Otolith.

Answer: B



Watch Video Solution

47. Statocysts are sense organs of

A. Paramecium

B. Ascaris

C. Medusa of Obelia

D. Taenia solium.

Answer: C

 [Watch Video Solution](#)

48. Special character of coelenterates/Hydra is

A. Hermaphroditism

B. Nematocysts

C. Polymorphism

D. Flame cells.

Answer: B

 [Watch Video Solution](#)

49. Ephyra is young stage of

A. Obelia

B. Sea Anemone

C. Physalia

D. Aurelia.

Answer: D



Watch Video Solution

50. Germ cells of Hydra are derived from

A. Ectoderm

B. Endoderm

C. Mesoderm

D. Mesogloea

Answer: A



Watch Video Solution

51. Characteristic free swimming larva of coelenterates is

A. Onchosphere

B. Rhabditiform

C. Planula

D. Cysticercus.

Answer: C

 [Watch Video Solution](#)

52. Cell-tissue organisation occurs in

A. Amoeba

B. Hydra

C. Tapeworm

D. Ascaris.

Answer: B

 [Watch Video Solution](#)

53. Coelenterates are mostly

- A. Asymmetrical
- B. Radially symmetrical
- C. Bilaterally symmetrical
- D. Irregular.

Answer: B



Watch Video Solution

54. Hydra is

- A. Coral
- B. Worm

C. Polyp

D. Medusa

Answer: C



Watch Video Solution

55. In ectoderm of Hydra, bulk of cells are

A. Musculo-epithelial

B. Interstitial

C. Nematoblasts

D. Germ cells.

Answer: A



[Watch Video Solution](#)

56. Hydra is coelenterate because it possesses

- A. Mesogloea
- B. Nematocysts
- C. Body cavity
- D. Tentacles.

Answer: B



[Watch Video Solution](#)

57. A member of scyphozoa is

A. Silver Fish

B. Jelly Fish

C. Cuttle Fish

D. Cat Fish.

Answer: B



Watch Video Solution

58. In Hydra , cnidoblasts employed during looping are

A. Volvents

B. Stenoteles

C. Atrichous isorhizas

D. Desmonemes.

Answer: C

 [Watch Video Solution](#)

59. Animal showing thigmotaxis is

A. Ascauis

B. Taenia

C. Fungia

D. Hydra.

Answer: D

 [Watch Video Solution](#)

60. Hydra reproduces through

- A. Parthenogenesis
- B. Encystment
- C. Polyembryony
- D. Sexually and asexually.

Answer: D



Watch Video Solution

61. Which is correct about nematocyst in Hyda

- A. It is re-used

B. Ejection is conditioned reflex

C. Ejection occurs in response to contact and pierces
the prey

D. Prevents coming in contact with other Hydra.

Answer: C



Watch Video Solution

62. In Hydra, egestion of undigested food and excretion of nitrogenous wastes occur through

A. Mouth and tentacles

B. Mouth and body wall

C. Mouth and mouth

D. Body wall and body wall.

Answer: B



Watch Video Solution

63. Hydra will regenerate from a fragment, if it contains

A. Tentacles

B. Epidermis and gastrodermis

C. Tentacles, epidermis and gastrodermis

D. Epidermis, hypodermis and gastrodermis.

Answer: B



[Watch Video Solution](#)

64. Hydra paralyses its prey with the help of

- A. Tentacles
- B. Nematocysts
- C. Colloblasts
- D. Epitheliomuscular cells.

Answer: B



[Watch Video Solution](#)

65. Bilateral symmetry does not occur in

A. Frog

B. Octopus

C. Mammal

D. Obelia.

Answer: D



Watch Video Solution

66. Nematocysts occur in phylum

A. Coelenterata

B. Nematoda

C. Porifera

D. Annelida.

Answer: A

 [Watch Video Solution](#)

67. A mature Hydra usually bears

- A. One testis and several ovaries
- B. One testis and one ovary
- C. Several testes and one ovary
- D. Several testes and several ovaries.

Answer: C

 [Watch Video Solution](#)

68. Which one is not a coelenterate?

A. Sea Fan

B. Sea Feather

C. Sea Cucumber/Lily

D. Sea Pen.

Answer: C



Watch Video Solution

69. Ctenophores have similarities with members

A. Porifera

B. Coelenterata

C. Arthropoda

D. Annelida.

Answer: B



Watch Video Solution

70. Larva like stage of Hydra is

A. Hydrula

B. Hydratbe

C. Scyphula

D. Planula.

Answer: A

 [Watch Video Solution](#)

71. What is true of Hydra

- A. Marine
- B. Bilateral Symmetry
- C. Carnivorous
- D. All the above.

Answer: C

 [Watch Video Solution](#)

72. Hydra receives stimuli through

- A. Nerve cells
- B. Nerve net
- C. Sensory cells
- D. Nematocysts.

Answer: C



Watch Video Solution

73. Body cavity of Hydra/coelenterata is known as

- A. Coelenteron
- B. Pseudocoel

C. Enterocoel

D. Haemocoel.

Answer: A



Watch Video Solution

74. What is the correct match?

A. Cray Fish-Elasmobranch

B. Cuttle Fish-Osteichthyes

C. Silver Fish-Echinodermata

D. Jelly Fish-Scyphozoa.

Answer: D



[Watch Video Solution](#)

75. Which is wrongly matched?

- A. Annelida-Notopodia
- B. Ciliophora-Axonemes
- C. Cnidaria-Parapodia
- D. Euglenoidae-Myonemes.

Answer: C



[Watch Video Solution](#)

76. Symmetry found in Sea Anemone is

A. Radial

B. Biradial

C. Bilateral

D. Spherical

Answer: B



Watch Video Solution

77. A structure not present in Hydra occur in maximum number over

A. Never cells

B. Epitheliomuscular cells

C. Choanocytes/Glial cells

D. Cnidocytes.

Answer: C



View Text Solution

78. Nematocysts of Hydra occur in maximum number over

A. Gastrodermis

B. Basal disc

C. Gonads

D. Tentacles.

Answer: D



[Watch Video Solution](#)

79. The main nitrogenous wastes of Hydra is

- A. Ammonia
- B. Urea
- C. Uric acid
- D. Both A and C.

Answer: A



[Watch Video Solution](#)

80. Nematoblasts of Hydra help in

- A. Attracting prey
- B. Detecting prey
- C. Paralysing prey
- D. None of the above.

Answer: C

 [Watch Video Solution](#)

81. Hydra is

- A. Saprozoic
- B. Omnivorous
- C. Carnivorous

D. Herbivorous.

Answer: C

 [Watch Video Solution](#)

82. Gastrodermis of Hydra is mainly made of

A. Musculoepithelial cell

B. Musclonutritive cells

C. Sensory cells

D. Cnidoblast cells.

Answer: B

 [Watch Video Solution](#)

83. Which of the following during respiration obtain water dissolved oxygen by diffusion through their body surface

A. Cnidarians

B. Fishes

C. Amphibians

D. Reptiles.

Answer: A



Watch Video Solution

84. Budding method of asexual reproduction occurs in

A. Amoeba

B. Plasmodium

C. Paramecium

D. Hydra.

Answer: D



Watch Video Solution

85. Sea Fan belong to

A. Echinodermata

B. Crinoidia

C. Mollusca

D. Coelenterata.

Answer: D

 [Watch Video Solution](#)

86. Biradial symmetry and lack of cnidoblasts are the characteristics of

- A. Hydra and Starfish
- B. Starfish and Sea Anemone
- C. Ctenoplane/Ctenoplana and Beroe
- D. Aurelia and Paramecium.

Answer: C



[Watch Video Solution](#)

87. Lagoon is

- A. Full moon
- B. Sea breaking into land and separated by sand dunes
- C. Spot in desert with presence of water
- D. Horse-shoe shaped coral reef.

Answer: D



[View Text Solution](#)

88. In Hydra, nematocysts occur only in

A. Epidermis

B. Gastrodermis

C. Mesodermis

D. Endodermis

Answer: A



Watch Video Solution

89. Hydra belongs to class

A. Scyphozoa

B. Hydrozoa

C. Actinozoa

D. Cnidaria.

Answer: B

 [Watch Video Solution](#)

90. Asexual reproduction in Hydra occurs through

- A. Budding
- B. Binary fission
- C. Fragmentation
- D. Sporulation.

Answer: A

 [Watch Video Solution](#)

91. Which one is incorrect ?

- A. Nematocyst-Cnidaria
- B. Colloblast-Ctenophora
- C. Trichocyst-Ciliata
- D. None of the above.

Answer: D



Watch Video Solution

92. Which one is mismatched ?

- A. Hydra vulgaris-Sea water

B. Hydra gangetica-Fresh water

C. Obelia-Sea water

D. Physalia-Sea water.

Answer: A



Watch Video Solution

93. Poply phase does not occur in

A. Obelia

B. Aurelia

C. Hydra

D. Physalia.

Answer: B



Watch Video Solution

94. Scyphozoan medusa is commonly known as

A. Sea Pen

B. Jelly Fish

C. Obelia

D. Sea Urchin.

Answer: B



Watch Video Solution

95. In Hydra, absence of circulatory system is compensated by

- A. Gastrovascular cavity
- B. Tentacles
- C. Pseudocoelomic fluid
- D. Mesoglea.

Answer: A

 [Watch Video Solution](#)

96. Nematocysts occur in

- A. Ctenophora

B. Planaria

C. Fasciola

D. Obelia.

Answer: D



Watch Video Solution

97. Match list I with List II and select the correct option

List I

List II

A Protozoa

1 Pennatula

B Aschelminthes

2 Beroe

C Poorifera

3 Monocystis

D Ctenophora

4 Wuchereria

E Cnidaria

5 Cliona

A. a-3, b-5, c-4, d-1, e-2

B. a-4, b-3, c-5, d-2, e-1

C. a-3, b-4, c-5, d-2, e-1

D. a-2, b-4, c-5, d-3, e-1

Answer: C



Watch Video Solution

98. Mesoglea occurs between

A. Ectoderm and endoderm

B. Ectoderm and mesoderm

C. Mesoderm and endoderm

D. Just below mesoderm.

Answer: A

 [Watch Video Solution](#)

99. Highest degree of polymorphism is found in

- A. Protozoa
- B. Cnidaria
- C. Platyhelminthes
- D. Arthropoda.

Answer: B

 [Watch Video Solution](#)

100. The dioecious animal is

- A. Tape worm
- B. Earthworm
- C. Liver fluke
- D. Aurelia.

Answer: D



Watch Video Solution

101. Comb plates occur in

- A. Adamsia
- B. Nereis

C. Pleurobrachia

D. Aurelia

Answer: C



Watch Video Solution

102. Hydra reproduces by budding. It is

A. Asexual reproduction

B. Sexual reproduction

C. Parthenocarpy

D. Regeneration.

Answer: A



[Watch Video Solution](#)

103. Digestion in Hydra takes place within

- A. Abdominal cavity
- B. Gastrovascular cavity
- C. Pericardial cavity
- D. Pelvic cavity.

Answer: B



[Watch Video Solution](#)

104. Primitive nervous system is formed in

A. Echinodermata

B. Sponges

C. Cnidaria

D. Annelida.

Answer: C



Watch Video Solution

105. Which of the following statements is incorrect

A. Cnidocyte is for defence in Hydra

B. Nerve cells are absent in Hydra

C. Hydra is a coelenterate

D. Hydra shows budding.

Answer: B



Watch Video Solution

106. Looping and somersaulting types of locomotion are seen in

A. Snail

B. Hydra

C. Amoeba

D. Leech.

Answer: B



[Watch Video Solution](#)

107. Tentacles of Hydra appear to be

A. 12

B. 15

C. 8

D. 14

Answer: C



[Watch Video Solution](#)

108. Which of the following is diploblastic

A. Fasciola

B. Pheretima

C. Palaemon

D. Hydra.

Answer: D



Watch Video Solution

109. A radially symmetrical free swimming bioluminescent diploblastic marine organism is

A. Sea Fan

B. Sea Pen

C. Sea Walnut

D. Bath sponge.

Answer: B



Watch Video Solution

110. Match the following and choose the correct option

- | | |
|----------------|--------------------------|
| (i) Physalia | A. Sea anemone |
| (ii) Meandrina | B. Brain coral |
| (iii) Gorgonia | C. Sea fan |
| (iv) Adamsia | D. Portuguese man of war |

A. i-d, ii-b, iii-c, iv-a

B. i-c, ii-b, iii-b, iv-a

C. i-d, ii-c, iii-a, iv-a

D. i-b, ii-c, iii-a, iv-d

Answer: D

 [Watch Video Solution](#)

111. Which is a coelenterate

A. Balanoglossus

B. Physalia

C. Sycon

D. Branchiostoma.

Answer: C

 [Watch Video Solution](#)

112. Craspedate (with velum) medusa is present in the pair

- A. Aurelia and Rhizostoma
- B. Pennatula and Aurelia
- C. Rhizostoma and Corallium
- D. Physalia and Halistemma.

Answer: A



View Text Solution

113. Which group of animals reproduces only by sexual means

A. Porifera

B. Protozoa

C. Ctenophora

D. Cnidaria.

Answer: B



Watch Video Solution

114. Presence of comb plates is characteristic feature of

A. Porifera

B. Cnidaria

C. Ctenophora

D. Platyhelminthes.

Answer: C

 [Watch Video Solution](#)

115. Stinging cells occur in

- A. Wasp and Honey Bee
- B. Sea Pen and Hydra
- C. Cactus and Venus Fly Trap
- D. Scorpion and Cobra.

Answer: B

 [Watch Video Solution](#)

116. Find out the odd one

A. Adamsia

B. Astreaea

C. Physalia

D. Pleurobrachia.

Answer: D



Watch Video Solution

117. Which of the statements regarding coelenterates is/are wrong

- I. Cnidocytes are present on the tentacles and on the body
- II. Diploblastic with cellular level of organisation
- III. Polyp forms are free living
- IV. Exhibit metagenesis
- V. Polyps produce medusae sexually and medusae form polyps asexually.

- A. II and IV only
- B. III and V only
- C. I, II and III only
- D. II, III and V only.

Answer: D



Watch Video Solution

118. Select the Taxon mentioned that represents both marine and fresh water species

- A. Ctenophora
- B. Cephalochordata
- C. Cnidaria
- D. Echinodermata

Answer: C

 [Watch Video Solution](#)

119. Which of the following exhibits metagenesis

- A. Hydra

B. Adamsia

C. Aurelia

D. Obelia.

Answer: D



Watch Video Solution

120. Identify the phylum X

Animalia → Tissue Grade → Bilateral → Acoelomate – X

A. Ctenophora

B. Platyhelminthes

C. Aschelminthes

D. Hemichordata.

Answer: A

 [Watch Video Solution](#)

121. This is not a cnidarian

A. Obelia

B. Jelly Fish

C. Sea Anemone

D. Beroe.

Answer: D

 [Watch Video Solution](#)

122. Metagenesis refers to

- A. Presence of different morphological forms
- B. Alternation of generations between asexual and sexual phases of an organism
- C. Occurrence of drastic changes in form during post embryonic development
- D. Presence of a segmented body and parthenogenetic mode of reproduction

Answer: B



Watch Video Solution

123. Portuguese-Man-of-War is a

- A. Soldier
- B. Sponge
- C. Solitary polymorphic coelenterate
- D. Colonial coelenterate.

Answer: C

 [Watch Video Solution](#)

124. What will happen if Hydra is cut transversely into two halves

- A. Build up the lost part

B. Tend to reunite

C. Cut ends heal up

D. Both halves die.

Answer: A



Watch Video Solution

125. 'Lasso' is a structure found in

A. Nutritive muscular cell

B. Epitheliomuscular cell

C. Sensory cells

D. Nematoblasts.

Answer: D

 [Watch Video Solution](#)

126. In metagenesis of cnidarian like Obelia, the polyps and medusae are respectively

- A. N and 2N
- B. 2N and N
- C. 2N and 2N
- D. N and N.

Answer: C

 [Watch Video Solution](#)

127. This belongs to phylum cindaria

A. Sea Anemone

B. Sycon

C. Chalina

D. Amoeba.

Answer: A



Watch Video Solution

128. Assertion : In Pleurobrachia, eight comb-like ciliary plates called cmob plates are present on the body that help in locomotion

Reason : Pleurobrachia reproduces sexually and its life cycle includes Cydippid larva

- A. both true but reason is not correct explanation
- B. assertion true but reason is wrong
- C. assertion true but reason is wrong
- D. both are wrong

Answer: B

 [Watch Video Solution](#)

Cyg

1. Porifers and coelenterates are

A. Ammonotelic

B. Ureotelic

C. Uricotelic

D. Both B and C.

Answer: A



Watch Video Solution

2. Moon Jelly is

A. Metridium

B. Gorgonia

C. Aurelia aurita

D. *Corallium nobile*.

Answer: C

 [Watch Video Solution](#)

3. In coelenterates, cnidoblasts occur inside

A. Gastrodermis

B. Mesogloea

C. Epidermis

D. All the above.

Answer: C

 [Watch Video Solution](#)

4. In Hydra, gastric enzymes are secreted by

- A. Epithelioglandular cells
- B. Endothelio-muscular cells
- C. Epithelio-muscular cells
- D. Endothelioglandular cells.

Answer: D



Watch Video Solution

5. Interstitial cells take part in

- A. Sealing the body layers

B. Transfer of materials between epidermis and gastrodermis

C. Replacement of old worn out cells

D. Formation of neurosensory complex.

Answer: C



Watch Video Solution

6. Discharged nematoblasts are replaced by new ones formed from

A. Nematoblast

B. Interstitial cells

C. Amoebocytes

D. Archaeocytes.

Answer:



Watch Video Solution

7. Cells present in epidermis but absent in gastrodermis of Hydra are

A. Musculo-epithelial

B. Nematoblasts

C. Germ cells

D. Both B and C.

Answer: B



Watch Video Solution

8. Coral island with a central lake is

- A. Atoll
- B. Fringing reef
- C. Barrier reef
- D. All the above.

Answer: A



Watch Video Solution

9. Blue Coral is

A. Meandrina

B. Millepora

C. Heliopora

D. Corallium.

Answer: C



Watch Video Solution