



BIOLOGY

BOOKS - S DINESH & CO BIOLOGY (HINGLISH)

ORGANISMS AND THE ENVIRONMENT

Mcq

1. Basic unit of ecological hierarchy is

A. Ecosystem

B. Biological community

C. Population

D. Individual.

Answer: D



Watch Video Solution

2. A unit of land delimited by natural boundary and having patches of different biotic communities is

A. Ecosystem

B. Landscape

C. Biome

D. Both B and C.

Answer: B



Watch Video Solution

3. A regional ecological unit having a specific climate is

A. Biome

B. Landscape

C. Ecosystem

D. Biotic community.

Answer: A



Watch Video Solution

4. What is equivalent to ecology ?

A. bioecology

B. Hexicology

C. Ethology

D. All the above.

Answer: D



Watch Video Solution

5. Autecology is study of ecology of

A. Individual

B. Population

C. Species

D. Both B and C.

Answer: D



Watch Video Solution

6. Agriculture, animal husbandary and wildlife management are parts of

A. Autecology

B. Sybecology

C. Applied ecology

D. System ecology.

Answer: C



Watch Video Solution

7. The highest level of ecological hierarchy is

A. Ecosystem

B. Biosphere

C. Biome

D. Landscape.

Answer: B



Watch Video Solution

8. Population is

A. All animals of an area

B. All plants of an area

C. All plants and animals of an area

D. All individuals of a species.

Answer: D



Watch Video Solution

9. Species ecology is synonym with

A. Autecology

B. Community ecology

C. Synecology

D. Hexicology.

Answer: A



[Watch Video Solution](#)

10. Components of environment are

A. Biotic

B. Abiotic

C. Resource and regulatory factors

D. All the above.

Answer: D



[Watch Video Solution](#)

11. Tropical zone extends from

A. $0^\circ - 30^\circ$

B. $0^\circ - 20^\circ$

C. $10^\circ - 23^\circ$

D. $5^\circ - 30^\circ$

Answer: B



Watch Video Solution

12. Mean annual temperature of tropical zone is

A. $10^{\circ} C$

B. $16^{\circ} C$

C. $24^{\circ} C$

D. $30^{\circ} C$

Answer: C



Watch Video Solution

13. Climatic zone between 20° – 40° is

A. Subtropical

B. Temperate

C. Both A and B

D. Temperate and subarctic.

Answer: A



Watch Video Solution

14. Winters are absent in climatic zone

A. Subtropical

B. Tropical

C. Alpine

D. Arctic.

Answer: B



Watch Video Solution

15. A high mountain present in tropical area will have climatic/vegetation zones

A. Four

B. Three

C. Two

D. One.

Answer: A



Watch Video Solution

16. A high mountain found in temperate area will have zones

A. One

B. Two

C. Three

D. Four.

Answer: B



Watch Video Solution

17. A local variation of climate is called

A. Niche

B. Habitat

C. Microclimate

D. Microhabitat.

Answer: C



Watch Video Solution

18. The role of an organism in ecological system is known as

A. Habitat

B. Herbivory

C. Niche

D. Interaction.

Answer: C



Watch Video Solution

19. Niche of an organism denotes

A. Habitat

B. On whom the organism feeds

C. Status of organism within community

D. All the above.

Answer: C



Watch Video Solution

20. Niche represents

A. Habitat

B. Microhabitat

C. Habitat as well as inter-relations

D. Habitat as well as climate.

Answer: C



Watch Video Solution

21. Weather represents

A. Short term properties of atmosphere

B. Seasonal changes in atmosphere

C. Average variations of atmosphere
conditions

D. All the above.

Answer: A



Watch Video Solution

22. Lapse rate in troposphere is

A. $3.1^{\circ} C / km$

B. $6.5^{\circ} C / km$

C. $9.8^{\circ} C / km$

D. $13.6^{\circ} C / km$

Answer: B



Watch Video Solution

23. Temperature at upper layer of troposphere is

A. $-15^{\circ} C$

B. $-25^{\circ} C$

C. $-40^{\circ} C$

D. $-57^{\circ} C$.

Answer: D



Watch Video Solution

24. Thickness of troposphere at the poles is

A. 8 km

B. 12 km

C. 14 km

D. 16 km

Answer: A



[Watch Video Solution](#)

25. Concentration of ozone in troposphere is

A. 0.05 ppm

B. 0.1 ppm

C. 1.5 ppm

D. 10.0 ppm

Answer: b



[Watch Video Solution](#)

26. Which one is nearly absent in ozonosphere ?

A. Dust particles

B. Water vapours

C. CO_2

D. All the above.

Answer: D



Watch Video Solution

27. Ozonosphere occurs at a height os

- A. 8-10 km above poles
- B. 8-10 km above equator
- C. 11-16 km above poles
- D. 11-16 km above equator.

Answer: C



Watch Video Solution

28. Ozonosphere is component of

A. Troposphere

B. Stratosphere

C. Mesosphere

D. Thermosphere.

Answer: B



Watch Video Solution

29. Ozone makes the stratosphere

A. Cooler by $17^{\circ} C$

B. Warmer by $17^{\circ} C$

C. Warmer by $55^{\circ} C$.

D.

Answer: C



Watch Video Solution

30. Mesosphere is component of

A. Atmosphere

B. Hydrosphere

C. Lithosphere

D. Asthenosphere.

Answer: A



Watch Video Solution

31. In mesosphere, the temperature

A. Rises from -2° to $15^{\circ} C$

B. Rises from -2° to $92^{\circ} C$

C. Decreases from -2° to $-15^{\circ} C$

D. Decreases from -2° to $-92^{\circ} C$.

Answer: D



Watch Video Solution

32. Ionosphere occurs in

A. Thermosphere

B. Homosphere

C. Mesosphere

D. Stratosphere.

Answer: A



Watch Video Solution

33. In thermosphere the temperature

A. Rises with height to $200^{\circ} C$

B. Rises with height to $1500^{\circ} C$

C. First decreases then rises

D. Decreases to $-150^{\circ} C$.

Answer: B



Watch Video Solution

34. Which layer of atmosphere is important for telecommunications?

A. Troposphere

B. Ozonosphere

C. Mesosphere

D. Thermosphere.

Answer: D



Watch Video Solution

35. Atmospheric layer protective to living beings from harmful rays is

A. Mesosphere

B. Ozonosphere

C. Thermosphere

D. Both B and C.

Answer: D



Watch Video Solution

36. Tropopause is

- A. Lower portion of atmosphere
- B. Upper part of troposphere
- C. Middle part of troposphere
- D. Lower part of troposphere

Answer: B



Watch Video Solution

37. Ingredients of a atmosphere present in minute quantities but essential for maintaining life on earth are

A. Ozone and oxygen

B. Ozone and CO_2

C. Carbon dioxide and water

D. Carbon dioxide, ozone and water vapours.

Answer: D





Watch Video Solution

38. Limiting factor for growth of aquatic organisms is

A. CO_2

B. O_2

C. Mineral elements

D. All the above.

Answer: B



Watch Video Solution

39. Which one is absent in windy areas

A. Birds

B. Anemophilous plants

C. Zoophilous plants

D. Insects.

Answer: C



Watch Video Solution

40. Solar constant at height at 83 km in

A. $1 \text{ kcal/cm}^2 / \text{min}$

B. $1 \text{ cal/cm}^2 / \text{min}$

C. $2 \text{ kcal/cm}^2 / \text{min}$

D. $2 \text{ cal/cm}^2 / \text{min}$

Answer: D



Watch Video Solution

41. Solar spectrum contains

A. X-rays and cosmic rays

B. Ultraviolet rays and infrared rays

C. Radiowaves

D. All the above.

Answer: D



Watch Video Solution

42. Solar radiations reaching earth have a wavelength of

A. 400-700 nm

B. 300-740 nm

C. 300-2600 nm

D. 300-16000 nm

Answer: C



Watch Video Solution

43. The most harmful of ultraviolet radiations are

A. UV-C

B. UV-B

C. UV-A

D. All the above.

Answer: A



Watch Video Solution

44. UV radiations absorbed by ozone layer are

A. UV-C

B. UV-C and 50 % UV-B

C. UV-C and UV-B

D. All types.

Answer: B



Watch Video Solution

45. Rate of photosynthesis is maximum at

A. Equator

B. Tropic of Cancer

C. Tropic of Capricorn

D. Arctic circle.

Answer: A



Watch Video Solution

46. Animals exposed to bright light have

A. Darker pigmentation

B. Lighter pigmentation

C. Tint of yellow and red colours

D. Both A and C.

Answer: B



Watch Video Solution

47. Animals active at dawn are

A. Auroral

B. Vesperal

C. Crepuscular

D. Diurnal.

Answer: A



Watch Video Solution

48. Birds of northern cold areas migrate southwards as the days

- A. Begin to shorten
- B. Begin to lengthen
- C. Become neutral
- D. None of the above.

Answer: A



Watch Video Solution

49. Phenology is controlled by

A. Humidity

B. Photoperiodism

C. PAR

D. Hydrological cycle.

Answer: B



Watch Video Solution

50. Open water zone in a deep lake/sea is called

- A. Littoral zone
- B. Limnetic zone
- C. Profundal zone
- D. Disphotic zone.

Answer: B



51. Profundal zone is

- A. Aphotic zone in deep water
- B. Euphotic zone in open water
- C. Disphotic zone in deep water
- D. Dark bottom of deep water body.

Answer: A



52. Only consumers occurs in water zone called

A. Benthic

B. Aphotic

C. Disphotic

D. Both B and C.

Answer: D



Watch Video Solution

53. Animals living in warm tropics are

- A. Eurythermal
- B. Stenothermal
- C. Megathermal
- D. Both B and C.

Answer: D



Watch Video Solution

54. Low temperature is required by some plants for

A. Flowering

B. Seed germination and sprouting of buds

C. Both A and B

D. Appearance of new foliage.

Answer: C



Watch Video Solution

55. Apple required a low temperature for flowering and fruiting

A. $10^{\circ}C$

B. $7^{\circ}C$

C. Below $7^{\circ}C$

D. $10^{\circ} - 15^{\circ}C$.

Answer: C



Watch Video Solution

56. Low temperature is required in Apple for a duration of

A. 800 hours

B. 400 hrs

C. 200 hrs

D. 100 hrs.

Answer: A



Watch Video Solution

57. Active ectotherms control their body temperature by

A. Increases or decreased activity

B. Constriction of cutaneous blood capillaries

C. Dilation of cutaneous blood capillaries

D. All the above.

Answer: A



Watch Video Solution

58. Animals which are at metabolic advantage are

- A. Aquatic
- B. Ectothermal
- C. Endothermal
- D. Both A and B.

Answer: C



Watch Video Solution

59. Optimum temperature for enzyme functioning in endotherms is

A. $25^{\circ}C$

B. $37^{\circ}C$

C. $31^{\circ}C$

D. $45^{\circ}C$

Answer: B



Watch Video Solution

60. Endotherms or warm blooded animals maintain temperature homeostasis by

A. Insulating coat

B. Changing cutaneous circulation

C. Both A and B

D. Disposing off extra energy as heat.

Answer: C



Watch Video Solution

61. Thermocline is a constituent of

A. Epilimnion

B. Metalimnion

C. Hypolimnion

D. None of the above.

Answer: B



Watch Video Solution

62. Hypolimnion of a deep lake

- A. Freezes during cold winter
- B. Warms up during hot summer
- C. Remains cool throughout
- D. Remains warm throughout.

Answer: C



Watch Video Solution

63. Deep lakes of temperate areas show spurt in phytoplankton growth during

A. Summer

B. Autumn and spring

C. Spring and summer

D. Spring.

Answer: d



Watch Video Solution

64. Deep temperate lakes undergo circulation

A. Once

B. Twice

C. Thrice

D. Four times.

Answer: B



Watch Video Solution

65. A zone of gradual change in temperature of a lake is

A. Hypolimnion

B. Epilimnion

C. Thermocline

D. None of the above.

Answer: C



Watch Video Solution

66. Metalimnion is

A. Upper layer of lake

B. Lower layer of lake

C. Middle transition zone

D. Base of lake.

Answer: C



Watch Video Solution

67. Fire reduces soil fertility through

A. Volatilisation of plant nutrients

B. Interruption of biogeochemical cycles

C. Formation of ash

D. Both A and B.

Answer: D



Watch Video Solution

68. Pedology is a study of

A. Locomotion of animals

B. Rocks

C. Soil

D. Crop diseases.

Answer: C



Watch Video Solution

69. Soil water available to plants is

A. Holard (E+C)

B. Chresard

C. Echard

D. None of these.

Answer: B



[Watch Video Solution](#)

70. Humus is defined as

- A. Physical texture of soil
- B. Chemical composition of soil
- C. Decomposed organic matter in soil
- D. None of these

Answer: C



[Watch Video Solution](#)

71. Almost decomposed organic matter in which original matter in which original form if lost is in

A. Duff

B. Litter

C. Leaf mould

D. None of these.

Answer: C



View Text Solution

72. Edaphic factors are related to

A. Soil

B. Man

C. Animals

D. Temperature

Answer: A



Watch Video Solution

73. Which one of the following is not an edaphic factor?

A. Mineral matter

B. Organic matter

C. Rainfall

D. Soil water.

Answer: C



Watch Video Solution

74. The kind of soil water most useful to plant is

- A. Hygroscopic water
- B. Gravitational water
- C. Capillary water
- D. None of above.

Answer: C



Watch Video Solution

75. The soil with poorest water holding capacity is

A. Clay

B. Loam

C. Sandy

D. Nond of above.

Answer: C



Watch Video Solution

76. The organic matter of soil has the value

A. 25 %

B. 50 %

C. 40 %

D. 5 %

Answer: D



Watch Video Solution

77. The size of caly particles is

A. Less than 0.002 mm

B. More than 0.002 mm

C. None of the above.

D.

Answer: A



Watch Video Solution

78. Which of the following has smallest of soil particles?

A. Loam soil

B. Sand

C. Clay

D. Silt.

Answer: C



Watch Video Solution

79. Major constituent of soil is

- A. Organic matter
- B. Inorganic matter
- C. Soil air
- D. Soil water.

Answer: B



Watch Video Solution

80. Formation of organic matter takes place by

A. Chemical weathering

B. Soil micro-organisms

C. Herbivores

D. Soil water.

Answer: B



Watch Video Solution

81. Formation of soil takes place by

A. Weathering

B. Pedogenesis

C. Melting

D. Both A and B.

Answer: D



Watch Video Solution

82. O-horizon is

A. Top soil

B. Sub-soil

C. Organic layer

D. Solum.

Answer: C



Watch Video Solution

83. A thin top soil supporting dense vegetation occurs in

A. Tropical rain forest

B. Temperate forest

C. Subtropical deciduous forest

D. Both A and B.

Answer: A



Watch Video Solution

84. Top soil is rich mixture of humus and inorganic salts in

A. Tropical rain forest

B. Temperate forest

C. Desert biome

D. Both A and B.

Answer: B



Watch Video Solution

85. Organisms are absent in their zone of

A. Stress

B. Intolerance

C. Optimum tolerance.

D. Both A and B.

Answer: B



Watch Video Solution

86. Organisms are present but they do not reproduce in the zone of

A. Optimum tolerance

B. Intolerance

C. Stress

D. Beyond upper and lower limit of tolerance.

Answer: C



Watch Video Solution

87. Eurytopic organisms have

- A. Wide distribution
- B. Narrow distribution
- C. Moderate distribution

D. Endemic.

Answer: A



Watch Video Solution

88. Ecological amplitude of a species is related to

A. Zones of stress

B. Zone of optimum tolerance range of a factor

C. Area with zones of optimum tolerance

ranges of all determining factors

D. None of the above.

Answer: C



Watch Video Solution

89. Favourable morphological and physiological response to a change in environment is called

A. Preadaptation

B. Ecotyping

C. Formation of ecophenes

D. Acclimitisation.

Answer: D



Watch Video Solution

90. Genetically adapted population to a particular habitat is called:

A. Ecotype

B. Ecad

C. Biotype

D. Ecocline.

Answer: A



Watch Video Solution

91. Plants adapted to open, sunny habitats are

A. Sciophytes

B. Heliophytes

C. Mesophytes

D. Epiphytes.

Answer: B



Watch Video Solution

92. Plants growing under shade of other plants are

A. Epiphytes

B. Semi-epiphytes

C. Mesophytes

D. Sciophytes.

Answer: D



Watch Video Solution

93. Heliophytes differ from sciophytes in having

A. Shorter internodes and thicker leaves

B. Longer internodes and thinner leaves

C. Shorter internodes and thinner leaves

D. Longer internodes and thicker leaves.

Answer: A



Watch Video Solution

94. Palisade parenchyma is well developed in

A. Mesophytes

B. Heliophytes

C. Sciophytes

D. Hygropohytes.

Answer: B



Watch Video Solution

95. Sun plants have

A. More mechanical tissues

B. Extensice root system

C. Abundant flowering

D. All the above.

Answer: D



Watch Video Solution

96. Shade plants have low

A. Photosynthetic activity

B. Respiratory rate

C. Metabolic activity

D. All the above.

Answer: D



Watch Video Solution

97. Ephemerals of arid area are also called

- A. Drought evaders
- B. Drought resistant
- C. Drought escapers
- D. Drought endurers.

Answer: C



[Watch Video Solution](#)

98. Ephemeral xerophytes grow during

A. Winter

B. Spring

C. Rainy season

D. All the seasons.

Answer: C



[Watch Video Solution](#)

99. Drought endurers are

A. Succulent xerophytes

B. Perennial xerophytes

C. Annual xerophytes

D. Both B and C.

Answer: B



Watch Video Solution

100. Deep roots occur in

A. Perennial nonsucculent xerophytes

B. Perennial succulent xerophytes

C. Annual xerophytes

D. Ephemeral xerophytes

Answer: A



Watch Video Solution

101. Phreatophytes are xerophytes with roots

- A. Spread along the soil surface
- B. Well spread in the soil
- C. Very deep reaching ground water fringe
- D. Very deep but well above ground water.

Answer: C



Watch Video Solution

102. A phreatophyte is

A. Capparis

B. Euphorbia

C. Tamarix

D. Gnaphalium.

Answer: C



Watch Video Solution

103. Succulents perform

A. C_4 photosynthesis

B. CAM

C. C_3 photosynthesis

D. All the above.

Answer: B



Watch Video Solution

104. The most common organic solute stored by xerophytes for maintaining osmotic and water potential is

A. Glucose

B. Sucrose

C. Raffinose

D. Proline.

Answer: D



Watch Video Solution

105. Chaperonins are

- A. Antifreeze proteins
- B. Heat shock proteins
- C. Transport proteins
- D. Osmotic proteins

Answer: B



Watch Video Solution

106. In Cacti, the succulence is mostly in

A. Stems

B. Leaves

C. Roots All the above.

D.

Answer: A



Watch Video Solution

107. Drought deciduous leaves occur in

A. Prosopis

B. Tamarix

C. Capparis

D. Aerva.

Answer: C



Watch Video Solution

108. Roots are absent in

A. Walffia

B. Utricularia

C. Nymphaea

D. Both A and B.

Answer: D



Watch Video Solution

109. A characteristic feature of hydrophytes is

- A. Aerenchyma
- B. Well developed phloem
- C. Floating leaves
- D. Submerged leaves.

Answer: A



Watch Video Solution

110. A rooted floating leaved hydrophyte is

A. Nymphaea

B. Hydrilla

C. Ceratophyllum

D. Eichhornia.

Answer: A



Watch Video Solution

111. A continuous system of air passages from aerial leaves to anchored roots is found in

A. Submerged hydrogphytes

B. Floating hydrophytes

C. Emergent hydrophytes

D. Suspended hydrophytes..

Answer: C



Watch Video Solution

112. Petioles are inflated in floating hydrophytes

A. Wolffia

B. Eichhornia

C. Salvinia

D. Ceratophyllum.

Answer: B



Watch Video Solution

113. Which of the following is salt rich habitat

A. Saline soils

B. Tidal marshes and mangroves

C. Coastal dunes and saline soils

D. All the above.

Answer: D



Watch Video Solution

114. Dunaliella is able to live in hypersaline lakes by developing a high osmotic pressure through accumulation of

- A. Proline
- B. Sorbitol
- C. Glycerol
- D. All the above.

Answer: C



Watch Video Solution

115. The dominant species of mangroves is

A. Rhizophora

B. Avicennia

C. Both Rhizophora and Avicennia

D. Ceriops.

Answer: C



Watch Video Solution

116. Vivipary in plants is chracteristic of

A. Coastal dunes

B. Saline soils

C. Mangroves

D. All of the above.

Answer: d



Watch Video Solution

117. Most mangroves maintain a high osmotic concentration by storing

A. Salts

B. Proline and sorbitol

C. Mucilage

D. Glycerol.

Answer: B



Watch Video Solution

118. Mangroves have special type of roots

- A. Pneumatophores
- B. Stil and prop roots
- C. Horizontal and knee roots
- D. All tha above.

Answer: D



Watch Video Solution

119. Halophytes maintain a proper osmotic concentration by

- A. Excreting salts
- B. Mucilage and stored water
- C. Proline and sorbitol
- D. All the above.

Answer: D



Watch Video Solution

120. Plants growing in oligotrophic forest soils usually have

- A. Mycorrhiza
- B. Slow growth
- C. Reduced growth
- D. All of the above.

Answer: A



Watch Video Solution

121. Mycorrhiza is a symbiotic association between

A. Parasitic relation between fungus and root

B. Mutualistic relation between fungus and whole plant

C. Mutualistic relation between fungus and root

D. Parasitic relation between fungus and a
plant.

Answer: B



Watch Video Solution

122. Ectomycorrhiza is found in

A. Several trees and shrubs of tropical
areas

B. Many vascular plants of tropical area

C. Several trees and shrubs of temperate

area of temperate areas

D. Small vascular plants.

Answer: C



Watch Video Solution

123. Fungal hyphae remain intercellular in

A. Endomycorrhiza

B. VAM

C. Ectomycorrhiza

D. Both B and C.

Answer: C



Watch Video Solution

124. The longest distance travelled by migratory animal is by

A. Arctic Tern

B. Golden Plover

C. Locust

D. African Wild Beasts.

Answer: A



Watch Video Solution

125. Breeding ground of Arctic Tern are in

A. Antarctica

B. North Atlantic and Arctic regions

C. Himalayas

D. Siberia.

Answer: B



Watch Video Solution

126. Arctic Tern migrates southward during

A. Spring

B. Summer

C. Winter

D. Autumn.

Answer: c



Watch Video Solution

127. Birds use for navigation and direction

- A. Memory of earth features
- B. Sun, moon and stars
- C. Earth's magnetic field
- D. All the above.

Answer: D



[Watch Video Solution](#)

128. A seasonal migratory animal is

A. Locust

B. Eel

C. Caribou

D. Aphid.

Answer: C



[Watch Video Solution](#)

129. Wild beasts of Africa migrate in response to

A. Excessive heat

B. Cold freezing temperature

C. Rainfall

D. Overpopulaion.

Answer: C



Watch Video Solution

130. A periodic migrator is

A. Locust

B. Elk

C. Whale

D. Golden Plover.

Answer: A



Watch Video Solution

131. Warning colouration is found in

A. Chameleon

B. Dart Frogs

C. Praying Mantis

D. Stick Insect.

Answer: B



Watch Video Solution

132. *Phyllobates bicolor* and *Dendrobates pumilia* are

A. Grass hoppers

B. Stick Insects

C. Butterflies

D. Dart Frogs.

Answer: D



Watch Video Solution

133. Cryptic appearance/Camouflage is found in

A. Praying Mantis

B. Leaf Insect

C. Stick Insect

D. Stick Insect/Dead Leaf Butterfly

Answer: D



Watch Video Solution

134. Relation between Viceroy Butterfly and Monarch Butterfly is that of

- A. Comouflage
- B. Mullerian mimicry
- C. Batesian mimicry
- D. Warning colouration.

Answer: C



Watch Video Solution

135. Mullerian mimicry is found in

- A. Monarch Butterfly and Queen Butterfly
- B. Queen Butterfly and Viceroy Butterfly
- C. Queen Butterfly and Dead Leaf Butterfly
- D. Both B and C.

Answer: A



Watch Video Solution

136. A terrestrial mammal, who seldom drinks water

A. Hippopotamous

B. Rhinoceros

C. Kangaroo Rat

D. Camel.

Answer: C



Watch Video Solution

137. Water requirement of Kangaroo/Desert

Rat is largely met by

A. Hydration of food

B. Metabolic water

C. Hygroscopic skin

D. Moist soil.

Answer: B



Watch Video Solution

138. An adjustment of camels to desert conditions is

- A. Maintenance of blood stream moisture
- B. Minimisation of body heating
- C. Tolerance of cell dehydration upto 40 %
- D. All the above.

Answer: D



Watch Video Solution

139. Glycerol and antifreeze proteins occur in

- A. Ice Fish
- B. Antarctic Fish
- C. Whale
- D. Both A and B.

Answer: D



Watch Video Solution

140. Freeze tolerant animals are

A. Barnacles and molluscs of cold intertidal

Northern shores

B. Insects and spiders of cold areas

C. Both A and B

D. Kangaroo Rat.

Answer: C



Watch Video Solution

141. Freeze tolerant animals have

A. Proline and sorbitol

B. Nucleating proteins

C. Mucilage

D. All the above.

Answer: B



Watch Video Solution

1. Study of inter-relationships between organisms and their environment is

A. Ecology

B. Ecosystem

C. Phytogeography

D. Ethology

Answer: A



Watch Video Solution

2. Study of inter-relationships between a species/individual and its environment in all stages of its life cycle is

A. Synecology

B. Forest Ecology

C. Autecology

D. Ecology

Answer: C



Watch Video Solution

3. Ecology is connected with the study of

A. Environmental factors

B. Plant adaptations

C. Effect of plants on environment

D. All the above.

Answer: D



Watch Video Solution

4. Study of inter-relationships between groups of organisms/an entire community and its environment is

A. Autecology

B. Resource Ecology

C. Species Ecology

D. Synecology.

Answer: D



Watch Video Solution

5. Synecology is study of inter-relationship between an environment and

- A. Individual plant
- B. A population
- C. A community
- D. Individual animal.

Answer: C



Watch Video Solution

6. Individuals of the same species inhabiting a particular locality constitute:

A. Flora

B. Fauna

C. Population

D. Flora and fauna.

Answer: C



Watch Video Solution

7. Term 'ecosystem' was coined by

A. Linnaeus

B. Haeckel

C. Harvey

D. Odum/Lamarck.

Answer: B



Watch Video Solution

8. Term 'ecosystem' was coined by

A. Aristotle

B. Reiter

C. Linnaeus

D. Odum.

Answer: B



Watch Video Solution

9. The sum total of the population of the same kind of organisms constitute

A. Colony

B. Genus

C. Community

D. species.

Answer: D



Watch Video Solution

10. Ecology studies relationships of

A. Members of a family

B. Man and environment

C. Organisms and environment

D. Soil and water.

Answer: C



Watch Video Solution

11. Synecology is study of

A. Human environment of a place

B. Biotic environment of a place

C. Abiotic component of a place

D. Biotic community in relation to environment of a place.

Answer: D



Watch Video Solution

12. Who is considered as father of ecology in India ?

A. Charles Darwin

B. Ramdeva Misra

C. Birbal Sahani

D. Jagdish Chandra Bose.

Answer: B



Watch Video Solution

13. Ephemerals of arid area are also called

A. Drought escaping

B. Drought resisting

C. Drought enduring

D. None of the above.

Answer: A



Watch Video Solution

14. Succulents occur in

A. Deserts

B. Tundra

C. Temperate deciduous forests

D. Tropical rain forests.

Answer: A



Watch Video Solution

15. Submerged hydrophytes have a well developed

A. Vascular system

B. Aerenchyma

C. Root system

D. Stomatal system.

Answer: B



Watch Video Solution

16. in submerged hydrophytes, the stems are extremely weak due to

A. Absence of phloem

B. Absence of stomate

C. Absence of xylem

D. Feebly developed supporting tissue and xylem.

Answer: D



Watch Video Solution

17. In submerged hydrophytes the stomata occur

- A. On lower surface
- B. On the upper surface
- C. No where
- D. On both the surface.

Answer: C



Watch Video Solution

18. Which one is not a trait of xerophytes:

- A. Thick cuticle
- B. Well developed mechanical tissue
- C. Well developed conducting tissues
- D. Spongy parenchyma.

Answer: D



Watch Video Solution

19. The leaves of desert plants are not torn away by high wind velocity because of

A. Spines

B. Bending towards opposite side

C. Sclerenchymatous tissue that provides extra mechanical support

D. Tearing of corners while the middle remains saved.

Answer: C



Watch Video Solution

20. Amongst phdrophytes finely dissected leaves occur in

- A. Rooted floating leaved plants
- B. Submerged plants
- C. Emerged plants
- D. Free floating plants.

Answer: B



Watch Video Solution

21. Homeostasis is

A. Tendency of biological systems to change with change in environment

B. Tendency of biological system to resist change

C. Disturbance of self regulatory system and natural controls

D. Biotic materials used in homeopathic medicines.

Answer: B



Watch Video Solution

22. The abyssal zone of oceans is characterized by:

A. No sunlight but contains consumers and decomposers

B. No sunlight but contains producers

C. No sunlight but contains living beings

D. Sunlight as well as producers.

Answer: A



Watch Video Solution

23. Shallow lakes with abundant organic matter are

A. Saprotrophic

B. Oligotrophic

C. Eutrophic

D. Heterotrophic.

Answer: C



Watch Video Solution

24. Xeric environment is characterised by

A. Precipitation

B. Low atmospheric humidity

C. Extremes of temperature

D. High rate of vaporisation.

Answer: B



Watch Video Solution

25. What is wrong about xerophytes

A. Sunken stomata

B. Small spiny leaves

C. Thick cuticle

D. Larger number of stomata.

Answer: D



Watch Video Solution

26. Mechanical tissue is undeveloped in

A. Xerophytes

B. Hydrophytes

C. Halophytes

D. Mesophytes.

Answer: B



Watch Video Solution

27. Animals that can tolerate a narrow range of salinity are

- A. Stenohaline
- B. Euryhaline
- C. Anadromous
- D. Catadromous.

Answer: A



Watch Video Solution

28. Which one is not a trait of xerophytes:

A. Thick cuticle

B. Sunken stomata

C. Aerenchyma

D. Well developed mechanical tissue.

Answer: C



Watch Video Solution

29. The factor related to structure of Earth's surface is called:

- A. Edaphic
- B. Biotic
- C. Temperature
- D. Topographic.

Answer: D



30. Which one lacks both roots and stomata

A. Hydrophytes

B. Mesophytes

C. Hygrophytes

D. Halophytes.

Answer: A



31. Which one is partially submerged and fixed in mud

A. Marsilea

B. Cyperus

C. Eichhornia

D. Typha.

Answer: D



Watch Video Solution

32. Niche of an organism denotes

- A. Place of living
- B. Specific functions and competitive power
- C. Habitat and specific functions
- D. Non of the above.

Answer: C



Watch Video Solution

33. Benthic animals are:

A. Deep in sea

B. Floating

C. Submerged

D. Active swimmers.

Answer: A



Watch Video Solution

34. Plants of salty seashore wetlands are called:

A. Heliophytes

B. Hydrophytes

C. Halophytes

D. Saprophytes.

Answer: C



Watch Video Solution

35. Eichhornia crassipes is

A. Xerophyte

B. Hydrophyte

C. Mesophyte

D. Parasite

Answer: B



Watch Video Solution

36. *Acacia arabica*(=*A.nilotica*) is

A. Hydrophyte

B. Mesophyte

C. Xerophyte

D. None of the above.

Answer: C



Watch Video Solution

37. Submerged hydrophytes exchange gases through

A. Stomata

B. Hydathodes

C. Lenticels

D. General surface.

Answer: D



Watch Video Solution

38. Biotic factors refer to

A. Gases produced by industries

B. Nutrient deficient soils

C. Living organisms

D. Fossil fuels.

Answer: C



Watch Video Solution

39. Sun loving plants are

A. Halophytes

B. Sciophytes

C. Heliophytes

D. Autotrophs.

Answer: C



Watch Video Solution

40. Water storage tissue has

- A. Large-sized thin walled cells
- B. Mucilage
- C. Large-sized thin walled cells
- D. All the above.

Answer: D



[Watch Video Solution](#)

41. Xerophytes possess

A. Sunken stomata

B. Deep roots

C. Thick cuticle

D. All the above.

Answer: D



[Watch Video Solution](#)

42. Characteristic of hydrophytes is

- A. Poorly developed roots
- B. Well developed roots
- C. Well developed xylem
- D. Stem with sclerenchyma.

Answer: A



Watch Video Solution

43. Viviparity and pneumatophores are features of

A. Hydrophytes

B. Halophytes

C. Mesophytes

D. Xerophytes.

Answer: B



Watch Video Solution

44. A nonsucculent xerophyte with thick leathery leaves having white sticky waxy coating is

A. Nerium

B. Calotropis

C. Bryophyllum

D. Ruscus.

Answer: B



Watch Video Solution

45. Climatology is science of

- A. Edaphic factors
- B. Topographic factors
- C. Climatic factors
- D. Biotic factors

Answer: C



Watch Video Solution

46. Mangrove of marshy sunderbans is characterised by

A. Pneumatophores

B. Prop roots

C. Vivipary

D. All the above.

Answer: D



Watch Video Solution

47. The organisms which live in the bottom of lake are called:

A. Nektonb

B. Benthos

C. Plankton

D. Pelagic

Answer: B



Watch Video Solution

48. Vivipary occurs in

A. Betula

B. Rhizophora

C. Mango

D. Psidium.

Answer: B



Watch Video Solution

49. Which is amphibious?

A. Casuarina

B. Wolffia

C. Polygonum

D. Hydrilla.

Answer: C



Watch Video Solution

50. Hibernation occurring in certain animals is

- A. Occasional
- B. Intermittent
- C. Rhythmic
- D. Periodic.

Answer: D



Watch Video Solution

51. Animals have shorter and smaller extremities in colder areas. It is

A. Allen's law

B. Cope's law

C. Dollo's law

D. Bergman's law.

Answer: A



Watch Video Solution

52. Which one is exclusive xerophytic adaptation ?

- A. Absence of stomata
- B. Long tap root system
- C. Stipular leaves
- D. Spines

Answer: B



Watch Video Solution

53. Physical and chemical conditions of soil are studied under

A. Topographic factors

B. Edaphic factors

C. Biotic factors

D. Climatic factors

Answer: B



Watch Video Solution

54. Assertion : Cold blooded animals do not have fat layer.

Reason : Cold blooded animals use their fat for metabolic process during hibernation

A. Point out if both are true with reasonj

being correct not correct explanation

B. both are true but reason is not correct

explanation

C. assertion is true but reason is wrong

D. and both, are wrong

Answer: A



Watch Video Solution

55. Hydrophyte with both hydrophytic and xerophytic traits is

A. Agave

B. Nerium

C. Vallisneria

D. None of the above.

Answer: D



Watch Video Solution

56. Which of the following soil is transported by air?

A. Alluvial

B. Colluvial

C. Glacial

D. Eolian

Answer: D



Watch Video Solution

57. River water deposits

- A. Loamy soil
- B. Alluvial soil
- C. Laterite soil
- D. Sandy soil

Answer: B



Watch Video Solution

58. Development of soil from parental rock is termed as:

- A. Pedogenesis
- B. Pedology
- C. Edaphic factors
- D. Edaphic climax

Answer: A



59. Soil that is best suited for plant growth is:

A. Clay

B. Loam

C. Sandy

D. Gravel

Answer: B



60. Good soil is

- A. Allows water to percolate slowly
- B. Allows water to pass quickly
- C. Allows limited amount of water into it
- D. Holds whole of water entering it.

Answer: A



Watch Video Solution

61. The least porous soil among the following is a:

A. Clay soil

B. Sandy soil

C. Loam soil

D. Gravelly soil

Answer: A



Watch Video Solution

62. Deep black soil is productive, due to high proportion of

- A. Sand and Zinc
- B. Gravel and Calcium
- C. Clay and Humus
- D. Silt and Earthworm

Answer: C



Watch Video Solution

63. Humus is good for plant growth because

A. It improves physical condition of soil

B. It makes the soil porous

C. It increases water holding and aeration
of soil

D. All the above.

Answer: D



Watch Video Solution

64. Humus is important for plant growth because:

A. Made of dead organic matter

B. Derived from leaves

C. Rich in nutrients and increases water holding capacity of soil

D. Partially decomposed

Answer: C



Watch Video Solution

65. Humus is an example of:

A. A fertilizer

B. Component of soil structure

C. Organic colloids

D. Crystalloids

Answer: C



Watch Video Solution

66. A fertile agricultural soil appears deep coloured at the surface as compared to soil one metre down. The reason for colour of top soil is

- A. More moisture
- B. Rich in organic matter
- C. Rich in iron, calcium and magnesium
- D. Recent formation

Answer: B



Watch Video Solution

67. Maximum water holding capacity is possessed by which kind of soil?

A. Sandy soil

B. Silt soil

C. Clay soil

D. Loam soil

Answer: C



Watch Video Solution

68. The kind of soil water most useful to plant is

- A. Surface water
- B. Hygroscopic water
- C. Gravitational water
- D. Capillary water

Answer: D



Watch Video Solution

69. A thin film of water, held by the soil particles under the influence of internal attractive force, is called which of the following water

A. Hygroscopic water

B. Capillary water

C. Chemical water

D. Gravitational water

Answer: A



Watch Video Solution

70. An area of soil thoroughly wetted and allowed to drain till percolation stops will have a water content called

- A. Capillary water
- B. Stronge water
- C. Field capacity
- D. Gravitational water

Answer: C



[Watch Video Solution](#)

71. Amount of water a soil can hold against pull of gravity is called

- A. Field capacity
- B. Gravitational water
- C. Storage water
- D. Hygroscopic water

Answer: A



[Watch Video Solution](#)

72. Property of soil based on the size of its particles is termed:

A. Texture

B. Field capacity

C. Water holding capacity

D. Soil flora.

Answer: A



Watch Video Solution

73. Soil is composed of

A. Mineral + Water + Air

B. Mineral + Organic matter + Water

C. Mineral + Organic matter + Air Water

D. Organic matter + Water

Answer: C



Watch Video Solution

74. Edaphology is connected with

A. Plant and biosphere

B. Soil and living microorganisms

C. Animals and ecosystem

D. Soil is biosphere

Answer: B



Watch Video Solution

75. Top soil is darker and

A. Contains more Na and Mg

B. Is drier than subsoil

C. Contains more organic matter

D. Is wetter than subsoil

Answer: C



Watch Video Solution

76. What is best pH of soil for cultivation

A. 3.4 – 5.4

B. 4.5 – 5.5

C. 5.5 – 6.5

D. 6.5 – 7.5

Answer: C



Watch Video Solution

77. The sphere of living matter together with water, air and soil on the surface of Earth is called:

A. Lithosphere

B. Hydrosphere

C. Atmosphere

D. Biosphere/All the above

Answer: D



Watch Video Solution

78. The term biosphere, hydrosphere and atmosphere

A. In lithosphere, hydrosphere and

atmosphere

B. In lithosphere and hydrosphere

C. In hydrosphere

D. On lithosphere.

Answer: A



View Text Solution

79. Biosphere is made up of:

A. Living beings and their remains

B. Living being + Lithosphere +
Hydrosphere + Atmosphere

C. Living beings + Lithosphere

D. Living organisms + Lithosphere +
Hydrosphere.

Answer: B



Watch Video Solution

80. Which gas of the atmosphere holds up ultraviolet rays

A. O_2

B. O_3

C. N_2

D. CO_2

Answer: B



Watch Video Solution

81. The zone of atmosphere that lies near the ground is:

A. Troposphere

B. Stratosphere

C. Mesosphere

D. Homosphere

Answer: A



Watch Video Solution

82. Atmosphere consists of:

A. Lithosphere + Hydrosphere

B. Lithosphere + Stratosphere + Hydrosphere

C. Troposphere + Stratosphere + Ionosphere

D. None of the above.

Answer: C



Watch Video Solution

83. The peak concentration ozone above surface of Earth is at:

A. 10 km

B. 15 km

C. 20 km

D. 25 km

Answer: C



Watch Video Solution

84. Ozone layer exist in

A. Thermosphere

B. Stratosphere

C. Mesosphere

D. Lithosphere

Answer: B



Watch Video Solution

85. Mark the odd one

A. Pistia

B. Hydrilla

C. Vallisneria

D. Casuarina

Answer: D



Watch Video Solution

86. The abundance of a species population within its habitat is called :

A. Absolute density

B. Regional density

C. Relative density

D. Niche density

Answer: D



Watch Video Solution

87. A physiological xerophyte is

A. Salicornia

B. Euphorbia

C. Salvia

D. Agave

Answer: A



View Text Solution

88. Root cap is absent in

A. Halophytes

B. Hydrophytes

C. Xerophytes

D. Homophytes

Answer: B



Watch Video Solution

89. The plants which live on saline soil are known as:

A. Xerophytes

B. Halophytes

C. Heliophytes

D. Hydrophytes

Answer: B



Watch Video Solution

90. Which is not true of hydrophytes ?

A. Poorly developed root system

B. Thin membranous leaves

C. Poorly developed large air spaces

D. Poorly developed vascular bundles

Answer: C



Watch Video Solution

91. A succulent xerophyte is

A. Capparis

B. Calotropis

C. Agave

D. None of the above.

Answer: C



Watch Video Solution

92. Soil carried by gravity is

A. Alluvial

B. Eluvial

C. Colluvial

D. Glacial

Answer: C



Watch Video Solution

93. Aquatic photodiffraction is:

A. Euphotic, disphotic and aphotic

B. Aphotic, euphotic and disphotic

C. Euphotic, aphotic and disphotic

D. Disphotic, aphotic and euphotic

Answer: A



Watch Video Solution

94. Soil formed after leaching and rich in Al and Fe is

A. Alluvial

B. Laterite

C. Loam

D. Both A and B.

Answer: B



Watch Video Solution

95. Nutrient enrichment of water body is

- A. Eutrophication
- B. Stratification
- C. Biomagnification
- D. None of the above.

Answer: A



[Watch Video Solution](#)

96. At field capacity the soil contains

- A. Capillary water
- B. Gravitational water
- C. Hygroscopic water
- D. Capillary and hygroscopic water

Answer: D



[Watch Video Solution](#)

97. Clay particles are

- A. Positively charged
- B. Negatively charged
- C. Electrically neutral
- D. Without any charge

Answer: B



Watch Video Solution

98. Submerged hydrophytes have commonly dissected leaves for

- A. Decreasing surface area
- B. Increasing surface area
- C. Reducing effect of water of stomata
- D.

Answer: C



Watch Video Solution

99. Humus is:

- A. Completely decomposed organic matter
- B. Partially decomposed organic matter
- C. Partially decomposed inorganic matter
- D. Completely decomposed inorganic matter.

Answer: B



Watch Video Solution

100. Mechanical tissue is best developed in

A. Hydrophytes

B. Halophytes

C. Xerophytes

D. Mesophytes.

Answer: C



Watch Video Solution

101. Maximum quantity of humus occurs in

A. Lowermost layer of soil

B. Upper layer of soil

C. Middle layer of soil

D. Same everywhere

Answer: B



Watch Video Solution

102. Plants growing under shade of other plants are

A. Psammophytes

B. Sciophytes

C. Mesophytes

D. Xerophytes.

Answer: B



Watch Video Solution

103. A number of geographical forms occur in an otherwise freely inbreeding species. The species is

- A. Sibling species
- B. Sympatric species
- C. Allopartic species
- D. Polytypic species

Answer: D



Watch Video Solution

104. Ozone saves the biosphere by absorbing the high energy radiation called:

- A. Infra-red rays
- B. Ultraviolet rays
- C. X-rays
- D. Gamma rays

Answer: B



Watch Video Solution

105. Halophytes are:

- A. Salt resistant
- B. Fire resistant
- C. Cold resistant
- D. Sand loving

Answer: A



Watch Video Solution

106. A plant living for a few days is

A. Annual

B. Ephemeral

C. Biennial

D. Perennial

Answer: B



Watch Video Solution

107. In which one of the following habitats does the diurnal temperature of soil surface vary most?

A. Forest

B. Grassland

C. Shrub land

D. Desert

Answer: D



Watch Video Solution

108. Assertion (A) : Animals adopt different strategies to survive in hostile environment.

Reason (R) : Praying mantis is green in colour which merges with plant foliage.

A. Point out if both are true with reasonj

being correct not correct explanation

B. both are true but reason is not correct

explanation

C. assertion is true but reason is wrong

D. and both, are wrong

Answer: B



Watch Video Solution

109. Which is not correctly matched

A. Laterite - Contains aluminium

B. Terra rosa - Most suitable for roses

C. Chernozeme - Richest soil

D. Black Cotton Soil-Rich in calcium

carbonate.

Answer: d



Watch Video Solution

110. Rhizophora is characteristic member of

- A. Salt swamp
- B. Mangrove vegetation
- C. Swamp forest
- D. Marsh plants

Answer: B



Watch Video Solution

111. Instrument used for measuring wind velocity is

A. Anemometer

B. Hydrometer

C. Lactometer

D. Photometer

Answer: A



112. Science which links heredity with environments is

- A. Ecology
- B. Ecophysiology
- C. Genecology
- D. Genetics

Answer: C



113. Plants growing in dry habitat are

A. Lithophytes

B. Mesophytes

C. Hydrophytes

D. Xerophytes.

Answer: D



Watch Video Solution

114. Habitat together with functions of a species constitute its

A. Topography

B. Trophic level

C. Boundry

D. Niche

Answer: D



Watch Video Solution

115. Which one is a xerophyte ?

A. Capparis

B. Lotus

C. China Rose

D. Casuarina

Answer: A and d



Watch Video Solution

116. Which mammal excretes solid urine to avoid water loss ?

A. Crow

B. Kangaroo Rat

C. Camel

D. Squirrel

Answer: B



Watch Video Solution

117. Characteristic feature of mangrove plants is

A. Apospory

B. Heterospory

C. Parthenocarpy

D. Vivipary

Answer: D



Watch Video Solution

118. Ear lobes of Arctic Fox are smaller than that of tropical Fox. This is

A. Jordan's Rule

B. Bergman's Rule

C. Allen's Rule

D. Gloger's Rule

Answer: C



Watch Video Solution

119. Waxy coating on the surface of floating
leaves prevents

- A. Respiration
- B. Photosynthesis
- C. Clogging of stomata
- D. Transpiration

Answer: C



Watch Video Solution

120. Avicennia, Rhizophora and Atriplex are

- A. Xerophytes
- B. Halophytes
- C. Hydrophytes
- D. Mesophytes.

Answer: B



Watch Video Solution

121. Which of the following is wrongly matched ?

A. Temperate zone - 20° – 40° latitude

B. Hypolimnion - Thermal stratification in lakes

C. Ozone layer - Stratosphere

D. Ectotherms - Cold blooded animal

Answer: A



Watch Video Solution

122. Animals have the innate ability to escape from predation. Examples for the same are given below. Select the incorrect example.

A. Colour change in Chameleon

B. Enlargement of body by swallowing air
in Puffer fish

C. Poison fangs of snakes

D. Melanin in moths

Answer: C



Watch Video Solution

123. At which latitude heat gain through insolation approximately equals heat loss through terrestrial radiation :

- A. 22.5° North and South
- B. 40° North and South
- C. 42.5° North and South
- D. 66° North and South

Answer: b



Watch Video Solution

124. Which of the following is not true for a species ?

A. Members of species can interbreed

B. Each species is reproductively isolated from every other species

C. Gene flow does occur between populations of a species

D. Variations occur among members of species.

Answer: C



Watch Video Solution

125. Assertion : Age sex structure of human population in countries like France and Germany gives a steep pyramid.

Reason : In countries like Sudan and India, the population is increasing at a rapid rate.

A. Point out if both are true with reasonj

being correct not correct explanation

B. both are true but reason is not correct

explanation

C. assertion is true but reason is wrong

D. and both, are wrong

Answer: B



Watch Video Solution

126. Which on one of the following correctly represents an organism and its ecological niche?

A. Vallisneria and pond

B. Desert Locust (*Schistocerca*) and desert

C. Vultures and dense forest

D. Plant lice (aphids) and leaf.

Answer: D



Watch Video Solution

127. An orchid resembling the female of an insect so as to be able to get pollinated is due to phenomenon of

- A. Mimicry
- B. Pseudocopulation
- C. Pseudopollination
- D. Pseudoparthenocarpy

Answer: A



Watch Video Solution

128. Plants which behave as mesophytes in rainy season and xerophytes in summer are

- A. Xerophytes
- B. Phreatophytes
- C. Mesophytes
- D. Tropophytes

Answer: D



Watch Video Solution

129. Photosynthesis is absent in

- A. Photic layer
- B. Aphotic layer
- C. Benthic laryer
- D. Pelagic layer

Answer: B



Watch Video Solution

130. Plants growing under average conditions of temperature and moisture are

A. Hygrophytes

B. Mesophytes

C. Hydrophytes

D. Epiphytes.

Answer: B



Watch Video Solution

131. Niche overlap indicates

- A. Mutualism between two species
- B. Active cooperation between two species
- C. Two different parasites on same host
- D. Sharing resources between two species

Answer: D



Watch Video Solution

132. Praying mantis is a good example of

A. Camouflage

B. Warning colouration

C. Mullerian mimicry

D. Social insect.

Answer: A



Watch Video Solution

133. In xerophytes, photosynthesis often occurs through

A. Root

B. Modified stem

C. Stomata

D. Scaly leaves

Answer: B



Watch Video Solution

134. Root system is poorly developed in

A. Hyphaene

B. Hydrilla

C. Halophytes


D. Hygrophytes

Answer: B



Watch Video Solution

135. Choose the correct combination of labelling of the zones in water in a lake:



A. a- limnetic zone, b- profundal zone, c- littoral zone, d-benthic zone

B. a- limnetic zone, b- benthic zone, c- profundal zone, d- littoral zone

C. a- limnetic zone, b- limnetic zone, c- profundal zone, d- benthic zone

D. a- limnetic zone, b- littoral zone, c-
benthic zone, d-profunal zone

Answer: C



Watch Video Solution

136. Micro-organisms having optimum temperature for growth below $15^{\circ}C$ which cannot grow above $20^{\circ}C$ are called

A. Mesophiles

B. Thermophiles

C. Psychrophiles

D. None of the above.

Answer: C



Watch Video Solution

137. Which one is a mangrove plant

A. Rhizophora

B. Acacia

C. Pinus

D. Tectona grandis

Answer: A



Watch Video Solution

138. Warm blooded animals of cold climate have small extremities. This was stated by

A. Bergman

B. Gloger

C. Dollo

D. Allen

Answer: D



Watch Video Solution

139. Annual migration does not occur in the case of

A. Arc Tern

B. Salamander

C. Salmon

D. Siberian Crane

Answer: B



Watch Video Solution

140. sunken stomata occur in

A. Xerophytes

B. Hydrophytes

C. Mesophytes

D. Opsanophytes

Answer: A



Watch Video Solution

141. Functional aspect of a species with reference to its place of occurrence is

A. Ecology

B. Ecological niche

C. Species

D. Environment

Answer: B



Watch Video Solution

142. Name the equipment used in measuring thermal behaviour of water

A. SEM

B. Differential scanning calorimeter

C. Real time PCR

D. MALDI - TOF

Answer: B



Watch Video Solution

143. Animals spending winter in dormant conditions is referred as under

A. Acclimitisation

B. Hibernation

C. Aestivation

D. Adaptation

Answer: B



Watch Video Solution

144. Transitional layer between stratosphere and mesosphere is

A. Troposphere

B. Lithosphere

C. Stratopause

D. Traopoopause

Answer: C



Watch Video Solution

145. Open water zone in a deep lake/sea is called

A. Limnetic zone

B. Coastal zone

C. Produnal zone

D. Benthic zone

Answer: A



Watch Video Solution

146. Match the columns of size with soil particles

<i>Column I</i>		<i>Column II</i>	
<i>a</i>	0.2 – 2.00 mm	(i)	Silt
<i>b</i>	Less than 0.002 mm	(ii)	Clay
<i>c</i>	0.02 – 0.2 mm	(iii)	Coarse sand particle
<i>d</i>	0.002 – 0.02 mm	(iv)	Fine sand particle

A. a-iv, b-i, c-iii, d-ii

B. a-iii, b-ii, c-iv,d-i

C. a-ii, b-iii, c-iv, d-i

D. None of the above.

Answer: B



Watch Video Solution

147. A_0 layer is rich in

A. Litter

B. Minerals

C. Leachates

D. Humus

Answer: D



Watch Video Solution

148. Characteristic feature of halophyte is

A. Velamen

B. Lenticel

C. Pneumatophore

D. Hydathode

Answer: C



Watch Video Solution

149. The dominant producers in the neritic zone of the sea are:

A. Phytoplankton

B. Zooplankton

C. Microorganisms

D. Diatoms

Answer: A



Watch Video Solution

150. Study of ecology of population is called

A. Autecology

B. Synecology

C. Ecotype

D. Demecology

Answer: D



Watch Video Solution

151. A unit of land delimited by natural boundary and having patches of different biotic communities is

A. Biome

B. Ecosystem

C. Niche

D. Biosphere

Answer: A



Watch Video Solution

152. Humus is formed in

A. Horizon-A

B. Horizon-O

C. Horizon-B

D. Horizon-C

Answer: B



[Watch Video Solution](#)

153. Phytoplankton are dominant in

- A. Limnetic zone
- B. Profundal zone
- C. Littoral zone
- D. Benthic zone

Answer: A



[Watch Video Solution](#)

154. Root cap is absent in

A. Xerophytes

B. Mesophytes

C. Hydrophytes

D. Halophytes.

Answer: C



Watch Video Solution

155. Match the columns and find the correct combination

Column I		Column II	
<i>a</i>	<i>Cuscuta</i>	1.	Saprophyte
<i>b</i>	<i>Eichhornia</i>	2.	Pneumatophore
<i>c</i>	<i>Monotropa</i>	3.	Insectivorous plant
<i>d</i>	<i>Rhizophora</i>	4.	Parasite
<i>e</i>	<i>Utricularia</i>	5.	Root pocket

A. a- 4, b-3, c-1, d-5, e-2

B. a-4, b-5, c-1, d-2, e-3

C. a-2, b-3, c-1, d-5, e-4

D. a-3, b-1, c-5, d-4, e-2

Answer: B



Watch Video Solution

156. Match the columns and find the correct combination

Column I

- a* Camouflage
- b* Batesian mimicry
- c* Warning colouration
- d* Echolocation

Column II

- 1. *Dendrobates pumilio*
- 2. Horse-shoe Bat
- 3. Monarch Butterfly
- 4. Praying Mantis

A. a-2, b-4, c-3, d-1

B. a-3, b-4, c-2, d-1

C. a-4, b-1, c-3, d-2

D. a-4, b-3, c-1, d-2

Answer: D



Watch Video Solution

157. Amount of fresh water present as polar and glacial ice is

A. 0.5 %

B. 1.7 %

C. 0.02 %

D. 0.01 %

Answer: B



Watch Video Solution

158. Which ones develop characteristics of xerophytes ?

A. Hydrophytes

B. Sciophytes

C. Heliophytes

D. Halophytes.

Answer: D



Watch Video Solution

159. Terrestrial pteridophytes are able to grow in tropical rain forest because of

A. Microclimate

B. C_4 pathway

C. Eutrophication

D. Biological magnification

Answer: A



Watch Video Solution

160. Which one is not a short wave radiation ?

A. UV rays

B. X-rays

C. Radio waves

D. Cosmic rays

Answer: C



Watch Video Solution

161. Cacti storing water in leaves are

A. Ephemerals

B. Drought resistant

C. Annuals

D. Non-succulents

Answer: B



Watch Video Solution

162. Pnenmatophores occur in

A. Halophytes/Mangroves

B. Xerophytes

C. Mesophytes

D. Hydrophytes

Answer: A



Watch Video Solution

163. Large scale diurnal variation in surface temperature occurs in

A. Sea

B. Lake

C. Tundra

D. Desert

Answer: D



164. Assertion a. Salt resistant plants get rid of internal Na^+ level

Reason r. Saltresistant plants get rid of excess Na^+ by ATP energised antiporter

A. Both a and r are correct and r is correct explanation of a

B. Both a and r are correct but r is not correct explanation of a

C. a is true but r is false

D. a is false but r is true

Answer: A



Watch Video Solution

165. Ozone layer exist in

A. Mesosphere

B. Thermosphere

C. Stratosphere

D. Troposphere

Answer: C



Watch Video Solution

166. Reduction in vascular tissue mechanical tissue and cuticle is characteristic of

A. Mesophytes

B. Hydrophytes

C. Xerophytes

D. Epiphytes.

Answer: B



Watch Video Solution

167. Aerenchyma occurs in

- A. Epiphytes
- B. Halophytes
- C. Hydrophytes
- D. Xerophytes.

Answer: C



Watch Video Solution

168. Geographic limit within which a population exists is called

A. Biome

B. Ecosystem

C. Niche

D. Habitate

Answer: D



169. Halophytes are:

- A. Salty soil
- B. Desert
- C. Near river
- D. Rainy water

Answer: A



170. Root reaches water table in

A. Cactus

B. Prosopis

C. Annual grass

D. Aloe

Answer: B



Watch Video Solution

171. Match the columns and find the correct combination

Column I

- a** Spongy aril
- b** Multiple epidermis
- c** Respiratory roots
- d** Root pockets

Column II

- i** *Jussiaea*
- ii** *Pistia*
- iii** *Nerium*
- iv** *Sagittaria*
- v** *Nymphoea*

- A. a-i, b-iii, c-ii, d-v
- B. a-ii, b-i, c-iv, d-iii
- C. a-v, b-iii, c-i, d-ii
- D. a-iv, b-ii, c-iii, d-i

Answer: C



Watch Video Solution

172. Assertion a. True xerophytes store water in the form of mucilage which helps to withstand prolonged period of drought.

Reason r. Vascular and mechanical tissues are well developed in true xerophytes.

A. Both a and r are correct and r is correct explanation of a

B. Both a and r are correct but r is not correct explanation of a

C. a is true but r is false

D. a is false but r is true

Answer: D



Watch Video Solution

173. One of the following is not true for hydrophytes

A. Vessels are usually absent

B. Cuticle is poorly developed

C. Tracheids are absent

D. Air chambers are well developed

Answer: C



Watch Video Solution

174. Microscopic aquatic organisms lacking locomotory ability and drifting with water current are

A. Pleuston

B. Nekton

C. Plankton

D. Seston

Answer: C



Watch Video Solution

175. the volume and surface area of a deer is $1,50,000 \text{ cm}^3$ and $19,000 \text{ cm}^2$ and of a squirrel is 625 cm^3 and 530 cm^2 . The area

available for heat loss per cm^3 volume of the squirrel will be approximately

- A. Seven times more than the deer
- B. Eleven times less than the deer
- C. Three times more than the deer
- D. Eleven times more than the deer

Answer: A



Watch Video Solution

176. Under unfavourable condition many zooplankton species in lakes and ponds enter

A. Diapause

B. Hibernation

C. Aestivation

D. None of the above.

Answer: A



Watch Video Solution

177. Which one of the following is a xerophytic plant in which the stem is modified into the flat green and succulent structure

Or

Phylloclade is found in

A. Casuarina

B. Opuntia

C. Hydrilla


D. Acacia

Answer: B





178. The figure given below is a diagrammatic representation of response of organisms to abiotic factors. What do A, B and C represent respectively?



A.

(a)	(b)	(c)
Regulator	Partial regulator	Conformer

B.

(a)	(b)	(c)
Partial regulator	Regulator	Conformer

C.

(a)	(b)	(c)
Regulator	Conformer	Patial regualtor

D.

(a)	(b)	(c)
Conformer	Regulator	Partial regulator

Answer: C



Watch Video Solution

179. An adaptation of plants to water scarcity and high temperature is

A. Succulent stem stores water

B. Poorly developed root

C. They shed their leaves

D. In unfavourable season, plants survive in dormant state as seeds

Answer: A





Watch Video Solution

180. Range of latitude of temperate region is

A. $20^{\circ} - 60^{\circ}$

B. $0^{\circ} - 20^{\circ}$

C. $20^{\circ} - 40^{\circ}$

D. $60^{\circ} - 80^{\circ}$

Answer: A



Watch Video Solution

181. Feature of xerophytic leaves is

A. Waxy xuticle

B. Sunken stomata on lower epidermis

C. Large surface

D. Leathery surface

Answer: B



Watch Video Solution

182. Actively moving organisms in aquatic ecosystem are

A. Benthos

B. Zooplankton

C. Phytoplankton

D. Nekton

Answer: D



Watch Video Solution

183. Read the following statements A and B

(A) Many organs of aquatic plants float in water

(B) Large air gaps are present in the collenchyma tissues of lotus leaf

Select the correct answer.

A. 'Q' is correct, 'P' is wrong

B. 'P' is correct, 'Q' is wrong

C. Both 'P' and 'Q' are correct

D. Both 'P' and 'Q' are wrong

Answer: B



Watch Video Solution

184. Select incorrect statement

A. Orchid epiphytic on Mango is

commensal

B. Bird laying eggs in the nest of another

for incubation shows brood parasitism

C. Most animals and plants maintain a constant internal temperature

D. Small animals are rare in polar regions

Answer: d



Watch Video Solution

185. Match the columns and find the correct options.

I

- a* Bears
- b* Snail
- c* Zooplankton
- d* Seeds

II

- p* Diapause
- q* Hibernation
- r* Dormancy
- s* Aestivation

A. a-r, b-s, c-p, d-q

B. a-q, b-p, c-s, d-r

C. a-s, b-p, c-q, d-r

D. a-q, b-s, c-p, d-r

Answer: D



Watch Video Solution

186. Total number of all species of organisms in a given region is known as the region's:

A. Biota

B. Flora

C. Fauna

D. Diversity

Answer: A



Watch Video Solution

187. Resemblance of one organism to another for protection and hiding:

A. Camouflage

B. Mimicry

C. Predation

D. Adaptation

Answer: B



Watch Video Solution

188. Select the correct pair of adaptations in desert lizards

(a) Burrowing in soil to escape high temperature

(b) Losing rapidly at high temperature

(c) Bask in the sun when temperature is low

(d) Insulating body with thick fatty dermis

A. b,d

B. a,b

C. c,d

D. a,c

Answer: D



Watch Video Solution

189. "Good ozone" is found in:

A. Mesosphere

B. Ionosphere

C. Stratosphere

D. Troposphere.

Answer: C



Watch Video Solution

190. Major ecological community of plants and animals extending over large natural area is known as:

A. Bioregion

B. Biosphere

C. Biota

D. Biome

Answer: D



Watch Video Solution

191. Littoral zone is located along the:

A. High mountain

B. Sea

C. River

D. Desert

Answer: B



Watch Video Solution

192. Organisms which can tolerate and thrive in wide range of temperature are called

- A. Eurythermal
- B. Stenothermal
- C. Poikilothermal
- D. Homoiothermal

Answer: A



193. Consider the following statements (a-d) each with one or two blanks

(a) Bears go into $\xrightarrow{(1)}$ during winter to $\xrightarrow{(2)}$ cold weather

(b) A conical age pyramid with a broad base represents $\xrightarrow{(3)}$ human population

(c) A wasp pollinating a fig flower is an example of $\xrightarrow{(4)}$

(d) An area with high levels of species richness

is known as $\xrightarrow{(5)}$

Find the correct fill up

A. 3- stable, 4- commensalism, 5- marsh

B. 1- aestivation, 2-escape, 3- stable, 4-
mutualism

C. 3- expanding, 4- commensalism, 5-
biodiversity

D. 1- hibernation, 2- escape, 3- expanding, 5-
hot spot. 4.mutualism

Answer: D



Watch Video Solution

194. Monarch Butterfly not eaten by predators because of

- A. Rough skin
- B. Bitter taste
- C. Foul smell
- D. Colouration

Answer: B



195. What is correct

A. Natural selection is responsible for extinction of dinosaurs

B. Lion and Leopard have convergent evolution

C. Homo habilis and Homo erectus are closely related

D. Biston betularia shows cryptic camouflage.

Answer: D



Watch Video Solution

196. Stomata open at night in

A. Succulents

B. Xerophytes

C. Hydrophytes

D. Mesophytes.

Answer: A



Watch Video Solution

197. A condition in which body's internal environment remains relatively constant within limits is

A. Hematoma

B. Hemopoiesis

C. Homeostasis

D. Hemostasis

Answer: C



Watch Video Solution

198. Species that can tolerate narrow range of temperature are called.....

A. Stenothermal

B. Eurythermal

C. Biothermal

D. Geothermal

Answer: A



Watch Video Solution

199. Adaptive measure to protect against extreme heat by poikilotherms is

A. Hibernation

B. Sweating

C. Aestivation

D. Coiling

Answer: C



Watch Video Solution

200. Organisms capable of maintaining constant body temperature are:

A. Stenothermal

B. Conformers

C. Poikilothermal

D. Homoiothermal

Answer: D



Watch Video Solution

201. Fresh water bony fishes maintain water balance by

A. Excreting hypotonic urine

B. Excreting wastes as uric acid

C. Drinking small amount of water

D. Excreting salt across their gills

Answer: A



Watch Video Solution

202. Assertion : Most marine animals find it difficult to live in fresh water and vice versa.

Reason : Some animals can tolerate a narrow salinity range while others can bear a wide salinity range

A. Point out if both are true with reasonj

being correct not correct explanation

B. both are true but reason is not correct

explanation

C. assertion is true but reason is wrong

D. and both, are wrong

Answer: A



Watch Video Solution

203. Assertion : Frog can change colour according to its surroundings

Reason : It is mimicry to capture preys.

A. Point out if both are true with reasonj

being correct not correct explanation

B. both are true but reason is not correct

explanation

C. assertion is true but reason is wrong

D. and both, are wrong

Answer: C



Watch Video Solution

204. Hydrilla is

- A. Phytoplankton
- B. Floating hydrophytes
- C. Submerged hydrophyte
- D. Amphibian

Answer: C



205. Match the lists and find the correct option

I

II

(a) *Bryophyllum*

(b) *Nelumbo*

(c) *Pistia*

(d) *Potamogeton*

1. Cuticle is absent

2. High rate of transpiration

3. Water is stored in form of mucilage

4. Rhizome stem

5. Balancing roots have root pockets in place of root caps.

A. a-3,b-4,c-5,d-1

B. a-5,b-3,c-2,d-4

C. $a-2, b-4, c-1, d-5$

D. $a-1, b-5, c-2, d-3$.

Answer: A



Watch Video Solution

206. Match the lists and find the correct option

- | | |
|---------------------|--------------------------------------|
| (a) Bergmann's rule | 1. Pigmentation of skin |
| (b) Gloger's rule | 2. Metabolic rate |
| (c) Allen's rule | 3. Number of vertebrae of codfish |
| (d) Jordan's rule | 4. Body size |
| | 5. Size of extremities of body parts |

A. a-3,b-5,c-1,d-4

B. a-4,b-1,c-3,d-5

C. a-4,b-1,c-5,d-2

D. a-4,b-1,c-5,d-3.

Answer: D



Watch Video Solution

207. Benthic organism are affected most by

- A. Surface turbulence of water
- B. Sediment characteristics
- C. Water holding capacity of soil
- D. Light reaching the forest floor.

Answer: D



Watch Video Solution

208. The temperature of earth's atmosphere increases with height in

A. Troposphere

B. Ionosphere

C. Mesosphere

D. Stratosphere.

Answer: A



Watch Video Solution

209. Salt concentration (salinity) of the sea measured in parts per thousand is:

A. 30 – 35

B. 10 – 20

C. 10 – 15

D. 50 – 60

Answer: A



Watch Video Solution

210. Plants growing in sandy areas are called:

- A. Lithophytes
- B. Psammophytes
- C. Hydrophytes
- D. Xerophytes.

Answer: B



Watch Video Solution

211. Study the lists and find the correct match

I	II
(a) <i>Salvinia</i>	(i) Submerged suspended hydrophyte
(b) Lichens	(ii) Amphibious plant
(c) <i>Rhizophora</i>	(iii) Heterosporous plant
(d) <i>Utricularia</i>	(iv) Soil formation
	(v) Halophyte

A. a-iii,b-ii,c-v,d-i

B. a-v,b-iii,c-iv,d-i

C. a-v,b-ii,c-I,d-iii

D. a-iii,b-iv,c-v,d-i.

Answer: D



Watch Video Solution

212. Match the following with reference to adaptations and find the correct option

I	II
(a) Sea Gulls	(i) Chloride secreting glands
(b) Kangaroo rat	(ii) Water cells in rumen
(c) Turtle	(iii) Salt secreting glands
(d) Salmon	(iv) Oxidation of fats to generate water
	(v) Anadromous migration

A. a-ii,b-iv,c-iii,d-i

B. a-iii,b-ii,c-i,d-v

C. a-ii,b-iii,c-iv,d-i

D. a-iii,b-iv,c-i,d-v.

Answer: D



Watch Video Solution

213. Which one refers to allen's rule

A. If stressful conditions are localised, an organism either migrates or suspends itself

B. Mammals from colder climates have shorter ears and limbs to minimise heat loss

C. An organism can move from a stressful habitat to a more hospitable area and return when the stressful period is over

D. Low atmospheric pressure in higher altitudes results in altitude sickness.

Answer: B



Watch Video Solution

214. Which of the following statements regarding responses of organisms to abiotic factors is false?

A. All birds and mammals are capable of thermoregulation

B. Majority of animals and nearly all plants cannot maintain a constant internal environment

C. Very small animals are commonly found in polar regions as they have to spend less energy to generate heat

D. Diapause is a stage of suspended development seen in zooplankton.

Answer: D



Watch Video Solution

215. Allen's rule applies to:

- A. Tribes living in high altitudes
- B. Mammals from colder climates
- C. Fish living in Antarctic water
- D. Desert lizards

Answer: B



Watch Video Solution

216. Roots play insignificant role in absorption of water in

A. Sunflower

B. Pistia

C. Pea

D. Wheat.

Answer: B



Watch Video Solution

217. Most animals that live in deep oceanic waters are:

A. Primary consumers

B. Secondary consumers

C. Tertiary consumers

D. Detrivores.

Answer: D



Watch Video Solution

218. Hibernating animals have tissue containing mitochondria with a membrane protein that accelerates elerates transport

while blocking the synthesis of ATP, what is the consequence of this

A. The energy of respiration is converted into heat

B. Pyruvate is converted to lactic acid by anaerobic fermentation

C. Energy is saved because glycolysis and citric acid cycle are shut down

D. Hibernating animals can synthesize fat instead of wasting energy on

respiration.

Answer: A



Watch Video Solution

219. Match and find the correct combination

- | | |
|------------------------|-----------------------------------|
| (a) <i>Lemna</i> | (i) Halophyte |
| (b) <i>Vallisneria</i> | (ii) Free floating hydrophyte |
| (c) <i>Rhizophora</i> | (iii) Amphibious plant |
| (d) <i>Typha</i> | (iv) Submerged, rooted hydraphyte |

A. a-i,b-iv,c-ii,d-iii

B. a-ii,b-iii,c-iv,d-i

C. a-ii,b-iv,c-i,d-iii

D. a-ii,b-i,c-iv,d-iii.

Answer: C



Watch Video Solution

220. Identify the correct pair of combinations

(i) Vallisneria- Long stalked female flowers-

Hydrophily

(ii) Tribulus- Annual-Root succulent

(iii) Hydrilla-Submerged rooted hydrophyte-

Aerenchyma

(iv) Casuarina-Perennial-Phylloclades.

A. iii,iv

B. ii,iii

C. i,iv

D. all of the above

Answer: d



Watch Video Solution

221. Study the following lists and find the correct match

- | | |
|---------------------------|----------------------|
| (a) Genetic nature of RNA | (i) George Gamow |
| (b) Binomial nomenclature | (ii) Hugo de Vries |
| (c) Triplet codon | (iii) Frankel Conrat |
| (d) Ecology | (iv) Warming |
| | (v) Gaspard Bauhin. |

A. a-iv,b-i,c-ii,d-v

B. a-iii,b-v,c-iv,d-i

C. a-iv,b-v,c-i,d-ii

D. a-iii,b-v,c-i,d-iv.

Answer: D



Watch Video Solution

222. Statement(S). Marine fishes have aglomerular kidneys

Reason(R). Aglomerular kidneys increase the loss of water through urine

A. Both S and R are correct but R is not correct explanation of S

B. Both S and R are correct and R is correct explanation to S

C. S is wrong but R is correct

D. S is correct but R is wrong.

Answer: D



Watch Video Solution

223. Edaphic factors are related to

A. Humidity

B. Soil texture

C. Rainfall

D. Wind Velocity.

Answer: B



Watch Video Solution

224. Adaptations is an organism are meant for

A. Optimun primary production

B. Optimum mobility

C. Optimum mobility

D. Optimum survival and reproduction.

Answer: D



Watch Video Solution

225. Plant species having a wide range of genetical distribution evolve into a local population known as:

- A. Ecotype
- B. Population
- C. Ecosystem
- D. Biome.

Answer: A



Watch Video Solution

226. Water holding capacity of sandy soil as compared to clay soil is

A. More

B. Less

C. Equal

D. None of the above.

Answer: B



Watch Video Solution

227. The organic matter of soil has the value

A. 20

B. 30

C. 45

D. 5

Answer: D



Watch Video Solution

228. This is an example of root hydrophyte

A. Nymphaea

B. Wolffia

C. Salvinia

D. Hydrilla.

Answer: A



Watch Video Solution

229. This is an example of animals which do periodic migration:

A. Arctic tern

B. Elk

C. Whale

D. Locust.

Answer: D



Watch Video Solution

230. The resting state of reptiles in winter is

A. Hibernation

B. Aestivation

C. Diapause

D. Moulting.

Answer: A



Watch Video Solution

231. The characters such as pointed elongated snout and strong and stout forelimbs, well developed claws are observed in _____ adaptation:

- A. Arboreal
- B. Aerial
- C. Cursorial
- D. Fossorial.

Answer: D



Watch Video Solution

232. Halophytic plants are found in

- A. Sand
- B. Saline environments
- C. Rocks
- D. Dry conditions.

Answer: B



Watch Video Solution

233. Instead of excreting, these can store urea in the tissues

A. Birds

B. Fish

C. Elephants

D. Camels.

Answer: D



Watch Video Solution

234. Finely dissected leaves occur in

A. Rooted floating leaved plants

B. Submerged plants

C. Emerged plants

D. Free floating plants.

Answer: B



Watch Video Solution

235. Place occupied by an organism in relation to environment is

A. Habit

B. Habitat

C. Edaphic

D. Niche.

Answer: b



Watch Video Solution

236. Close resemblance in the appearance of Monarch Butterfly and Queen Butterfly is an example of

A. Mullerian mimicry

B. Batesian mimicry

C. Camouflage

D. Warning colouration.

Answer: A



Watch Video Solution

237. Xerophytes are plants which grow in

A. Dry areas

B. Water

C. Land

D. Place where land and water meet.

Answer: A



Watch Video Solution

238. Match and identify the correct answer

- | I | II |
|---------------------------|---|
| (a) Climax community | (i) Prolonged periods of drought |
| (b) <i>Victoria regia</i> | (ii) Photosynthesis by flattened stem |
| (c) <i>Opuntia</i> | (iii) Final plants which are in near equilibrium with environment |
| (d) <i>Casuarina</i> | (iv) Roots fixed to substratum and epistomatous |

A. a-iii,b-iv,c-ii,d-i

B. a-iii,b-iv,c-i,d-ii

C. a-i,b-ii,c-iii,d-iv

D. a-ii,b-i,c-iv,d-iii.

Answer: A



Watch Video Solution

239. In deep fresh water ponds, different layers of water with different temperatures are noticed, This is known as

- A. Thermal stratification
- B. Surface tension
- C. Water equilibrium
- D. Thermal equilibrium.

Answer: A



Watch Video Solution

240. Many fresh water animals cannot live for long in sea water and vice versa mainly because of

- A. Change in the atmosphere
- B. Change in level of thermal tolerance
- C. Variation in light intensity
- D. Osmotic problems they would face

Answer: D



Watch Video Solution

241. It is much easier for a small animal to run uphill than for a large animal, because:

- A. The efficiency of muscles in large animals is less than in the small animal
- B. It is easier to carry a small body weight
- C. Small animals have a higher metabolic rate

D. Small animals have a lower O_2 requirement.

Answer: C



Watch Video Solution

242. Assertion: Presence of pneumatophores is a special adaptation of hydrophytes

Reason: Pneumatophores are positively in gaseous exchange.

A. Point out if both are true with reasonj

being correct not correct explanation

B. both true reason is not correct

explanation

C. assertion is true but reason is wrong

D. and both, are wrong

Answer: D



Watch Video Solution

243. Which of the following is not a factor that would limit the growth of a population ?

A. Food shortage

B. Immigration

C. Disease

D. Famines.

Answer: B



Watch Video Solution

244. Water holding capacity of determined by measuring the weight of

A. Soil by adding water and humus

B. Water saturated soil first weighed, heating the soil till it is dry and then weighing the soil

C. Soil by adding water, biomass and humus

D. Soil from different location with biomass.

Answer: B



Watch Video Solution

Cyg

1. Autoecology is ecological study connected with

A. An individual

B. Population

C. Species

D. Community.

Answer: c



Watch Video Solution

2. Scientific study of mimicry was benefitted is called

A. Darwin

B. Bates

C. Mullar

D. Lamarck.

Answer: b



Watch Video Solution

3. In mimicry, the individual which is benefitted is called

A. Mimic

B. Modal

C. Commensal

D. None of the above.

Answer: a



Watch Video Solution

4. Bergman's rule states that

A. Organisms of hotter areas are darker in colour

B. Mammals and birds of hotter areas undergo aestivation in summer

C. Aquatic animals are larger as compared to terrestrial ones

D. Mammals and birds of colder areas are generally larger than those of hotter regions.

Answer: d



Watch Video Solution

5. A plant with succulence in both stem (chylorcauly) and roots (chylorhizy) is

A. Ceiba

B. Opuntia

C. Asparagus

D. Euphorbia.

Answer: c



Watch Video Solution

6. Who divided plants into hydrophytes, exrophytes and mesophytes?

A. Shantz

B. Warming

C. Clements

D. Odum.

Answer: b



Watch Video Solution

7. The grouping of xerophytes into ephenmerals, annuals, succulents and nonsucculent perennials was proposed by

A. Tansley

B. Shantz

C. Misra

D. Haeckel.

Answer: b



Watch Video Solution

8. Topography or surface behaviour of earth determines

A. Rainfall

B. Light

C. Temperature

D. none of the above.

Answer: d



Watch Video Solution

9. An animals active during dawn and dusk is called

A. Auroral

B. Vesperal

C. Crepuscular

D. Diurnal.

Answer:



Watch Video Solution

10. Root pockets for balancing for balancing occur in

A. Utricularia

B. Wolffia

C. Hydrilla

D. Lemna.

Answer: d



Watch Video Solution

11. Plants growing on damp (shady) places are

A. Hydrophytes

B. Hygrophytes

C. Mesophytes

D. Phreatophytes.

Answer:



Watch Video Solution

12. Metalimnion is

A. Aphotic region of a deep lake

B. Middle transitional zone

C. Upper part subject to temperature
fluctuations

D. Lower part where water temperature is
low.

Answer:



Watch Video Solution

13. Ozone shield is component of

A. Troposphere

B. Stratosphere

C. Mesosphere

D. Thermosphere.

Answer: b



Watch Video Solution

14. Stratosphere is characterised by

A. Fall in temperature with height

B. Lack of water vapours and dust particles

C. Rise in temperature with height

D. Both B and C.

Answer: d



Watch Video Solution

15. Ionosphere occurs in

A. Thermosphere

B. Mesosphere

C. Stratosphere

D. Troposphere.

Answer:



Watch Video Solution

16. Red soils of India are

A. Laterite soils

B. Deficient in lime, Mg, P and K

C. Rich in iron and organic matter

D. All the above.

Answer: d



Watch Video Solution

17. Macropores of soil (diameter more than 20 μm) take part in

- A. Holding air
- B. Holding air and percolation of water
- C. Perolation of water
- D. Holding of capillary water.

Answer: b



Watch Video Solution