

BIOLOGY

BOOKS - S DINESH & CO BIOLOGY (HINGLISH)

Plant Growth and Movements

Mcq

1. An excised leaf does not turn yellow if it is induced to root this is attributed to synthesis in root of or Leaf aging is retarded by

Or

The cut flowers and vegetable can be kept fresh a long period by using plant hormone

A. Ethylene

B. Gytokinins

C. Gibberellins

D. Auxins.

Answer: B



Watch Video Solution

2. A natural growth regulator is

A. NAA

B. 2, 4-D

C. Benzaldehyde

D. Ethylene.

Answer: D

 [Watch Video Solution](#)

3. The maximum growth phase is

- A. Lag phase
- B. Steady phase
- C. Log phase
- D. Senescent phase.

Answer: C

 [Watch Video Solution](#)

4. The growth of plants differs from growth of animals in being

- A. Localised

B. Diffused

C. Localised and diffused

D. None of the above.

Answer: A



Watch Video Solution

5. Ethylene is mainly responsible for

A. Formation of flower

B. Formation of root hairs

C. Ripening of fruits

D. Formation of fruit.

Answer: C

 [Watch Video Solution](#)

6. The rosette habit of cabbage can be changed by application of

A. GA

B. IAA

C. ABA

D. CK.

Answer: A

 [Watch Video Solution](#)

7. Growth is a

A. Reversible increase in size

B. Reversible increase in shape

C. Irreversible increase in size

D. None of the above.

Answer: C



Watch Video Solution

8. Bakanae disease is caused by

A. Fungus

B. Alga

C. Bacterium

D. Virus.

Answer: A

 [Watch Video Solution](#)

9. The terms "vernalisation" was coined by

- A. Garner and Allard
- B. Darwin
- C. Geoffery
- D. Lysenko.

Answer: D

 [Watch Video Solution](#)

10. Gibberellins were first extracted from

- A. Coleoptile tip

B. Root tip

C. Fungus

D. Bacterium.

Answer: C



Watch Video Solution

11. Substances which originate at the tip of the stem and control growth elsewhere are

A. Enzymes

B. Hormones

C. Vitamins

D. None of the above.

Answer: B



Watch Video Solution

12. The short day plant is

A. Tomato

B. Sunflower

C. Cotton

D. Potato.

Answer: d



Watch Video Solution

13. The long-day plant is

A. Tomato

B. Potato

C. Cotton

D. Spinach.

Answer: D



Watch Video Solution

14. The day neutral plant is

A. Tobacco

B. Tomato

C. Wheat

D. Oat.

Answer: B



Watch Video Solution

15. The synthesis of amylase in certain cereals is stimulated by

A. GA

B. IAA

C. CK

D. ABA.

Answer: A



Watch Video Solution

16. Plant growth is

- A. Irreversible
- B. Increase in size
- C. Localised
- D. All the above.

Answer: D



Watch Video Solution

17. Plant response to environment is mainly through

- A. Induction of dormancy
- B. Abscission of parts
- C. Synthesis of pigments
- D. Growth.

Answer: D



Watch Video Solution

18. Darwin and Darwin discovered that Canary Grass coleoptile bends towards light only when

- A. It is 5 cm long
- B. The seedling is growing in blue light
- C. Coleoptile tip is intact and exposed to light
- D. Nights are cooler.

Answer: C



Watch Video Solution

19. The discovery, that during light induced bending of stem the apex produces a diffusible chemical, was made by

- A. Charles Darwin and Francis Darwin
- B. Boysen-Jensen and Paal
- C. Went
- D. Van Overbeek.

Answer: B



[Watch Video Solution](#)

20. Etiolation is characterised by

- A. Slender yellowish stems
- B. Small yellowish leaves

C. Subterminal hook

D. All the above.

Answer: D



Watch Video Solution

21. In excess, CO_2

A. Accelerates growth

B. Does not influence growth

C. Inhibits growth

D. Slows down growth.

Answer: C



Watch Video Solution

22. Which one regulates plant growth ?

A. Commensalism

B. Climate

C. Hormones

D. Both B and C.

Answer: D



[Watch Video Solution](#)

23. High C/N ratio produces

A. Softer tissues

B. More mechanical tissues

C. More growth hormones

D. Growth inhibitors.

Answer: B



Watch Video Solution

24. Which one is not a growth promoter ?

A. ABA

B. GA

C. IAA

D. CK.

Answer: A



Watch Video Solution

25. Crescograph was prepared by

- A. Bose
- B. Pfeffer
- C. Ganong
- D. Dixon.

Answer: A



Watch Video Solution

26. Optimum growth occurs in

- A. Blue light
- B. Red light

C. White light

D. Green light.

Answer: C



Watch Video Solution

27. A long-short day plant is

A. Bryophyllum

B. Tomato

C. Potato

D. Cucumber.

Answer: A



Watch Video Solution

28. DNA is

- A. Cestrum
- B. Cucumber
- C. Potato
- D. Radish.

Answer: B



[View Text Solution](#)

29. Major function CK is to

- A. Mobilise nutrients and prevent senescence
- B. Mobilise nutrients

C. Prevent senescence

D. Produce IAA.

Answer: A



Watch Video Solution

30. Growth promoter hormones are

A. IAA, ABA and CK

B. IAA, GA and ABA

C. IAA, GA and CK

D. ABA, CK and GA.

Answer: C



Watch Video Solution

31. Hormone involved in inhibition of growth is

- A. ABA
- B. Ethylene
- C. None of the above
- D. Both A and B.

Answer: D



[Watch Video Solution](#)

32. Cytokinins are mostly produced in

- A. Shoot apex
- B. Root apex

C. Young leaves

D. Lateral buds.

Answer: B



Watch Video Solution

33. Cytokinins

A. Induce cell division and inhibit ageing

B. Maintain dormancy

C. Induce abscission

D. Inhibit cell division.

Answer: A



Watch Video Solution

34. Removal of apical bud makes the plant

- A. Bushy
- B. Grow rapidly
- C. Grow slowly
- D. Dormant.

Answer: A



Watch Video Solution

35. In organs of plants there is a variation in rate of growth. It is first slow, then accelerated upto maximum and slows down to stand still. The period of vigorous growth is known as

- A. Lag phase
- B. Period of growth
- C. Grand period of growth
- D. Log phase.

Answer: D



Watch Video Solution

36. Bioassay for auxin is

- A. Dwarf maize test
- B. Avena curvature test
- C. Cell division test
- D. Green leaf test.

Answer: B



Watch Video Solution

37. 2, 4-D stands for

- A. 2, 4-Dichlorophenoxy Acetic Acid
- B. 2, 4-Dichloro Butyric Acid
- C. 2, 4-Dichloronaphthoxy Acetic Acid
- D. 2, 4-Dichloronaphthalene Acetic Acid.

Answer: A



Watch Video Solution

38. Scientist who first isolated cytokinin was

A. White

B. Skoog

C. Letham

D. Miller.

Answer: D



Watch Video Solution

39. Bioassay for gibberellin is

A. Avena curvature test

B. Seed dormancy test

C. Dwarf maize test.

D. Green leaf test.

Answer: C



Watch Video Solution

40. Internodal elongation is stimulated by

- A. Auxin
- B. Gibberellic acid
- C. Cytokinin
- D. Abscisic acid.

Answer: B



Watch Video Solution

41. The growth hormone, Gibberellin, was discovered by

A. Yabuta and Sumiki

B. Dutrochet and Dolk

C. Donoho and Walker

D. Hashimoto and Rappaport.

Answer: A



Watch Video Solution

42. Delay in senescence is caused by the spray of

A. IBA

B. GA

C. Cytokinin

D. ABA.

Answer: C



Watch Video Solution

43. Cytokinins are generally

A. Acids

B. Aminopurines

C. Phenols

D. Glucosides.

Answer: B



Watch Video Solution

44. The response of plants to light was first of all discovered by

A. J.B Lamarck

B. Darwin

C. Thimann

D. F.W. Went.

Answer: B



Watch Video Solution

45. Apples are generally wrapped in waxed paper to

A. Prevent sunlight from changing its colour

B. Prevent aerobic respiration by checking the entry of
oxygen

C. Prevent ethylene formation that hastens ripening

D. Make the apples look costly.

Answer: C



Watch Video Solution

46. Seedless tomatoes are produced by

- A. Supplying radioactive compounds
- B. Spraying hormones on flowers
- C. Propagating tomato plants from cuttings.
- D. Growing tomato plants in mineral solution.

Answer: B



Watch Video Solution

47. Avena coleoptile test detects the presence of

A. GA

B. ABA

C. IAA

D. NAA.

Answer: C



Watch Video Solution

48. The term 'Yarovization' was coined by

A. Lysenko

B. Klebs

C. Yabuta

D. Kogl and Haagen-Smit.

Answer: A



Watch Video Solution

49. Hormone involved in breaking dormancy of winter buds is

A. Ethylene

B. Gibberellin

C. Auxin

D. Cytokinin.

Answer: B



Watch Video Solution

50. Rapid growth of flowering axis in many plants is caused by

- A. Lower level of abscisic acid
- B. Higher level of auxin
- C. Higher level of gibberellin
- D. Lower level of auxin.

Answer: C



Watch Video Solution

51. Differentiation of callus requires a specific ratio of two hormones

- A. Auxin and gibberellin
- B. Auxin and abscisic acid

C. Gibberellin and abscisic acid

D. IAA and cytokinin.

Answer: D



Watch Video Solution

52. Ferulic acid, coumarin and hesperidin are

A. Secondary plant products

B. Hormones

C. Enzymes

D. Vitamins.

Answer: A



Watch Video Solution

53. Gibberellins take part in

- A. Bolting of rosette plants
- B. Replacing long day requirement
- C. Overcoming genetic dwarfism
- D. All the above.

Answer: D



Watch Video Solution

54. A decapitated plant exposed to unilateral light

- A. Bends away from source of illumination
- B. Bends towards the source of light

C. Shows zigzag curvature

D. Does not show bending movement.

Answer: D



[Watch Video Solution](#)

55. Correct sequence of different phases of growth is

A. Cell division → Cell differentiation → Cell elongation

B. Cell differentiation → Cell division → Cell elongation

C. Cell elongation → Cell division → Cell differentiation

D. Cell division → Cell elongation → Cell differentiation.

Answer: D



[Watch Video Solution](#)

56. Correct sequence of different stages of development is

- A. Fruiting → Flowering → Juvenility → Germination
- B. Germination → Juvenility → Flowering → Fruiting
- C. Flowering → Fruiting → Juvenility → Germination
- D. Juvenility → Flowering → Fruiting → Germination.

Answer: B



Watch Video Solution

57. Exponention growth is shown during

- A. Lag phase
- B. Log phase

C. Maturation phase

D. Senescence phase.

Answer: B



Watch Video Solution

58. Name the scientist who discovered that decapitated coleoptile would resume photo-sensitivity and growth if severed tip is reattached through a gelatin disc.

A. Darwin

B. Van Overbeek

C. Boyson Jensen

D. Paal.

Answer: C



Watch Video Solution

59. During wall enlargement new wall materials are inserted amongst the older ones. The phenomenon is

- A. Accretion
- B. Integration
- C. Intussusception
- D. Interpolation.

Answer: C



Watch Video Solution

60. Temperature range for plant growth is

- A. $20^{\circ} - 35^{\circ}$
- B. $0^{\circ} - 35^{\circ} C$
- C. $10^{\circ} - 50^{\circ}$
- D. $0^{\circ} - 20^{\circ} C$

Answer: B



[Watch Video Solution](#)

61. Apical dominance in higher plants is due to

- A. C/N ratio
- B. Photoperiodism
- C. Phototropism

D. Auxin-cytokinin balance.

Answer: D



Watch Video Solution

62. Growth of a shoot or a root involves

- A. Cell enlargement
- B. Cell division
- C. Cell differentiation
- D. All the above.

Answer: D



Watch Video Solution

63. Hormone involved in the formation of winter buds

A. GA

B. CK

C. ABA

D. Ethylene.

Answer: C



Watch Video Solution

64. Leaf abscission is prevented by

A. Gibberellin

B. Ethylene

C. Abscisic acid

D. Auxin.

Answer: D



Watch Video Solution

65. Leaf abscission is promoted by

A. Ethylene

B. Abscisic acid

C. Cytokinin

D. Tryptophan.

Answer: A



Watch Video Solution

66. Leaf fall occurs when

- A. Auxin content is more in lamina than in the stem
- B. Auxin content is low in the lamina as compared to stem
- C. Abscisic acid is formed
- D. Morphactins are produced.

Answer: B



Watch Video Solution

67. It will not be any advantage to produce seedless fruits in

- A. Mangoes
- B. Watermelons
- C. Pomergranate

D. Oranges.

Answer: C



Watch Video Solution

68. If auxin concentration is increased in plant roots, the water absorption will

A. Increase

B. Decrease

C. Remain the same

D. None.

Answer: A



Watch Video Solution

69. Cell mitosis is induced by

- A. Colchicine
- B. Gibberellic acid
- C. Nitrosoguanidine
- D. Kinetin.

Answer: D



Watch Video Solution

70. Chrysanthemums flower in winter because

- A. They are short day plants
- B. They required low temperature treatment

C. They are long day plants

D. Both A and B.

Answer: D



Watch Video Solution

71. Gibberellic acid has been successfully employed to induce flowering

A. In short day plants under long day conditions

B. In long day plants under short day conditions

C. In all plants

D. None of the above.

Answer: B

 [Watch Video Solution](#)

72. Plants which daily require shorter period of darkness for flowering are called

- A. Short day plants
- B. Long day plants
- C. Normal day plants
- D. Ephemeral plants

Answer: B

 [Watch Video Solution](#)

73. Photoperiodism is associated with the formation of

A. Chlorophyll

B. Florigen

C. Auxin

D. Gibberellin.

Answer: B



Watch Video Solution

74. Hormone responsible for vernalization is

A. Florigen

B. Colchicine

C. Abscisin

D. Vernalin

Answer: D



Watch Video Solution

75. Lettuce seeds germinate only when

- A. Red light is available
- B. Blue light is available
- C. Green light is available
- D. They are sown deep in the soil.

Answer: A



View Text Solution

76. Which of the following is required for the formation of flowers in the plants?

- A. Adequate oxygen
- B. Definite photoperiod
- C. Adequate manure
- D. Adequate water and mineral.

Answer: B



[Watch Video Solution](#)

77. Kinetin like properties are present in

- A. Pineapple
- B. Soyabean

C. Groundnut

D. Coconut milk.

Answer: D



[Watch Video Solution](#)

78. Low concentraion of auxin inhibits growth in

A. Stem

B. Roots

C. Leaves

D. Flowers.

Answer: A



[Watch Video Solution](#)

79. Apples growing on tree can have larger than normal size by

- A. Thinning of blossoms
- B. Defoliation
- C. Decapitation of stem apex
- D. Applying of hormones.

Answer: D



Watch Video Solution

80. An Apple tree can be made to bear larger sized fruits by

- A. Decapitation
- B. Defoliation

C. Dehydration

D. Thinning of blossom.

Answer: D



Watch Video Solution

81. Fruit drop occurs when fruit has

A. No auxin as in the stem

B. Less auxin as compared to stem

C. More auxin than the one present in the stem

D. Auxin concentration equal to that of stem.

Answer: B



Watch Video Solution

82. Auxin does not increase

- A. The plasticity of cell walls
- B. The rate of photosynthesis
- C. The uptake of water by cells
- D. Rate of respiration.

Answer: B



[Watch Video Solution](#)

83. Induction of rooting in stem cutting would be most beneficial in

- A. Marchantia

B. Wheat

C. Cuscuta

D. Bougainvillea.

Answer: D



Watch Video Solution

84. Weed killers have properties similar to

A. Hormones

B. Enzymes

C. Insecticides

D. Vitamins.

Answer: A

 [Watch Video Solution](#)

85. In Red (P_x) and Far-rad (P_{fx}) (given alternately) responses of plants, it is the

- A. First treatment that is effective
- B. Middle treatment that is effective
- C. Last treatment that is important
- D. Sum total of all treatments that counts.

Answer: C

 [Watch Video Solution](#)

86. Germination of some seeds is promoted by

- A. Green light
- B. Red light
- C. Far-red light
- D. Blue light.

Answer: B



Watch Video Solution

87. Flowering in some short day plants is promoted by

- A. Auxins
- B. Gibberellins
- C. Cytokinins/ABA
- D. Ethylene.

Answer: C



Watch Video Solution

88. Flowering in Pineapple is promoted by

A. GA

B. IAA

C. Ethylene

D. Both B and C.

Answer: D



Watch Video Solution

89. A decapitated plant does not bend towards light because

- A. The root sends a message to shoot apex to do so
- B. There is accumulation of growth hormones at the cut end
- C. The hormone responsible for bending is not available
- D. Growth inhibitors are formed.

Answer: C



Watch Video Solution

90. Low temperature treatment of some semi-germinated seeds for some period after induces subsequently quicker flowering in plants. This process is called

- A. Vernalization
- B. Thermolysis
- C. Wintering

D. Devernalization

Answer: A



Watch Video Solution

91. Cytokinins have the ability to

- A. Induce morphogenesis
- B. Substitute cold treatment
- C. Convert dwarf plants to tall plants
- D. None of the above.

Answer: A



Watch Video Solution

92. Which one of the following is gaseous growth regulator?

A. IAA

B. NAA

C. IBA

D. Ethylene.

Answer: D



[Watch Video Solution](#)

93. The movement of plant organs in response to force of gravity is called

A. Phototropism

B. Thigmotropism

C. Geotropism

D. Chemotropism.

Answer: C



Watch Video Solution

94. The stem bends upwardly and root downwardly under influence of gravity because

A. Of nature of stem and root

B. Stem is photonastic and root geonastic

C. Stem is negatively geotropic and root positively geotropic

D. Stem is negatively hydrotropic and root positively hydrotropic.

Answer: C



Watch Video Solution

95. The influence of gravity on plant organs can be removed by rotating the plant in

- A. Auxanometer
- B. Potometer
- C. Respirometer
- D. Clinostat.

Answer: D



Watch Video Solution

96. Exactly opposite response of stem and root to gravity is because of

- A. Requirement of differential optimum concentration of auxin for elongation of stem and root cells
- B. Nature of these organs
- C. Position effect of these organs since embryonic stage in seed
- D. None of the above.

Answer: A



[Watch Video Solution](#)

97. Tropic movements occur as a result of

- A. Unidirectional effect of environmental factors on plant organs
- B. Bidirectional effect of environmental factors on plant organs
- C. Multidirectional effect of environmental factors on plant organs
- D. No effect of environmental factors on plant organs/

Answer: A

 [Watch Video Solution](#)

98. Phototropism is because of unequal distribution of auxin under the influence of unilateral (one sided) illumination as auxin

- A. Moves from illuminated side to shaded side
- B. Synthesis is checked on illuminated side
- C. Destroyed on illuminated and not on shaded side
- D. All of the above.

Answer: D



Watch Video Solution

- 99.** Positive phototropism is due to elongation of cells
- A. More on illuminated side and less on shaded side
 - B. More on shaded side and less on illuminated side
 - C. Less on illuminated side and normal on shaded side
 - D. Normal on illuminated side and less on shaded side

Answer: B



Watch Video Solution

100. Who discovered that phototropism is the result of presence of more auxin on shaded side than on illuminated side.

- A. Galston
- B. Boysen-Jensen
- C. Went
- D. Kogl and Haagen-Smit.

Answer: C



Watch Video Solution

101. The site which receives the phototropic stimulus is

- A. Shoot apex (tip)
- B. Root apex (tip)
- C. Meristematic regions
- D. Leaves.

Answer: A



Watch Video Solution

102. Turgor movements are due to

- A. Reversible changes in cell volume due to changes in turgidity of cell.

B. Reversible changes in cell volume due to simple cell contraction in cell.

C. Irreversible changes in cell volume due to maintenance of turgidity of cell

D. Irreversible changes in cell volume due to cell elongation.

Answer: A



Watch Video Solution

103. Movements in *Mimosa pudica* are due to turgor changes in

A. Pulvinus and pulvinnules

B. Pinna and pinnules

C. Leaf and leaflets

D. Petiole and rachis.

Answer: A



Watch Video Solution

104. Stimulus in *Mimosa pudica* travels in the form of

A. Auxin

B. Hormone

C. Alcohol

D. None of the above.

Answer: B



Watch Video Solution

105. In hyponasty, there is increased growth on

- A. Shaded side
- B. Illuminated side
- C. Lower surface
- D. Upper surface.

Answer: C



Watch Video Solution

106. Irritability/Reactivity/Sensitivity of a plant is

- A. Response to stimulus in soil
- B. Response to a change in environment
- C. Movement caused by an external force

D. Ability to move.

Answer: B



Watch Video Solution

107. The minimum time interval required between application of stimulus and production of response is

A. Presentation time

B. Relaxation time

C. Conversion time

D. Reaction time.

Answer: D



Watch Video Solution

108. The area fo the plant which receives the stimulus is

- A. Perceptive region
- B. Responsive region
- C. Receptive region
- D. Reactive region.

Answer: A



Watch Video Solution

109. The minimum time for which the stimulus must be applied in order to obtaind a response is

- A. Conversion time

B. Conduction time

C. Presentation time

D. Reaction time.

Answer: C



Watch Video Solution

110. The area of photoperception is

A. Region of elongation

B. Tip

C. Young leaves

D. Axillary buds.

Answer: B

 [Watch Video Solution](#)

111. The area of response in phototropism and geotropism is

- A. Apical meristem
- B. Subapical meristem
- C. Region of elongation
- D. Area of differentiation.

Answer: C

 [Watch Video Solution](#)

112. Geotropism is

- A. Growth away from the vector of gravity

B. Growth at right angles to the force of gravity

C. Response to the stimulus of gravity

D. Unequal growth due to gravity.

Answer: C



Watch Video Solution

113. Sleep movement (nyctinasty) of legumes is

A. Turgor movement

B. Growth movement

C. Hygroscopic movement

D. Movement of locomotion.

Answer: A

 [Watch Video Solution](#)

114. Sleep movement Papaya/Balsam is

- A. Autonomic movement
- B. Tropic movement
- C. Movement of locomotion
- D. Growth movement.

Answer: D

 [Watch Video Solution](#)

115. Plant movements unrelated to external stimulus are

- A. Autonomic

B. Paratonic

C. Mechanical

D. Hygroscopic

Answer: A



Watch Video Solution

116. Opening of flowers involves

A. Epinasty

B. Hyponasty

C. Nutation

D. Phototaxis.

Answer: A

 [Watch Video Solution](#)

117. Phototaxis is shown by

- A. Zoospores of Ulothrix
- B. Chlamydomonas
- C. Volvox
- D. All of above.

Answer: D

 [Watch Video Solution](#)

118. According to statolith theory, a plant distinguishes up from down by means of

- A. Phytochrome
- B. Amyloplasts
- C. Auxin distribution
- D. Ascent of sap.

Answer: B



Watch Video Solution

119. Tropic movements are caused by

- A. Cell division
- B. Cell elongation
- C. Loss of water
- D. Gain of water.

Answer: B



Watch Video Solution

120. Rhizome/runner is

- A. Diageotropic
- B. Plagio-geotropic
- C. Negatively geotropic
- D. Positively geotropic.

Answer: A



Watch Video Solution

121. Secondary roots are generally

- A. Diageotropic
- B. Positively geotropic
- C. Ageotropic
- D. Plagio-geotropic.

Answer: D



Watch Video Solution

122. Circinate ptyxis present in fern leaves is due to

- A. Epinasty
- B. Hyponasty
- C. Nutation
- D. Movement of variation

Answer: B



Watch Video Solution

123. In strong light, chloroplasts are arranged along the lateral walls of palisade cells. The condition is called

- A. Parastrophe
- B. Epistrophe
- C. Apostrophe
- D. Positive heliotropism.

Answer: A



Watch Video Solution

124. Selaginella sperms swim towards archegonia. The phenomenon is

- A. Chemotaxis
- B. Chemotropism
- C. Chemonasty
- D. Thigmonasty

Answer: A



Watch Video Solution

125. Drooping/folding of legume leaves in dark is

- A. Temporary wilting
- B. Nyctinasty

C. Seimonasty

D. Permanent wilting.

Answer: B



Watch Video Solution

126. Effect of unilateral irradiation can be eliminated by keeping the plant in a clinostat in

A. Horizontal position

B. Vertical position

C. Horizontal position and rotating it.

D. Vertical position and rotating it.

Answer: D

 [Watch Video Solution](#)

127. Direction of light is detected by

- A. Phytochrome
- B. Amyloplasts
- C. Carotenoids
- D. Plant receptors.

Answer: C

 [Watch Video Solution](#)

128. Turgor movements occur in response to

- A. Stimulation of amyloplasts

B. Activation and deactivation of phytochrome

C. Circadian rhythm

D. Changes in K^+ ion concentration.

Answer: D



Watch Video Solution

129. Geotropic response of root is due to

A. Higher auxin content of stem

B. Higher growth on upper side of root

C. Lower rate of growth in the stem

D. Higher rate of growth in the stem.

Answer: D

 [Watch Video Solution](#)

130. What is the type of movement that occurs during opening and closing of flowers ?

- A. Nastic movement
- B. Tactic movement
- C. Tropic movement
- D. Nutation.

Answer: A

 [Watch Video Solution](#)

131. Cholodny-Went theory is connected with

A. Photomorphogenesis

B. Phototropism

C. Geotropism

D. Both B and C.

Answer: D



Watch Video Solution

132. *Desmodium gyrans* shows

A. Autonomic movements of variation

B. Autonomic movements of growth

C. Paratonic movements of variation

D. Paratonic movements of growth.

Answer: A



Watch Video Solution

133. Primary root is

- A. Positively geotropic
- B. Positively hydrotropic
- C. Both A and B
- D. None of the above.

Answer: C



Watch Video Solution

134. Pneumatophores are

A. Positively geotropic

B. Plagio-geotropic

C. Diageotropic

D. Negatively geotropic.

Answer: D



Watch Video Solution

135. Entwining of Grape Vine tendril around a support is

A. Thigmotropism

B. Nutation

C. Gravitropism

D. Chemonasty.

Answer: A



Watch Video Solution

136. Pollen tubes show:

A. Haptotropism

B. Chemotropism

C. Anemotropism

D. Heliotropism.

Answer: B



Watch Video Solution

137. Tendrils and twiners come in contact with their support by means of

- A. Nutation
- B. Thigmonasty
- C. Thigmotropism
- D. Anemotropism.

Answer: A



Watch Video Solution

138. Movements caused by internal factors are

- A. Paratonic
- B. Intrinsic

C. Autonomic

D. Rheotropism.

Answer: C



Watch Video Solution

139. Light effective in producing phototropism is

A. Green

B. Red

C. Yellow

D. Blue

Answer: D



Watch Video Solution

140. Movement caused by injury is

- A. Traumatropism
- B. Rheotropism
- C. Traumonasty
- D. Rheonasty.

Answer: A



Watch Video Solution

141. Upright growth of lodged (horizontal) stem is due to

- A. Activity of lateral meristem
- B. Accumulation of more auxin on the lower side

C. Accumulation of more auxin on upper side

D. Greater cell enlargement on upper side.

Answer: B



Watch Video Solution

142. More concentration of auxin in horizontally placed plants, under the influence of gravity, occurs in

A. Upper side

B. Lower side

C. Both upper and lower side

D. None of the above.

Answer: B

 [Watch Video Solution](#)

Rq

1. Clinostat is the apparatus used to

- A. Measure the rate of growth in plant
- B. Measure the quantity of auxin in plant
- C. Measure the effect of light on plant
- D. Eliminate the effect of gravity or geotropism on plant.

Answer: D

 [Watch Video Solution](#)

2. Shock movements of leaves of Sensitive Plant, *Mimosa pudica*, are

- A. Thermonasty
- B. Seismonasty
- C. Hydrotropism
- D. Chemonasty.

Answer: B



[Watch Video Solution](#)

3. What causes a green plant to bend towards light as it grows ?

- A. Because green plants need light to carry on photosynthesis

B. Because green plants are phototropic

C. Light stimulates plants cells on the lighted side to grow faster

D. Auxin accumulates on shaded side stimulating greater cell elongation.

Answer: D



Watch Video Solution

4. Movements of tentacles in Drosera are

A. Photonastic

B. Thermonastic

C. Thigmonastic

D. Seismonastic.

Answer: C



Watch Video Solution

5. Leaves of many grasses are capable of folding and unfolding because they

- A. Are very thin
- B. Are isobilateral
- C. Have specialised bulliform cells
- D. Have parallel vascular bundles.

Answer: C



Watch Video Solution

6. Opening and closing of flowers represent a kind of

- A. Nastic movement
- B. Tropic movement
- C. Nutation movements
- D. Autonomic movements

Answer: A



Watch Video Solution

7. Phototropism in shoots is attributed to or phototropic movements are due to

- A. Auxin

B. Gibberellins

C. Cytokinin

D. Abscisic acid.

Answer: A



Watch Video Solution

8. On touching, the leaves of *Mimosa pudica* droop down because of

A. Seismonasty

B. Nyctinasty

C. Chemonasty

D. Thigmotropism.

Answer: A



Watch Video Solution

9. Growth of both stem and root is mediated by auxin. However, stem grows into air while root grows into soil. The reason is

- A. Differential reaction of root and stem to auxin
- B. Only the stem tip produces auxin
- C. Only the root tip produces cytokinin
- D. Only the root cap can perceive gravity.

Answer: A



Watch Video Solution

10. Thigmotropism is best seen in

- A. Root apex
- B. Stem apex
- C. Leaf apex
- D. Tendrils

Answer: D



[Watch Video Solution](#)

11. Pneumatophores show

- A. Positively geotropism
- B. Negative geotropism (ageotropism)
- C. Thigmotropism

D. Negative phototropism.

Answer: B



[Watch Video Solution](#)

12. Bending of stem towards light is

A. Photoperiodism

B. Heliotropism

C. Photonasty

D. Hydrotropism.

Answer: B



[Watch Video Solution](#)

13. Bending of stem/coleoptile towards light or shoot of potted plant placed near a window is due to

- A. Greater oxygen availability to the tip
- B. More auxin content on the shaded side
- C. Greater light availability to tip
- D. Availability of necessary warmth to the tip.

Answer: B



[Watch Video Solution](#)

14. Which of the following movement is not related to auxin level

- A. Bending of shoot towards light

B. Movement of root towards soil

C. Nyctinastic leaf movements

D. Movement of sunflower head tracking the sun.

Answer: C



Watch Video Solution

15. Jerky lateral leaflet movements of *Desmodium gyrans* are

A. Negative geotropic movements

B. Positive geotropic movements

C. Hydrotropic movements

D. None of the above.

Answer: D

 [Watch Video Solution](#)

16. Opening of flower and drooping of a bud are

- A. Hyponasty
- B. Epinasty
- C. Curvature movement
- D. Spontaneous movements

Answer: B

 [Watch Video Solution](#)

17. Tendrils exhibit/twining of tendrils is due to

- A. Thigmotropism

B. Seismonasty

C. Heliotropism

D. Diageotropism.

Answer: A



Watch Video Solution

18. Phototropic and geotropic movements are linked to

A. Gibberellins

B. Enzymes

C. Auxin

D. Cytokinin.

Answer: C

 [Watch Video Solution](#)

19. Geotropic response of roots is due to

- A. Inhibition of stem growth
- B. More growth on lower side
- C. More growth upper side
- D. Uniform growth.

Answer: C

 [Watch Video Solution](#)

20. Movement of sperms towards archegonial necks due to component of their exudate is

A. Chemotropism

B. Chemotaxis

C. Phototaxis

D. Hydrotropism.

Answer: B



Watch Video Solution

21. Tropic movement is due to

A. Cell elongation

B. Cell division

C. Both A and B

D. Cell thickening.

Answer: A



Watch Video Solution

22. Kilnostat is employed in the study of

- A. Osmosis
- B. Growth movements
- C. Photosynthesis
- D. Respiration

Answer: B



Watch Video Solution

23. Sprouting of potato can be prevented in storage by

A. Maleic hydrazide

B. Gibberellins

C. Indole acetic acid

D. Cytokinins.

Answer: A



Watch Video Solution

24. Which one of the following is a natural growth inhibitor ?

A. NAA

B. ABA/Ethylene

C. IAA

D. GA.

Answer: B



Watch Video Solution

25. Flowering response to length of day and night in plants is called

- A. Phototropism
- B. Photorespiration
- C. Photoperiodism
- D. Photo-oxidation.

Answer: C



Watch Video Solution

26. Which of the following physiological effects is caused in plants by gibberellic acid ?

- A. Shortening of genetically tall plants
- B. Elongation of genetically dwarf plants
- C. Rooting in stem cuttings
- D. Yellowing of young leaves.

Answer: B



[Watch Video Solution](#)

27. Photomorphogenetic pigment in plants is

- A. Phytochrome system
- B. Chlorophyll

C. Carotene

D. Chalcone pigment.

Answer: A



Watch Video Solution

28. Artificial ripening of fruits/banana is accomplished by treatment with

A. Sodium chloride

B. IAA

C. Ethylene gas

D. Kinetin.

Answer: C

 [Watch Video Solution](#)

29. Growth hormone responsible for apical dominance is

- A. Auxin
- B. Cytokinin
- C. Gibberellin
- D. Ethylene.

Answer: A

 [Watch Video Solution](#)

30. Which wavelengths are the most effective in photoperiodism

?

A. Green and yellow

B. Blue and red

C. Blue and violet

D. Red and far-red.

Answer: D



Watch Video Solution

31. Phyotron is a device by which

A. Electrons are bombarded

B. Protons are liberated

C. Plants are grown in controlled environment

D. Mutations are produced in plants.

Answer: C



Watch Video Solution

32. A green plant will turn yellow if planed in the dark. This is called

- A. Phototropism
- B. Dormancy
- C. Chlorosis
- D. Etiolation.

Answer: D



Watch Video Solution

33. Which of the following stimulates growth or cell enlargement ?

A. Gibberellin

B. Auxin

C. Cytokinin

D. Ethylene.

Answer: B



Watch Video Solution

34. Cytokinin

A. Is a hormone whose main function is the induction of cell division

B. Is the process of cell division

C. Refers to cell movements

D. Causes dormancy.

Answer: A



Watch Video Solution

35. Phytochrome is involved in

A. Phototropism

B. Photorespiration

C. Photoperiodism

D. Geotropism.

Answer: C

 [Watch Video Solution](#)

36. Hormone involved in phototropism is

- A. IAA
- B. Gibberellin
- C. Kinetin
- D. 2, 4-D.

Answer: A

 [Watch Video Solution](#)

37. Phytochrome is found in

- A. Algae

B. Fungi

C. Vascular cryptogams

D. Flowering plants.

Answer: D



Watch Video Solution

38. When the dark period of short day plants is interrupted by a brief exposure of light, then the plant

A. Will not flower at all

B. Flowers immediately

C. Gives more flowers

D. Turns into a long day plant.

Answer: A



Watch Video Solution

39. Avena curvature test was first of all done by

A. J.C. Bose

B. F.W. Went

C. Thimann

D. Skoog.

Answer: B



Watch Video Solution

40. Which is used as a weedicide ?

- A. Indole Acetic acid
- B. Napthalene Acetic acid (NAA)
- C. Indole Butyric acid (IBA)
- D. 2, 4-D.

Answer: D



Watch Video Solution

41. The long-day plant is

- A. Wheat/Spinach
- B. Soyabean
- C. Tobacco
- D. Xanthium

Answer: A



Watch Video Solution

42. Herbicides are chemicals which control

A. Insects

B. Fungi

C. Weeds

D. Nematodes.

Answer: C



Watch Video Solution

43. Gibberellin was first isolated from

A. A bacterium

B. A fungus

C. An alga

D. A virus.

Answer: B



Watch Video Solution

44. Auxanometer is required for

A. Studying rate of transpiration

B. Measuring rate of respiration

C. Finding out rate of photosynthesis

D. Calculating rate of growth

Answer: D



Watch Video Solution

45. Naturally occurring auxin is

A. NAA

B. 2, 4-D

C. MH

D. IAA

Answer: D



Watch Video Solution

46. Ethylene is a

A. A gaseous metabolite

B. A gaseous enzyme

C. A gaseous hormone

D. A solid hormone.

Answer: C



Watch Video Solution

47. A chemical believed to be involved in flowering is

A. Gibberellin

B. Kinetin

C. Florigen

D. IBA.

Answer: C



Watch Video Solution

48. Which one shows red \Leftrightarrow far-red interconversions?

A. Carotenoids

B. Cytochromes

C. Chlorophylls

D. Phytochrome.

Answer: D



Watch Video Solution

49. Phytochrome is

- A. Pigment that controls photomorphogenesis and development
- B. Regulatory protein that controls dark dependent development processes.
- C. Hormone
- D. Photosynthetic hormone.

Answer: A



Watch Video Solution

50. IAA was first isolated from

- A. Corn germ oil
- B. Gibberella

C. Human urine

D. Rhizopus.

Answer: C



Watch Video Solution

51. Internodal elongation is stimulated by

A. Auxin

B. Phenol

C. Cytokinin

D. Gibberellin.

Answer: D



Watch Video Solution

52. Auxin suppresses growth of

- A. Lateral axillary buds
- B. Apical buds
- C. Roots on stem cuttings
- D. Parthenocarpy.

Answer: A



Watch Video Solution

53. Bioassay of IAA is

- A. Avena curvature test
- B. Callus test

C. Leaf disc test

D. α -amylase test.

Answer: A



[Watch Video Solution](#)

54. Which of the following plant hormone substitutes for long photoperiods in flowering plants

A. Ethylene

B. Auxin

C. Gibberellin

D. Cytokinin.

Answer: C

 [Watch Video Solution](#)

55. Which of the following hormones is used in root formation on stem cutting?

A. Kinetin

B. GA_3

C. ABA

D. IBA/IAA.

Answer:

 [Watch Video Solution](#)

56. Hormone primarily concern with cell division is

A. IAA

B. NAA

C. Cytokinin/Zeatin

D. Gibberellic acid.

Answer: C



Watch Video Solution

57. Physiologically active form of phytochrome is

A. P_{730} / P_{fr}

B. P_{660} / P_x

C. P_{700}

D. P_{680} .

Answer: A



Watch Video Solution

58. Growth plotted against time gives a

- A. Parabolic curve
- B. Sigmoid curve
- C. Upright line
- D. Horizontal line.

Answer: B



Watch Video Solution

59. Gibberellins bring about

- A. Yellowing of leaves
- B. Promotion of rooting
- C. Elongation of genetically dwarf plants
- D. Dwarfing of genetically tall plants.

Answer: C



Watch Video Solution

60. Vernalisation is

- A. Growth curve related to light
- B. Effect of photoperiods on plant growth
- C. Speeding up ability to flower by low temperature treatment

D. Diurnal photoperiodicity.

Answer: C

 [Watch Video Solution](#)

61. Phytochrome is involved in

- A. Seed germination
- B. Flowering
- C. Chloroplast orientation
- D. All the above.

Answer: D

 [Watch Video Solution](#)

62. Flowering is influenced by

- A. Soil water content
- B. Soil acidity
- C. Photoperiod
- D. Content of green pigment.

Answer: C



Watch Video Solution

63. Leaf fall occurs as abscission layer is formed when the constant of

- A. Abscisic acid decreases
- B. Auxin decreases

C. Auxin increases

D. Gibberellin decreases.

Answer: B



Watch Video Solution

64. Apical dominance as found in higher plants is due to

A. Photoperiodism

B. Phototropism

C. Hormones

D. Enzymes.

Answer: C



Watch Video Solution

65. The hormone responsible for apical dominance is is



A. IAA

B. GA

C. ABA

D. Florigen.

Answer: A



Watch Video Solution

66. IAA precursor is

- A. Tryptophan
- B. Leucine
- C. Tyrosine
- D. Phenylalanine.

Answer: A



[Watch Video Solution](#)

67. The pigment involved in red - far red light interconversion is

Or

The pigment involved in photomorphogenetic movements is

Or

Pigment involved in photo - perception in flowering is

- A. Carotene
- B. Phytochrome
- C. Cytochrome
- D. Lycopene.

Answer: B



Watch Video Solution

68. Abscisic acid causes

- A. Stomatal closure
- B. Stem elongation

C. Leaf expansion

D. Root elongation.

Answer: A



Watch Video Solution

69. Abscisic acid controls

A. Cell division

B. Leaf fall and dormancy

C. Shoot elongation

D. Cell elongation and wall formation.

Answer: B



Watch Video Solution

70. Effect of length of day (light duration) on flowering is called

- A. Chemotropism
- B. Photoropism
- C. Photoperiodism
- D. Photonasty.

Answer: C



Watch Video Solution

71. Phytohormones are

- A. Chemicals regulating flowering
- B. Chemicals regulating secondary growth

C. Hormones regulating growth from seed to adulthood

D. Regulators synthesised by plants and influencing physiological processes.

Answer: D



Watch Video Solution

72. Parthenocarpy can be achieved by

A. Zeatin

B. ABA

C. Auxins

D. Kinetin.

Answer: C

 [Watch Video Solution](#)

73. The term phytochrome was introduced by

- A. Borthwick and Hendricks
- B. Bothwick
- C. Moore
- D. Garner and Allard.

Answer: A

 [Watch Video Solution](#)

74. Which of the following hormones can replace vernalization
or

Genetic dwarfness can be overcome by treating with

- A. Cytokinin
- B. Gibberellic acid
- C. Auxin
- D. Antigibberellin.

Answer: B



Watch Video Solution

75. Highest auxin concentration occurs

- A. In growing tips
- B. In leaves
- C. At base of plant organs
- D. In xylem and phloem.

Answer: A



Watch Video Solution

76. Cytokinins

- A. Promote abscission
- B. Influence water movement
- C. Help retain chlorophyll
- D. Inhibit protoplasmic streaming.

Answer: C



Watch Video Solution

77. Leaf fall can be prevented by

A. Abscisic acid

B. Auxins

C. Florigen

D. Cytokinins.

Answer: D



Watch Video Solution

78. Gibberellic acid induces flowering

A. Some plants only

B. Long day plants under short day conditions

C. Short day plants under long day conditions

D. Day neutral plants.

Answer: B



Watch Video Solution

79. In short plants (SDP) flowering is induced by

- A. Photoperiod less than 12 hours
- B. Photoperiod below a critical length and uninterrupted long night
- C. Long night
- D. Short photoperiod and interrupted long night.

Answer: B



Watch Video Solution

80. Apical dominance is caused by

- A. Abscisic acid in lateral bud
- B. Cytokinin in leaf tip
- C. Gibberellin in lateral buds
- D. Auxin in shoot tip.

Answer: D



[Watch Video Solution](#)

81. Fruit ripening is accelerated by

- A. Warm surroundings
- B. Increased nitrogen supply
- C. Reduced water supply

D. Ethylene rich atmosphere.

Answer: D



Watch Video Solution

82. Which one is the test for gibberellin ?

A. Bolting in Cabbage

B. Morphogenesis in tobacco callus

C. Rapid divisions in Carrot cells

D. Elongation of Oat coleoptile.

Answer: A



Watch Video Solution

83. Which of the following hormones can replace vernalization
or

Genetic dwarfness can be overcome by treating with

- A. Auxin
- B. Cytokinin
- C. Gibberellins
- D. Ethylene.

Answer: C



Watch Video Solution

84. Cut or excised leaves remain green for long if induced to
root if dipped in

A. Gibberellins

B. Cytokinins

C. Auxins

D. Ethylene.

Answer: B



Watch Video Solution

85. Bananas can be prevented from overripening by

A. Maintaining them at room temperature

B. Refrigeration

C. Dipping in ascorbic acid solution

D. Storing in a freezer.

Answer: C



Watch Video Solution

86. Which of the following induces flowering in short day plant

- A. Auxin
- B. Cytokinin
- C. Gibberellin
- D. Propylene.

Answer: B



Watch Video Solution

87. At the onset of speed germination ,the digestive enzymes amylase are produced by the action of

Or

The activity of α amylase in the endosperm of barley geminating seed is induced is induced by

- A. Cytokinin
- B. Gibberellins
- C. Ethylene
- D. Auxin.

Answer: B



Watch Video Solution

88. Foolish seedling disease/bakane of Rice helped in discovery of hormone

- A. Gibberellin
- B. IAA
- C. Ethylene
- D. Cytokinin

Answer: A



[Watch Video Solution](#)

89. Which one can induce flowering in long day plants ?

- A. IBA
- B. IAA

C. GA_3

D. NAA.

Answer: C



[Watch Video Solution](#)

90. Flowering dependent on cold treatment is

A. Cyotherapy

B. Cryogenics

C. Cryoscopy

D. Vernalisation.

Answer: D



[Watch Video Solution](#)

91. Photoperiodism is probably due to synthesis of

- A. Cytokinins
- B. Gibberellins
- C. Auxin
- D. Florigen.

Answer: D



Watch Video Solution

92. Gibberellin application to a plant brings about

- A. Leaf fall
- B. Diversification of root system

C. Elongation of shoot system

D. Delay in senescence.

Answer: C



Watch Video Solution

93. In root, the region of fastest growth is

A. Root hair zone

B. Behind the root tip

C. Root tip

D. Before the root tip.

Answer: B



Watch Video Solution

94. What is a stress hormone ? Or The hormone produced during adverse environmental conditions is

- A. Benzyl aminopurine
- B. Dichlorophenoxy acetic acid
- C. Ethylene
- D. Abscisic acid.

Answer: D



Watch Video Solution

95. The regulator which retards ageing/senescence of plant parts is

A. Cytokinin

B. Auxin

C. Gibberellin

D. Abscisic acid.

Answer: A



Watch Video Solution

96. Richmond-Lang effect is due to

A. Gibberellins

B. Auxin

C. Ethylene

D. Kinetin.

Answer: D



Watch Video Solution

97. Stomatal closure under stress conditions is due to

A. IAA

B. ABA

C. IBA

D. 2, 4-D

Answer: B



Watch Video Solution

98. Phytochrome is associated with

- A. P_r and P_{fr} reactions
- B. Absorption of red light of 660 nm
- C. Absorption of far-red light of 740 nm
- D. Absorption of blue-light by leaves.

Answer: A



Watch Video Solution

99. Removal of apical bud results in

- A. Formation of new apical bud
- B. Elongation of main stem
- C. Death of plant
- D. Formation of lateral branching.

Answer: D



Watch Video Solution

100. Maximum growth rate occur in

- A. Exponential phase
- B. Decline phase
- C. Stationary phase
- D. Lag phase.

Answer: A



Watch Video Solution

101. Auxin synthesis occurs in

A. Root/shoot tips

B. Cortex

C. Xylem

D. Phloem cells.

Answer: A



Watch Video Solution

102. Which one can absorb red and far-red light ?

A. Carotene

B. Xanthophyll

C. Chlorophyll

D. Phytochrome.

Answer: D



Watch Video Solution

103. Movement of auxin is

A. Centripetal

B. Basipetal

C. Acropetal

D. Both B and C.

Answer: D



Watch Video Solution

104. Growth is maximum in zone of

A. Cell elongation

B. Cell division

C. Cell maturation

D. All the above.

Answer: A



Watch Video Solution

105. Which does not take place in short day plants ?

A. An interrupted critical dark period

B. Critical period is interrupted by light

C. Dark period is interrupted by red light followed by far-red
light

D. Critical period is not interrupted by white or red light.

Answer: B



Watch Video Solution

106. Plant hormone controlling fruit ripening is

A. IAA

B. GA

C. Ethylene

D. Kinetin

Answer: C



Watch Video Solution

107. Gaseous growth hormone is

A. IAA

B. GA

C. Kinetin

D. Ethylene.

Answer: D



Watch Video Solution

108. The pigment involved in red - far red light interconversion is

Or

The pigment involved in photomorphogenetic movements is

Or

Pigment involved in photo - perception in flowering is

A. Phytochrome

B. Cytochrome

C. Xanthophyll

D. Chlorophyll b.

Answer: A



Watch Video Solution

109. the term "photoperiodism" was proposed by or the phenomenon of photoperiodism in plants was discovered by

A. Darwin

B. Lysenko

C. Arnon

D. Garner and Allard.

Answer: D



Watch Video Solution

110. Which is not a phytohormone ?

A. Phytochrome

B. Florigen

C. GA

D. IAA.

Answer: A



Watch Video Solution

111. Which one of the following responses of plants to growth hormone is true for ethylene

- A. Decrease in flower abscission
- B. Decreases in femaleness
- C. Increase in fruit ripening
- D. Increase in cell elongation.

Answer: C



[Watch Video Solution](#)

112. First natural cytokinin was discovered by

- A. Skoog and Miller
- B. Letham

C. Benson and Calvin

D. Thimann and Went.

Answer: B



[Watch Video Solution](#)

113. The name zeatin was coined by

A. Skoog

B. Miller

C. Letham

D. Melvin.

Answer: C



[Watch Video Solution](#)

114. florigen is synthesised in

- A. Leaves
- B. Fruit
- C. Root
- D. Trunk.

Answer: A



[Watch Video Solution](#)

115. Which one is short day plant ?

- A. *Brassica campestris*
- B. *Raphanus sativus*

C. Glycine max

D. Papaver somniferum.

Answer: C



Watch Video Solution

116. Abscisic acid causes

A. Seed dormancy

B. Apical dominance

C. Root initiation

D. Phototropism.

Answer: A



Watch Video Solution

117. Induction of cell division activity and delay in senescence is caused by

A. Gibberellin

B. Auxin

C. Cytokinin

D. Ethylene.

Answer: C



Watch Video Solution

118. 2: 4-D causes

A. Delay in senescence

B. Bolting

C. Increase in branches

D. Increased growth of all parts.

Answer: D



Watch Video Solution

119. Lateral axillary buds are not allowed to grow by

A. Auxin

B. Ethylene

C. Gibberellin

D. Cytokinin.

Answer: A

 [Watch Video Solution](#)

120. Which is not a natural plant hormone ?

A. GA_3

B. GA_2

C. IAA

D. 2, 4-D

Answer: D

 [Watch Video Solution](#)

121. Cytokinins are generally

A. Glucosides

B. Aminopurines

C. Acidic

D. Phenolic.

Answer: B



Watch Video Solution

122. Kinetin is

A. Indolebutyric acid

B. Indole acetic acid

C. Butyric acid

D. 6-furfuryl amino-purine.

Answer: D

 [Watch Video Solution](#)

123. One of the following is a growth retardant

- A. Morphactin
- B. Zeatin
- C. Adenine
- D. Ascorbic acid.

Answer: A

 [Watch Video Solution](#)

124. Auxin takes part in

- A. Promotion of cell division

B. Promotion of cell enlargement

C. Promotion of fruit ripening

D. Inhibition of shoot growth.

Answer: B



Watch Video Solution

125. A Pigment concerned with both floral induction and seed germination is

A. Florigen

B. Plastocyanin

C. Phytochrome

D. Chlorophyll.

Answer: C



Watch Video Solution

126. Interfascicular cambium formation is induced by

- A. Auxin
- B. Cytokinin
- C. Gibberellin
- D. Ethylene.

Answer: B



Watch Video Solution

127. Hormone that promotes growth of lateral buds and has negative effect on apical dominance is

- A. Cytokinin
- B. Gibberellin
- C. Auxin
- D. Both B and C.

Answer: A



[Watch Video Solution](#)

128. Seasonality of plants is due to

- A. Phototropism
- B. Photosynthesis

C. Photoperiodism

D. Photolysis

Answer: C



Watch Video Solution

129. Certain chemical substances having profound effect on growth, are called

A. Enzymes

B. Phytohormones

C. Catalytic agents

D. Manure.

Answer: B

 [Watch Video Solution](#)

130. Food products are kept in cold storage or refrigerator in order to

- A. Make them tasty
- B. Use in off-season
- C. Maintenance of freshness, longevity and taste due to low respiration
- D. Keep them cool.

Answer: C

 [Watch Video Solution](#)

131. Food material can be preserved at

- A. Low temperature
- B. High temperature
- C. Osmotic pressure
- D. All the above.

Answer: A



Watch Video Solution

132. Which one prevents photo-oxidation and pigment destruction?

- A. Phytochrome
- B. Phytohormone
- C. Phycocyanin
- D. Phyco-erythrin.

Answer: A



Watch Video Solution

133. If a tree flowers thrice in a year (October, January and July) in northern India, it is said to be

- A. Photo- and thermo-sensitive
- B. Photo- and thermo-insensitive
- C. Photosensitive but thermo-insensitive
- D. Thermosensitive but photo-insensitive.

Answer: B



Watch Video Solution

134. Gibberellins induce

- A. Cell division
- B. Leaf senescence
- C. Hydrolysing enzymes in germinating seeds
- D. Flowering

Answer: C



Watch Video Solution

135. Which of the following is not caused by deficiency of mineral nutrition

- A. Chlorosis
- B. Internode shortening

C. Necrosis

D. Etiolation.

Answer: D



Watch Video Solution

136. In a plant subjected to continuous red light, phytochrome will show

A. Increases synthesis

B. Decreases level

C. Destruction

D. Destruction and synthesis remains in balance.

Answer: D

 [Watch Video Solution](#)

137. The hormone which promotes flowering in long day conditions and controls sex expression is

- A. Auxin
- B. Cytokinins
- C. Gibberellins
- D. Ethylene.

Answer: C

 [Watch Video Solution](#)

138. Development of shoot and root is determined by

A. Cytokinin and auxin ratio

B. Enzymes

C. Temperature

D. Plant nutrients.

Answer: A



Watch Video Solution

139. 2, 4-D is

A. Weedicide

B. Insecticide

C. Rodenticide

D. Nematicide.

Answer: A



Watch Video Solution

140. Phytochrome absorbs visible light maximum in red region at

- A. 600 nm
- B. 650 nm
- C. 660 nm
- D. 730 nm.

Answer: C



Watch Video Solution

141. Hormone discovered through tissue culture technique is

- A. Auxin
- B. Cytokinin
- C. Gibberellin
- D. Abscisic acid.

Answer: B



Watch Video Solution

142. Growth hormones connected with bolting are

- A. Cytokinins
- B. Auxins
- C. Coumarins

D. Gibberellins.

Answer: D



Watch Video Solution

143. Sometimes Potato sprouts during storage due to formation of

A. Ethylene

B. Gibberellin

C. Cytokinin

D. Auxin.

Answer: B



Watch Video Solution

144. Flash of light in dark inhibits flowering in

- A. SDP
- B. LDP
- C. LSDP
- D. DNP.

Answer: A



Watch Video Solution

145. The fungus associated with discovery and source of gibberellins is

- A. *Fusarium oxysporum*

- B. *Fusarium solanii*
- C. *Fusarium moniliforme*
- D. *Fusarium longipes*.

Answer: C

 [Watch Video Solution](#)

146. Agent orange is

- A. Weedicide with dioxin
- B. Chemical used in luminous paint
- C. Biodegradable insecticide
- D. Colour used in fluorescent temp.

Answer: A

 [Watch Video Solution](#)

147. Food is preserved at low temperature because

- A. Bacterial attack is minimised
- B. For easy cooking
- C. For easy digestion
- D. All the above.

Answer: A

 [Watch Video Solution](#)

148. the term "photoperiodism" was proposed by or the phenomenon of photoperiodism in plants was discovered by

A. W. Went

B. F.F. Blackman

C. Garner and Allard

D. F.E. Fritsch.

Answer: C



Watch Video Solution

149. Which one among the following chemical is used for causing defoliation of forest trees

A. Phosphon D

B. Maleic hydrazide

C. AMO 1618

D. 2, 4-D

Answer: D



Watch Video Solution

150. Which combination is used in fruit ripening ?

A. 80 % CH_4 + 20 % O_2

B. 80 % C_2H_2 + 20 % CO_2

C. 80 % CO_2 + 20 % C_2H_4

D. 80 % CH_4 + 20 % CO_2 .

Answer: C



Watch Video Solution

151. A plant hormone used for inducing morphogenesis in plant tissue culture is

- A. Abscisic acid
- B. Gibberellin
- C. Cytokinin
- D. Ethylene.

Answer: C



Watch Video Solution

152. The response of different organisms to environmental rhythms of light and darkness is called:

- A. Photoperiodism

B. Phototropism

C. Phototaxis

D. Vernalisation.

Answer: A



Watch Video Solution

153. Some early experiments on phototropic curvature in grasses led to discovery of

A. Auxin

B. Gibberellins

C. Cytokinins

D. None of the above.

Answer: A



Watch Video Solution

154. Hormone produced during leaf fall is

A. Cytokinin

B. Florigen

C. ABA

D. IAA.

Answer: C



Watch Video Solution

155. Fruit drop is prevented by spraying

A. Auxin

B. Ethylene

C. Gibberellins

D. Cytokinins.

Answer: A



Watch Video Solution

156. Bakane disease of Rice is due to

A. NAA

B. 2, 4-D

C. IAA



D. GA.

Answer: D



Watch Video Solution

157. Which of the following ion is pulled out in apoplast by the auxin during growth



Answer: B



Watch Video Solution

158. Sensation of phototropism is perceived by

- A. Root tip
- B. Shoot tip
- C. Axillary bud
- D. Node.

Answer: B



Watch Video Solution

159. Closure of lid in Pitcher Plant is a

- A. Tropic movement
- B. Turgor movement
- C. Paratonic movement

D. Autonomic movement.

Answer: C



Watch Video Solution

160. Movement of plant part in response to touch is

A. Seismonasty

B. Thigmonasty

C. Nutation

D. None of the above.

Answer: B



Watch Video Solution

161. Some flowers (e.g., Oxalis) open in the morning and close during evening because of

- A. Photonasty
- B. Phototropism
- C. Phototaxis
- D. Nyctinasty.

Answer: A



Watch Video Solution

162. Leaf of Mimosa droops down on touching because of

- A. Water loss from leaflet bases
- B. Changes in water concentration

- C. Loss of water from cells to intercellular spaces in pulvinus
and pulvinules
- D. All the above.

Answer: C



Watch Video Solution

163. Bulliform cells in Grass leaves show

- A. Growth movements
- B. Tropic movement
- C. Nastic movements
- D. Turgor movements.

Answer: D

 [Watch Video Solution](#)

164. Exampe of positive geotropism is

- A. Closing of flowers
- B. Upwards growth of stem
- C. Downward growth of root
- D. Lateral growth of root.

Answer: C

 [Watch Video Solution](#)

165. Thigmotropism is best exhibited by

- A. Lamina

B. Tendrils

C. Root apex

D. Tendrils

Answer: B



Watch Video Solution

166. Skototropic movements are induced by

A. Night

B. Light

C. Touch

D. Heat.

Answer: A

 [Watch Video Solution](#)

167. Which movement occurs due to external stimulus ?

- A. Tropic
- B. Nastic
- C. Tactic
- D. All the above.

Answer: D

 [Watch Video Solution](#)

168. Plant movement in response to diffuse stimulus of light is

- A. Phototropism

B. Photolysis

C. Phototaxis

D. Photonasty.

Answer: C



Watch Video Solution

169. Phototropic curvature is result of uneven distribution of

A. Auxin

B. Gibberellin

C. Starch

D. Phytochrome.

Answer: A

 [Watch Video Solution](#)

170. Movement of Sunflower towards the direction of Sun in

- A. Photonasty
- B. Phototropism
- C. Nyctinasty
- D. Seismonasty.

Answer: B

 [Watch Video Solution](#)

171. Peristome teeth of moss shows

- A. Hydrochasy

B. Xerochasy

C. Hydrotropism

D. Chemotropism.

Answer: B



Watch Video Solution

172. Geotropic response is perceived by

A. Mature roots

B. Elongating cells

C. Root cap

D. Root hairs.

Answer: C

 [Watch Video Solution](#)

173. Effect of daily light period on flowering is

- A. Photorespiration
- B. Photomorphogenesis
- C. Photoperiodism
- D. Phototropism.

Answer: C

 [Watch Video Solution](#)

174. Substances that accumulate around a site of infection in plants is

A. Phytoalexins

B. Proteinome

C. Saponins

D. All the above.

Answer: A



Watch Video Solution

175. Plant growth is

A. Limited

B. Unlimited

C. Unlocalised

D. Diffused.

Answer: B



Watch Video Solution

176. Photoperiodic stimulus is perceived by

A. Leaves

B. Flowers

C. Buds

D. Meristem.

Answer: A



Watch Video Solution

177. Parthenocarpic fruits can be produced by application of auxin

A. IAA

B. IBA

C. NAA

D. All the above.

Answer: D



[Watch Video Solution](#)

178. Hormone found in liquid endosperm of Coconut/Coconut milk factor is

A. Gibberellin

B. Auxin

C. Ethylene

D. Cytokinin.

Answer: D



Watch Video Solution

179. Match the items of column I and column II

Column I	Column II
a Auxin	p GA_3
b Cytokinin	r abscisic Acid
c Cytokinin	r abscisic Acid
d Dromin	s Acetic acid
	t Zeatin

A. a - q, b - r, c - p, d - t

B. a - q, b - s, c - p, d - t

C. a - q, b - p, c - t, d - t

D. a - q, b - t, c - q, d - r.

Answer: C



Watch Video Solution

180. Cardinal temperature is related to

A. Minimum temperature

B. Optimum temperature

C. Maximum temperature

D. All the above.

Answer: D



Watch Video Solution

181. High concentration of auxin is present in

- A. Root apex
- B. Shoot apex
- C. Petiole
- D. Node.

Answer: B



Watch Video Solution

182. Hormone responsible for plant and seed dormancy during drought is

- A. IBA

B. NAA

C. ABA

D. Zeatin.

Answer: C



Watch Video Solution

183. Growth regulator ethylene is used for

A. Retarding ripening of tomatoes

B. Speeding up ripening of fruits

C. Slowing down ripening of apples

D. Both B and C.

Answer: B

 [Watch Video Solution](#)

184. In short day plants, flowering is inhibited by

- A. Interruption of dark by white or red light
- B. Dark interruption by far red light
- C. Dark interruption by red light followed by far red light
- D. Not possible

Answer: A

 [Watch Video Solution](#)

185. First chemical identification of auxin, indole 3-acetic acid, was carried out by

A. Went

B. Thimann

C. Darwin

D. Paal.

Answer: B



Watch Video Solution

186. Plant hormone causing abscission of leaves, senescence, bud dormancy and inhibition of cell division is

A. IAA

B. Ethylene

C. Cytokinins

D. ABA.

Answer: D



Watch Video Solution

187. Growth substance that stimulates nodule formation in leguminous plants is

A. NAA

B. IAA

C. IBA

D. ABA.

Answer: B



Watch Video Solution

188. Assertion. Plants also have hormones called phytohormones. Reason. They increase the rate of reactions and thus always accelerate growth and other related changes

- A. Point out if both are true with reason being correct explanation
- B. both true but reason not correct explanation
- C. assertion true but reason wrong
- D. and both wrong.

Answer: C



[Watch Video Solution](#)

189. Bolting does not require

A. Short days

B. Long days

C. Internode elongation in rosette plants

D. Cold nights.

Answer: A



Watch Video Solution

190. Pick up the correct explanation

A. Xanthium - Long dry plant

B. Sunflower - short day plant

C. Wheat - short day plant

D. Tomato - Day neutral plant.

Answer: D



Watch Video Solution

191. Cytokinin synthesis is maximum in

A. Roots

B. Leaves

C. Shoot tip

D. Fruit.

Answer: A



Watch Video Solution

192. Ethylene is connected with

- A. Aerobic respiration
- B. Climacteric respiration
- C. Anaerobic respiration
- D. Fermentation.

Answer: B



Watch Video Solution

193. During drought, plants develop hormone

- A. Indole acetic acid
- B. Naphthalene acetic acid
- C. Indolebutyric acid
- D. Abscisic acid.

Answer: D

 [Watch Video Solution](#)

194. What is true about phytochrome ?

- A. P_r absorbs red light and becomes P_{fr}
- B. P_r absorbs yellow light and becomes P_{fr}
- C. P_{fr} absorbs yellow light and becomes P_r
- D. P_{fr} absorbs red light and becomes P_r .

Answer: A

 [Watch Video Solution](#)

195. Flowering in short day plants is induced by

- A. Short days and interrupted long nights
- B. Short day and uninterrupted long nights
- C. Short nights
- D. Long day with interrupted night.

Answer: B



Watch Video Solution

196. Photoperiodic stimulus is picked up by

- A. Phytohormones
- B. Stomata
- C. Phytochrome
- D. Enzymes.

Answer: C



Watch Video Solution

197. Synthetic plant hormone is

A. IAA

B. 2, 4-D/NAA

C. GA

D. Zeatin.

Answer: B



Watch Video Solution

198. Which of the following is a cytokinin ?

A. Phytochrome

B. Leucine

C. Ethylene

D. Zeatin.

Answer: D



Watch Video Solution

199. Hormone responsible for ageing is

A. GA

B. IAA

C. ABA

D. Cytokinin.

Answer: C



Watch Video Solution

200. Hormone that breaks dormancy of seeds/potato tuber is

A. IAA

B. ABA

C. Zeatin

D. Gibberellin.

Answer: D



Watch Video Solution

201. Which one prevents premature fall of fruit ?

A. NAA

B. Ethylene

C. GA_3

D. Zeatin.

Answer: A



Watch Video Solution

202. Photoperiodism affects

A. Seed germination

B. Vegetative growth

C. Internode elongation

D. All of above.

Answer: D



Watch Video Solution

203. Who first suggested presence of growth regulatory chemicals in plants ?

A. Went

B. Sachs

C. Darwin

D. Paal.

Answer: A



Watch Video Solution

204. A long day plant flowers only when it is exposed to

- A. Red light
- B. Light more than critical day length
- C. Light equal to critical day length
- D. Light less than critical day length.

Answer: B



[Watch Video Solution](#)

205. Which one does not affect apical dominance ?

- A. IAA
- B. IBA
- C. Gibberillins

D. Indole Acetaldehyde.

Answer: C



Watch Video Solution

206. The phenomenon wherein, the ovary develops into a fruit without fertilisation is called

A. Parthenogenesis

B. Parthenocarpy

C. Apospory

D. Apogamy.

Answer: B



Watch Video Solution

207. Negative phototropism occurs in

- A. Root
- B. Stem
- C. Leaf
- D. Flower.

Answer: A



Watch Video Solution

208. Bending of shoot tip in the absence of light is

- A. Chlorosis
- B. Emasculation

C. Etiolation

D. Tanning.

Answer: C



[Watch Video Solution](#)

209. Plant growth hormones extracted from a fungus and a fish are respectively

A. Gibberellins and zeatin

B. Ethylene and cytokinin

C. Auxin and 2, 4-D

D. Gibberellin and kinetin.

Answer: D

 [Watch Video Solution](#)

210. An important finding in Went's experiment was

- A. Unequal distribution of elongation promoting substance in *Avena coleoptile*
- B. Presence of elongation factor in all cells of root
- C. Curvature of coleoptile is proportional to auxin concentration
- D. Curvature occurred due to irregular elongation of cells.

Answer: C

 [Watch Video Solution](#)

211. Gibberellin takes part in

- A. Breaking of seed dormancy
- B. Internode elongation in dwarf plants
- C. Seed germination and flowering
- D. All the above.

Answer: D



Watch Video Solution

212. The instrument by which the rate of growth of stem is accurately measured is

Or

Growth in length of a plant can be measured by

A. Manometer

B. Auxanometer

C. Potometer

D. Clinostat.

Answer: B



Watch Video Solution

213. Antiauxin used in picking cotton balls is

A. 2, 4-D

B. TIBA

C. NAA

D. Both A and B.

Answer: B



Watch Video Solution

214. Antigibberellin is

- A. Cycocel
- B. Plastoquinone
- C. IAA
- D. Ubiquinone.

Answer: A



Watch Video Solution

215. What is correct ?

- A. Albinism is genetic and etiolation is physiological
- B. Etiolation is genetic and albinism is physiological
- C. Etiolation is irreversible
- D. Etiolation and albinism are synonyms.

Answer: A



Watch Video Solution

216. Growth of lateral branches is promoted by

- A. Removal of axillary buds
- B. Auxin application over decapitated apex
- C. Auxin application over apical bud
- D. Removal of apical bud.

Answer: D



Watch Video Solution

217. Sleep movements in *Samanea saman* are regulated by

A. N

B. P

C. K

D. Mg.

Answer: C



Watch Video Solution

218. Phytochrome was isolated by

A. Butler et al

B. W. Went

C. R. Hill

D. Borthwick et al.

Answer: A



Watch Video Solution

219. Flowering of Chrysanthemum is inhibited by

A. IAA

B. GA_3

C. Cytokinin

D. Ethylene.

Answer: B



Watch Video Solution

220. Bud dormancy is induced by

A. IAA

B. GA

C. ABA

D. Ethylene.

Answer: C



Watch Video Solution

221. Light inhibits seed germination of

A. Lactuca

B. Capsella

C. Allium

D. Tobacco

Answer: C



Watch Video Solution

222. Growing trees and shrubs in small pots is

A. Bonsai

B. Culture

C. Green gardening

D. Tree culture.

Answer: A



Watch Video Solution

223. Types of plants that come to flower after exposure to short photoperiods followed by long photoperiods

- A. Intermediate plants
- B. Day neutral plants
- C. SLDP
- D. LS DP.

Answer: C



Watch Video Solution

224. Each meristem influences other meristems. The phenomenon is

- A. Allometry
- B. Growth correction
- C. Lag phase
- D. Auxetic growth.

Answer: B



Watch Video Solution

225. Avena coleptile auxin is

- A. IBA
- B. Indole 3-lactic acid

C. Indole 2-acetic acid

D. Indole 3-acetic acid.

Answer: D



Watch Video Solution

226. Common inhibitor of germination is

A. GA

B. ABA

C. Pantothenic acid

D. Tartaric acid.

Answer: B



Watch Video Solution

227. Fruit ripening is promoted by

- A. Ethylene
- B. SO_2
- C. CO_2
- D. Nitrogen.

Answer: A



[Watch Video Solution](#)

228. Vernalisation promotes flowering in response to

- A. High light intensity
- B. Low temperature

C. High temperature

D. Low light intensity.

Answer: B



Watch Video Solution

229. Gibberellins promote

A. Seed dormancy

B. Leaf fall

C. Seed germination

D. Root elongation.

Answer: C



Watch Video Solution

230. Size of grapes increases in application of

- A. Gibberellin
- B. Auxin
- C. Cytokinin
- D. All the above.

Answer: A



Watch Video Solution

231. Which ones function as regulators ?

- A. Carbohydrates
- B. Lipids

C. Proteins

D. Vitamins and minerals.

Answer: D



Watch Video Solution

232. Growth hormone obtained from a fungus is

A. Cytokinin

B. Gibberellin

C. Auxin

D. cytokinin

Answer: B



Watch Video Solution

233. Antherozoids are attracted towards archegonia in fern plant. The phenomenon is

- A. Nyctinasty
- B. Chemonasty
- C. Thigmonasty
- D. Seismonasty.

Answer: B



Watch Video Solution

234. Movement of pollen tube towards ovule is

- A. Chemotropism

B. Haptotropism

C. Thigmotropism

D. Phototropism.

Answer: A



Watch Video Solution

235. What is the role of auxin ?

A. Prevents abscission of leaves and fruits

B. Promotes abscission of leaves and fruits

C. Promotes stomatal closure

D. Promotes dormancy.

Answer: A

 [Watch Video Solution](#)

236. Herbicides kill plants by inhibiting

- A. PS I
- B. PS II
- C. Translocation
- D. Both A and B.

Answer: B

 [Watch Video Solution](#)

237. In bryophytes and algae, lunatic acid replaces

- A. Auxin

B. Gibberellin

C. Cytokinin

D. Abscisic acid.

Answer: D



Watch Video Solution

238. Cytokinins

A. Cause leaf abscission

B. Delay leaf abscission

C. Promote stomatal closing

D. Promote seed dormancy.

Answer: B

 [Watch Video Solution](#)

239. Synthetic auxins are employed for

- A. Ripening of fruits
- B. Increasing size of fruits
- C. Killing weeds
- D. Preventing elongation of internodes

Answer: C

 [Watch Video Solution](#)

240. One set of a plant was grown at 12 hours day and 12 hours night period cycle and it flowered while in the other set night period cycles and it flowered while in the other set night phase

was interrupted by flash of light and did not produce flower.

Under which one of the following categories will you place this plant

- A. Long day
- B. Day neutral
- C. Indeterminate
- D. Short day.

Answer: D



Watch Video Solution

241. Pruning of plants promotes branchin becaues the axillary buds get sensitized to

- A. IAA

B. Ethylene

C. Gibberellin

D. Cytokinin.

Answer: B



Watch Video Solution

242. Assertion: Photomodulation of flowering is phytochrome-regulated process.

Reason: Active form of phytochrome (Pfr) directly induces floral induction in shoot buds.

A. Point out if both are true with reason being correct explanation

B. both are true but reason is not correct explanation

C. assertion is true but reason is wrong

D. and both are wrong

Answer: B



Watch Video Solution

243. Auxins promote

A. Apical dominance

B. Cambial activity

C. Cell growth

D. All the above.

Answer: A



Watch Video Solution

244. Which hormone is responsible for apical growth

- A. IAA
- B. Abscisic acid
- C. GA
- D. All the above.

Answer: a



[Watch Video Solution](#)

245. Parthenocarpic fruits cannot be produced by application of

- A. IAA
- B. 2, 4-D

C. ABA

D. IBA.

Answer: c



Watch Video Solution

246. Banana is seedless because

A. It reproduces asexually

B. It is sprayed by auxin

C. Both A and B

D. None of the above.

Answer: A



Watch Video Solution

247. Essential requirement for seed germination

- A. O_3 and light
- B. H_2O and O_2
- C. H_2O and high temperature
- D. Scarification and vernalisation.

Answer: B



Watch Video Solution

248. Which is used as a weedicide ?

- A. IAA
- B. NAA

C. GA_3

D. 2, 4-D.

Answer: D



Watch Video Solution

249. Auxin causes cells to absorb water from hypertonic medium because

- A. It lower transpiration rate
- B. It raises rate of cellular respiration for Providing ATP for active water absorption
- C. It increases solute potential of cells
- D. It increases rate of transpiration

Answer: B



View Text Solution

250. Movement stimulated by external factor is

- A. Spontaneous Movement
- B. Autonomic movement
- C. Physical movement
- D. Paratonic movement.

Answer: D



Watch Video Solution

251. IAA helps in formation of

A. Stem

B. Root

C. Fruit

D. Lateral buds.

Answer: B



Watch Video Solution

252. Which of the following is a short day plant

A. Wheat

B. Barley

C. Larkspur

D. Dahlia/Xanthium.

Answer: D



Watch Video Solution

253. Short day plant is

A. Xanthium

B. Pisum

C. Cucumis

D. Avena.

Answer: A



Watch Video Solution

254. Which statements are correct ?

a - Cytokinins suppress the synthesis of chlorophyll

b - Auxins control apical dominance

c - Gibberellins promote shoot elongation

d - Abscisic acid enables seeds to with-stand desiccation.

A. a and b only

B. b and c only

C. a and c only

D. b, c and d only

Answer: D



Watch Video Solution

255. Match the columns and choose the correct combination :

Column I

Column II

(a) Auxin

(i) Colouring test in lemon

(b) Gibberellin

(ii) Cell division test in plants

(c) Cytokinin

(iii) Avena curvature test

(d) Ethylene

(iv) Dwarf corn test

A. a - iii, b - iv, c - ii, d - i

B. a - i, b - iv, c - ii, d - iii

C. a - iv, b - iii, c - i, d - ii

D. a - ii, b - i, c - iv, d - iii

Answer: A



Watch Video Solution

256. The period of suspended growth due to exogenous condition is termed as

- A. Quiescence
- B. Dormancy
- C. Perennation
- D. Hibernation

Answer: A



Watch Video Solution

257. The shedding of leaves , flowers or fruit due to change in the hormonal balance in plant is referred as

- A. Senescence
- B. Abscission
- C. Photoperiodism
- D. Vernalisation.

Answer: B



Watch Video Solution

258. Leaf fall occurs in a tree when there is increase in concentration of

- A. Gibberellin
- B. Cytokinin
- C. Auxin
- D. Abscisic acid.

Answer: D



Watch Video Solution

259. Ability of Venus Fly Trap to capture insects is due to

- A. Specialised "muscle-like" cells
- B. Chemical stimulation by prey
- C. Rapid turgor pressure changes
- D. Passive process requiring no special ability on the part of the plant.

Answer: C



Watch Video Solution

260. Gibberellin is a

- A. Sterol
- B. Vitamin

C. Suger

D. Protein.

Answer: A



[Watch Video Solution](#)

261. Which flower shows nyctinastic movement ?

A. Albizzia lebbek

B. Pentapetes

C. Mimosa pudica

D. Bryophyllum.

Answer: B



[Watch Video Solution](#)

262. Morphactins are derivatives of

- A. Fluorine carboxylic acid
- B. Fluromalic acid
- C. Chlorofluorocarbons
- D. Methanogens.

Answer: A



Watch Video Solution

263. Which hormone is not translocated?

- A. Auxin
- B. Gibberellins

C. ABA

D. Cytokinin.

Answer: C



Watch Video Solution

264. Treatment of seed at low temperature under moist conditions to break its dormancy is called

A. Vernalisation

B. Chelation

C. Stratification

D. Scarification.

Answer: C

 [Watch Video Solution](#)

265. How does pruning help in making the hedge dense

- A. It releases wound hormones
- B. Apical shoot grows faster after pruning
- C. It frees axillary buds from apical dominance
- D. It induces differentiation of new shoots from rootstock.

Answer: C

 [Watch Video Solution](#)

266. α -amylase synthesis is promoted by

- A. IAA

B. GA

C. Cytokinin

D. NAA.

Answer: B



Watch Video Solution

267. During which phase of growth, cell increases in volume

A. Exponential

B. Cell division

C. Differentiation

D. Enlargement.

Answer: A

 [Watch Video Solution](#)

268. Which of the following is a long day plant

- A. Poppy
- B. Xanthium
- C. Paddy
- D. Soyabean.

Answer: A

 [Watch Video Solution](#)

269. The chemical nature of gibberellins is that they are

- A. Proteinaceous

B. Amines

C. Acidic

D. Alkaline.

Answer: C



Watch Video Solution

270. Which is not an influence of auxins

A. Tropical movements

B. Bolting

C. Parthenocarpy

D. Apical dominance.

Answer: B

 [Watch Video Solution](#)


271. Abscisic acid promotes

- A. Flower initiation
- B. Triple response
- C. Stem elongation
- D. Detachment of leaf, flower and fruit.

Answer: D

 [Watch Video Solution](#)

272. Avena curvature test is a bioassay for examining the activity of



A. Auxin

B. Ethylene

C. Cytokinin

D. Gibberellin.

Answer: A



Watch Video Solution

273. Match the columns :

I	II
a Phototaxis	1. Circular movement of protoplasm in response to warm condition
b Thermotaxis	2. Upward movement of floral organs
c Chemotaxis	3. Drooping of leaf
d Hyponasty	4. Movement of antherozoids towards archegonia
e Seismonasty	5. Movement of Chlamydomonas

A. (a) - (5), (b) - (4), (c) - (3), (d) - (2), (e) - (1)

B. (a) - (5), (b) - (1), (c) - (4), (d) - (4), (d) - (2), (e) - (3)

C. (a) - (4), (b) - (5), (c) - (1), (d) - (2), (e) - (3)

D. (a) - (2), (b) - (3), (c) - (4), (d) - (5), (e) - (1)

Answer: B

 [Watch Video Solution](#)

274. Some plants have a habit of harbouring ants to save the plants from damage by other animals which is known as

- A. Anemophily
- B. Entomophily
- C. Myrmecophile
- D. Hydrophily

Answer: C

 [Watch Video Solution](#)

275. Which one is wrongly matched ?

- A. Auxins - to grow
- B. Gibberellins-Gibberella fujikuroi
- C. Cytokinins - Herring sperm DNA
- D. ABA - flowering hormone.

Answer: D



Watch Video Solution

276. Which is not a function of cytokinin ?

- A. Delay is senescence
- B. Breaking seed dormancy
- C. Promoting bud dormancy
- D. Promoting stomatal opening.

Answer: C



Watch Video Solution

277. Auxins are abundantly produced in

- A. Shoot
- B. Meristematic region of stem
- C. Root
- D. Leaf buds.

Answer: B



Watch Video Solution

278. Photoperiodism is associated with the formation of

- A. Auxin
- B. Chlorophyll
- C. Florigen
- D. Gibberellin.

Answer: C



Watch Video Solution

279. Etiolation occurs when plants

- A. Are grown in dark
- B. Are grown in intense light
- C. Develop viral infection
- D. Develop mineral deficiency.

Answer: A



Watch Video Solution

280. Leaf abscission is brought about by

- A. Auxin
- B. Cytokinin
- C. Gibberellin
- D. ABA.

Answer: D



Watch Video Solution

281. Common biosynthetic inhibitor of GA is

A. CCC

B. Jasmonic acid

C. Citric acid

D. Lactic acid.

Answer: A



Watch Video Solution

282. Cryptochrome is

A. Yellow light absorbing

B. Pigment of cryptogams

C. Red light absorbing pigment

D. Blue-light absorbing pigment.

Answer: D



Watch Video Solution

283. Seeds of some plants do not germinate even under favourable conditions due to

- A. Dormancy
- B. Quiescence
- C. Vivipary
- D. Non-viability.

Answer: A



Watch Video Solution

284. Drooping of Tamarind leaves after sunset is

- A. Phototropism
- B. Phototaxis
- C. Photonasty
- D. Chemotaxis.

Answer: C



Watch Video Solution

285. Plants requiring exposure to light for less than the critical photoperiod for flowering are

- A. LDP
- B. DN

C. IDP

D. SDP

Answer: D



[Watch Video Solution](#)

286. Period between formative phase and maturation phase of plant growth is

A. Lag phase


B. Phase of elongation

C. Stationary phase

D. Grand period of growth.

Answer: B

287. Given graph is drawn on the parameters of growth versus time. Here A,B and C respectively represent



- A. Exponential phase, lag phase and steady state phase
- B. Steady state phase, lag phase and log phase
- C. Slow growing phase, lag phase, steady state phase
- D. Log phase lag phase and steady state phase.

Answer: B



Watch Video Solution

288. Match the columns :

Column I

1 Human urine

2 *Gibberella fufikuroi*

3 Herring fish DNA

4 Ripening fruits

5 Aged leaves of plants

Column II

a Cytokinin

b Auxin

c Ethylene

d abscisic acid

e Gibberellins

A. 1 - b, 2 - e, 3 - a, 4 - c, 5 - d

B. 1 - b, 2 - c, 3 - d, 4 - e, 5 - a

C. 1 - a, 2 - e, 3 - b, 4 - d, 5 - c

D. 1 - e, 2 - d, 3 - c, 4 - b, 5 - a

Answer: A



Watch Video Solution

289. The natural plant hormone isolated from corn kernels and coconut milk is

- A. Florigen
- B. GA_3
- C. Free auxins
- D. Zeatin.

Answer: D

 Watch Video Solution

290. 6- furfuryl amino purine, 2, 4- dichlorophenoxy acetic acid and indole-3-acetic acid are examples respectively for

- A. Synthetic auxin, kinetin and natural auxin
- B. Gibberellin, natural auxin and kinetin and synthetic auxin
- C. Natural auxin, kinetin and synthetic auxin
- D. Kinetin, synthetic auxin and natural auxin.

Answer: D



Watch Video Solution

291. Which type of movement is shown by Tulip and Sunflower respectively ?

- A. Thermonasty and photonasty
- B. Hydronasty and photonasty
- C. Thigmonasty and photonasty
- D. Hydronasty and thermonasty.

Answer: A



Watch Video Solution

292. Which ones are long day plants

- A. Wheat, Poppy, Soyabean
- B. Wheat, Poppy, Beet
- C. Wheat, Oat, Soyabean
- D. Wheat, Xanthium, Paddy.

Answer: B



Watch Video Solution

293. Auxin develops at the tip of the stem. Its movement is largely

- A. Acropetal
- B. Centropetal
- C. Basipetal
- D. Acropetal and basipetal.

Answer: C



Watch Video Solution

294. Maximum growth rate occur in

- A. Lag phase
- B. Senescent phase

C. Decline phase

D. Exponential phase.

Answer: D



Watch Video Solution

295. Apical dominance in higher plants is due to

A. Enzyme activity

B. Photoperiodism

C. Carbohydrate-nitrogen ratio

D. Balance between auxin and cytokinins.

Answer: D



Watch Video Solution

296. Induction of cell division activity and delay in senescence is caused by

A. Gibberellin

B. Auxin

C. Cytokinin

D. Ethylene.

Answer: C



Watch Video Solution

297. Beta vulgaris is

A. SDP

B. LDP

C. DNP

D. IDP.

Answer: B



Watch Video Solution

298. Rapid and dramatic increase in shoot length is

A. Bolting

B. Triple growth response

C. Scarification

D. Night break reaction.

Answer: A

 [Watch Video Solution](#)

299. Thigmonastic movement is found in

- A. Albizzia
- B. Oxalis
- C. Drosera
- D. Nepenthes.

Answer: C

 [Watch Video Solution](#)

300. Pr state of phytochrome absorbs light wave-length of

- A. 660 nm

B. 640 nm

C. 620 nm

D. 720 nm.

Answer: A



Watch Video Solution

301. Which one is not correctly matched ?

A. Cytokinin-cell division

B. IAA-cell wall elongation

C. Abscisic acid-stomatal closure

D. Gibberellic acid-Leaf fall.

Answer: D

 [Watch Video Solution](#)

302. Opening of floral buds is

- A. Autonomic movement of variation
- B. Paratonic movement of growth
- C. Autonomic movement of growth
- D. Autonomic movement of locomotion.

Answer: C

 [Watch Video Solution](#)

303. Pineapple can be made to produce fruit throughout the year by application of

A. IAA, IBA

B. NAA, 2, 4-D

C. Phenyl acetic acid

D. Cytokinins.

Answer: B



[View Text Solution](#)

304. Nutation is shown by

A. Root

B. Stem

C. Tendrils

D. Leaves.

Answer: C



Watch Video Solution

305. Which method makes the seed coat permeable and allows growth of embryo ?

- A. Scarification
- B. Stratification
- C. Vernalisation
- D. Denudation.

Answer: A



Watch Video Solution

306. Assertion. Phase of cell division is also known as formative phase.

Reason. In Formative phase new cells are produced from pre-existing cells through meiosis.

- A. Point out if both are true with reason being correct explanation
- B. both true but reason not correct explanation
- C. assertion true but reason wrong
- D. both are wrong.

Answer: C



Watch Video Solution

307. The phytohormone which induces triple response is

- A. IAA
- B. ABA
- C. GA_3
- D. C_2H_4 .

Answer: D



Watch Video Solution

308. An example of short day plant is

- A. Maiza
- B. Radish
- C. Chrysanthemum

D. Wheat

Answer: C



Watch Video Solution

309. One hormone helps in ripening of fruits and other brings about stomatal closure. They are respectively

A. ABA, IAA

B. C_2H_4 , ABA

C. ABA, ethylene

D. C_2H_2 , GA

Answer: B



Watch Video Solution

310. Pick up correct statements

(A) Cytokinins delay senescence

(B) Auxine regulate apical dominance

(C) Ethylene enhances seed germination

(D) Gibberellins cause falling of immature leaves.

A. a, c

B. a,d

C. a, b

D. b, c

Answer: C



Watch Video Solution

311. Match the columns and find the correct combination :

I	II
<i>a</i> Auxin	1. Herring sperm DNA
<i>b</i> Cytokinin	2. Inhibitor of growth
<i>c</i> Gibberellin	3. Apical dominance
<i>d</i> Ethylene	4. Epinasty
<i>e</i> abscisic acid	5. Induces amylase synthesis

A. a - 3, b - 1, c - 5, d - 4, e - 2

B. a - 4, b - 5, c - 1, d - 3, e - 2

C. a - 2, b - 1, c - 5, d - 3, e - 4

D. a - 3, b - 1, c - 5, d - 2, e - 4

Answer: A



Watch Video Solution

312. Seed dormancy is caused by

A. ABA

B. GA

C. Thiourea

D. Cytokinin.

Answer: A



Watch Video Solution

313. Importance of day length (photoperiodism) in flowering of plants was first shown in

A. Cotton

B. Tobacco

C. Lemna

D. Petunia

Answer: B



Watch Video Solution

314. Growth in internodal regions of green plants is due to

- A. Ethylene
- B. Cytokinins
- C. Gibberellins
- D. IAA.

Answer: C



Watch Video Solution

315. Growth promoting hormone is

A. 2, 4-D

B. ABA

C. Gibberellin

D. IAA.

Answer: D



Watch Video Solution

316. Find the correct statements

1. Causal organism of foolish seedling disease is source of gibberellin
2. Ascorbic acid is growth promoter
3. Ratio of auxin to cytokinin controls differentiation
4. Bolting of cabbage can be induced by treatment with IAA

A. 1, 2, 3 correct

B. 1, 2 correct

C. 2, 4 correct

D. 1, 3 correct.

Answer: D



Watch Video Solution

317. Statement a. Auxins promote apical dominance by suppressing activity of lateral buds.

Statement b. In moricultrue, periodic pruning of shoot tips is done to make Mulberry plants bushy.

A. a and b correct with a being reason for b

B. a is correct, b is wrong

C. a is wrong, b is correct

D. Both a and b correct but a is not reason for b.

Answer: D



[Watch Video Solution](#)

318. Ethylene is metabolic product of

A. Valine

B. Serine

C. Methionine

D. Glutamic acid.

Answer: C



[Watch Video Solution](#)

319. Which one is derivative of a carotenoid

A. IAA

B. ABA

C. IBA

D. GA.

Answer: B



Watch Video Solution

320. Exponential growth occur in

A. Yeast

B. Bacteria

C. Asexual reproduction

D. All the above.

Answer: D



Watch Video Solution

321. In sigmoid growth curve, upper asymptote represents period of
of

A. Establishment

B. Negative acceleration

C. Positive acceleration

D. Equilibrium.

Answer: D



[Watch Video Solution](#)

322. Discovery of gibberellin is related to

- A. Blast disease of Rice
- B. Early blight of Potato
- C. Bakane disease of Rice
- D. Rust of Wheat.

Answer: C



[Watch Video Solution](#)

323. Match the following and chose the correct combination

Column I	Column II
A Zeation	1 flowering hormone
B Florigen	2 synthethic auxin
C IBA	3 cytokinin
D NAA	4 Natural auxin

A. a - 3, b - 1, c - 4, d - 2

B. a - 4, b - 1, c - 2, d - 3

C. a - 3, b - 4, c - 1, d - 2

D. a - 2, b - 1, c - 4, d - 3

Answer: A



Watch Video Solution

324. Find the correct combination

(A) DCMUHerbicide.....Inhibitor of non-cyclic electron

transport

(B) PMA.....Fungicide.....Reduces transpiration

(C) Colchicine.....Alkaloid.....Causes male sterility

(D) Solnite-Sodium alginate.....Encapsulation of somatic embryos.

A. a, b

B. a, c

C. b, c

D. b, d

Answer: A



Watch Video Solution

325. Identify two physiological process induced by two different phytoharmones having a common precurer which is formed due

to the catalytic activity of pyruvic dehydrogenous complex

(I) More female flowers in cucumber

(II) α -amylase production in barely grain

Acceleration of fruit ripening in tomato

(IV) Delay in sprouting of potato tubers

The correct combination is

A. a, b

B. a, c

C. c, d

D. b, d.

Answer: D



Watch Video Solution

326. Choose the correct sequence of stages of growth curve for bacteria

- A. Lag, log, stationary
- B. Log, lag, stationary
- C. Log, stationary, lag
- D. Stationary, log, lag.

Answer: A



Watch Video Solution

327. Biennials get changed into annuals by

- A. Hormones
- B. Photoperiodism

C. Grafting

D. Vernalisation.

Answer: D



Watch Video Solution

328. The process of vernalisation is

A. Aerobic

B. Anaerobic

C. Unaffected by aerobic or anaerobic conditions

D. Dependent upon starvation conditions.

Answer: A



Watch Video Solution

329. A plant growing in complete darkness shows

- A. Vernalisation
- B. Etiolation
- C. Chlorosis
- D. Wilting.

Answer: B



Watch Video Solution

330. Ageing of leaves and shoots is called

- A. Chlorosis
- B. Wilting

C. Senescence

D. Necrosis.

Answer: C



Watch Video Solution

331. Which one of the following synthetic growth regulators is used to promote synchronized flowering in pineapple

A. Indole butyric acid

B. Phenyl mercuric acetate

C. Benzyl aminopurine

D. 2-Chloroethyl phosphonic acid.

Answer: D

 [Watch Video Solution](#)

332. Which one the following plant function is not generally governed or controlled by auxin

- A. Apical dominance
- B. Photosynthesis
- C. Photoperiodism
- D. Growth

Answer: B

 [Watch Video Solution](#)

333. Response of plants due to reversibile turgor change in pulvinus as a result of touch is

- A. Photonasty
- B. Thermonasty
- C. Seismonasty
- D. Chemonasty.

Answer: C



Watch Video Solution

334. Cytokinins which have specific effect in cytokinesis are modified forms of

- A. Cytosine
- B. Adenine
- C. Guanine
- D. Thiamine.

Answer: B



Watch Video Solution

335. One of the commonly used plant growth hormone in tea plantations is

- A. Zeatin
- B. ABA
- C. IAA
- D. Ethylene.

Answer: C



Watch Video Solution

336. Which locomotory movement is not correct

- A. Cyclosis and rotation of cytoplasm in Hydrilla
- B. Sucrose induced movement of sperms
- C. Flagellar movement of slime mould
- D. Chlamydomonas moves away from intense light.

Answer: C



Watch Video Solution

337. Which one demonstrates process associated with abscission of a leaf

- A. In the leaf concentration of both auxin and ABA decreases
- B. In the leaf concentration of both auxin and ABA increases

C. Reduction in ABA concentration and increase of auxin concentration in the leaf

D. Reduction in concentration of auxin and increase of concentration of ABA in the leaf.

Answer: D



Watch Video Solution

338. Falling of floral parts, leaves and fruits from the mother plant is called

A. Senescence

B. Abscission

C. Photoperiodism

D. Vernalisation.

Answer: B



Watch Video Solution

339. Seismonasty occurs in

- A. *Samanea saman*
- B. *Albizia lebbek*
- C. *Hibiscus rosa-sinensis*
- D. *Mimosa pudica*.

Answer: D



Watch Video Solution

340. Seeds of winter varieties are benefitted by technique

- A. Senescence
- B. Photoperiodism
- C. Vernalisation
- D. Abscission.

Answer: C



Watch Video Solution

341. Transport of cytokinin in the plant body is

- A. Basipetal
- B. Lateral
- C. Acropetal
- D. On all sides.

Answer: C



Watch Video Solution

342. Which one hastens flowering in plants

A. Stratification

B. Scarification

C. Vernalisation

D. Water deficit.

Answer: C



Watch Video Solution

343. The first to activate dormant embryo is

- A. Oxygen
- B. Moisture
- C. Hormones
- D. Nutrients.

Answer: B



Watch Video Solution

344. Which hormone is produced in most plant cells as product of metabolism

- A. Gibberellin
- B. Cytokinin
- C. Auxin
- D. Ethylene.

Answer: D



Watch Video Solution

345. Find out correct options :

I

II

III

a Foolish Plant

p Volatile

x Induces

b Induces senescence

q abscisic acid

y Ripens fruit

r Gibberella

z Usually sterile plant

A. *a - p - y, b - r - x*

B. *a - r - z, b - q - z*

C. *a - r - z, b - p - y*

D. *a - q - x, b - r - y.*

Answer: C



Watch Video Solution

346. Auxanometer is used to measure plant organ

- A. Growth in length
- B. Growth in breadth
- C. Pest population
- D. Both A and B.

Answer: A



[View Text Solution](#)

347. Day neutral plant

- A. Lose activity during day time
- B. Flower in all possible photoperiods
- C. Become overactive during day time

D. Do not flower in any photoperiod.

Answer: B



Watch Video Solution

348. Study of phototropic lead to the discovery of

A. Cytokinin

B. Ethylene

C. Gibberellin

D. Auxin.

Answer: D



Watch Video Solution

349. Vernalisation is seen in

- A. Sugarbeet
- B. Carrot
- C. Cabbage
- D. All the above.

Answer: D



Watch Video Solution

350. The rosette habit of cabbage can be changed by application of

- A. ABA
- B. IAA

C. GA

D. Ethephon.

Answer: C



[Watch Video Solution](#)

351. Exponential growth is expressed as

A. $Lt = L_0 + rt$

B. $L_0 = Le^{rt}$

C. $W_1 = W_0 + e^{rt}$

D. $W_0 = W_1e^{rt}$

Answer: C



[View Text Solution](#)

352. Which is incorrectly matched

- A. Adenine derivative-Kinetin
- B. Terpenes-IAA
- C. Carotenoid derivative- ABA
- D. Indole compounds-IBA

Answer: B



Watch Video Solution

353. Natural cytokinins are synthesised in tissues that are

- A. Strong food
- B. Differentiating

C. Dividing

D. Senescent.

Answer: C



Watch Video Solution

354. Assertion: Plant growth as a whole is indefinite.

Reason : Plants retain the capacity of continuous growth throughout their life.

- A. Point out if both are true with reason being correct explanation
- B. both are true but reason is not correct explanation
- C. assertion is true but reason is wrong
- D. and both are wrong

Answer: A



Watch Video Solution

355. Which is essential for flowering

- A. Phytochrome
- B. Chlorophyll
- C. Cytochrome
- D. Leghaemoglobin.

Answer: A



Watch Video Solution

356. Through their effect on plant growth regulators, what do the temperature and light control in the plants

- A. Stomatal closure
- B. Apical dominance
- C. Flowering
- D. Fruit development.

Answer: C



Watch Video Solution

357. Hormone antagonist to gibberellins is

- A. IAA
- B. ABA

C. Zeatin

D. Ethylene.

Answer: B



Watch Video Solution

358. Vernalisation simulates flowering in

A. Ginger

B. Turmeric

C. Zamikand

D. Carrot.

Answer: D



Watch Video Solution

359. Growth hormone that speeds up malting in brewery industry is

A. Kinetin

B. Gibberellic acid

C. Auxin

D. Ethylene.

Answer: B



Watch Video Solution

360. The natural plant hormone isolated from corn kernels and coconut milk is

A. Florigen

B. GA_3

C. Auxin

D. Zeatin.

Answer: D



Watch Video Solution

361. One hormone is used to speed up the malting process in barely, another is used to promote flowering in pineapple, while the third helps in the delay of leaf senescence. These are respectively

A. Auxin, Gibberellin and Cytokinin

B. Gibberellin, Cytokinin, Auxin

C. Gibberellin, Auxin, Cytokinin

D. Cytokinin, Auxin, Gibberellin

Answer: C



[Watch Video Solution](#)

362. Which of the following is not a physiological effect/ an influence of auxin

A. Promotes bolting

B. Prevents early fruit and leaf drop

C. Promotes flowering

D. Initiates rooting in stem cuttings

Answer: A

 [Watch Video Solution](#)

363. The phenomenon which shortens vegetative period and hastens flowering is

- A. Etiolation
- B. Vernalisation
- C. Photoperiodism
- D. Parthenocarpy.

Answer: B

 [Watch Video Solution](#)

364. Abscisic acid is called stress hormone as it

- A. Induces flowering
- B. Breaks seed dormancy
- C. Promotes leaf fall
- D. Promotes stomatal closure.

Answer: D



Watch Video Solution

365. Hormone antagonistic ABA is

- A. Gibberellin
- B. Auxin
- C. Ethylene
- D. Cytokinin.

Answer: A



Watch Video Solution

366. Two different plants associated with discovery of two different phytohormones having common biosynthetic precursor exhibit one of the following characters each

I. Versatile anthers II. Compound spadix III. Pentalocular ovary IV.

Trifoliolate compound leaves

A. II and III

B. I and III

C. II and IV

D. I and IV.

Answer: B



[View Text Solution](#)

367. During seed germination, its stored food is mobilised by

- A. Gibberellin
- B. Ethylene
- C. Cytokinin
- D. ABA.

Answer: A



[Watch Video Solution](#)

368. The viability of seeds is tested by

- A. 2, 3, 5-triphenyl tetrazolium chloride

B. DMSO

C. Safranine

D. 2, 6-dichlorophenol indophenols.

Answer: A



Watch Video Solution

369. In exponential growth formula, $W_t = W_0 e^{rt}$, e denotes

A. Final size

B. Time of growth

C. Base of natural logarithm

D. Growth rate.

Answer: C

 [Watch Video Solution](#)

370. Which plant hormone was discovered as kinetin

- A. ABA
- B. Ethylene
- C. Auxin
- D. Cytokinin.

Answer: D

 [Watch Video Solution](#)

371. Match the columns and choose the correct combination :

I

(a) Cytokinin

(b) Auxins

(c) abscisic acid

(d) Ethylene

II

(p) Stress hormone

(q) Ripening of fruits

(r) Apical dominance

(s) Bolting

(t) Richmond-Lang Effect

A. a-t, b-r, c-p, d-q

B. a-t, b-r, c-p, d-s

C. a-r, b-s, c-q, d-p

D. a-q, b-s, c-t, d-r

Answer: A



Watch Video Solution

372. Which growth regulator promotes root initiation, flowering and induced parthenocarpy

- A. Gibberellin
- B. Auxin
- C. Cytokinin
- D. Ethylene.

Answer: B



[Watch Video Solution](#)

373. Assertion. On plotting the length of the root against time, a linear curve is obtained

Reason. An elongating root exemplifies arithmetic growth

- A. Point out if both are true with reason being correct explanation
- B. both true but reason not correct explanation
- C. assertion true but reason wrong
- D. both are wrong.

Answer: A



Watch Video Solution

374. Which plant hormone is basic in nature

- A. Gibberellin
- B. Auxin
- C. Ethylene

D. Cytokinin.

Answer: D



Watch Video Solution

375. Select the activities associated with gibberellins

- (a) Apical dominance
- (b) Good herbicides
- (c) Promote bolting
- (d) Delay senescence
- (e) Stimulate closure of stomata.

A. a and b only

B. b and c only

C. b and d only

D. c and d only.

Answer: D



Watch Video Solution

376. Match the column and choose the correct combination

Growth Regulator	Action
(a) abscisic acid	(1) Delays leaf abscission
(b) Ethylene	(2) Inhibits seed germination
(c) Cytokinin	(3) Herbicide
(d) Auxin	(4) Hastens fruit ripening

A. a-2, b-4, c-1, d-3

B. a-1, b-2, c-3, d-4

C. a-2, b-3, c-4, d-1

D. a-2, b-1, c-3, d-4

Answer: A



Watch Video Solution

377. In which plant heterophyllous development occurs due to environment

A. Coriander

B. Cotton

C. Larkspur

D. Buttercup

Answer: D



Watch Video Solution

378. Which statement regarding growth is false

- A. Increase in mass and increase in number of individuals are twin characteristics of growth
- B. In plants, growth by cell division is seen only upto a certain stage
- C. Growth exhibited by nonliving objects is by accumulation of material on the surface
- D. A multicellular organism grows by cell division

Answer: B



Watch Video Solution

379. Theronastic movement is related to

A. Light

B. Touch

C. Chemical

D. High temperature.

Answer: D



Watch Video Solution

380. Control of leaf, flower and fruit abscission and promotion of fruit ripening are functions of

A. Ethylene

B. Auxin

C. Gibberellin

D. Cytokinin.

Answer: A



Watch Video Solution

381. Removal of apical bud makes the plant

A. Tall

B. Bushy

C. Slow

D. Rapidly

Answer: B



Watch Video Solution

382. Cells attaining their maximum size in terms of wall thickening and protoplasmic modifications belong to

- A. Meristematic phase
- B. Elongation phase
- C. Maturation phase
- D. None of the above.

Answer: C



Watch Video Solution

383. Spraying sugarcane crop with a plant hormone increases length of plants and increases yield by as much as 20 tonnes/acre. The hormone is

A. Gibberellin

B. Auxin

C. Cytokinin

D. ABA.

Answer: A



Watch Video Solution

384. Length of stalks of grape fruits increases due to

A. Auxin

B. Cytokinins

C. Ethylene

D. Gibberellin.

Answer: D



Watch Video Solution

385. Which one is growth regulator produced by plants

A. NAA

B. Zeatin

C. 2, 4-D

D. BAP.

Answer: B



Watch Video Solution

386. Match the columns and choose the correct option

I

II

(p) Control of weeds

(i) Gibberellin

(q) Induction of
germination

(ii) Cytokinin

(r) Ripening of fruit

(iii) 2, 4-D

(s) Delaying of senescence (iv) Ethylene

A. $p - ii, q - iv, r - iii, s - i$

B. $p - iii, q - i, r - iv, s - ii$

C. $p - i, q - ii, r - iv, s - ii$

D. $p - ii, q - iii, r - i, s - iv$

Answer: B



Watch Video Solution

387. Apical dominance in plants means

A. Growth of lateral buds

B. Inhibition of growth of lateral buds

C. Both A and B

D. None of the above.

Answer: B



Watch Video Solution

388. Match the lists and find the correct options

I

II

(a) Early seed production
in conifers

(i) Inodle
substance

(b) Seed development and

(ii) Terpene substance
maturation

(c) Lateral shoot growth

(iii) Volatile substance

(d) Root hair formation

(iv) Adenine derivative

(v) Carotenoid derivative

A. $a - iii, b - i, c - v, d - ii$

B. $a - ii, b - v, c - iv, d - iii$

C. $a - ii, b - i, c - v, d - iv$

D. $a - iv, b - iii, c - ii, d - i$

Answer: B



Watch Video Solution

389. What is the site of perception of photoperiod necessary for induction of flowering in plants? Leaves

A. Stem

B. Leaves

C. Shoot apex

D. Floral meristem.

Answer: B



Watch Video Solution

390. If a plant produces flowers when exposed to alternating periods of 5 hours light and 3 hours dark in a 24-hour cycle, the plant should be a

- A. SDP
- B. LDP
- C. SLDP
- D. DNP.

Answer: B



View Text Solution

391. A bacterium divides every 35 minutes. If a culture containing 10^5 cells/ml is grown for 175 minutes. What will be the cell concentration / ml after 175 minutes

A. 175×10^5 cells/ml

B. 35×10^5 cells/ml

C. 5×10^5 cells/ml

D. 32×10^5 cells/ml.

Answer: D



Watch Video Solution

392. Cytokinin is not found in

A. Root apex

B. Shoot apex

C. Young fruits

D. Mature fruits.

Answer: B



Watch Video Solution

393. Senescence in plants leads intoof cells

A. Increase in size

B. Increase in number

C. Death

D. Differentiation.

Answer: C

 [Watch Video Solution](#)

394. Which of the following is a dicot weedicide

A. 2, 4-D

B. NAA

C. IBA

D. IAA.

Answer: A

 [Watch Video Solution](#)

395. One hormone hastens maturity period in juvenile conifers, a second hormone control xylem differentiation , while the third

increases the tolerance of plants to various stresses they are respectively

- A. Auxin, gibberellin and cytokinin
- B. Gibberellin, auxin, cytokinin
- C. Gibberellin, auxin, ethylene
- D. Gibberellin, auxin, ABA

Answer: D



Watch Video Solution

396. Which is not the effect of ethylene

- A. Promotes senescence and abscission of plant organs
- B. Breaks seed and bud dormancy

C. Brings about horizontal growth of seedlings

D. Helps to overcome apical dominance.

Answer: D



Watch Video Solution

397. A few normal seedlings of tomato were kept in a dark room. After a few days were found to have become white coloured like albinos. Which of the following terms will you use to describe them

A. Embolised

B. Etiolated

C. Defoliated

D. Mutated.

Answer: B



Watch Video Solution

398. Dr. F. Went noted that if coleoptile tips were removed and placed on agar for one hour, the agar would produce a bending when placed on one side of freshly cut coleoptile stumps. Of what significance is this experiment?

- A. It is basis of quantitative determination of small amounts of growth promoting substances
- B. It supports the hypothesis that IAA is auxin
- C. It demonstrated polar movement of auxins
- D. It made possible the isolation and exact identification of auxin.

Answer: D



Watch Video Solution

399. Vernalisation is carried out in plants growing in

- A. Tropical areas
- B. Subtropical area
- C. Temperate areas
- D. Hot/arctic areas.

Answer: C



Watch Video Solution

400. Gibberellins can promote seed germination because of their influence on

- A. Rate of cell division
- B. Production of hydrolysing enzymes
- C. Synthesis of abscisic acid
- D. Absorption of water through hard seed coat.

Answer: B



Watch Video Solution

401. Assertion. Plant growth regulators are very important for plant growth and development

Reason. Auxins do not induce flowering in gymnosperms.

- A. Point out if both are true with reason being correct explanation
- B. both true but reason not correct explanation
- C. assertion true but reason wrong
- D. both are wrong.

Answer: B



Watch Video Solution

402. Abscisic acid causes

- A. Faster leaf fall
- B. Dormancy of buds and seeds
- C. Retardation of growth

D. All the above.

Answer: D

 [Watch Video Solution](#)

403. The characteristics like expansion, breaking dormancy, promoting germination and flowering are associated with

A. Auxins

B. Gibberellins

C. Cytokinins

D. Ethylene.

Answer: B

 [Watch Video Solution](#)

404. A natural growth regulator is

A. 2, 4-D

B. Benzaldehyde

C. NAA

D. Ethylene.

Answer: D



Watch Video Solution

405. 6-(4-Hydroxy-3 Methyl-trans-2-butenylamine) purine is also called

A. Methyl jasmonate

B. Zeatin

C. Brassinolide

D. Triacontanol.

Answer: B



Watch Video Solution

406. Cholodony and Went effect is due to

A. IAA

B. GA

C. Cytokinin

D. ABA.

Answer: A

 [Watch Video Solution](#)

407. The hormone which reduces transpiration rate by inducing stomatal closure is

- A. Ethylene
- B. Gibberellin
- C. ABA
- D. Cytokinin.

Answer: C

 [Watch Video Solution](#)

408. Bolting means

A. Elongation of stem in rosette plants

B. Dwarfing of stem

C. Increase in flowers.

D. Appearance of flowers.

Answer: A



Watch Video Solution

409. Phytochrome responsible for flowering is

A. Pigment present in floral buds

B. Hormone present in leaves

C. Pigment present in leaves

D. Enzymes present in floral buds.

Answer: C



Watch Video Solution

410. The primary and secondary growth of a shoot inhibited by

A. Auxin

B. Gibberellin

C. Cytokinin

D. Abscisic acid.

Answer: D



Watch Video Solution

411. The pigment which mainly absorbs red and far-red radiation in plants, is known as

- A. Cytochrome
- B. Xanthophyll
- C. Phytochrome
- D. Carotene.

Answer: C



Watch Video Solution

412. Which one is correct for blooming of short day plants

- A. The long dark period is not critical

- B. It is affected by interruption of long dark period by brief exposure of light
- C. It is affected if continuous light period is interrupted.
- D. It is affected if continuous light period is interrupted.

Answer: A



Watch Video Solution

413. Select the correctly matched pair

- A. Darwin and Darwin - Gibberellic acid
- B. Went - Auxin
- C. Kurosawa - Ethylene
- D. Skoog and Miller - Abscisic acid

Answer: B



Watch Video Solution

414. One hormone stimulates the closure of stomata and another one influences the swelling of the axis in dicot plants.

They are

- A. Gibberellins and ethylene
- B. Abscisic acid and cytokinins
- C. Gibberellins and cytokinins
- D. Abscisic acid and ethylene.

Answer: D



Watch Video Solution

415. Which of the following statements regarding photoperiodism is false

- A. The response of plants to periods of light/day is termed as photoperiodism
- B. The shoot apices cannot perceive photoperiods
- C. In day neutral plants there is no correlation between exposure to light duration and induction of flowering response
- D. The site of perception of light/dark duration is the flower.

Answer: D



Watch Video Solution

416. The hormone that promotes rapid elongation of intermodes or leaf base in deep water rice plant is

- A. Abscisic acid
- B. Ethylene
- C. Cytokinin
- D. Gibberellin.

Answer: B



[Watch Video Solution](#)

417. Assertion (A). Ethylene induces ripening

Reason (R). Ethylene is a gaseous hormone

- A. A and R are true, R is correct explanation of A

B. A and R are true but R is not the correct explanation

C. A is true, R is false

D. A is false, R is true.

Answer: A



Watch Video Solution

418. Identify the correct pair of combination

(i) Zeatin - adenine derivative - overcoming apical dominance

(ii) C_2H_4 - indole compound - effective in fruit ripening

(iii) ABA - carotenoid derivative - induction of parthenocarpy

(iv) Ga_3 - terpene - bolting in cabbage

A. ii, iii

B. ii, iv

C. i, iv

D. iii, iv.

Answer: C



Watch Video Solution

419. Match the columns and find the correct option

- | | |
|-------------|--|
| (a) Munch | (i) Stomatal movement |
| (b) Darwin | (ii) Hasterns fruit ripening
by volatiles |
| (c) Cousins | (iii) Growth of coleoptile
towards light |
| (d) Levitt | (iv) Nature of enzyme action |
| | (v) Bidirectional transport
in pholem |

A. $a - iii, b - iv, c - i, d - ii$

B. $a - iv, b - iii, c - i, d - ii$

C. $a - v, b - iii, c - ii, d - i$

D. $a - iii, b - i, c - iv, d - v$

Answer: C



Watch Video Solution

420. Gibberellin facilitates seed germination by triggering the synthesis of

A. α -amylase

B. β -amylase

C. Both A and B

D. α -amylase and protease.

Answer: D

 [Watch Video Solution](#)

421. The inhibitory effect of red light on flowering during critical dark period in short day plants can be overcome by

- A. Blue light
- B. Far-red light
- C. Infra-red rays
- D. Ultraviolet rays.

Answer: B

 [Watch Video Solution](#)

422. In hyponasty, the bud will remain

- A. Open
- B. Closed
- C. Semi-open
- D. Wilt.

Answer: B



Watch Video Solution

423. Seed dormancy can be broken be broken by

- A. ABA and GA_3
- B. GA_3 and ethylene
- C. IAA and ABA
- D. ABA and IPA.

Answer: B



Watch Video Solution

424. Plants which disregard the requirement of a definite day length for flowering are called

- A. Short day plants
- B. Long day plants
- C. Day neutral plants
- D. Long-short day plants.

Answer: C



Watch Video Solution

425. Seedless fruits can be induced by

- A. ABA and IAA
- B. ABA and Zeatin
- C. IAA and GA_3
- D. Ethylene and ABA.

Answer: B



Watch Video Solution

426. Seed dormancy can be broken by the following combination of chemicals

- A. GA_3 , IAA, ABA
- B. KNO_3 , GA_3 and ethylene chlorohydrin

C. NAA, 2, 4, 5-T and IAA

D. ABA, BAP and GA_3

Answer: B



[Watch Video Solution](#)

427. Which of the following are related to the process of flowering

A. Gibberellin

B. ABA

C. Both A and B

D. Kinetin.

Answer: C

 [Watch Video Solution](#)

428. Which of the following is not a natural auxin

- A. Indole acetic acid
- B. Naphthalene acetic acid
- C. Indole acetaldehyde
- D. Indole ethanol.

Answer: B

 [Watch Video Solution](#)

429. Biosynthesis of cytokinin takes place via

- A. Mevalonic acid cycle

B. Citric acid cycle

C. Calvin cycle

D. C_4 cycle.

Answer: A



Watch Video Solution

430. If a short day plant is given ten hours light and fourteen hour darkness but the dark period is interrupted in the middle by a flash of 730 nm wavelength of light, then

A. The floral axis becomes inactive

B. The plant produces flowers

C. The plant does not produce flowers

D. The plant will produce parthenocarpic fruits.

Answer: B



Watch Video Solution

431. Match and find the correct match

I

(a) 2, 4-D

(b) GA₃

(c) Ethephone

(d) ABA

II

(i) Promotion of lateral shoot growth

(ii) Thinning in cotton

(iii) Stress tolerance

(iv) Brewing industry

(v) Weed free lawns

A. $a - ii, b - i, c - v, d - iii$

B. $a - v, b - iv, c - ii, d - iii$

C. $a - v, b - iv, c - i, d - iii$

D. $a - iii, b - ii, c - i, d - iv$

Answer: B



[Watch Video Solution](#)

432. Horizontal growth of seedlings, swelling of axis and apical hook formation in dicot seedlings is brought about by

- A. Auxin
- B. Gibberellins
- C. Ethylene
- D. Kinetin.

Answer: C



[Watch Video Solution](#)

433. The cells derived from meristems differentiate and regain the capacity of divide by a phenomenon called

- A. Differentiation
- B. Dedifferentiation
- C. Redifferentiation
- D. Totipotency

Answer: B



Watch Video Solution

434. Identify the incorrect statement about ABA growth regulator

- A. It increases the tolerance of plants against different stresses
- B. It acts as general plant growth inhibitor and inhibitor of metabolism

C. It helps in seed maturation and dormancy

D. It promotes morphogenesis and differentiation of shoots.

Answer: D



Watch Video Solution

435. Which of the following prevents falling of fruits

OR

Fruit and leaf drop at early stages can be prevented by the application

A. Cytokinins

B. Ethylene

C. Auxin

D. Gibberellic acid.

Answer: C



Watch Video Solution

Cyg

1. A long day plant is

A. Xanthium

B. Chrysanthemum

C. Radish

D. Tomato.

Answer: C



Watch Video Solution

2. Lemna/Wolffia is

- A. Short day plants
- B. Long day plants
- C. Day neutral plant
- D. Long-short day plant.

Answer: A



Watch Video Solution

3. Ageing of leaves is promoted by

- A. Ethylene
- B. Abscisic acid
- C. Cytokinins

D. Auxin.

Answer: B



Watch Video Solution

4. Bolting hormone is

A. Auxin

B. Cytokinin

C. Gibberellin

D. Ethylene.

Answer:



Watch Video Solution

5. Traumatin is

- A. Auxin
- B. Gibberellin
- C. Cytokinin
- D. Abscisic acid.

Answer: D



Watch Video Solution

6. The most common cytokinin is

- A. Zeatin
- B. Kinetin
- C. Dihydrozeatin

D. IPA.

Answer: a



Watch Video Solution

7. The hormone synthesised by root and transported to shoot apex is

A. Gibberellin

B. ABA

C. Cytokinin

D. Auxin.

Answer: D



Watch Video Solution

8. Apical dominance of root tip is probably due to

- A. Cytokinin
- B. IAA-oxidase
- C. Abscisic acid
- D. Both B and C.

Answer: B



[Watch Video Solution](#)

9. Expansion of a leaf is an example of

- A. Nutation
- B. Nastic movement

C. Ephemeral movement

D. Paratonic movement.

Answer: A



Watch Video Solution

10. Opening and closing of Crocus/Tulip flower is

A. Photonastic movement

B. Geotropism

C. Thermonasty

D. Nyctinasty.

Answer: a



Watch Video Solution

11. Variation of response to geotropism is found in the floral stalk of

A. Sunflower

B. Groundnut

C. Poppy

D. Both B and C.

Answer: B



Watch Video Solution

12. Bending of tentacles of Drosera over the insect is

A. Thigmonasty

B. Thigmotropism

C. Chemotropism

D. Phototropism.

Answer: A



Watch Video Solution

13. Statolith theory is related to

A. Phototropism

B. Chemotropism

C. Hydrotropism

D. Geotropism.

Answer: D

 [Watch Video Solution](#)

14. Cholodny-Went theory is connected with

- A. Turgor movements
- B. Chemotropism
- C. Phototropism
- D. Phototropism and geotropism.

Answer: C

 [Watch Video Solution](#)

1. A characteristic based on concentration of particles in solution is

- A. Colligative property
- B. Surface tension
- C. Colloidal nature
- D. All the above.

Answer: A



[Watch Video Solution](#)

2. Which one is a colligative property

- A. Cohesion force
- B. Osmotic pressure

C. Vapour pressure

D. Both B and C.

Answer: D



Watch Video Solution

3. Flaccidity is

A. Distended nature of plant cell

B. Percentage gain in volume of cell due to endosmosis

C. Loss of turgidity

D. Volume of cell in isotonic solution.

Answer: C



Watch Video Solution

4. Turgor operated valves are

- A. Root hairs
- B. Stomata
- C. Tracheary elements
- D. Collenchyma.

Answer: B



Watch Video Solution

5. Fully turgid cell possesses

- A. Minimum size
- B. Little permeability

C. Maximum size

D. Impermeable nature.

Answer: C



Watch Video Solution

6. At zero turgor pressure the cell shows

A. Evident plasmolysis

B. Incipient plasmolysis

C. Limiting plasmolysis

D. Deplasmolysis.

Answer: C



Watch Video Solution

7. A freshly plasmolysed cell has

- A. Little solute potential
- B. Maximum turgor pressure
- C. Zero turgor pressure
- D. Negative turgor pressure.

Answer: D



[Watch Video Solution](#)

8. Maximum solute pressure occurs in a cell with

- A. Maximum size
- B. Plasmolysis

C. Full turgidity

D. Little or no vacuola

Answer: B



[View Text Solution](#)

9. A fully turgid cell has

A. Minimum cell size

B. Minimum water content

C. Maximum solute pressure

D. Minimum solute pressure.

Answer: D



[Watch Video Solution](#)

10. Minimum solute potential means

- A. More negative solute potential
- B. Minimum solute concentration
- C. Maximum turgidity
- D. Both B and C.

Answer: A



[Watch Video Solution](#)

11. Soil water available to plants is

- A. Holard
- B. Echard

C. Chresard

D. None of the above.

Answer: C



[Watch Video Solution](#)

12. Chresard occurs in the soil

A. Around soil particles

B. Inside micropores

C. Inside macropores

D. In percolation chambers.

Answer: B



[Watch Video Solution](#)

13. Capillary pores are

- A. Percolation pores
- B. Macropores
- C. Micropores
- D. Ultra-micropores.

Answer: C



[Watch Video Solution](#)

14. Soil pores with capillary water are

- A. Super pores
- B. Macropores

C. Mesopores

D. Micropores.

Answer: D



Watch Video Solution

15. Total water content present in a soil is called

A. Echard

B. Holard

C. Cavitation

D. Both B and C.

Answer: B



Watch Video Solution

16. Percolation of soil water to water table occurs through

- A. Micropores less than $0.2\mu m$
- B. Micropores between 0.2 to $20.0\mu m$
- C. Macropores between $20-50\mu m$.
- D. Macropores bigger than $50\mu m$.

Answer: D



[Watch Video Solution](#)

17. Wetting of drier soil surface automatically during night without rain is

- A. Night recovery

B. Dew wetting

C. Mist formation

D. Ground frost.

Answer: A



Watch Video Solution

18. Night recovery is caused by

A. Condensation of water vapours

B. Local rain

C. Capillary movement

D. Both B and C.

Answer: A

 [Watch Video Solution](#)

19. During its life, a potato plant transpires water

- A. 30 litres
- B. 90 litres
- C. 155 litres
- D. 245 litres.

Answer: C

 [Watch Video Solution](#)

20. On the basis of daily periodicity, stomatal movements are of

- A. Four types

B. Three types

C. Two types

D. Five types.

Answer: A



Watch Video Solution

21. In Potato type, the stomata remain open

A. Throughout day and night

B. 24 hours except for a few hours during day time

C. 24 hours except for a few hours during night

D. All the above.

Answer: D

 [Watch Video Solution](#)

22. Stomata which remain closed during night and open only during the day for a few hours are of

- A. Barley or cereal type
- B. Alfalfa type
- C. Lucerne type
- D. Potato type.

Answer: A

 [Watch Video Solution](#)

23. Stomata tend to close during hot period and open during cooler hours in

- A. Potato type
- B. Barley type
- C. Cereal type
- D. Lucerne type.

Answer: B



Watch Video Solution

24. Transpiration as percentage of evaporation is called

- A. Transpiration index
- B. Transpiration ratio
- C. Water requirement
- D. Transpiration coefficient.

Answer: A



Watch Video Solution

25. Time required for cobalt chloride paper to turn pink when planed just above water surface is called

- A. Evaporation time
- B. Water test time
- C. Cobalt chloride test time
- D. Leaf test time.

Answer: B



Watch Video Solution

26. Wilting of sun plants after rain is called

- A. Incipient wilting
- B. Permanent wilting
- C. Flopping
- D. The statement is incorrect.

Answer: C



Watch Video Solution

27. In transpiration, cavitation is

- A. Rise of water against gravity
- B. Evaporation of water in internal spaces
- C. Dissolution of air in water

D. Appearance of air bubbles in water.

Answer: D



Watch Video Solution

28. Osmotic theory of active water absorption was given

A. Keller

B. Bennet-Clark et al

C. Alkins

D. Karmer.

Answer: C



Watch Video Solution

29. Non-osmotic theory of water absorption was proposed by

A. Eaton

B. Kramer

C. Keller

D. Bennet-Clark et al.

Answer: D



Watch Video Solution

30. Xylem walls are`

A. Positively charged

B. Negatively charged

C. Electrochemically neutral




D. Differentially permeable.

Answer: B



[View Text Solution](#)

31. Which one is bacteriochlorophyll a



Answer: A



[Watch Video Solution](#)

32. The molecular weight of chlorophyll a is

A. 907

B. 893

C. 911

D. 712

Answer: B



Watch Video Solution

33. The ration of chlorophyll a to chlorophyll b in flowering plants is

A. 1.5 : 1

B. 0.5 : 1.5

C. 2.5 – 3.5 : 1

D. 5.5 : 1

Answer: C



[View Text Solution](#)

34. In shade plants the ratio of chl *a* : chl *b* is

A. 4.5 : 1

B. 1.4 : 1

C. 0.7 : 1

D. 5.5 : 1

Answer: B



[Watch Video Solution](#)

35. The percentage of blue and red wavelengths of light absorbed by chlorophyll a is

- A. 40 % : 4 %
- B. 45 % : 25 %
- C. 48 % : 20 %
- D. 40 % : 30 %

Answer: D



View Text Solution

36. The phenomenon of re-irradiation of absorbed light is called

- A. Photoluminescence

B. Chemiluminescence

C. Phosphorescence

D. Fluorescence.

Answer: A



Watch Video Solution

37. Fluorescence differs from phosphorescence in being

A. Delayed emission

B. Instant emission

C. Bioluminescence

D. Chemiluminescence.

Answer: B

 [Watch Video Solution](#)

38. Katusky effect is

- A. Photoluminescence in the absence of photosynthesis
- B. Outburst of fluorescence at the end of illumination
- C. Outburst of fluorescence during first few moment of illumination
- D. Bioluminescence at night

Answer: C

 [Watch Video Solution](#)

39. DCPIP (dichlorophenol indophenol) is

- A. Inhibitor of electron transport
- B. Herbicide
- C. Inhibitor of photosynthesis
- D. Blue-coloured hill oxidant which becomes colourless on being reduced.

Answer: D

 [Watch Video Solution](#)

40. A grass which has both C_3 and C_4 ecotypes is

- A. *Alloteropsis semi-alata*
- B. *Imperata cylindrica*
- C. *Cynodon dactylon*

D. *Agropyron repens*.

Answer: A



[Watch Video Solution](#)

41. A genus which has both C_3 and C_4 species is

A. Ricinus

B. Atriplex

C. Euphorbia

D. Both B and C.

Answer: D



[Watch Video Solution](#)