



# **BIOLOGY**

## **BOOKS - S DINESH & CO BIOLOGY (HINGLISH)**

### **PRINCIPLES AND APPLICATIONS OF BIOTECHNOLOGY**

**Mcqs**

1. The technique in which foreign DNA is precipitated over surface of metal particles for passing into target cells is

A. Microinjection

B. Electroporation

C. Particle gun

D. Chemical mediated gene transfer.

**Answer: C**



**Watch Video Solution**

2. Enzyme that cuts DNA at specific sites is

A. DNA ligase

B. Restriction endonuclease

C. DNA polymerase

D. Reverse transcriptase

**Answer: B**



**Watch Video Solution**

**3. Flavr Savr is genetically modified**

A. Cotton

B. Rice

C. Tomato

D. Potato

**Answer: C**



**Watch Video Solution**

4. Increased flavourful shelf life of Tomato has been achieved by

A. Developing better storage technique

B. Reducing activity of enzyme  
polygalactourinase

C. Promoting activity of enzyme  
polygalactourinase

D. Enhancing epidermal growth factor.

**Answer: B**



Watch Video Solution

5. Bt cotton is

A. Transgenic plant

B. Mutated plant

C. Cloned plant

D. Hybrid plant

**Answer: A**



Watch Video Solution

6. Bt cotton is preferred over other varieties of cotton because of its

A. High yield

B. Quick growth

C. Weedicidal property

D. Resistance to bollworm

**Answer: D**



**Watch Video Solution**

7. Transgenic pigs with genes for human antigens will be useful for

- A. Providing best human foods
- B. Resistance to common human disease
- C. Having all important blood factors
- D. Organ transplantation

**Answer: D**



**Watch Video Solution**



**8. Bioremediation is**

A. Genetically engineered organisms

capable of producing pharmaceuticals

B. Biological control

C. Biopurification of environment

D. Both B and C

**Answer: C**



**Watch Video Solution**

9. *Pseudomonas putida* cleans

A. Oils spills

B. Sewage

C. Hides

D. None of the above

**Answer: A**



**Watch Video Solution**

10. Frost resistance is obtained from genetically engineered

- A. Escherichia coli
- B. Pseudomonas putida
- C. Pseudomonas fluorescence
- D. Trichoderma

**Answer: C**



**Watch Video Solution**

**11. Bt toxin is**

- A. Exotoxin, biodegradable insecticide
- B. Exotoxin nonbiodegradable insecticide
- C. Endotoxin nonbiodegradable insecticide
- D. Endotoxin biodegradable insecticide

**Answer: D**



**Watch Video Solution**

**12. Escherichia coli is**

- A. Gut bacterium
- B. Soil bacterium
- C. Thermal bacterium
- D. Both A and B

**Answer: A**



**Watch Video Solution**

**13.** Fungal disease of plants can be overcome by employing genetically modified

A. Klebsiella

B. Rhizobium meliloti

C. Trichoderma

D. Trametes

**Answer: C**



**Watch Video Solution**

**14. Ti-plasmid used in genetic engineering has been modified by**

A. Adding tumour forming genes

B. Deleting tumour forming genes

C. Adding genes for endonucleases

D. Deleting genes for endonucleases

**Answer: B**



**Watch Video Solution**

**15.** Gene gun can introduced genes into cells  
with the help of

A. Plasmids

B. Cosmids

C. Microscopic pellets

D. Phagemids

**Answer: C**



**Watch Video Solution**

**16.** Which can be used as vector for transfer of genes



A. BAC

B. YAC

C. Plasmid

D. All the above

**Answer: D**



**Watch Video Solution**

**17.** Blunt ends of passenger and vehicle DNAs  
are joined by

A. DNA polymerase I

B. RNA polymerase

C. DNA ligase

D. DNA polymerase III

**Answer: C**



**Watch Video Solution**

**18.** DNA fragments with sticky ends are not allowed to undergo self ligation by

A. Unwindase

B. Single strand binding proteins

C. Gyrase

D. Alkaline phosphatase

**Answer: D**



**Watch Video Solution**

**19.** Which one is being produced by genetically altered genes

A. Calcitonin

B. Platelet derived growth factor

C. Erythropoietin

D. All the above

**Answer: D**



**Watch Video Solution**

**20.** Enzyme adenosine deaminase is deficient in genetic disorder

A. Alzheimer's disease

B. Muscular dystrophy

C. SCID

D. Colour blindness

**Answer: C**



**Watch Video Solution**

**21. Endonucleases break DNA at specific sites called**

A. Palindromic sequences

B. Restriction sites

C. Conserved sites

D. Both A and B

**Answer: D**



**Watch Video Solution**

**22.** Arber, Smith and Nathans are famous for discovery of

A. Gene therapy

B. Restriction enzyme

C. Humulin

D. Second generation vacciness

**Answer: B**



**Watch Video Solution**

**23. Humulin is**

A. Carbohydrate

B. Fat

C. Hybridomas

D. Protein

**Answer: D**



**Watch Video Solution**

**24.** Recombinant DNA technology is also called

A. Biotechnology

B. Modern biotechnology



C. Genetic engineering

D. Transgenic technology

**Answer: C**



**Watch Video Solution**

**25.** Recombinant DNA technology developed during

A. 1970s

B. 1980s

C. 1990s

D. 2000s

**Answer: A**



**Watch Video Solution**

**26. Modern biotechnology is based on**

A. Protoplast fusion

B. Tissue culture

C. Recombinant proteins

D. Genetic engineering

**Answer: D**



**Watch Video Solution**

**27. A GM crop is**

A. Irradiated crop

B. Transgenic crop

C. Raised on green manure

D. A green manure

**Answer: B**



**Watch Video Solution**

**28.** Hirudin gene inserted in *Brassica napous* was

- A. Synthesised chemically
- B. Obtained from leech
- C. Got from *Bacillus thuringiensis*
- D. *Brassica campestris*.

**Answer: A**



**Watch Video Solution**

**29.** Toxic component of *Bacillus thuringiensis* is

A. Alkaloid

B. Steroid

C. Amino acid

D. Protein

**Answer: D**



**Watch Video Solution**

**30.** Bt gene which produces protein toxic to insect larvae is

A. Cry

B. cry

C. Trp

D. trp

**Answer: B**



**Watch Video Solution**

**31.** Flavr savr variety of Tomato is improved variety developed through

A. Hybridisation between old varieties

B. Hybridisation between a modern variety  
and a wild variety

C. Mutation variety

D. Incorporation of a transgene

**Answer: D**



**Watch Video Solution**

**32.** Flavr savr variety of Tomato remains fresh for long because it

A. Has little polygalacturonase

B. Abundant polygalacturonase

C. Has gene for antibiotic resistance



D. Lacks amylase.

**Answer: A**



**Watch Video Solution**

**33.** Genetically modified food can be harmful because it can cause

A. Allergies and toxicity

B. Incorporation of antibiotic resistance in human beings

C. Disturbance in metabolism due to enzyme for antibiotic resistance

D. All the above

**Answer: D**



**Watch Video Solution**

**34.** Hybridomas are employed for

A. Production of somatic hybrids

B. Killing cancer cells

C. Synthesis of antibiotics

D. Synthesis of monoclonal antibodies

**Answer: D**



**Watch Video Solution**

**35.** Insulin has 51 amino acids arranged in

A. Single polypeptide

B. Two polypeptides of 21 and 30 amino acids

C. Two polypeptides of 25 and 26 amino acids

D. Three polypeptides having 15, 16 and 20 amino acids.

**Answer: B**



**Watch Video Solution**

**36.** Crystals of Bt toxin produced by some bacteria do not kill the bacteria themselves because

- A. Bacteria are resistant to the toxin
- B. Toxin is immature
- C. Toxin is inactive
- D. Bacteria enclose the toxin in special sac.

**Answer: C**



**Watch Video Solution**

1. Restriction endonuclease is employed for cutting

A. A single stranded DNA

B. Double stranded DNA

C. RNA fragment

D. mRNA

**Answer: B**



**Watch Video Solution**

2. Which enzyme is useful in genetic engineering ?

A. DNA - ase

B. Amylase

C. Lipase

D. Restriction endonuclease

**Answer: D**



**Watch Video Solution**

3. Restriction enzymes are used in genetic engineering because they

A. Can join DNA fragments

B. Cut DNA at specific base sequence

C. Cut DNA at variable sites

D. Are proteolytic enzymes which degrade harmful proteins.

**Answer: B**



**Watch Video Solution**



4. It is now possible to breed plants and animals with desired characters through

A. Tissue culture

B. Genetic engineering

C. Ikebana technique

D. Chromosome engineering

**Answer: B**



**Watch Video Solution**

5. Genetic engineering is

A. Plastic surgery

B. Addition or removal of genes

C. Study of extra nuclear genes

D. All the above

**Answer: B**



**Watch Video Solution**

6. Advancement in genetic engineering has been possible due to :

A. Oncogenes

B. Transposons

C. Restriction endonuclease

D. Exonucleases

**Answer: C**



**Watch Video Solution**

7. Genetically engineering bacteria are being used in commercial production of

- A. Melatonin
- B. Testosterone
- C. Human insulin
- D. Thyroxine

**Answer: C**



**Watch Video Solution**

8. Transgenic plants are developed by

A. Introducing foreign genes

B. Introducing gene mutations

C. Deleting certain chromosome parts

D. Stopping spindle formation.

**Answer: A**



**Watch Video Solution**

9. Bacteria plasmid contains

A. RNA

B. RNA + protein

C. DNA

D. Photosynthetic structures.

**Answer: C**



**Watch Video Solution**

10. Structure involved in genetic engineering is

A. Plastid

B. Restriction endonuclease

C. DNA polymerase I

D. Prochromosome

**Answer: B**



**Watch Video Solution**

11. Plasmids are vectors for gene cloning because they

A. Self replicate in bacterial cells

B. Replicate freely outside bacterial cells

C. Can be multiplied in culture

D. Can be multiplied in laboratories using enzymes.

**Answer: A**



**Watch Video Solution**



**12.** Chemical knives/molecular scissors/genetic scalpels of DNA are

A. Restriction endonucleases

B. Polymerases

C. Ligases

D. Transcriptases

**Answer: A**



**Watch Video Solution**

13. Two bacterial most useful in genetic engineering are

- A. Rhizobium and Azotobacter
- B. Escherichia and Agrobacterium
- C. Rhizobium and Diplococcus
- D. Nitrosomonas and Klebsiella

**Answer: B**



**Watch Video Solution**

14. Genetic engineering has been made possible due to

A. Observation of DNA under electron microscope

B. We can break DNA at specific points by DNA-ases

C. Availability of restriction endonucleases in purified form

D. Knowledge of transduction

**Answer: C**



Watch Video Solution

**15.** Restriction endonucleases are

- A. Used in genetic engineering for uniting two DNA molecules
- B. Used for in vitro DNA synthesis
- C. Present in mammalian cells for degeneration of DNA of dead cells
- D. Synthesised by bacteria for their defence

**Answer: D**



**Watch Video Solution**

**16.** Cloning is means to

A. Replace original genotype

B. Preserve genotype

C. Production of HGH gene in Escherichia  
coli

D. None of the above

**Answer: B**



**Watch Video Solution**

**17.** The technique involving insertion of a desired gene into the DNA of plasmid vector is known as

- A. Gene splicing
- B. Gene dressing
- C. Gene cloning
- D. Gene drafting

**Answer: A**



**Watch Video Solution**

**18.** Which one of the following is used in genetic engineering ?

A. RNA polymerase

B. DNA polymerase

C. Restriction endonuclease

D. Nuclease

**Answer: C**



**Watch Video Solution**

**19.** Plasmids are used in genetic engineering because they are

A. Easily available

B. Able to replicate

C. Able to integrate with host chromosome

D. Inert



**Answer: B**



**Watch Video Solution**

**20.** Bacterium commonly used in plant genetic engineering is

- A. Agrobacterium
- B. Corynebacterium
- C. Bacillus subtilis
- D. Salmonella typhii

**Answer: A**



**Watch Video Solution**

**21. Giant mouse has been produced through**

- A. Tissue culture
- B. Gene differentiation
- C. Gene manipulation
- D. All the above

**Answer: C**



[Watch Video Solution](#)

22. Which is related to genetic engineering ?

- A. Plastid
- B. Plasmid
- C. Heterosis
- D. Mutation

**Answer: B**



[Watch Video Solution](#)

**23.** A plasmid is

- A. Lives together with chromosomes
- B. Shows dependent assortment
- C. Can replicate independently
- D. Cannot replicate

**Answer: C**



**Watch Video Solution**

24. Restriction endonuclease is used in

- A. Tissue culture
- B. Genetic engineering
- C. Cell fractionation
- D. Regeneration of tissues

**Answer: B**



**Watch Video Solution**

25. Enzyme required for polymerase chain reaction (PCR) is

A. RNA polymerase

B. Ribonuclease

C. Taq polymerase

D. Endonuclease

**Answer: C**



**Watch Video Solution**

26. A good vector in genetic engineering is

A. *Agrobacterium tumefaciens*

B. *Bacillus thuringiensis*

C. *Bacillus amyloliquefaciens*

D. *Salmonella typhimurium*

**Answer: A**



**Watch Video Solution**

27. Restriction enzyme EcoR I cleavages DNA at the sequence

A. AAGCTT

B. AAGTTC

C. GTATATC

D. GAATTC

**Answer: D**



**Watch Video Solution**



**28.** Thermal cycle is used in

A. Radioactivation

B. Chemical reaction

C. Polymerase chain reaction

D. Enzyme catalysed reactions

**Answer: C**



**Watch Video Solution**

**29.** Advancement in genetic engineering has been possible due to :

- A. Transposons
- B. Endonucleases
- C. Exonucleases
- D. Oncogenes

**Answer: B**



**Watch Video Solution**

30. What is true of plasmid

- A. Found in viruses
- B. Contains genes for vital activities
- C. Part of nuclear chromosome
- D. Widely used in gene transfer

**Answer: D**



**Watch Video Solution**

31. The enzyme capable of cutting DNA molecule at specific sites is

A. Nuclease

B. Restriction endonuclease

C. Lipase

D. Ligase

**Answer: B**



**Watch Video Solution**

32. With the help of DNA ligase donor DNA fragment is joined. It is called

- A. Molecular cloning
- B. Tissue culture
- C. Protoplasmic fusion
- D. Splicing

**Answer: A**



**Watch Video Solution**

**33.** An abnormal gene is replaced by normal gene. It is called

- A. Gene therapy
- B. Cloning
- C. Mutation
- D. None of the above

**Answer: A**



**Watch Video Solution**

**34.** Endonuclease is employed in

- A. Transcription
- B. Translation
- C. Genetic engineering
- D. DNA replication

**Answer: C**



**Watch Video Solution**

**35.** Nucleic acid is fragmented by enzyme

A. Ligases

B. Proteases

C. Nucleases

D. Polymerases

**Answer: C**



**Watch Video Solution**

**36.** Bt cotton has been produced by

A. In situ hybridisation of Bt gene



B. Northern blotting of Bt gene

C. Cloning of Bt gene

D. Southern blotting of Bt gene

**Answer: C**



**Watch Video Solution**

**37.** Introduction of genetically modified food is not desirable because

- A. It will affect economy of developing countries
- B. The products are less tasty
- C. They are costly
- D. There is danger of enthyl of toxins and virus in food

**Answer: D**



**Watch Video Solution**

**38.** In genetic engineering which is used for transfer of genes from one cell to another

A. Vector

B. Probe

C. Plasmid

D. Virus

**Answer: A**



**Watch Video Solution**

**39.** Transgenic plants are plants having

- A. No gene
- B. Genes in transposition
- C. Genes have no function to perform
- D. Genes of an other organism

**Answer: D**



**Watch Video Solution**

**40.** Construction of recombinant DNA involves

A. Cleaving and rejoining of DNA segments

with endonuclease

B. Cleaving DNA segments with

endonuclease and rejoining DNA

segments with ligase

C. Cleaving and rejoining DNA segments

with ligase

D. Cleaving DNA segments with ligase and

rejoining with endonuclease

**Answer: B**



Watch Video Solution

**41.** Identify the vector suitable for cloning long DNA fragments

- A. Phage vector
- B. Bacterial plasmid
- C. Yeast plasmid
- D. Cosmids

**Answer: D**



**42.** Introduction of foreign genes for improving genotype is

Or

Insertion or deletion of one or more new genes which are absent in an organism by artificial method (not by reproduction ) is called as

A. Tissue culture

B. Genetic engineering

C. Biotechnology

D. Vernalisation

**Answer: B**



**Watch Video Solution**

**43.** Removal and insertion of genes is

A. Genetic engineering

B. Biotechnology

C. Gene therapy



## D. Cytogenetics

**Answer: A**



**Watch Video Solution**

**44.** The enzymes commonly used in genetic engineering are :

A. Restriction endonuclease and polymerase

B. Endonuclease and ligase

C. Restriction endonuclease and ligase

D. Ligase and polymerase.

**Answer: C**



**Watch Video Solution**

**45. Genetic engineering is :**

A. Making artificial genes

B. Hybridisation of DNA

C. Making artificial limbs and diagnostic instruments

D. Production of alcohol by using microorganisms

**Answer: B**



**Watch Video Solution**

**46.**  $T_i$  plasmid transforms cell of

A. Animal

B. Plants

C. Bacteria

D. Fungi

**Answer: B**



**Watch Video Solution**

**47. cDNA is**

A. Circular DNA

B. Coiled DNA

C. Cytoplasmic DNA

D. Complementary DNA

**Answer: D**



**Watch Video Solution**

**48.** DNA segment cleaved by EcoRI is

A. ATTCGA

TAAGCT

B. GAATTC

CTTAAG

C. GCTTAA

CGAATT

D. GTTCAA

CAAGTT

**Answer: B**



**Watch Video Solution**

**49.** Extrachromosomal DNA used as vector in gene cloning is

A. Transposon

B. Intron

C. Exon

D. Plasmid

**Answer: D**



**Watch Video Solution**

**50.** Restriction endonucleases are useful in

- A. Breaking DNA at specific sites
- B. Creating sticky ends
- C. Both A and B
- D. Crossing over.

**Answer: C**



**Watch Video Solution**

**51.** DNA formed from RNA is



A. ADNA

B. BDNA

C. cDNA

D. ZDNA

**Answer: C**



**Watch Video Solution**

**52.** In transgenics, the expression of transgene in the target tissue is known by

A. Enhancer

B. Transgene

C. Promoter

D. Reporter

**Answer: D**



**Watch Video Solution**

**53. Natural genetic engineer is:**

A. *Pseudomonas putida*

B. *Agrobacterium tumefaciens*

C. *Escherichia coli*

D. *Bacillus subtilis*

**Answer: B**



**Watch Video Solution**

54.  $T_1$  plasmid is used for making transgenic plants. It is obtained from

A. *Azotobacter*

B. Agrobacterium

C. Rhizobium in leguminous root

D. Yeast

**Answer: B**



**Watch Video Solution**

**55.** But in popular Bt-Cotton/Brinjal stands for

A. Biotechnology

B. Bacillus tomentosa

C. *Bacillus thuringiensis*

D. Best type

**Answer: C**



**Watch Video Solution**

**56. Identify the plasmid**

A. EcoRI

B. pbR 322

C. AIUI

D. Hind III

**Answer: B**



**Watch Video Solution**

**57.** Polymerase chain reaction is most useful in

- A. DNA synthesis
- B. DNA amplification
- C. Protein synthesis
- D. Amino acid synthesis

**Answer: B**



**Watch Video Solution**

**58.** The most extensively used bacteria in genetic engineering is

A. Bacillus

B. Clostridium

C. Escherichia

D. Salmonella

**Answer: C**



**Watch Video Solution**

**59.** Fragments of DNA formed after treatment with endonucleases are separated by the technique

- A. Polymerase chain reaction
- B. Southern blotting
- C. Colony hybridisation
- D. Electrophoresis



**Answer: D**



**Watch Video Solution**

**60.** DNA is generally methylated at

A. A-base

B. G-base

C. T-base

D. C-base

**Answer: D**



Watch Video Solution

61. In genetic engineering, DNA fragments are joined through

- A. Ligases
- B. Polymerase
- C. Helicase
- D. Gyrase

**Answer: A**



62. Introduction of transgenes will result in

- A. Formation of a new species
- B. Formation of a new protein
- C. Alter a biosynthetic pathway
- D. Both B and C

**Answer: D**



**63.** Flavr Savr variety of Tomato is

A. High yielding hybrid variety

B. High yielding new variety

C. Transgenic

D. Polyploid

**Answer: C**



**Watch Video Solution**

**64.** Production of human protein in bacteria by genetic engineering is possible because

A. Human chromosome replicate in bacterial cell

B. Mechanism of gene regulation is identical in human and bacteria

C. Bacterial cell can undertake RNA splicing

D. Genetic code is universal

**Answer: D**



[Watch Video Solution](#)

65. Tumour inducing plasmid used in producing transgenic plants is that of

- A. *Escherichia coli*
- B. *Bacillus thuringiensis*
- C. *Agrobacterium tumefaciens*
- D. *Staphylococcus aureus*

**Answer: C**



[Watch Video Solution](#)

**66.** Electroporation is

A. Making transient pores in cell membranes to introduce gene constructs

B. Fast passage of nutrients through phloem sieve pores by electric stimulation

C. Opening of stomata by artificial light during night

D. Purification of saline water with the help of membrane system

**Answer: A**



**Watch Video Solution**

**67.** Assertion. *Agrobacterium tumefaciens* is popular in genetic engineering because this bacterium is associated with roots of all



cereals and pulse crops

Reason. A gene incorporated in the bacterial chromosomal genome gets automatically transferred to the crop with which the bacterium is associated.

A. both are true with reason being correct

explanation

B. both true but reason is not correct

explanation

C. assertion is true but reason is wrong

D. both are wrong

**Answer: D**



**Watch Video Solution**

**68.** Assertion. In recombinant DNA technology, human genes are often transferred into bacteria or yeast.

Reason. Both bacteria and yeast multiply very fast to form huge population which expresses the desired gene

- A. both are true with reason being correct explanation
- B. both true but reason is not correct explanation
- C. assertion is true but reason is wrong
- D. both are wrong

**Answer: A**



**Watch Video Solution**

**69.** Enzyme used in recombinant DNA technology (RDT) is

A. Ligases

B. Polymerase

C. Restriction endonuclease

D. Helicases

**Answer: C**



**Watch Video Solution**

**70.** Golden Rice will help in

A. Producing petrol-like fuel

B. Pest resistance

C. Herbicide tolerance

D. Alleviation of vitamin A deficiency

**Answer: D**



**Watch Video Solution**

71. Restriction endonucleases used widely in RDT are obtained from

- A. Plasmids
- B. Bacterial cells
- C. Bacteriophages
- D. All prokaryotic cells

**Answer: B**



**Watch Video Solution**

72. SCID is caused by defective gene coding for enzyme

- A. Adenosine deaminase
- B. Adensoine transaminase
- C. Adenosine transferase
- D. Guanosine transaminase

**Answer: A**



**Watch Video Solution**

73. Herbicide resistant gene is

A. Ct

B. Mt

C. Bt

D. GST

**Answer: D**



**Watch Video Solution**



74. Vitamin A rich transgenic plant is

A. Flavr Savr Tomato

B. Golden Rice

C. Bt Cotton

D. Vaccinated Potato

**Answer: B**



**Watch Video Solution**

75. Restriction endonucleases are called so as they

- A. Synthesize DNA
- B. Restrict nuclear activity
- C. Cleave DNA into fragments
- D. Break DNA at random.

**Answer: C**



**Watch Video Solution**

76. A plant expressing a gene from another organism is

- A. Transgenic
- B. Clone
- C. Somaclonal variant
- D. Transformed

**Answer: A**



**Watch Video Solution**

77. Bt gene is got from

A. Brassica napus

B. Bacillus thuringiensis

C. Azolla

D. Rhizobium

**Answer: B**



**Watch Video Solution**

**78.** Recombinant DNA or r DNA technology was discovered by

A. Khorana

B. Bateson and de Vries

C. Sutton and Avery

D. Cohen and Boyer

**Answer: D**



**Watch Video Solution**

79. Which one is a wrong statement

A. Transposons were visualised by Barbara  
Mc-Clintock

B. DNA ligases are used to cleave DNA  
molecules

C. Udder cell was used to produce cloned  
sheep

D. In pedigree analysis, a person  
immediately affected is called propositus

**Answer: B**



**Watch Video Solution**

**80. Genomic DNA library is**

A. Packing of donor DNA in a collection of  
vectors

B. A collection of gene vectors

C. Collection of organisms for extracting  
DNA

D. A collection of literature about DNA

**Answer: A**



**Watch Video Solution**

**81.** A technique which involves deliberate manipulation of genes within or between species is called:

A. Gene therapy

B. Tissue culture



C. Hybridoma technology

D. Genetic engineering

**Answer: D**



**Watch Video Solution**

**82.** Plasmids are used as vectors in genetic engineering because of their

A. Resistance to antibiotics

B. Resistance to restriction enzymes

C. Ability to carry foreign genes

D. Ability to cause infection in host

**Answer: C**



**Watch Video Solution**

**83.** Genetically engineered microorganism used successfully in bioremediation of oil spills is:

A. Trichoderma

B. Xanthomonas

C. Bacillus

D. Pseudomonas

**Answer: D**



**Watch Video Solution**

**84.** First hormone produced artificially by culturing bacteria is

A. Insulin

B. Thyroxine

C. Testosterone

D. Adrenaline

**Answer: A**



**Watch Video Solution**

**85.** Plasmids are suitable vectors for gene cloning because they are

- A. Small circular DNA molecules with their own origin of replication site
- B. Small circular DNA molecules which can integrate with host chromosomal DNA
- C. Having antibiotic genes
- D. Able to shuttle between prokaryotic and eukaryotic cells

**Answer: A**



**Watch Video Solution**

**86.** Match the column and find the correct combination

- | I                                 | II                                  |
|-----------------------------------|-------------------------------------|
| (a) <i>Bacillus thuringiensis</i> | 1. Production of chitinases         |
| (b) <i>Rhizobium meliloti</i>     | 2. Scavenging of oil spills         |
| (c) <i>Escherichia coli</i>       | 3. Incorporation of <i>nif</i> gene |
| (d) <i>Pseudomonas putida</i>     | 4. Production of Bt toxin           |
| (e) <i>Trichoderma</i>            | 5. Production of human insulin      |

A. a-2, b-4, c-1, d-5, e-3

B. a-2, b-4, c-5, d-1, e-3

C. a-4, b-3, c-5, d-2, e-1

D. a-4, b-2, c-5, d-3, e-1

**Answer: C**



**Watch Video Solution**

**87.** Construction of first recombinant DNA was done by using plasmid of

- A. *Salmonella typhimurium*
- B. *Escherichia coli*
- C. *Bacillus thuringiensis*
- D. Yeast

**Answer: B**



**Watch Video Solution**

**88.** Select DNA sequence which would act as a restriction site

A.  $\frac{AACCGG}{TTGGCC}$

B.  $\frac{GGTTGG}{CCAACC}$

C.  $\frac{AAGGCT}{TTCCGA}$

D.  $\frac{CTGCAG}{GACGTC}$



**Answer: D**



**Watch Video Solution**

**89.** In gel electrophoresis, differential mobility of DNA depends upon

- A. Helical nature of DNA
- B. Double stranded nature DNA
- C. Charge and size of DNA
- D. Hydrogen bonding between bases

**Answer: C**



**Watch Video Solution**

**90.** Which one is cloning plasmid, not an expression plasmid

A. pBAD - 18 - Cam

B. pBCSK

C. pUC 18

D. pET

**Answer: C**



**Watch Video Solution**

**91.** Bacteria protect themselves from viruses by fragmenting viral DNA with

A. Endonuclease

B. Exonuclease

C. Gyrase

D. Ligase

**Answer: A**



**Watch Video Solution**

**92.** The technique of production of monoclonal antibodies was developed by

A. Watson and Crick

B. Milstein and Kohler

C. Bentham and Hooker

D. Meischer

**Answer: B**



**Watch Video Solution**

**93.** In plant biotechnology, root tumours are induced by

A. *Rhizobium*

B. *Agrobacterium tumefaciens*

C. *Agrobacterium rhizogenes*

D. *Agrobacterium basillis*

**Answer: C**



**Watch Video Solution**

**94.** A transgenic plant having higher storage protein is

A. Rice

B. Maize

C. Tomato

D. Potato

**Answer: D**



**Watch Video Solution**

**95.** First step in Southern blot technique is

- A. Digestion of DNA by restriction enzyme
- B. Production of a group of genetically  
identically cells
- C. Denaturation of DNA on the gel for  
hybridisation with specific probe

D. Denaturation of DNA from a nucleated cell as from the scene of crime

**Answer: A**



**Watch Video Solution**

**96.** Which is obtained from genetic engineering

A. Glucose

B. Haemoglobin



C. Golden Rice

D. None of the above

**Answer: C**



**Watch Video Solution**

**97.** Which is used in production of insulin by genetic engineering

A. Rhizobium

B. Saccharomyces

C. Mycobacterium

D. Escherichia

**Answer: D**



**Watch Video Solution**

**98. Which one is not a biofertilizer**

A. Azotobacter

B. Azolla

C. Bacillus thuringiensis

D. Clostridium

**Answer: C**



**Watch Video Solution**

**99.** Which is correctly matched

A. Central dogma - codon

B. RNA polymerase - RNA primer

C. Okazaki fragments - splicing

D. Restriction enzyme - genetic engineering

**Answer: D**



**Watch Video Solution**

**100.** Golden Rice is variety rich in

- A.  $\beta$ -Carotene and ferritin
- B. Lysine
- C. Vitamin C
- D. Biotin

**Answer: A**



Watch Video Solution

**101.** What are correctly matched :

1. Ligase - Joins short segments of DNA together

2. DNA polymerase - cuts DNA at specific site

3. Helicase - breaks hydrogen bond between complementary pairs during DNA replication

A. 1,2,3 correct

B. 1,2 correct

C. 2,3 correct

D. 1, 3 correct

**Answer: D**



**Watch Video Solution**

**102.** Main objective of production of herbicide resistant GM crops is to

A. Encourage ecofriendly herbicides

B. Reduce herbicide accumulation in food articles for health safety

C. Eliminate weeds from fields without the use of manual labour

D. Eliminate weeds from fields without the use of herbicides.

**Answer: C**



**Watch Video Solution**

**103.** Which of the following has not been synthesized by DNA technology ?

A. Insulin

B. Haemoglobin

C. Somatostatin

D. Interferon

**Answer: B**



**Watch Video Solution**

**104.** Disorder in which B-lymphocytes and T-lymphocytes are not formed in:



A. AIDS

B. SCID

C. Cystic fibrosis

D. Muscular dystrophy

**Answer: B**



**Watch Video Solution**

**105.** Transgenic hirudin is obtained from:

A. *Ocimum sanctum*

B. Brassica napus

C. Potato

D. Tomato

**Answer: B**



**Watch Video Solution**

**106.** In cloning experiments cDNA molecules can be obtained from an mRNA copy by

A. Polymerase chain reaction

B. Reverse transcriptase

C. Ribozyme

D. DNA-RNA hybridisation.

**Answer: B**



**Watch Video Solution**

**107.** Which is employed for synthesis of monoclonal antibody by hybridisation technique

A. RBC

B. Liver cells

C. Tumour cells

D. Nerve cells

**Answer: C**



**Watch Video Solution**

**108.** Restriction enzymes are also called

A. Molecular markers

B. Vectors

C. Carriers

D. Molecular scissors

**Answer: D**



**Watch Video Solution**

**109.** Isolation of Bt gene from bacterium *Bacillus thuringiensis* was undertaken in year

A. 1977

B. 1980

C. 1997

D. 1990

**Answer: B**



**Watch Video Solution**

**110.** Which of these is used as vector in gene therapy for SCID

A. Retrovirus

B. Enterovirus

C. Arbovirus

D. Rotavirus

**Answer: A**



**Watch Video Solution**

**111.** Product of biotechnology is

A. Transgenic crop

B. Biofertilizer

C. Humulin

D. All the above

**Answer: D**



**Watch Video Solution**

**112.** Which is used in recombinant DNA technology ?

A. Virus

B. Capsid of virus



C. Cell wall of virus

D. Gene which produces capsid of virus

**Answer: B**



**Watch Video Solution**

**113.** A correct pair of characteristics of molecular probe are

(A) Very long molecule

(B) Double stranded

(C) DNA or RNA

(D) Complementary to a part of desired gene.

A. a, b

B. b, c

C. c, d

D. d, a

**Answer: C**



**Watch Video Solution**

**114.** The bacterium *Bacillus thuringiensis* is widely used in contemporary biology as

- A. Source of industrial enzyme
- B. Insecticide
- C. Indicator of water pollution
- D. Agent for production of dairy products.

**Answer: B**



**Watch Video Solution**

**115.** Transgenic plants are the ones

A. Grown on artificial medium after hybridisation in the field

B. Produced after protoplast fusion in artificial medium

C. Produced by somatic embryo on artificial medium

D. Generated by introducing foreign DNA into a cell and regenerating plant from that cell.

**Answer: D**



**Watch Video Solution**

**116.** What is true of Bt toxin ?

- A. The concentrated bacillus has antitoxins
- B. The inactive protoxin gets converted into active form in the insect gut
- C. Bt protein exists as active toxin in the bacillus

D. The activated toxin enters the ovaries of the pest to sterilize it and this prevents its multiplication.

**Answer: B**



**Watch Video Solution**

**117.** The genetic defect-adenosine deaminase (ADA) deficiency may be cured permanently by

- A. Introducing bone marrow cells producing (ADA) into cells at an early embryonic stages
- B. Administrating adenosine deaminase activators
- C. Periodic infusion of genetically engineered lymphocytes having functional ADA cDNA
- D. Enzyme replacement therapy.

**Answer: A**



[Watch Video Solution](#)

**118.** Polymerase chain reaction employs

- A. Primers and DNA ligase
- B. DNA ligase only
- C. DNA polymerase only
- D. Primers and DNA polymerase

**Answer: D**



[Watch Video Solution](#)



**119.** Bt toxin is

- A. Protein
- B. Carbohydrate
- C. Lipid
- D. Enzyme

**Answer: A**



**Watch Video Solution**

**120.** Biopiracy is

A. Exploitation of bioresources

B. Patenting bioresources of others

C. Use of bioresources without  
authorisation

D. Both B and C

**Answer: D**



**Watch Video Solution**

**121.** Genetic engineering has helped in production of

A. Thyroxine

B. Insulin

C. Parathormone

D. Epinephrine

**Answer: B**



**Watch Video Solution**

**122.** Some of the steps involved in production of humulin are given below. Choose the correct sequence

(i) Synthesis of insulin gene artificially

(ii) Culturing recombinant *E. coli* in bioreactors

(iii) Purification of humulin

(iv) Insertion and human insulin gene into plasmid

(v) Introduction of recombinant plasmid into *E. coli*

(vi) Extraction of recombinant gene product from *E. coli*.

A. ii, i, iv, iii, v, vi

B. i, iv, v, ii, vi, iii

C. i, iii, v, vi, ii, iv

D. iii, v, ii, i, vi, iv

**Answer: B**



**Watch Video Solution**

**123.** Golden/transgenic Rice is rich in

A. Vitamin A

B. Vitamin B

C. Vitamin C

D. Vitamin D

**Answer: A**



**Watch Video Solution**

**124.** Bt-cotton genes repel:

A. Bacterial pathogens

B. Fungal pathogens

C. Nematode parasites

D. Insect pests

**Answer: D**



**Watch Video Solution**

**125.** Restriction enzyme was discovered by

A. Alexander Fleming

B. Smith and Nathans

C. Berg

D. Waksman

**Answer: B**



**Watch Video Solution**

**126.** Vaccines prepared through recombinant DNA technology are called:

- A. First generation vaccines
- B. Second generation vaccines
- C. Third generation vaccines



D. None of the above

**Answer: C**



**Watch Video Solution**

**127.** Salt tolerant transgenic has been developed for

A. Brinjal

B. Potato

C. Tomato

D. Grape

**Answer: C**



**Watch Video Solution**

**128.** Insect tolerant gene from *Bacillus thuringiensis* is introduced using Ti plasmid of

A. *Escherichia coli*

B. *Agrobacterium tumefaciens*

C. *Haemophilus influenzae*

D. *Arabidopsis thaliana*

**Answer: B**



**Watch Video Solution**

**129.** Which of the following is a transgenic plant

A. Flavr Savr

B. *Ashbya gossypii*

C. *Meloidogyne incognita*

D. *Gluconobacter oxidans*

**Answer: A**



**Watch Video Solution**

**130.** GAATTC is recognition site of restriction endonuclease

A. Hind III

B. Eco RI

C. BamH I

D. Hae III

**Answer: B**



**Watch Video Solution**

**131.** In recombinant DNA technology, the term vector refers to

A. Plasmids that can transfer foreign DNA  
into a living cell

B. Cosmids that can cut DNA at specific  
base sequence

C. Plasmids that can join different DNA  
fragments

D. Cosmids that can degrade harmful  
proteins

**Answer: A**



**Watch Video Solution**

**132.** First genetically modified Bt plant commercially released in India is

A. Golden Rice

B. Bt Brinjal

C. Slow ripening Tomato

D. Bt cotton

**Answer: D**



**Watch Video Solution**

**133.** cryII Ab and cry I Ab produce toxins that control:

A. Cotton bollworms and corn borer  
respectively

B. Corn borer and cotton bollworms  
respectively

C. Tobacco budworms and nematodes  
respectively

D. Nematodes and tobacco budworms  
respectively



**Answer: A**



**Watch Video Solution**

**134. Vector for T-DNA is**

- A. *Salmonella typhimurium*
- B. *Thermus aquaticus*
- C. *Agrobacterium tumefaciens*
- D. *Escherichia coli*

**Answer: C**



Watch Video Solution

**135.** PCR technique was invented by

A. Boyer

B. Karry Mullis

C. Cohen

D. Sanger

**Answer: B**



Watch Video Solution

**136.** Autonomously replicating circular extrachromosomal DNA is called

A. Chromatin

B. Plasmid

C. Palindromic nucleotide sequence

D. Nucleoid

**Answer: B**



**Watch Video Solution**

**137.** Crystal of Bt toxin produced by some bacteria do not kill the bacteria because

- A. Bacteria are resistant to the toxin
- B. Toxin is inactive
- C. Toxin is immature
- D. Bacteria enclose toxin in a special sac.

**Answer: B**



**Watch Video Solution**

**138.** Transgenic animals have been used:

- A. For testing safety of vaccines
- B. For testing toxicity of drugs
- C. To produce useful biological products
- D. All the above

**Answer: D**



**Watch Video Solution**

**139.** Maturation of proinsulin into insulin takes place after

- A. Joining of c-peptide
- B. Removal of c-peptide
- C. Removal of disulphide bridge
- D. Addition of disulphide bridge

**Answer: B**



**Watch Video Solution**

**140.** Which is true

- A. Centromere is found in animal cells which produces aster during cell division
- B. Insulin gene is present in every body cell
- C. Nucleosome is formed of nucleotides
- D. DNA has a core of eight histones

**Answer: B**



**Watch Video Solution**

**141.** Which is used in gene cloning

A. Lysosomes

B. Mesosomes

C. Plasmids

D. Nucleotides

**Answer: C**



**Watch Video Solution**



**142.** Which can be used as vector for transfer of DNA segment

(a) bacterium, (b) plasmid

(c) plasmodium , (d) bacteriophage

A. a, b and d

B. a only

C. a and c

D. b and d

**Answer: D**



Watch Video Solution

**143.** GM Bt brinjal has been developed in India for

- A. Enhancing shelf life
- B. Enhancing mineral content
- C. Drought resistance
- D. Insect resistance

**Answer: D**



**Watch Video Solution**

**144.** Some of the characteristics of Bt-cotton are :

- A. Medium yield, long fibre and resistance to beetle pests
- B. High yield and production of toxic protein crystals which kill dipteran pests
- C. High yield and resistance to bollworms
- D. Long fibre and resistance to aphids

**Answer: B**



Watch Video Solution

**145.** An improved variety of transgenic basmati rice

- A. Gives high yield and is rich in vitamin A
- B. Is completely resistant to all insect pests and disease of paddy
- C. Gives high yield but has no characteristic aroma

D. Does not require chemical fertilizers and growth hormones.

**Answer: A**



**Watch Video Solution**

**146.** Which one of the following is used as vector for cloning into higher organisms ?

A. *Salmonella typhimurium*

B. *Rhizopus nigricans*

C. Retrovirus

D. Baculovirus

**Answer: C**



**Watch Video Solution**

**147.** Stirred-tank bioreactors have been designed for

A. Purification of the product

B. Ensuring anaerobic conditions in the culture vessel

C. Availability of oxygen throughout the process

D. Addition of preservatives to the product.

**Answer: C**



**Watch Video Solution**

**148.** Satellite DNA is useful tool in

A. Sex determination

B. Forensic science

C. Genetic engineering

D. Organ transplantation

**Answer: B**



**Watch Video Solution**

**149.** Which one of the following palindromic base sequences in DNA can be easily cut a



about the middle by some particular restriction enzyme ?

A. 5'.....GATATG.....3'

3'.....CTACTA.....5'

B. 5'.....GAATTC.....3'

3'.....CTTAAG.....5'

C. 5'.....CACGTA.....3'

3'.....CTCAGT.....5'

D. 5'.....CGTTCG.....3'.....ATGGTA.....5'

**Answer: B**



Watch Video Solution

**150.** Genetic engineering has been successfully used for producing

A. Transgenic models for studying new treatments for certain cardiac diseases

B. Transgenic cow, Rosie, which produces high fat milk for making ghee

C. Animals like bulls for farm work as they have super power

D. Transgenic mice for testing safety of polio vaccine before use in humans.

**Answer: D**



**Watch Video Solution**

**151.** DNA or RNA segment tagged with a radioactive molecule is called :

A. Probe

B. Clone

C. Plasmid

D. Vector

**Answer: A**



**Watch Video Solution**

**152.** Which is correct about genetically modified sugar by America

A. Obtained patent of bacterial germplasm

- B. Braszzein obtained from *Gymnema sylvestre* is used in Maize
- C. Protein obtained from Lantana plant of Africa is used in Maize
- D. Brazzein protein obtained from African plant is used in Maize.

**Answer: D**



**Watch Video Solution**

**153.** Illegal and unlawful development of biomaterials without payment to inhabitants of their region is called:

- A. Biopatent
- B. Biotechnology
- C. Biowar
- D. Biopiracy

**Answer: D**



**Watch Video Solution**

**154.** Main aim of human genome project is to

A. Introduce new genes into human beings

B. Identify and sequence all the genes present in human DNA

C. Develop better techniques to compare two human DNAs

D. Remove disease causing genes from human DNA

**Answer: B**

---



[Watch Video Solution](#)

**155.** Source of Taq polymerase used in PCR is a

- A. Thermophilic fungus
- B. Mesophilic fungus
- C. Thermophilic bacterium
- D. Halophilic bacterium

**Answer: C**



[Watch Video Solution](#)



**156.** The complementary synthetic and random DNA are used as :

- A. Cloning vectors
- B. Recombinant DNA
- C. Transposons
- D. Passenger DNA

**Answer: D**



**Watch Video Solution**

**157.** Transgenic animals are those which have

A. Foreign DNA in some of its cells

B. Foreign DNA in all its cells

C. Foreign RNA in all its cells

D. DNA and RNA both in the cells

**Answer: B**



**Watch Video Solution**

**158.** Bollworms attacks

A. Bt cotton

B. Tomato

C. Cotton

D. Bacillus thuringiensis

**Answer: C**



**Watch Video Solution**

**159.** Golden colour of Rice is due to occurrence of

A. Vitamin A

B. Vitamin C

C. Vitamin K

D. Vitamin  $B_6$

**Answer: A**



**Watch Video Solution**

**160.** Flavr Savr Tomato has increased

A. Productivity

B. Vigour

C. Shelf life

D. Flowering period

**Answer: C**



**Watch Video Solution**

**161.** Hybridoma is connected with:

A. Growth of cancer

B. Monoclonal antibody formation

C. Antibody-antigen interaction

D. Activity of NK cells

**Answer: B**



**Watch Video Solution**

**162.** Biolistic technique is used in :

A. Tissue culture process

B. Hybridisation process

C. Germplasm conservation process

D. Gene transfer process

**Answer: D**



**Watch Video Solution**

**163.** The ends of DNA fragments are sticky due to

A. Unpaired bases

B. Free methylation

C. Endonuclease

D. Calcium ions

**Answer: A**



**Watch Video Solution**

**164.** Which transgenic animal has been given human genes for organ transplantation into humans without risk of rejection ?

A. Cow

B. Sheep



C. Goat

D. Pig

**Answer: D**



**Watch Video Solution**

**165.** In hybridoma technology

A. B-cells are fused with myeloma cells

B. T-cells are fused with myeloma cells

C. T-cells are fused with B-cells

D. None of the above

**Answer: A**



**Watch Video Solution**

**166.** Recombinant DNA bearing ampicillin resistance gene is passed in *E. coli*. The latter are spread on agar plates containing ampicillin. Then

A. Both transformed and untransformed cells die

B. Both transformed and untransformed cells grow

C. Transformed recipient cells grow and untransformed cells die

D. Transformed recipient cells die and untransformed cells grow.

**Answer: C**



**Watch Video Solution**

**167.** Thermostable enzymes 'Taq and Pfu' isolated from thermophilic bacteria are

- A. DNA polymerase
- B. DNA ligases
- C. Restriction endonuclease
- D. RNA polymerases

**Answer: A**



**Watch Video Solution**

**168.** Bt toxin is not toxic to human beings as

A. The toxin recognises only insect specific targets

B. Bt toxin activation requires temperature above human body temperature

C. Bt toxin formation from pro-Bt state requires pH lower than one present in human stomach

D. Conversion of pro-Bt to Bt state takes place only in highly alkaline conditions

**Answer: D**



**Watch Video Solution**

**169.** Which one is not used for early molecular diagnosis

A. Polymerase chain reaction

B. Polyacrylamide gel electrophoresis

C. Recombinant DNA technology

D. Enzyme linked immunosorbent assay

**Answer: C**



**Watch Video Solution**

**170.** GMO technology is useful for

A. Making crops more tolerant to abiotic stresses

B. Helping to reduce post-harvest losses

C. Enhancing nutritional value of food

D. All the above

**Answer: D**



**Watch Video Solution**

**171.** DNA polymerase or taq enzyme used in PCR is isolated from

A. *Thermus aquaticus*

B. *E. coli*



C. *Salmonella typhimurium*

D. None of the above

**Answer: A**



**Watch Video Solution**

**172.** Cyanogen bromide is employed in

A. Genetic finger printing

B. Tissue culture

C. Synthesis of humulin

## D. Hybridoma technology

**Answer: C**



**Watch Video Solution**

**173.** The term "Southern Blotting" refers to

A. Transfer of DNA fragments from in vitro  
cellulose membrane to electrophoretic  
gel

B. Attachment of probes to DNA fragments

C. Transfer of DNA fragments from electrophoretic gel to nitrocellulose sheet

D. Comparison of DNA fragments from two sources.

**Answer: B**



**Watch Video Solution**

**174.** "World Intellectual Property Day" is observed on

A. February 29th

B. April 26th

C. June 30th

D. September 5th

**Answer: B**



**Watch Video Solution**

**175.** The protein  $\alpha - 1$  antitrypsin is used to treat the disease

- A. Cancer
- B. Rheumatoid arthritis
- C. Alzheimer's disease
- D. Emphysema

**Answer: D**



**Watch Video Solution**

176. Which is correctly matched

A. *Agrobacterium tumefaciens* - Tumour

B. pBR 322-Enzyme

C. *Thermus aquaticus*-Bt gene

D. Ligase - Molecular scissors

**Answer: A**



**Watch Video Solution**

177. Gene amplification using primers can be done by :

A. Microinjection

B. ELISHA

C. Polymerase chain reaction

D. Gene gun

**Answer: C**



**Watch Video Solution**

**178.** PCR proceeds in three distinct steps governed by temperature they are in order of :

- A. Denaturation, synthesis, annealing
- B. Annealing, synthesis, denaturation
- C. Synthesis, annealing, denaturation
- D. Denaturation, annealing, synthesis

**Answer: A**



**Watch Video Solution**



**179. Elisha**

- A. Uses complement mediated cell lysis
- B. Uses radiolabelled second antibody
- C. Involves addition of substrate which is converted into coloured end product
- D. Requires RBCs

**Answer: C**



**Watch Video Solution**

**180.** A regulatory body working under MoEF for the release of transgenic crops is:

A. NBPGR

B. NSC

C. NIPGR

D. GEAC

**Answer: D**



**Watch Video Solution**

**181.** The problem of blindness in poor countries can be taken care of by using the following:

- A. Golden Rice
- B. Transgenic Maize
- C. Transgenic Tomato
- D. Bt Brinjal

**Answer: A**



**Watch Video Solution**

**182.** Protein products of Bt genes cry IAc and cry II Ab control

A. Roundworm

B. Moth

C. Bollworm

D. Fruitfly

**Answer: C**



**Watch Video Solution**

**183.** This is a restriction endonuclease called EcoRI. What does "co" part in it stand for

A. Coenzyme

B. coli

C. Colon

D. Coelom

**Answer: B**



**Watch Video Solution**

**184.** The process of RNA interference has been used in the development of plants resistant to

A. Viruses

B. Insects

C. Fungi

D. Nematodes

**Answer: D**



**Watch Video Solution**

**185.** Maximum number of existing transgenic animals is of:

A. Cow

B. Pig

C. Mice

D. Fish

**Answer: C**



**Watch Video Solution**

**186.** Agarose extracted from sea weeds finds use in

A. PCR

B. Gel electrophoresis

C. Spectrophotometry

D. Tissue culture

**Answer: B**



**Watch Video Solution**



**187.** Read statements a-d. Which two of them have mistakes

(a) First transgenic buffalo Roise produced milk which was human alpha-lactalbumin enriched

(b) Restriction enzymes are used in isolation of DNA from other macromolecules

(c) Downstream processing is one of the steps of rDNA technology

(d) Disarmed pathogen vectors are also used in transfer of rDNA into the host

A. b and c

B. c and d

C. a and c

D. a and b

**Answer: D**



**Watch Video Solution**

**188.** Which technique made it possible to genetically engineer living organisms

A. Recombinant DNA techniques

B. Heavy isotope labelling

C. X-ray diffraction

D. Hybridisation

**Answer: A**



**Watch Video Solution**

**189.** *Bacillus thuringiensis* forms crystals which contain insecticidal protein. This protein

- A. Binds with epithelial cells of mid gut of the insect pest ultimately killing it
- B. Is coded by several genes including the gene cry
- C. Is activated by acid pH of the foregut of the insect pest
- D. Does not kill the carrier bacterium which is itself resistant to the toxin.

**Answer: A**



**Watch Video Solution**

**190.** What is the source of EcoRI

- A. Escherichia coli RI
- B. Escherichia coli RI 13
- C. Escherichia coli RX 13
- D. Escherichia coli RY 13

**Answer: D**



**Watch Video Solution**

**191.** Which is correct match the phenomenon and its explanation

A. Central dogma-RNA  $\rightarrow$  RNA DNA  $\rightarrow$

Protein  $\rightarrow$  RNA`

B. Reverse transcription - PCR - Many copies

of DNA sequence

C. Transcription - Formation of RNA

proteins

D. RNA silencing - Use of dsRNA

**Answer: B**



Watch Video Solution

**192.** First clinical application of gene therapy was used in 1992 over a four year old girl for

- A. Adenosine deficiency
- B. Adenine deficiency
- C. Growth deficiency
- D. Adenosine deaminase deficiency

**Answer: D**



**193.** Assertion: A gene from bacillus thuringiensis is incorporated in plant genome to increases yeild.

Reason : it is Bt toxin producing genw which kills larvae of insects.

A. if both are true with reason being correct explanation

B. both are true but reason is not correct explanation



C. assertion is true but reason is wrong

D. both are wrong

**Answer: A**



**Watch Video Solution**

**194.** The most abundant prokaryotes helpful to humans in making curd from milk and in production of antibiotics are the ones categorised as

A. Archaeobacteria

B. Cyanobacteria

C. Heterotrophic bacteria

D. Chemoautotrophs


**Answer: C**



**Watch Video Solution**

**195.** The figure below is the diagrammatic representation of the E.coli vector pBr 322. which one of the given options correctly

identifies its certain component (s)



A.  $rop$ -reduced osmotic pressure

B. Hind III, EcoRI - selectable markers

C.  $amp^R$ ,  $tet^R$  - antibiotic resistance genes

D.  $ori$  - original restriction enzyme

**Answer: C**



**Watch Video Solution**

**196.** *Monascus purpureus* is a yeast used commercially in the production of

A. Ethanol

B. Citric acid

C. Streptokinase for removing clots in  
blood vessels

D. Blood cholesterol lowering statins

**Answer: D**



**Watch Video Solution**

**197.** A patient brought to a hospital with myocardial infraction is normally immediately given

A. Streptokinase

B. Cyclosporin -A

C. Statins

D. Penicillin

**Answer: A**



**Watch Video Solution**

**198.** Which is wrongly matched

A. Somatic hybridisation - Fusion of two  
diverse cells

B. Vector DNA-Site for tRNA synthesis

C. Micropropagation-In vitro production of plants in large number

D. Callus-Unorganised mass of produced in tissue culture.

**Answer: B**



**Watch Video Solution**

**199.** What is true about DNA polymerase used in PCR

- A. It is used to ligate introduced DNA in recipient cells
- B. It serves as selectable marker
- C. It is isolated from a virus
- D. It is active at high temperature

**Answer: D**



**Watch Video Solution**



**200.** Microparticles for coating with DNA to be bombarded with gene gun are made of

- A. Silver or platinum
- B. Platinum or zinc
- C. Silicon or platinum
- D. Gold or tungsten

**Answer: D**



**Watch Video Solution**

**201.** Basic principle for developing transgenic plants and animals is to introduce the gene of interest into nucleus of

- A. Body cell
- B. Vegetative cell
- C. Germ cell
- D. Somatic cell

**Answer: C**



**Watch Video Solution**

202. Melting of DNA at  $70^{\circ}\text{C}$  is due to breakdown of

A. Phosphodiester bonds

B. Hydrogen bonds

C. Glycosidic bonds

D. Disulphide bonds

**Answer: B**



**Watch Video Solution**

**203.** Biolistics (gene-gun) is suitable for

A. Transformation of plant cells

B. Disarming pathogen vectors

C. DNA finger printing

D. Constructing recombinant DNA

**Answer: A**



**Watch Video Solution**

**204.** In genetic engineering, the antibiotics are used


- A. For keeping cultures free of infection
- B. To select healthy vectors
- C. As selectable markers
- D. As sequenes where replication starts

**Answer: C**



**Watch Video Solution**

205. In the three steps (a,b,c) of polymerase chain reaction, select the correct step



A. c- extension in presence of heat stable

DNA polymerase

B. a - annealing with two sets of primers

C. b - denaturation at high temperature

D. a - denaturation at  $50^{\circ}C$

**Answer: D**



**Watch Video Solution**

**206.** Restriction enzyme (s) of recombinant DNA technology that make staggered cuts leaving sticky ends is/are

A. EcoRI

B. Hind III

C. Bam HI

D. All the above

**Answer: D**



**Watch Video Solution**

**207.** Cohen and Boyer isolated an antibiotic resistance gene, by cutting out a piece of DNA from a plasmid which was responsible for conferring antibiotic resistance, in the year

A. 1962

B. 1965

C. 1972



D. 1982

**Answer: C**



**Watch Video Solution**

**208.** Amplification of gene of interest by using DNA polymerase may go upto

A. 0.1 million

B. 1.0 million

C. 1.0 billion

D. 1.0 trillion

**Answer: C**



**Watch Video Solution**

**209.** The 'clot buster' produced by Streptococcus and modified by genetic engineering is

A. Streptokinase

B. Penicillin

C. Cyclosporin A

D. Statins

**Answer: A**



**Watch Video Solution**

**210.** Enzymes necessary for recombinant DNA technology are

A. Endonucleases and polymerases

B. Restriction endonucleases and ligases

C. Peptidases and ligases

D. Restriction endonucleases and topoisomerases.

**Answer: B**



**Watch Video Solution**

**211.** Read a and b and identify correct choice  
Statement a. *Agrobacterium tumefaciens* causes crown gall in dicots  
Statement b.

Agrobacterium tumefaciens enters host  
through wound and injuries

- A. b is correct, a is wrong
- B. Both a and b are wrong
- C. Both a and b are correct
- D. a is correct, b is wrong

**Answer: A**



**Watch Video Solution**

212. In biochemical processes, cDNA is prepared from

- A. B-DNA
- B. hnRNA
- C. Z-DNA
- D. mRNA

**Answer: D**



**Watch Video Solution**

213. Human proteins can be produced in the milk or semen of farm animals. True or false?

A. 1

B. False, proteins cannot be produced in semen

C. False, proteins cannot be produced in milk

D. False, animals are not used for protein production.

**Answer: A**



Watch Video Solution

**214.** In genetic engineering , restriction enzymes are used for cutting

- A. Bacterial DNA only
- B. Eukaryotic DNA
- C. Viral DNA
- D. Any DNA fragment

**Answer: D**





215. Which of the following is used to select genes of interest from a genomic library

- A. Cloning vectors
- B. DNA probes
- C. Gene targets
- D. Restriction enzymes

**Answer: B**



**216.** Tobacco plants resistant to a nematode have been developed by the introduction of DNA that produced (in the host cells):

- A. Both sense and antisense RNA
- B. An antifeedent
- C. A toxic protein
- D. A particular hormone

**Answer: A**



**Watch Video Solution**

**217. Xenograft is a graft**

- A. Between genetically identical individuals
- B. Between individuals of different species
- C. From one individual to another of same species
- D. From one area to another of same individual

**Answer: B**



Watch Video Solution

**218.** Globular protein of  $\sim 6kDa$  consisting of 51 amino acids arranged in two polypeptide chains held by disulphide bridge is

- A. Insulin
- B. Fibrinogen
- C. Glucagon
- D. Keratin

**Answer: A**



Watch Video Solution

**219.** First transgenic plant released for commercial use was

A. Bt Cotton

B. Tobacco

C. Golden rice

D. Solan gola

**Answer: B**



**220.** Gene encoding Bt protein, specific for cotton bollworm is

A. cry II Ac

B. cry II Ab

C. cry IAc

D. cry II Abc

**Answer: C**



**221.** Which is not a pharmaceutical produce obtained through biotechnology

- A. Human insulin
- B. Clotting factor
- C. Cholecystokinin
- D. Human growth hormone

**Answer: C**



**Watch Video Solution**

**222.** This is not a GMO

A. Golden Rice

B. Tracy

C. Bt Brinjal

D. Dolly

**Answer: D**



**Watch Video Solution**



**223.** A genetic disorder can be cured through

A. Gene therapy

B. rDNA technology

C. Embryo transfer

D. Hybridisation technology

**Answer: A**



**Watch Video Solution**

**224.** RNA interference is useful for

A. Micropropagation

B. Cell defence

C. Cell proliferation

D. Cell differentiation

**Answer: B**



**Watch Video Solution**

**225.** Cells obtained from cancerous tumours are known as

- A. Hybridoma
- B. Lymphocyte
- C. Monoclonal cells
- D. Myeloma

**Answer: D**



**Watch Video Solution**

**226.** What are plasmids, often used in genetic engineering

- A. Extrachromosomal DNA
- B. Nuclear DNA
- C. Membrane bound organelle
- D. DNA attached to mitochondria

**Answer: A**



**Watch Video Solution**

## 227. Match the lists and find the correct option

I

- (a) Colony hybridisation
- (b) Gel electrophoresis
- (c) Gradient centrifugation
- (d) Polymerase chain reaction

II

- 1. Transfer of recombinant DNA into host cell
- 2. Selection of cells containing the desired gene
- 3. Separation of DNA fragments
- 4. Purification of DNA
- 5. Gene cloning in thermocycler

A. a-4, b-5, c-2, d-3

B. a-1, b-2, c-3, d-4

C. a-2, b-3, c-4, d-5

D. a-3, b-4, c-5, d-2

**Answer: C**



**Watch Video Solution**

**228.** Match the lists and find the correct option

- | I                                   | II                                  |
|-------------------------------------|-------------------------------------|
| (a) Transgenic potato               | 1. Resistant to <i>Phytophthora</i> |
| (b) Transgenic golden rice 'Taepei' | 2. Bruise resistant                 |
| (c) Transgenic tomato 'flavr Savr'  | 3. Resistant to insects             |
| (d) Transgenic papaya               | 4. Rich in vitamin A                |
|                                     | 5. Resistant to ring spot virus     |

**A. a-1, b-4, c-2, d-5**

B. a-1, b-4, c-3, d-2

C. a-1, b-4, c-2, d-3

D. a-5, b-4, c-2, d-3

**Answer: A**



**Watch Video Solution**

**229.** The colonies of recombinant bacteria appear white in contrast to blue colonies of non-recombinant bacteria because of

A. Inactivation of glycosidase enzyme in recombinant bacteria

B. Nonrecombinant bacteria contain beta galactosidase

C. Insertional inactivation of alpha-galactosidase in nonrecombinant bacteria

D. Insertional inactivation of alpha-galactosidase in recombinant bacteria.

**Answer: D**





Watch Video Solution

**230.** Which is not correctly matched organisms and its cell wall degrading enzyme

- A. Fungi - chitinase
- B. Bacteria - lysozyme
- C. Plant cells - cellulase
- D. Algae - methylase

**Answer: D**



**231.** DNA fragments generated by restriction endonucleases in a chemical reaction can be separated by

- A. Restriction mapping
- B. Centrifugation
- C. Polymerase chain reaction
- D. Agarose gel electrophoresis

**Answer: D**



[Watch Video Solution](#)

**232.** During the process of isolation of DNA, chilled ethanol is added to

- A. Break open the cell to release DNA
- B. Facilitate action of restriction enzymes
- C. Remove proteins such as histones
- D. Precipitate DNA

**Answer: D**



[Watch Video Solution](#)

**233.** Which vector is used to replace defective gene in gene therapy

A. Cosmid

B. Ri plasmid

C. Ti plasmid

D. Adenovirus

**Answer: D**



**Watch Video Solution**

**234.** RNA interference involves

- A. Silencing of specific mRNA due to complementary RNA
- B. Interference of RNA in synthesis of DNA
- C. Synthesis of mRNA from DNA
- D. Synthesis of cDNA from RNA using reverse transcriptase

**Answer: A**



**Watch Video Solution**

**235.** Which cleaves DNA at specific sites producing sticky ends

- A. Clearing enzyme
- B. Proteases
- C. Lyases
- D. Restriction endonuclease

**Answer: D**



**Watch Video Solution**

**236.** The technique used to make numerous copies of a specific segment of DNA quickly and accurately is

- A. Ligase chain reaction
- B. Transcription
- C. Polymerase chain reaction
- D. Translation

**Answer: C**



**Watch Video Solution**

**237.** In PCR, Taq polymerase is used between

A. Extraction and denaturation

B. Denaturation and annealing

C. Annealing and extension

D. Extension and amplification

**Answer: C**



**Watch Video Solution**



**238. YAC is**

- A. Yeast artificial colony
- B. Yeast artificial chromosome
- C. Yeast artificial cell
- D. None of the above

**Answer: B**



**Watch Video Solution**

**239.** Which technique is used in separating fragments of DNA

- A. Eastern blotting
- B. Western blotting
- C. Northern blotting
- D. Southern blotting

**Answer: D**



**Watch Video Solution**

240. At which temperature a DNA molecule is denatured by heat in PCR

A.  $70^{\circ} - 80^{\circ} C$

B.  $90^{\circ} - 95^{\circ} C$

C.  $42^{\circ} C$

D.  $50^{\circ} - 65^{\circ} C$

**Answer: B**



**Watch Video Solution**

241. Which statement is suitable for  $tet^R$  gene

- A. It has Pst - I recognition site
- B. It has Bam HI and Sal-I recognition sites
- C. It has tet III recognition sites
- D. None of the above

**Answer: B**



**Watch Video Solution**

242. E. coli having plasmids for production of human insulin is cultured in medium containing

A. Glucose

B. Maltose

C. Lactose

D. Sucrose

**Answer: C**



**Watch Video Solution**

**243.** EcoRI cleaves DNA strands to produce

- A. Blunt ends
- B. Sticky ends
- C. Satellite cells
- D. ori replication end

**Answer: B**



**Watch Video Solution**

**244.** Match the column and find the correct answer

- | I                             | II                      |
|-------------------------------|-------------------------|
| (a) Restriction endonucleases | (p) Kohler and Milstein |
| (b) Polymerase chain reaction | (q) Alec Jeffreys       |
| (c) DNA finger printing       | (r) Arber               |
| (d) Monoclonal antibodies     | (s) Karry Mullis        |

A. a-r, b-s, c-q, d-p

B. a-r, b-q, c-s, d-p

C. a-q, b-r, c-s, d-p

D. a-q, b-s, c-r, d-q

**Answer: A**



Watch Video Solution

245. In the technique of recombinant insulin production, the genes for  $\alpha$ - and  $\beta$ -polypeptides were inserted into the plasmid by the side of

- A. Antibiotic resistance gene
- B. Lac Z promoter gene
- C.  $\beta$ -galactosidase gene
- D. Ori



**Answer: C**



**Watch Video Solution**

**246.** Which is a cloning vector

- A. Amp<sup>r</sup> and Tet<sup>r</sup> loci
- B. Ori minus pBR 322
- C. DNA of *Salmonella typhimurium*
- D. Ti plasmid

**Answer: D**



Watch Video Solution

247. Genetically modified crops can be produced by

A. Recombinant DNA technology

B. Somatic hybridisation

C. Cross breeding

D. Micropropagation

**Answer: A**



248. Which of the following restriction endonuclease was discovered first

- A. Hind II
- B. EcoRI
- C. Bam HI
- D. EcoR II

**Answer: A**



**249.** Find out the wrong statement

A. Human protein used to treat emphysema is  $\alpha$ -1-antitrypsin

B. Human insulin is being commercially produced from a transgenic species of *Agrobacterium tumefaciens*

C. Rosie, the first transgenic cow produced human protein enriched milk

D. Cry Ab endotoxin obtained from *Bacillus thuringiensis* is effective against corn borers

**Answer: B**



**Watch Video Solution**

**250.** Select the matched one

A. Biolists - bioreactor

B. *Thermus aquaticus* - T-DNA

C. Plasmid DNA - vector

D. EcoRI - restriction exonuclease

**Answer: C**



**Watch Video Solution**

**251.** Restriction endonuclease Hind II always cuts DNA molecule at a particular point by recognising a specific sequence of

A. Six base pairs

B. Five base pairs

C. Four base pairs


D. Seven base pairs

**Answer: A**



**Watch Video Solution**

252. Identify and tick the correct one



A. Gel electrophoresis showing DNA fragments

B. E. coli cloning vector pBR 322 showing restriction sites



C. Polymerase chain reaction

D. None of the above

**Answer: B**



**Watch Video Solution**

**253.** Cosmid is

A. Extra DNA in bacteria

B. Circular DNA in bacteria

C. Extragenetic material in mycoplasma

D. Plasmid with phage cos sites and having

inserted DNA for forming

copies/products.

**Answer: D**



**Watch Video Solution**

**254.** In order to induce the bacterial uptake of plasmids, the bacteria are made competent by treating them with

- A. Sodium chloride
- B. Potassium chloride
- C. Magnesium chloride
- D. Calcium chloride

**Answer: D**



**View Text Solution**

**255.** Products of restriction enzyme digestion are separated by

A. Agarose gel electrophoresis

B. Centrifugation

C. Polyacrylamide gel electrophoresis

D. PCR

**Answer: A**



**Watch Video Solution**

**256.** Sticky ends of two DNA strands are jointed by the action of enzyme

A. DNA ligase

B. Endonuclease

C. Exonuclease

D. DNA polymerase

**Answer: A**



**Watch Video Solution**

**257.** *Bacillus thuringiensis* strains have been used in designing novel

A. Biofertilizers

B. Bioinsecticidal plants

C. Biomineralization process

D. Biometallurgical techniques

**Answer: B**



**Watch Video Solution**

**258.** Recombinant therapeutics developed for curing human diseases are

A. 12

B. 24

C. 30

D. 56

**Answer: C**



**Watch Video Solution**

**259.** Strategy used to prevent nematode infection of tobacco roots is

A. Use of agrochemicals

B. Bt toxin gene

C. Gene mutation

D. RNA interference

**Answer: D**



**Watch Video Solution**

**260.** Gene therapy is treatment done on

A. Adults only



B. Child or embryo only

C. Pregnant mothers only

D. Persons of any age and conditon

**Answer: D**



**Watch Video Solution**

**261.** During gene cloning, the enzyme used to join and insert DNA within plasmid is

A. DNA ligase

B. Restriction endonuclease

C. Alkaline phosphatase

D. Exonuclease

**Answer: A**



**Watch Video Solution**

**262.** Insect pest resistant Bt Cotton was developed by

A. Somaclonal variation

B. Micropropagation

C. Transgenic technology

D. Somatic hybridisation

**Answer: C**



**Watch Video Solution**

**263.** During gene cloning which is called 'gene taxi'

A. Vaccine

B. Plasmid

C. Bacterium

D. Protozoa

**Answer: B**



**Watch Video Solution**

**264.** Some foreign DNA fragment is attached to Cla I site of pBR 322. This recombinant vector is used to transform Escherichia coli. The cells subjected to transformation are

plated on two different media, one containing ampicillin and the other containing tetracycline. The transformed cells containing the recombinant vector will

A. Grow on both, tetracycline and ampicillin containing media

B. Not grow on either tetracycline containing or ampicillin containing media

C. Grow on tetracycline but not on ampicillin containing medium

D. Grow on ampicillin but not on tetracycline containing medium

**Answer: A**



**Watch Video Solution**

**265.** Study the lists and find the correct match

**I**

RNAi

ELISA

PCR

*cry I Ab*

(i)

(ii)

(iii)

(iv)

(v)

**II**

Cotton bollworms

Early detection of HIV

*Meloidogyne* resistance

Antigen-antibody interaction

**Corn borer**

A. a-iii, b-iv, c-ii, d-v

B. a-iv, b-iii, c-i, d-v

C. a-ii, b-iii, c-v, d-iv

D. a-v, b-i, c-iii, d-ii

**Answer: A**



**Watch Video Solution**

**266.** Identify the desirable characteristics for a plasmid used in rDNA technology from the following

- (a) Ability to multiply and express outside the host in a bioreactor
- (b) A highly active promoter
- (c) A site at which replication can be initiated
- (d) One or more identifiable marker genes
- (e) One or more unique restriction sites

A. a, c and e only

B. b, c and e only

C. a, c,d and e only

D. b,c,d and e only

**Answer: D**





Watch Video Solution

267. EcoRI is.....

- A. A restriction enzyme
- B. A plasmid
- C. Used to join two DNA fragments
- D. The abbreviation for bacterium *Escherichia coli*.

**Answer: A**



**268.** RNA interference which is employed in making tobacco plant resistant to *Meloidogyne incognita* is essentially involved in preventing the process of:

- A. Transcription
- B. Replication of DNA
- C. Translation of mRNA
- D. Splicing of hnRNA

**Answer: C**



**Watch Video Solution**

**269.** ADA deficiency results in

- A. Increased risk of infertility
- B. Inability of immune system to function normally
- C. Chromosomal disorders
- D. Decreases in yield of crop plants

**Answer: B**



**Watch Video Solution**

**270.** Taq polymerase is isolated from a

A. Virus

B. Bacterium

C. Fungus

D. Protozoan

**Answer: B**



Watch Video Solution

**271.** In pBR 322, the gene sequence that codes for the proteins involved in replication of the plasmid is

A. Pvu II

B. Cla I

C. rop

D. pst I

**Answer: C**



Watch Video Solution

272. Selective markers in plasmids are used to

A. Identify cancer cells

B. Identify antibiotics

C. Identify recombinants from non-recombinants

D. None of these

**Answer: C**



Watch Video Solution

273. Cry ' gene is obtained from:

A. *Agrobacterium tumefaciens*

B. *Bacillus thuringiensis*

C. *Rhizopus leguminosarum*

D. *Rhizobium phaseoli*

**Answer: B**



Watch Video Solution

274. Which of the following is used to promote growth of new blood vessels, thus helping in wound healing?

A. Humulin

B. TPA

C. TGF- $\beta$

D.  $\alpha$  - 1 antitrypsin

**Answer: C**



**Watch Video Solution**



275. Which is correct regarding genetically engineered insulin using E.coli ?

A. Difficult to purify

B. Obtained in large unlimited quantities

C. Possibility of transmission of animal diseases

D. Insulin obtained varies in chemical structure.

**Answer: B**



Watch Video Solution

276. The first recombinant DNA was constructed by linking an antibiotic resistant gene with the native plasmid of

- A. *Escherichia coli*
- B. *Salmonella typhimurium*
- C. *Clostridium butylicum*
- D. *Acetobacter aceti*

**Answer: B**



Watch Video Solution

**277.** Polymerase chain reaction (PCR) is used for

- A. In vivo replication of specific DNA sequence using thermostable DNA polymerase
- B. In vitro synthesis of mRNA
- C. In vivo synthesis of mRNA

D. Separation of DNA fragments according to their size.

**Answer: D**



**Watch Video Solution**

**278.** Bioreactors are useful in

- A. Separation and purification of a product
- B. Microinjection
- C. Processing of large volumes of culture

## D. Isolation of genetic material

**Answer: C**



**Watch Video Solution**

**279.** How are transformants selected from nontransformants

A. Presence of more than one recognition site in vector DNA

B. Presence of alein DNA into vector DNA results into insertional inactivation of selectable marker

C. Antibiotic resistance gene gets inactivated due to insertion of alein DNA

D. Both B and C

**Answer: D**



**Watch Video Solution**

280. Which of the following is not a characteristic of pBR322 vector ?

A. It is the first artificial cloning vector constructed in 1977 by Boliver and Rodriguez

B. It is most widely used, versatile and easily manipulated vector

C. It has two antibiotic resistance genes,  $tet^R$  and  $amp^R$

D. It does not have restriction site for sal I

**Answer: D**



**Watch Video Solution**

**281.** Assertion : GM crops can affect human health by causing allergic reactions

Reason : Transgenes in commercial crops endanger native species. For example, Bt toxin gene expressed in pollen might endanger pollinators like Honey bees.



- A. if both are true with reason being correct explanation
- B. assertion true but correct explanation
- C. assertion true but reason is wrong
- D. both are wrong

**Answer: B**



**Watch Video Solution**

**282.** Assertion : GM foods are facing widespread resistance by the people

Reason : GM foods hve mutated genes which cause infections and alleriges

- A. if both are true with reason being correct explanation
- B. assertion true but correct explanation
- C. assertion true but reason is wrong
- D. both are wrong

**Answer: A**



**Watch Video Solution**

**283.** Assertion : Secondary metabolites are produced in small quantities and their extraction from the plant is difficult and expensive.

Reason : Secondary metabolites can be commercially produced by using tissue culture technique.

- A. if both are true with reason being correct explanation
- B. assertion true but correct explanation
- C. assertion true but reason is wrong
- D. both are wrong

**Answer: B**



**Watch Video Solution**

**284.** Assertion : In recombinant DNA technology, human genes are often transferred into bacteria or yeasts.

Reason : Both bacteria and yeasts multiply very fast to form huge populations which express the desired genes

A. if both are true with reason being correct explanation

B. assertion true but correct explanation

C. assertion true but reason is wrong

D. both are wrong

**Answer: A**



**Watch Video Solution**

**285.** Plasmid vector in DNA recombinant technology means

A. A virus that transfers gene to bacteria

B. Extrachromosomal                      autonomously

replicating circular DNA

C. Sticky end of DNA

D. Any fragment of DNA carrying desirable gene.

**Answer: B**



**Watch Video Solution**

**286.** An example of gene therapy is

A. Production of injectable hepatitis B vaccine

B. Production of vaccine in food crops like potatoes which can be eaten

C. Introduction of gene for adenosine deaminase in persons suffering from severe combined immunodeficiency

D. Production of test babies by artificial insemination and implantation of fertilized eggs.

**Answer: C**



**Watch Video Solution**



**287.** Which vector can clone only a small fragment of DNA

A. Yeast artificial chromosome

B. Plasmid

C. Cosmid

D. Bacterial artificial chromosome

**Answer: B**



**Watch Video Solution**

**288.** DNA polymerase is isolated from bacteria

A. *E. coli*

B. *Bacillus thuringiensis*

C. *Thermus aquaticus*

D. *Agrobacterium*

**Answer: C**



**Watch Video Solution**

**289.** Assertion (A) : Restriction endonucleases recognise short palindromic sequence and cut at specific sites

Reason (R) : When a restriction endonuclease acts on a palindrome, it cleaves both the strands of DNA molecule.

A. A and R both correct and R is explanation of A

B. A is correct and R is wrong

C. A and R are both correct but R is not correct explanation of A


D. A is wrong and R is correct.

**Answer: C**



**Watch Video Solution**

290. What indicated "A" in give figure



A. Peptide bond

B. Disulphide bond

C. Glycosidic bond

D. Hydrophobic bond

**Answer: B**



**Watch Video Solution**

**291.** In which field, application of biotechnology occurs

A. Biomedicine

B. Agriculture

C. Environmental field

D. All the above

**Answer: D**



**Watch Video Solution**

**292.** The cloning vectors M13 has genetic material

A. ssRNA

B. dsRNA

C. ssDNA

D. dsDNA

**Answer: C**



**Watch Video Solution**

**293.** In the nomenclature of enzyme restriction endonuclease the Roman numerical indicates

A. Number of times it is used

B. The order of discovery from source



C. Number of cuts on DNA

D. Number of recombinants formed

**Answer: B**



**Watch Video Solution**

**294.** A desirable change in genotype of an organism is obtained by

A. DNA replication

B. Protein synthesis

C. rDNA technology

D. mRNA formation

**Answer: C**



**Watch Video Solution**

**295.** More than 95% of transgenic animals are

A. Rabbits

B. Mice

C. Fish

D. Cows

**Answer: B**



**Watch Video Solution**

**296.** Transgenic animals are generally produced for all of the following needs except:

- A. Testing of chemical safety
- B. Testing of vaccine safety
- C. Stimulation of pathogenicity

D. Production of pharmacologically important proteins

**Answer: C**



**Watch Video Solution**

**297.** Clot formation can be prevented by treatment with \_\_\_\_\_ in gene therapy

A. DNAase

B. Recombinant vaccine

C. TPA


D. TGF-B

**Answer: C**



**Watch Video Solution**

298. Identify a,b,c,d in the given diagram



- A. a-ori, b- $amp^R$ , c-  $tet^R$ , d- Hind III
- B. a- Hind III, b -  $tet^R$ , c -  $amp^R$ , d-ori
- C. a -  $amp^R$ , b -  $tet^R$ , c - Hind III, d - ori
- D. a -  $tet^R$ , b - Hind III, c - ori, d -  $amp^R$

**Answer: A**



**Watch Video Solution**

**299.** Which one of these is not a tool of recombinant DNA technology

A. Restriction enzyme

B. Vector

C. Polymerase enzyme

D. Introns

**Answer: D**



**Watch Video Solution**

**300.** One of the methods of which DNA cannot be transferred to the host cell is by

- A. Microinjection
- B. Gene gun
- C. Disarmed pathogen vectors
- D. Disarmed pathogen vectors



**Answer: D**



**Watch Video Solution**

**301.** What is the advantage of clinical use of humulin over use of conventional ox of pig insulin

A. It does not cause immunological problems

B. It is cheaper for the patient

C. It is produced by E. coli in our intestine

D. There is no advantage

**Answer: A**



**Watch Video Solution**

**302.** One of the advantages of developing transgenic mice is that it is very useful:

- A. To study vaccine safety
- B. In producing new varieties of mice
- C. In developing a show piece example

## D. In gene targeting

**Answer: A**



**Watch Video Solution**

**303.** Study the following lists and find the correct match

- |                            |   |
|----------------------------|---|
| (a) Vector                 | (i) Resistant to cotton bollworm            |
| (b) Down stream processing | (ii) Mobile genetic elements                |
| (c) <i>Cry II Ab</i>       | (iii) Controls corn borer                   |
| (d) Transposons            | (iv) T <sub>1</sub> plasmid                 |
|                            | (v) Purifying protein in biopharmaceuticals |

A. a-iv, b-v, c-ii, d-iii

B. a-iii, b-v, c-iv, d-ii

C. a-iv, b-ii, c-i, d-v

D. a-iv, b-v, c-i, d-ii

**Answer: D**



**Watch Video Solution**

**304.** Select the wrong statement

A. Presence of chromogenic substrate gives blue colour colonies if the plasmid in the bacteria does not have an insert

B. Retroviruses in animals have the ability to transform normal cells into cancerous cells

C. In microinjection, cells are bombarded with high velocity microparticles of gold or tungsten coated with DNA

D. Since DNA is a hydrophilic molecule it cannot pass through cell membranes

**Answer: C**



**Watch Video Solution**

**305.** Select the wrong statement

A. Human insulin is being commercially produced from a transgenic species of *Escherichia coli*

B. Genetically modified *Bacillus*

*thuringiensis* is used as biopesticide on commercial scale

C. Human protein,  $\alpha$ -1-antitrypsin, is used to treat emphysema

D. Bt toxin genes cry IAC control corn borer

**Answer: D**



**Watch Video Solution**

**306.** Restriction endonucleases are

- A. Synthesized by bacteria as part of their defence mechanism
- B. Used in vitro DNA synthesis
- C. Present in mammalian cells to degrade DNA when the cells die
- D. Used in genetic engineering for ligation of two DNA molecules.

**Answer: A**

---





Watch Video Solution

**307.** In insertional inactivation of  $\beta$ -galactosidase gene, the bacteria in white colonies have

- A. Nonrecombinant plasmid
- B. Recombinant plasmid
- C. No plasmid
- D. Linear foreign DNA

**Answer: B**



**308.** Match the improved varieties with related

- |                   |                                |
|-------------------|--------------------------------|
| (a) Golden Rice   | (i) Cross breed hybrid         |
| (b) IR-8 Rice     | (ii) Somatic hybrid            |
| (c) Himgiri Wheat | (iii) Semi-dwarf variety       |
| (d) Pomato        | (iv) Genetically modified crop |

A. a-iv, b-i, c-ii, d-iii

B. a-iv, b-iii, c-i, d-ii

C. a-ii, b-iv, c-i, d-iii

D. a-i, b-iii, c-iv, d-ii

**Answer: B**



**Watch Video Solution**

**309.** With respect to DNA fragmentation

Statement A: Gel electrophoresis and elution are two important processes

Statement B : After staining with ethidium bromide, it has to be exposed to UV light

A. Only A is correct and B is not correct

B. Only B is correct

C. Both A and B are correct statements

D. Only A is correct

**Answer: C**



**Watch Video Solution**

**310.** The cutting of DNA at specific locations became possible with the discovery of

A. Restriction enzymes

B. Probes

C. Selectable markers

D. Ligases

**Answer: A**



**Watch Video Solution**

**311.** The introduction of t-DNA into plants involves

A. Infection of the plant by *Agrobacterium tumefaciens*

- B. Altering the pH of the soil, then heat shocking the plants
- C. Exposing the plants to cold for a brief period
- D. Allowing the plant roots to stand in water.

**Answer: A**



**Watch Video Solution**

**312.** The DNA molecule to which the gene of interest is integrated for cloning is called

A. Transformer

B. Vector

C. Template

D. Carrier

**Answer: B**



**Watch Video Solution**

**313.** Gel electrophoresis is used for

A. Cutting DNA

B. Isolation of DNA

C. Construction of recombinant DNA

D. Separation of DNA fragments according to their size.

**Answer: D**



**Watch Video Solution**



**314.** Restriction endonucleases are enzymes that

A. Restrict the action of other enzymes

B. Break phosphodiester bond between specific nucleotides of DNA

C. Break nucleus into pieces

D. Break H-bond between two strands of DNA

**Answer: B**



Watch Video Solution

**315.** The extrachromosomal self replicating double stranded, closed circular DNA molecules are called

A. Plasmids

B. Phages

C. Virus

D. Chloroplasts

**Answer: A**



Watch Video Solution

**316.** A dicotyledonous plant forms crown gall when

A. *Agrobacterium tumefaciens* comes in contact with the plant

B. *Agrobacterium rhizogenes* comes in contact with the plant

C. A specific part of DNA from the Ti plasmid gets integrated with the plant

chromosome

D. A specific part from the Ri plasmid gets integrated with the plant chromosome

**Answer: C**



**Watch Video Solution**

**317.** Which one is wrong in relation to transgenic Bt cotton plant

- A. Crop yield loss due to attack by *Bacillus thuringiensis* bacterium is reduced
- B. Crop yield loss due to attack by lepidopteran insect pest is reduced
- C. Use of chemical insecticides in the cotton field is minimised
- D. Better quality cotton is produced

**Answer: A**



**Watch Video Solution**

**318.** Antibodies produced by a group of identical B-cells against a single epitope of an antigen is called

- A. Polyclonal antibodies
- B. Monoclonal antibodies
- C. Antihapten antibodies
- D. Somaclonal antibodies

**Answer: B**



**Watch Video Solution**

**319.** Gene therapy has been successful in curing genetic diseases in laboratory animals through

A. Exposure to X-ray to rectify the defective gene

B. Replacing the defective gene with a functional gene

C. Oral delivery of genes

D. Use of therapeutic medicines to rectify the defective genes

**Answer: B**



**Watch Video Solution**

**320.** Bacteria protect themselves from viruses by fragmenting viral DNA upon entry with

- A. Methylase
- B. Endonucleases
- C. Ligases
- D. Exonucleases



**Answer: B**



**Watch Video Solution**

**321.** Genetic engineered male sterile crop plants may be produced by inserting

A. Bt toxin gene

B. Barnase gene

C. Lectin gene

D. Chitinase gene

**Answer: B**



**Watch Video Solution**

**322. Polymerase chain reaction**

A. Is a method of synthesising human protein from human DNA

B. Uses restriction enzymes

C. Can produce billions of copies of a DNA fragment

D. Takes place naturally in bacteria

**Answer: C**



**Watch Video Solution**

**323.** Genes can be inserted into human cells by

A. PCR

B. Xenotransplantation

C. Modified viruses

D. Modified microarrays

**Answer: C**



**Watch Video Solution**

**324.** Hepatitis B vaccine is

- A. Combined vaccine
- B. Recombinant antigen vaccine
- C. Polysaccharide vaccine
- D. DNA vaccine

**Answer: B**



Watch Video Solution

325. Human insulin is being commercially produced from transgenic species of

A. *E. coli*

B. *Brassica napus*

C. *Bacillus thuringiensis*

D. *Agrobacterium*

**Answer: A**



**326.** Isolation of DNA from a fungal cell involves the use of enzyme

A. Chitinase

B. Lysozyme

C. Eco RI

D. Hind II

**Answer: A**



**327.** The first nif genes were isolated from

A. *Klebsiella aerogenes*

B. *Klebsiella oxytoa*

C. *Klebsiella pneumonia*

D. *Klebsiella granulonatis*

**Answer: C**



**View Text Solution**

**328.** The plasmid used by Cohen and Boyer for the first transformation experiment was

A. pSC 101

B. PUC 19

C. pBR 322

D. pBR 400

**Answer: A**



**Watch Video Solution**



**329.** Which of the following has revolutionised the discipline of biotechnology

- A. Restriction endonucleases
- B. Discovery of DNA structure
- C. Recombinant DNA
- D. All the these

**Answer: D**



**Watch Video Solution**

**330.** In an experiment the gene of bioluminescence from firefly has been successfully transferred into a plant as a result of which it started to glow. In the terminology of the molecular genetics, the plant is called

- A. Firefly plant
- B. Hybrid plant
- C. Transgenic plant
- D. Bioluminescent plant

**Answer: C**





[Watch Video Solution](#)

**331.** The genetically modified crops (GM) may contain the gene of interest from

- A. Closely related species
- B. Distantly related species
- C. Bacteria or animals
- D. All the above

**Answer: D**



[Watch Video Solution](#)

**332.** Which statement is correct about Bt cotton

A. Contains a gene from jelly fish which makes it to glow in dark

B. It contains a gene from Bacillus bacteria which is not useful to plants

C. It contains a gene from Bacillus bacteria which kill the pests

D. It contains a gene from Bacillus bacteria  
which kill other plants

**Answer: C**



**Watch Video Solution**

**333.** Assertion (A) : Acidic pH of insect converts  
inactive Bt toxin into active form

Reason (R) : Most of Bt toxins are insect group  
specific.

A. A and R true and R is incorrect  
explanation of A

B. A and R are true and R is not the correct  
explanation of A

C. A is true, R is false

D. A is false, R is true

**Answer: D**



**Watch Video Solution**

### 334. Find the correct match

I	II	III
(a) PCR	(i) Specific base sequence	(p) Taq polymerase
(b) Downstream processing	(ii) Inheritable gene	(q) Ampicillin resistance
(c) Restriction endonuclease	(iii) Amplification of DNA	(r) <i>E.coli</i>
(d) Selectable marker	(iv) Transformation and non-transformation	(s) Quality control
	(v) Product separation and purification	(t) /

A. a-iii-p, b-v-s, c-ii-t, d-i-r

B. a-i-s, b-iv-p, c-ii-t, d-iii-q

C. a-iii-p, b-v-s, c-i-r, d-iv-q

D. a-iii-p, b-iv-q, c-i-r, d-ii-t

**Answer: C**



Watch Video Solution

**335.** Which one is correct answer for plasmid

(i) It can be readily isolated from cells

(ii) It possesses a single recognition site for one restriction enzyme

(iii) It should have high molecular weight

(iv) Plasmids and bacteriophages have the ability to replicate within bacteria

A. i, ii, iv

B. i, ii, iii, iv



C. ii, iii, iv

D. i, ii, iii

**Answer: A**



**Watch Video Solution**

**336.** Identify the wrong statements

(a) Genetic modifications in plants helped to reduce post-harvest losses

(b) In Tobacco, cry genes are introduced against nematodes

(c) In gene therapy, healthy genes are inserted into person's cells and tissues to treat diseases

(d) Injustice, inadequate compensation and benefit sharing are related to molecular diagnosis.

A. a,b,c

B. b,c,d

C. a,b,d

D. a,c,d

**Answer: B**



Watch Video Solution

**337.** Assertion (A) : The milk of transgenic cow Rosie was nutritionally more balanced than normal cow milk

Reason (R) :  $\alpha$ -1 antitrypsin is a biological product produced by transgenic animals

A. Both A and R are true, R is correct explanation for A

B. Both A and R are true, R is not correct

explanation for A

C. A is true but R is false

D. A is false but R is true

**Answer: B**



**Watch Video Solution**

**338.** Restriction sites for Pvu I and Pvu II respectively are in which genes of pBR 322

A. rop,  $amp^R$

B.  $amp^R$ , rop

C. rop, ori

D. ori, rop

**Answer: B**



**Watch Video Solution**

**339.** After insertion of DNA segment within the sequence of Z-gene of bacteria, they are grown on chromogenic substrate. After the growth of

bacterial colonies, they are identified as

- (i) Recombinants if colonies are blue-coloured
- (ii) Recombinants if colonies are blue coloured
- (iii) Non-recombinants if colonies are blue-coloured
- (iv) Non - recombinants if colonies are white coloured

A. iii, iv

B. i, iv

C. i, ii

D. ii, iii

**Answer: D**



**Watch Video Solution**

**340.** Identify the correct sequence of steps in RNA-interference (RNAi) process to develop nematode resistant plants

- (i) Silencing of specific mRNA of the nematode
- (ii) Formation of sense and antisense RNA
- (iii) dsRNA formation
- (iv) Introducing nematode specific genes into plant

A. i, ii, iv, iii

B. iii, ii, i, iv

C. iv, ii, iii, i

D. iv, i, ii, iii

**Answer: C**



**Watch Video Solution**

**341.** Identify the wrong statement with reference to the structure of human insulin



A. Insulin is synthesised as a pre-hormone which contains an extra stretch called C-peptide

B. A and B chains are combined by disulphide bonds to form humulin

C. Human insulin is made up of 51 amino acids arranged in two polypeptide chains

D. In these, chain A is made up of 30 amino acids and chain B is made up of 21 amino acids.

**Answer: D**



**Watch Video Solution**

**342.** Pathogenic entity which is responsible for the production of tumour in most dicot plants is

- A. Retrovirus
- B. Bacteriophage
- C. Ti plasmid
- D. Vector

**Answer: C**



**Watch Video Solution**

**343.** Transgenic animals means

- A. Genes of the animal are introduced into other animals
- B. All the genes are from the same animal
- C. These animals are used as vectors

D. Introduction of exogenous DNA into the genome of an animal to create and maintain a stable heritable character.

**Answer: D**



**Watch Video Solution**

**344.** In which of the following cry protein is synthesised

A. Simple cotton

B. Bt cotton

C. Bacillus thuringiensis

D. Bt cotton and Bacillus thuringiensis

**Answer: D**



**Watch Video Solution**

**345.** What is fused with Maize for manufacturing of genetically modified sugar in America

A. Brazzein

B. Basmati

C. Cane sugar

D. Zeamin

**Answer: A**



**View Text Solution**

**346.** During PCR technique the pairing of primers to ssDNA segment is called

A. Denaturation

B. Annealing

C. Polymerisation

D. Isolation

**Answer: B**



**Watch Video Solution**

**347.** *Agrobacterium tumefaciens* is most widely used for gene transfer because of

A. It causes crown gall tumours

B. its ability to insert Ti plasmid into  
nuclear genome

C. It can grow anywhere

D. It has the ability to kill pathogenic  
bacteria

**Answer: B**



**Watch Video Solution**



**348.** In plasmid pBR 322, 'BR' stands for

A. Baculovirus and Retrovirus

B. Boyer and Reed

C. Bollivar and Rodrigues

D. Bacillus and Rhizobium

**Answer: C**



**Watch Video Solution**

**349.** The plasmid of which organism was used successfully for the first time as vector by Cohen and Boyer

- A. *Salmonella typhimurium*
- B. *Streptococcus pneumoniae*
- C. *Streptococcus aureus*
- D. *Rhizobium leguminosarum*

**Answer: C**



**Watch Video Solution**

**350.** Cystic fibrosis can be treated by -in gene therapy

A. TGP-B

B. TPA

C. Dnase

D. BGH

**Answer: C**



**View Text Solution**

**351.** Which of the following is not produced as transgenic animals

- A. Sheep and pig
- B. Rat and Rabbit
- C. Dog and Banded Krait
- D. Cow and Fish

**Answer: C**



**Watch Video Solution**

**352.** Match the columns and choose the right option

I	II
(a) ELISA	(i) Antigen-antibody interaction
(b) PCR	(ii) Gene amplification
(c) Biolistics	(iii) Direct introduction of recombinant DNA
(d) Microinjection	(iv) Gold coated DNA

A. a-iii, b-iv, c-i, d-ii

B. a-ii, b-i, c-iv, d-iii

C. a-iv, b-i, c-ii, d-iii

D. a-i, b-ii, c-iv, d-iii

**Answer: D**



Watch Video Solution

**353.** Match the columns and choose the right option

**I**

**II**

- |                                      |       |                             |
|--------------------------------------|-------|-----------------------------|
| (a) <i>Bacillus thuringiensis</i>    | (i)   | Restriction endonuclease    |
| (b) <i>Agrobacterium tumefaciens</i> | (ii)  | Thermostable DNA polymerase |
| (c) <i>Thermus aquaticus</i>         | (iii) | Insecticidal protein        |
| (d) <i>Escherichia coli</i>          | (iv)  | Ti plasmid                  |

A. a-iii, b-iv, c-i, d-ii

B. a-ii, b-i, c-iv, d-iii

C. a-iv, b-i, c-ii, d-iii

D. a-iii, b-iv, c-ii, d-i

**Answer: D**



**Watch Video Solution**

**354.** Which of the following statements about transgenic animals is/are false

- (i) Transgenic animals are designed to study how genes are regulated
- (ii) They are specially made to serve as models for human diseases
- (iii) Transgenic cow Rosie was created to produce human protein  $\alpha$ -1 antitrypsin

(iv) Transgenic mice are used to test the safety of vaccines

A. iii only

B. I and iii only

C. ii only

D. ii and iii only

**Answer: A**



**Watch Video Solution**



**355.** Most suitable method of introducing alien DNA into a plant cell is

A. Biolistics

B. Micro - injection

C. Lipofection

D. Heat shock method

**Answer: A**



**Watch Video Solution**

**356.** Desired genes have been introduced transgenic animals to obtain large scale production of useful biological products encoded by these genes. This approach is generally referred to as

- A. Hybridoma technology
- B. Molecular farming
- C. Gene therapy
- D. Downstream processing

**Answer: B**





[Watch Video Solution](#)

**357.** Which one of the following statements is not correct about a plasmid

- A. It is a circular DNA
- B. It has antibiotic resistant gene
- C. It has the ability of autonomous
- D. Its DNA is as long as chromosomal DNA

**Answer: D**



[Watch Video Solution](#)

**358.** Which of the following is a restriction endonuclease

A. RNAase

B. Hind II

C. Protease

D. DNA ase I

**Answer: B**



**Watch Video Solution**

**359.** Which part of the tobacco plant is infected by *Meloidogyne incognita*?

A. Root

B. Flower

C. Leaf

D. Stem

**Answer: A**



**Watch Video Solution**

**360.** The two polypeptides of human insulin are linked together by

- A. Disulphide bridges
- B. Hydrogen bonds
- C. Phosphodiester bridge
- D. Covalent bond.

**Answer: A**



**Watch Video Solution**

**361.** A foreign DNA and plasmid cut by the same restriction endonuclease can be joined to form recombinant plasmid using

- A. Ligase
- B. Eco RI
- C. Taq polymerase
- D. Polymerase II

**Answer: A**



**Watch Video Solution**

**362.** Which of the following is not a component of downstream processing

A. Expression

B. Separation

C. Purification

D. Presentation

**Answer: A**



**Watch Video Solution**



**363.** Which kind of therapy was given in 1990 to a four year old girl with adenosine deaminase deficiency

- A. Radiation therapy
- B. Gene therapy
- C. Chemotherapy
- D. Immunotherapy

**Answer: B**



**Watch Video Solution**

**364.** Match the columns of substances and enzymes required to degrade them

I	II
(a) Cell wall	(i) Proteases
(b) RNA	(ii) Pectinases
(c) Histone	(iii) Ribonucleases
(d) Pectin	(iv) Cellulase

A. a-iv, b-iii, c-i, d-ii

B. a-ii, b-i, c-iv, d-iii

C. a-i, b-ii, c-iii, d-iv

D. a-iii, b-iv, c-ii, d-i

**Answer: A**



**365.** Which one is a correct statement

- A. "Bt" in "Bt Cotton" indicates that it is a genetically modified organism produced through biotechnology
- B. Classical plant breeding involves fusion of two somatic cells carrying desired genes

C. Anticoagulant hirudin is being produced

from seeds of transgenic Brassica napus

D. Golden Rice is a transgenic variety of rice

rich in vitamin E

**Answer: C**



**Watch Video Solution**

**366.** Assertion : Flavr-Savr tomato was the first transgenic commercial crop that entered the market

Reason : Roundup variety of Soay Bean was prepared through breeding.

A. if both are true with reason being correct explanation

B. both true but reason is not correct explanation

C. assertion true but reason is wrong

D. both are wrong

**Answer: C**



**Watch Video Solution**

**367.** Assertion : Restriction enzymes cut the strand of DNA to produce sticky ends.

Reason : Stickiness of the ends facilitates the action of the enzyme DNA polymerase

A. if both are true with reason being correct explanation

B. both true but reason is not correct explanation

C. assertion true but reason is wrong

D. both are wrong

**Answer: C**



**Watch Video Solution**

**368.** The process of separation and purification of expressed protein before marketing is called

A. Upstream processing

B. Downstream processing

C. Bioprocessing

D. Post-production processing

**Answer: B**



**Watch Video Solution**

**369.** What is the criterion for DNA fragment movement on agarose gel during gel electrophoresis



A. The larger the fragment size, the farther it moves

B. The smaller the fragment size, the farther it moves

C. Positive charged fragment moves to farther end

D. Negatively charged fragments do not move

**Answer: B**



**Watch Video Solution**

**370.** A gene whose expression helps to identify transformed cell is known as

A. Selectable marker

B. Vector

C. Plasmid

D. Structural gene

**Answer: A**



**Watch Video Solution**

**371.** The DNA fragments separated on an agarose gel can be visualised after staining with

A. Bromophenol blue

B. Acetocarmine

C. Aniline blue

D. Ethidium bromide

**Answer: D**



**Watch Video Solution**

1. The term plasmid was coined by

A. Lederberg and Tatum

B. Hayes and Lederberg

C. Anderson

D. Stanley

**Answer:**



**Watch Video Solution**

## 2. Eco RI is

A. Terminal transferase

B. Restriction enzyme

C. Vector plasmid

D. Vector virus

**Answer:**



**Watch Video Solution**

3. Taq polymerase used in polymerase chain reaction is active at temperature of

A.  $25^{\circ} - 30^{\circ} C$

B.  $35^{\circ} - 50^{\circ} C$

C.  $50^{\circ} - 70^{\circ} C$

D.  $72^{\circ} - 90^{\circ} C$

**Answer: D**



**Watch Video Solution**

4. Enzyme Taq polymerase is obtained from

- A. *Thermus aquaticus*
- B. *Trichoderma aquatica*
- C. *Tremetes aquaticus*
- D. All the above

**Answer: A**



**Watch Video Solution**

5. Modified tumour free  $T_1$  plasmid carrying a desired gene is called

A. Cosmid

B. Phagemid

C. T-DNA

D. BAC

**Answer: C**



**Watch Video Solution**



6. GMOs are

A. Transgenic microbes

B. Transgenic plants

C. Transgenic animals

D. All the above

**Answer: D**



**Watch Video Solution**

7. Restriction endonucleases are obtained from

- A. Bacteria
- B. All prokaryotic cells
- C. Bacteriophages
- D. Plasmids

**Answer: A**



**Watch Video Solution**

8. Silencing complex is produced by

A. Sense RNA

B. Antisense RNA

C. Short interference RNA

D. All the above

**Answer:**



**Watch Video Solution**

9. RISC is

- A. RNA induced silencing complex
- B. RNA interference short segment
- C. Recombinant induced short cloning
- D. None of the above

**Answer:**



**Watch Video Solution**

**10. Cry protoxin is changed into toxic state in**

- A. Alkaline medium

B. Acidic medium

C. Neutral medium

D. Contact with saliva

**Answer: A**



**Watch Video Solution**

## Brain Teasers

1. Curative technique involving repairing or replacement of defective genes is

A. Gene therapy

B. Gene replacement therapy

C. Antisense therapy

D. Sense therapy

**Answer: A**



**Watch Video Solution**

2. Gene splicing was invented by

A. Cohen and Boyer

B. Parsons et al

C. Ohno and Hanschka

D. Nakamura et al

**Answer: A**



**Watch Video Solution**

**3. Gene shears are**

A. Pieces of mRNA

B. Endonucleases

C. Exonucleases

D. Mini lasers

**Answer: A**



**Watch Video Solution**

**4. Gene shear breaks**

A. mRNA

B. rRNA

C. DNA



D. tRNA

**Answer: A**



**Watch Video Solution**

**5. Cosmid is**

A. Circular extra-nuclear DNA of bacteria

B. Extra genetic material in mycoplasma

C. Fragment of DNA inserted in bacteria for

forming its copies

D. Fragment of genetic material inserted in cells to replace defective genes.

**Answer: C**



**Watch Video Solution**