



BIOLOGY

BOOKS - S DINESH & CO BIOLOGY (HINGLISH)

REPRODUCTIVE HEALTH

Multiple Choice Questions

1. An IUCD is

- A. Copper-T
- B. Condom
- C. Vasectomy
- D. pill.

Answer: a



Watch Video Solution

2. A steritisation technique is

- A. Loop
- B. Disphragm
- C. Tubectomy
- D. Cervical cap.

Answer: d



Watch Video Solution

3. A contraceptive is

- A. condom cervical cap or diaphragm
- B. intrauterine device
- C. pill

D. all the above

Answer: a



View Text Solution

4. A contraceptive pill contains

- A. Progesterone and estrogen
- B. Spermicidal salts
- C. chemicals that cause automatic abortion
- D. Chemicals that prevent fertilization of ovum .

Answer: c



View Text Solution

5. A contraceptive pill prevents ovulation by :

- A. Blacking fallopian tube
- B. inhibiting release of FSH and LH
- C. Stimulating release of FSH and LH
- D. Causing immediate degeneration of released ovum .

Answer: b

 [Watch Video Solution](#)

6. MTP is

- A. Multitrade practices
- B. Amlthusin treatise on population
- C. Multiple temporary frequency
- D. Medical termination of pregnancy

Answer: d

 [Watch Video Solution](#)

7. Vaginal diaphragm is

- A. Spermicidal
- B. Able to prevent descent of ova
- C. able to prevent sperm contact with ovum
- D. Oivcidal

Answer: c



Watch Video Solution

8. A weakly oral contraceptive is

- A. Mala A
- B. Mala D
- C. Saheli

D. Saheli-2

Answer: c



Watch Video Solution

9. Preventive birth control measure is :

- A. Preventing union of sperm and ovum
- B. preventing sperms from entering uterus
- C. MTP
- D. Test tube babies .

Answer: a



Watch Video Solution

10. A method of sterilisation is

A. IUDCB

B. Diaphragm

C. Vasectomy

D. loop

Answer: c



[Watch Video Solution](#)

Revision Questions From Competitive Exams

1. Purpose of tubectomy is to prevent

A. Coitus

B. Egg formation

C. Fertilization

D. Embryonic development .

Answer: c



Watch Video Solution

2. Contraceptive oral pills used by females help in birth control by :

- A. Killing of ova
- B. preventing ovulation
- C. killing the sperms
- D. Forming barrier between sperms and ova .

Answer: b



Watch Video Solution

3. Most important component of oral contraceptive is :

- A. Thyroxine

B. LH

C. Progesterone

D. GH

Answer: c



[Watch Video Solution](#)

4. Progesterone present in contraceptive pill is meant for preventing :

A. Checking ovulation

B. Preventing fertilisation

C. Preventing inplantation of zygote

D. preventing cleavage

Answer: a



[Watch Video Solution](#)

5. Copper-T/loop prevents:

- A. Ovulation
- B. Fertilisation
- C. Zygote formation
- D. Cleavage .

Answer: b



Watch Video Solution

6. Tubectomy a method of population control is performed on

- A. Both males and female
- B. Males only
- C. female only
- D. Only pregnant females .

Answer: C



Watch Video Solution

7. which is related to males ?

A. Oral pill

B. Tubectomy

C. Vasectomy

D. None of the above .

Answer: c



Watch Video Solution

8. A method of birth control is :

A. GIFT

B. HJF

C. IVF-ET

D. IUDs.

Answer: d



Watch Video Solution

9. A method of sterilisation is

A. IUDCB

B. Diaphragm

C. Tubectomy

D. loop

Answer: c



Watch Video Solution

10. Amniocentesis is a process to

- A. hereditary abnormality in embryo
- B. Cardiac ailments of embryo
- C. Errors in amino acid metabolism in embryo
- D. All the above .

Answer: a



[Watch Video Solution](#)

11. Which of the following is mechanical barrier used in birth control ?

- A. Copper-T
- B. Diaphragm
- C. Loop
- D. Dalcon shield.

Answer: b



Watch Video Solution

12. Oral contraceptives are used by females to check

- A. implantation
- B. Fertilization
- C. Ovulation
- D. Entry of sperms in vagina .

Answer: c



Watch Video Solution

13. Amniocentesis involves the analysis of

- A. Amnion

B. body fluids of amniotes

C. Amniotic fluid

D. amino acids of protein

Answer: c



Watch Video Solution

14. Which one is safest method of birth control ?

A. Termination of unwanted pregnancy

B. Sterilisation techniques

C. Rhythm method

D. Use of physical barriers

Answer: b



Watch Video Solution

15. In human females menstruation can be deferred by administration of

- A. FSH and LH
- B. Estrogen and progesterone
- C. FSH only
- D. LH only

Answer: b



[Watch Video Solution](#)

16. Given below are four methods (A-D) and their modes of action (i-iv) in achieving contraception. Select their correct matching from the four options that follow

Method		Mode of Action
A. Oral pill	(i)	Prevents sperms reaching cervix
B. Condom	(ii)	Suppresses sperm motility
C. Vasectomy	(iii)	Prevents ovulation
D. Copper T	(iv)	Semen contain no sperms

A. $a - iii, b - iv, c - i, d - ii$

B. $a - ii, b - iii, c - i, d - iv$

C. $a - iii, b - i, c - iv, d - ii$

D. $a - iv, b - i, c - ii, d - iii$

Answer: c



Watch Video Solution

17. Which of the following two statements are correct ?

(i) Medical termination of pregnancy (MTP) during first trimester is generally safe

(ii) Generally chances of conception are nil until mother breast-feeds the infant upto two years

(iii) Intrauterine devices like copper-T are effective contraceptives

(iv) Contraception pills may be taken upto one week after coitus to prevent conception.

A. A,c

B. c,b

C. b,c

D. c,d

Answer: a



[Watch Video Solution](#)

18. Saheli'-a new oral contraceptive for females was developed by the scientists at which institute ?

A. AIIMS, delhi

B. IICB Kolkata

C. SG PGI kucknow

D. CDRI Lucknow

Answer: d



[Watch Video Solution](#)

19. Which of these is used to control human population

- A. Estrogen and progesterone
- B. IUCD and MTP
- C. Tubectomy and vasectomy
- D. All the above .

Answer: d



[Watch Video Solution](#)

20. In vitro fertilization is a technique that involves transfer of which one of the following into the fallopian tube?

- A. Zygote or embryo into 8 celled stage
- B. 32- celled stage
- C. Zygote only

D. Embryo only upto 8 - celled stage .

Answer: a



[Watch Video Solution](#)

21. Contraceptive IUDs

- A. increase phagocytosis of sperms
- B. Suppress sperm motility and fertilizing capacity
- C. Prevent ovulation
- D. make uterus unsuitable for implantation.

Answer: b



[Watch Video Solution](#)

22. Which one is not included in barrier methods of birth control ?

A. Diaphragm

B. Lippe's loop

C. Cervical cap

D. Vault.

Answer: b



Watch Video Solution

23. Which one of the following cannot be considered as Assisted Reproductive Technology (ART) ?

A. in vitro fertilization

B. Medical termination of pregnancy

C. Gamete interafallopian transfer

D. interactoplasmic sperm injaction .

Answer: b

 [Watch Video Solution](#)

24. Given below are assertion and reason point out If both are true with reason being correct explanation (A) both are true but reason is not correct explanation (B) assertion is true but reason is wrong (C) and both are wrong (D)

Assertion . Amniocentesis is banned

Reason : - AMniocentesis gives information about fetal abnormalities

 [Watch Video Solution](#)

25. The non-medicated IUD is :

- A. Copper-T
- B. Progestasert
- C. Lippes loop
- D. LNG-20

Answer: c



Watch Video Solution

26. Most effective contraceptive method for ladies is :

A. Rhythm method

B. ECP

C. MTP

D. Cu-T

Answer: d



Watch Video Solution

27. The method of directly injecting a sperm into ovum in assisted reproductive technology is called

A. ZIFT

B. ICSI

C. GIFT

D. ET.

Answer: b



Watch Video Solution

28. Saheli, a new oral contraceptive for the females developed by Indian scientist is a:

A. Steroidal preparation

B. Hormonal preparation

C. Non- Steroidal preparation

D. Toxic preparation to kill sperms.

Answer: c

 [Watch Video Solution](#)

29. Saheli' is :

- A. Oral female contraeptive
- B. Surgical sterilisaton for females
- C. Diaphreagm for females
- D. Diaphragm for males

Answer: a

 [Watch Video Solution](#)

30. Which of the following is the most widely accepted method of contraception in india at present ?

- A. Diaphragm
- B. IUDs

C. Cervical cap

D. Tubectomy

Answer: b



Watch Video Solution

31. If for some reason, the vasa efferentia in the human reproductive system get blocked, the gametes will not be transported from

A. Ovary to uterus

B. Vagina to uterus

C. Testis to epididymis

D. Epididymis to vas deferens

Answer: c



Watch Video Solution

32. Medical Termination of pregnancy (MTP) is considered safe up to how many weeks of pregnancy

- A. Six
- B. eight
- C. twelve
- D. Eighteen

Answer: c



[Watch Video Solution](#)

33. The technique called Gamete intra Fallopian Tranfer (GIFT) is recommended for those females

- A. Who cannot produce an ovum
- B. Who cannot retain foetus inside uterus
- C. Whose cervical canal is too narrow to allow passage for sperm

D. Who cannot provide suitable environment for fertilization .

Answer: a



Watch Video Solution

34. ZIFT is transfer of

A. Zygote into fallopian tube

B. Embryo into uterus

C. Mixture of sperms and ova into fallopian tube

D. mixture of sperms and ova into uterus .

Answer: a



Watch Video Solution

35. in assisted reproductive and ova technology after in vitro fertilization what is transplanted in fallopian tube


- A. Embryo upto 8 blastomeres , if zygote is not tranplanted
- B. Blastula is transplanted
- C. only zygote is tranplated
- D. Morula in 8-24 celled stage is transplanted .

Answer: a



Watch Video Solution

36. What does the figure show



- A. Ovarian cancer
- B. Uterine cancer
- C. Tubectomy
- D. Vasectomy

Answer: c



Watch Video Solution

37. The test-tube baby programme employs which one of the following techniques ?

- A. intracytoplasmic sperm injection
- B. Gamete intrefallopian transfer
- C. Intrauterine insemination
- D. zygote interfallopian transfer.

Answer: d



[Watch Video Solution](#)

38. Oral contraceptive pill is composed of :

- A. Estrogen and growth haromone
- B. Estrogen and progesterone
- C. Estrogen and testoseone
- D. Progesterone and testosterone

Answer: b



Watch Video Solution

39. Urinogential tract infection in males accompained by yellow discharge , burning felling on passing , fever and headache is

- A. AIIDS
- B. Gonrrhoea
- C. Hepatits B
- D. Syphilis

Answer: b



Watch Video Solution

40. Which one of the following groups includes are sexually transmitted diseases

A. Hapatitis-B , AIDS , haemophila

B. AIDS , syphils , cholera

C. Trichomonasis , malaria ,HIV

D. Gonorrhoea ,Hepatitis-B , chlamydia

Answer: d

 [Watch Video Solution](#)

41. A copper releasing IUD is

A. Multiload 375

B. LNG-20

C. Saheli

D. Diaphragm

Answer: a

 [Watch Video Solution](#)

42. In which technique, the donor semen is artificially introduced in to the uterus?

- A. ET
- B. IUI
- C. IUT
- D. GIFT

Answer: b



[Watch Video Solution](#)

43. which is wrongly matched

- A. ICSI - sperm directly injected into ovum
- B. IUT - sperm introduced artifically into uterus

C. GIFT - Embryo with more than 8 blastomeres transferred into fallopian tube

D. IVF - Fertilization outside the body

Answer: c



[Watch Video Solution](#)

44. which is not cause of male infertility

A. Motile sperms

B. Oligospermia

C. Teratozoospermia

D. Asthenozoospermia

Answer: a



[Watch Video Solution](#)

45. The sexually transmitted infection, that can affect both the male and female genitals and may damage the eyes of babies born of infected mothers is

- A. Syphilis
- B. Gaonorrhoea
- C. Hapatits
- D. AIDS

Answer: b



Watch Video Solution

46. Match the contraceptive methods given under column I with their examples given under column II and select the correct option from the

given codes

Column I		Column II
A. Chemical	(i)	Tubectomy and vasectomy
B. IUDs	(ii)	Copper T and loop
C. Barriers	(iii)	Condom and cervical cap
D. Sterilisation	(iv)	Spermicidal jelly and foam
	(v)	Coitus interruptus and calender method

A. $a - s, b - t, c - q, d - r$

B. $a - p, b - r, c - q, d - t$

C. $a - s, b - q, c - t, d - p$

D. $a - s, b - q, c - r, d - p$

Answer: d



Watch Video Solution

47. A vasectomy prevents :

A. Proucation of sperms in testes

B. Producation of semen

C. Movement of sperm into urethra

D. male reaction

Answer: c



Watch Video Solution

48. Permanent contraception in human male is through

A. Diaphragm

B. Tubectomy

C. Vasectomy

D. pill.

Answer: c



Watch Video Solution

49. Which of the following cannot be detected in a developing foetus baby amniocentesis

- A. Jaundice syndome
- B. Klinefelter's
- C. Sex of foetus
- D. Down's syndrorome.

Answer: a



[Watch Video Solution](#)

50. One of the legal methods of bith control is

- A. By a premature ejaculation during coitus
- B. Abortion by taking an approriate medicine
- C. By abstining from coits from 10-17 days of menstrual cycle
- D. BY having coitus at the time of day break.

Answer: b



Watch Video Solution

51. One of the following is not a method of contraception- which one

- A. Pills having oxytocin and vasopressin
- B. Lippe's loop
- C. Tubectomy
- D. Condoms

Answer: a



Watch Video Solution

52. stage transferred to uterus after induced fertilization on ova in the laboratory is

A. Embryo at two - blastomere stage

B. Morula

C. Zygote

D. Embryo at four blastomere stage

Answer: b



Watch Video Solution

53. Which one of the following statements is correct regarding sexually Transmitted Diseases (STD)

A. Haemophilia is one of the STD

B. Genital herpes and sickle cell anaemia are both STD

C. Chances of a five years old boy contracting a STD are very little

D. A Person may contract syphilis by sharing milk with one already suffering from disease .

Answer: c



Watch Video Solution

54. Which of the following is hormone releasing IUD ?

A. CU-T

B. Cu 7

C. LNG -20

D. Multiload 475

Answer: c



Watch Video Solution

55. Induced abortion is also called .

A. IUD

B. PID

C. MTP

D. STD

Answer: c



Watch Video Solution

56. the word tubectomy refers to

A. Sterilisation of male reproductive organ

B. sterilisation of female reproductive organ

C. Insertion of Cu-T

D. Use of condoms

Answer: b



Watch Video Solution

57. Causes for increased population growth in India is/are

- A. High birth rate
- B. Low death rate of infants
- C. Lack of education
- D. All of these

Answer: d



Watch Video Solution

58. Which is common match of amniotic fluid test

- A. IVF
- B. ZIF
- C. GIFT
- D. None of them

Answer: d



Watch Video Solution

59. Read the statements A and B and identify the correct choice from those given:

Statement A: Women are at the peak of conception on the 14th day of menstrual cycle

Statement B : Vasectomy is the method normally, employed to avoid conception in females.

- A. statement A is wrong B is right
- B. statement a is right b is wrong
- C. Both the statement are right
- D. Both the statement are wrong

Answer: b



Watch Video Solution

60. The appearance of rashes all over the body are the symptoms of:

A. Gonorrhoea

B. AIDS

C. Syphilis

D. Fever

Answer: c



Watch Video Solution

61. which contraceptive device makes uterus unsuitable for implantation

A. Progestasert

B. CuT

C. Lippe's loop

D. Multiload.

Answer: a



[Watch Video Solution](#)

62. Given below are assertion and reason point out if both true with reason being correct explanation (A) both are true but reason is not correct explanation (B) ,assertion is true but reason is wrong (c) and both are wrong (D)

Assertion :- Peridic abstinence is a natural method where coules abstain from coitus

Reason:- coitus from days 5-10 should be avoided because this is the time of ovulation



[Watch Video Solution](#)

63. which of the following sexually transmitted disease is caused by yeast

A. Candidasis

B. Scabies

C. Enterbisisis

D. Syphilis

Answer: a



Watch Video Solution

64. CuT,LNG-20and Cu7 are examples of

A. Contraceptive pills

B. Surgical methods od strization

C. Assisted reproductive techology

D. Intrauterrine device

Answer: d



Watch Video Solution

65. which is not a sexually transmitted disease

- A. Genital warts
- B. Trichomoniasis
- C. Chlamydia trachomatis
- D. Myasthenia gravis

Answer: d



Watch Video Solution

66. Which is the hormonal method of birth control ?

- A. pill
- B. IUD
- C. Vasectomy
- D. Femdom

Answer: a



Watch Video Solution

67. In which technique, the donor semen is artificially introduced in to the uterus?

- A. Intravaginal insemination
- B. Intrauterine insemination
- C. Gamete intrafallopian transfer
- D. intercytoplasmic sperm injection

Answer: b



Watch Video Solution

68. which of the following statement is wrong

- A. Test tube body begins growth inside test tube
- B. Test tube body grows within mother's womb
- C. test tube boby grows within surrogate mother's womb
- D. Test tube baby grows following uterine fertilization .

Answer: d

 [Watch Video Solution](#)

69. Oral contraceptive pill females developed at CDRI lucknow is

- A. male -D
- B. LNG-20
- C. Saheli
- D. Mala-A

Answer: c

 [Watch Video Solution](#)

70. In which " assisted reproductive technology "(ART) test tube baby procedure is applied

- A. Gamete interfallopian transfer
- B. Ineracytoplasmic sperm injection
- C. IN vitro fertilization and embryo transfer
- D. Zygote intrafallopian transfer.

Answer: c



Watch Video Solution

71. IUDs which are used by females :

- A. Act as spermicidal gel
- B. block the entry of sperm into vagina

C. Are implanted under skin where they release progestogen and estrogen

D. Release copper ions in the uterus that increase phagocytosis of sperms.

Answer: d

 [Watch Video Solution](#)

72. Which one of the following causes population explosion ?

A. Decrease in death rate , maternal mortality rate infant mortality rate

B. Decrease in death rate and increase in maternal mortality rate

C. Decrease in infant mortality rate and increase in death rate

D. Decrease in infant mortality rate and decrease in the number of people in reproductive age .

Answer: a



Watch Video Solution

73. The technique used to block the passage of sperm in male is _____

- A. Tubectomy
- B. Vasectomy
- C. Coitus interruptus
- D. rhythm method

Answer: b



Watch Video Solution

74. In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilisation

- A. Intrauterine transfer
- B. Gamete intrefallopian transfer
- C. Artificial intrafallopian
- D. Intracytoplasmic sperm injection

Answer: c

 [Watch Video Solution](#)

75. Assisted reproductive to technology. IVF involves transfer of

- A. Zygote into fallopian tube
- B. zygote into uterus
- C. Embryo with 16 blastomeres into the fallopian tube
- D. ovum into fallopian tube .

Answer: a

 [Watch Video Solution](#)

76. Tubectomy is a method of sterilization in which :

- A. Ovaries are removed surgically
- B. Small part of vas deferens is removed or tied up
- C. Uterus is removed surgically
- D. small part of fallopian tube is removed or tied up.

Answer: d



Watch Video Solution

77. Amniocentesis can diagnose which of the following defects

- (a) Trisomy (b) Neural tube defects
- (c) infection (d) Lung maturity.

A. a ,b and c

B. a,b and d

C. b,c,and d

D. a,b,c and d

Answer: d



Watch Video Solution

78. Amniocentesis involves examination of :

A. Amino acids

B. Membrane

C. Skin cells

D. Sex cells

Answer: c



Watch Video Solution

79. in birth control methods , which one is an intra- uterus device

- A. LNG-20
- B. Saheli
- C. Vaginal ring
- D. DMPA

Answer: a



[Watch Video Solution](#)

80. Progestasert in and IUD which makes the uterus unsuitable and cervix hostile to the sperms as they are

- A. Non medicated IUD
- B. Ideal contraceptive
- C. Copper relasing IUD
- D. Hormone relasing IUD

Answer: d



Watch Video Solution

81. Assisted Reproductive Technology does not include

- A. Gamete intrafallopian transfer
- B. Artificial insemination
- C. IN vitro fertilization and embryo transfer
- D. zygote extra - fallopian transfer.

Answer: d



Watch Video Solution

82. match the column I, II and III find the correct option

I		II		III	
(p)	Trichomoniasis	(i)	Herpes simplex	(x)	pain in lower abdomen
(q)	syphilis	(ii)	Neisseria gonorrhoeae	(y)	inflammation and discharge
(r)	Gonorrhoea	(iii)	treponema pallidum	(z)	patchy hair loss
(s)	Genital herpes	(iv)	trichomonas vaginalis	(w)	Feeling of uneasiness

A. $P - iv, y, q - iii - z, r - ii - r, s - i - w$

B. $P - iv - x, q - i - w, r - ii - y, s - iii - z$

C. $P - iv - y, q - i - z, r - ii - x, s - iii - w$

D. $P - i - z, q - ii - y, r - iv - w, s - iii - x$

Answer: a



Watch Video Solution

83. match the following and find the correct combination

(a)	syphilis	(i)	human papilloma virus
(b)	genital warts	(ii)	HBV
(c)	Hepatitis -B	(iii)	treponema pallidum
(d)	Gonorrhoea	(iv)	HSV
		(v)	Neisseria

A. $a - ii, b - i, c - iv, d - v$

B. $a - iii, b - i, c - iv, d - v$

C. $a - iii, b - i, c - ii, d - v$

D. $a - ii, b - iii, c - iv, d - v$

Answer: c



Watch Video Solution

84. After tubectomy which which part of female reproductive system remains blocked

A. Cervix

B. Uterine cavity

C. Ovary

D. Fallopian tube

Answer: d



[Watch Video Solution](#)

85. A childless couple can be assisted to have a child through a technique called GIFT. The full form of this technique is :

- A. Gamete inserminted fallopian transfer
- B. Gamete intrefallopian transfer
- C. Gamete intetnal fertillization and transfer
- D. Germ cell internal fallopian transfer

Answer: b



[Watch Video Solution](#)

86. Transfer of an ovum of a doner into fallopian tube of a surrogate mohter is

- A. ET

B. IUT

C. GIFT

D. ZIFT

Answer: c



Watch Video Solution

87. match and choose the correct option

I

II

- | | | |
|--------------------|-------|--|
| (p) Gonorrhoea | (i) | Loss of appetite, pain upper right abdomen |
| (q) trichomoniasis | (ii) | white patches on tongue or roof of buccal cavity |
| (r) Hepatitis B | (iii) | Pain while passing urine |
| (s) syphilis | (iv) | Itching in and around vagina |

A. $p - i, q - iv, r - ii, s - iii$

B. $p - iv, q - iii, r - ii, s - i$

C. $p - iii, q - iv, r - i, s - ii$

D. $p - iii, q - i, r - ii, s - iv$

Answer: c



Watch Video Solution

88. Amniocentesis is one of the methods

- A. Adapted for MTP
- B. OF birth control
- C. For foetal sex determination
- D. Used for safe parturition

Answer: c



Watch Video Solution

89. Lactational amenorrhoea prevents

- A. Secretion of milk from breast

B. Conception

C. secretin of prolactin

D. Spermatogenesis

Answer: b



Watch Video Solution

90. Steriisation period of treponema pallidum is about

A. 2-4 days

B. 7-21 days

C. 1-2 days

D. 3-4 weeks

Answer: d



View Text Solution

91. Sterilisation procedure in human female is

- A. Coitus interruptus
- B. rhythm method
- C. Tubectomy
- D. Vasectomy

Answer: c



Watch Video Solution

92. With regard to birth control method in humans DMPA stands for

- A. Medical termination of pregnancy (MTP)
- B. Assisted reproductive technology (ART)
- C. Contraceptive injection
- D. Surgical procedure

Answer: c



Watch Video Solution

93. Match and find the correct option

I

II

- | | |
|-------------------|--|
| (a) Contraceptive | (i) prevents sperms reaching female reproductive tract |
| (b) Condom | (ii) inhibits ovulation and implantation |
| (c) Vasectomy | (iii) Increase phagocytosis of sperms |
| (d) Copper-T | (iv) Blocks gamete transport |

A. $a - iv, b - i, c - ii, d - iii$

B. $a - i, b - ii, c - iii, d - iv$

C. $a - ii, b - i, c - iii, d - iv$

D. $a - ii, b - i, c - iv, d - iii$

Answer: d



Watch Video Solution

94. Lactational amenorrhoea means

- A. Medical terminal of pregnancy
- B. Oral administration of progesterone
- C. Coitus interruptus
- D. Absence of menstruation during intense lactation .

Answer: d



Watch Video Solution

95. In context of amniocentesis which of the following statements is incorrect

- A. It is used for detection of cleft palate
- B. It is usually done when a woman is between 14-16 weeks pregnant
- C. It is used for prenatal
- D.

Answer: a



View Text Solution

96. Which of the following approaches does not give the defined action of contraceptive

(a)	Barrier methods	Prevent fertilization
(b)	Intra uterine devices	Increase phagocytosis of sperms, suppress sperm motility and fertilizing capacity of sperms
(c)	Hormonal contraceptives	Prevent/retard entry of sperms, prevent ovulation and fertilization
(d)	Vasectomy	Prevents spermatogenesis

A. Vasectomy - Prevents spermatogenesis

B. Barrier methods -Prevents fertilization

C. Intra- uterine devices - Increase phagocytosis of sperms suppress sperm motility and fertilizing capacity of sperms

D. Hormonal contraceptives - Prevent / retard entry of sperms ,
prevent ovulation

Answer: a



[Watch Video Solution](#)

97. Which of the following is incorrect regarding vasectomy?

- A. Irreversible sterility
- B. NO sperm occurs in seminal fluid
- C. No sperm occurs in epididymis
- D. Vasa deferentia are cut and tied .

Answer: c



[Watch Video Solution](#)

98. Embryo with more than 16 blastomeres formed due to in vitro fertilization is transferred into

Given below are assertion and reason .point out if both are true with reason being correct explanation (A) both true but reason being correct explanation (B) ,assertion true but reason is wrong (c) , both are wrong (D) .

A. Cervix

B. Uterus

C. Fallopian tube

D. Fimbriae

Answer: b



Watch Video Solution

99. Assertion : Fotal disorders can be diagnosed by chrionic villi sampling

Reason : Karyotyping cells be done by mitotically dividing cells of chorionic villi



Watch Video Solution

100. Match sexually transmitted diseases with their causative agents

I

II

(*p*) Gonorrhoea

(*i*) *HIV*

(*q*) syphilis

(*ii*) Neisseria

(*r*) Genital warts

(*iii*) Treponema

(*s*) AIDS

(*iv*) Human papilloma virus

A. *a – ii, b – iii, c – iv, d – i*

B. *a – iii, b – iv, c – i, d – ii*

C. *a – iv, b – ii, c – iii, d – i*

D. *a – iv, b – iii, c – ii, d – i*

Answer: a



Watch Video Solution

101. In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilisation

- A. Intrauterine transfer
- B. Gamete intracytoplasmic fallopian transfer
- C. Artificial insemination
- D. Intracytoplasmic sperm injection

Answer: d



Watch Video Solution

Check Your Grasp

1. AI in reproductive health is

- A. Assisted onsemination
- B. Astificial insemination

C. Antibody introduction

D. Antigen induction

Answer:



[Watch Video Solution](#)

2. Oligospermia is caused by

A. Alcoholism

B. STD

C. Damage to prostate or seminal vesicles

D. All the above .

Answer:



[Watch Video Solution](#)

3. Elevation of prolactin level in normal female causes

- A. Non-implantion
- B. Non- ovulation
- C. Oligo- ovulation
- D. Ovartan cysts.

Answer:



[Watch Video Solution](#)

4. Chancroid is a sexually transmitted disease caused by

- A. Trichomanas
- B. Treponema
- C. Haemophilus
- D. Neisseria

Answer:



[Watch Video Solution](#)

5. MTP Act of of 1971 was amended in

A. 1994

B. 1998

C. 2002

D. 2003

Answer:



[Watch Video Solution](#)

6. Implanon is

A. Morning -after pill

B. Contraceptive pill

C. Injectable contraceptive

D. Contraceptive implant

Answer:



[Watch Video Solution](#)

7. Fem shield is a

A. Barrier contraceptive

B. chemical contraceptive

C. Emergency contraceptive

D. Injectable contraceptive

Answer:



[Watch Video Solution](#)

8. Reproductive health is related is related to

- A. Physical fitness
- B. Emotinal compatibility
- C. Behavioral inter-relationships
- D. All the above .

Answer:



Watch Video Solution

9. Toxic cytokines are produced by

- A. Oral pill
- B. CU-T
- C. Saheli
- D. Sponge

Answer:



Watch Video Solution

10. Progestasert is

- A. IUD
- B. Oral pill
- C. Male condom
- D. female condom.

Answer:



Watch Video Solution