

India's Number 1 Education App

CHEMISTRY

BOOKS - NCERT CHEMISTRY (HINGLISH)

REDOX REACTIONS

Multiple Choice Questions

1. Which of the following is not an example of redox reaction?

A.
$$CuO + H_2
ightarrow Cu + H_2O$$

B.
$$Fe_2O_3 + 3CO \rightarrow 3Fe + 3CO_2$$

$$\mathsf{C.}\,2K+F_2 o 2KF$$

D.
$$BaCl_2 + H_2SO_4
ightarrow BaSO_4 + 2HCl$$

Answer: d

2. The more positive the value of E^{θ} , the greater is the trendency of the species to get reduced. Using the standard electrode potential of redox coples given below find out which of the following is the strongest oxidising agent.

$$E^{\, heta}$$
 values: $Fe^{3\,+}\,/Fe^{2\,+}\,=\,+\,0.77$

$$I_2(s)/I^- = +0.54,$$

$$Cu^{2+}/Cu = +0.34, Ag^{+}/A = 0.80V$$

A.
$$Fe^{3+}$$

B.
$$I_2(s)$$

$$C. Cu^{2+}$$

D.
$$Ag^+$$

Answer: d



3. $E^{\, heta}$ values of some redox couples are given below. On the basis of these values choose the correct option.

$$E^{\, heta}$$
 values: $Brt_2/Br^- = \,+\,1.90$

$$Ag^{\,+}\,/Ag(s)=\,+\,0.80$$

$$Cu^{2\,+}\,/Cu(s)=\,+\,0.34,\,I_{2}(s)\,/\,I^{\,-}=\,+\,0.54$$

- A. Cu will reduce $Br^{\,-}$
- B. Cu will reduce Ag
- C. Cu will reduce $I^{\,-}$
- D. Cu will reduce Br_2

Answer: d



Watch Video Solution

4. Using the standard electrode potential, find out the pair between which redox reaction is not feasible.

 $E^{\, heta}$ values $: Fe^{3\,+}\,/Fe^{2\,+}\,=\,0.77,\,I_{2}\,/\,I^{\,-}\,=\,+\,0.54$,

 $Cu^{2+}/Cu = +0.34, Aq^{+}/Aq = +0.80V$

A. Fe^{3+} and I^{-}

B. Ag^+ and Cu

C. Fe^{3+} and Cu

D. Ag and Fe^{3+}

Answer: d



Watch Video Solution

5. Thiosulphate reacts differently with iodine and bromine in the reaction given below

$$2S_2O_3^{2-} o S_4O_6^{2-} + 2I^-$$

 $S_2O_3^{2-} + 2Br_2 + 5H_2O
ightarrow 2SO_4^{2-} + 2Br^- + 10H^+$

Which of the following statements justifies the above dual behaviour of thiosulphate?

- A. Bromine is a stronger oxidant than iodine
- B. Bromine is a weaker oxidant than iodine
- C. Thiosulphate undergoes by bromine and reduction by iodine in these reactions
- D. Bromine undergoes oxidation and iodine undergoes reduction in these reactions

Answer: a



- **6.** The oxidation number of an element in a compound is evaluated on the basis of certain rules. Which of the following rules is not correct in this respect ?
 - A. The oxidation number of hydrogen is always +1
 - B. The algebraic sum of all oxidation numbers in a compound is zero

C. An element in the free or the uncombined state bears oxidation

number zero

D. In all its compounds, the oxidation number of fluroine is -1

Answer: a



7. In which of the following compounds, an elements exhibits two different oxidation states?

A. NH_2OH

B. NH_4NO_3

 $C. N_2H_4$

D. N_3H

Answer: B



8. Which of the following arrangements represent increaseing oxidation number of the central atom?

A.
$$CrO_{2}^{-}$$
 , ClO_{4}^{-} , CrO_{4}^{2-} , MnO_{4}^{-}

$${\rm B.}\,ClO_4^-\,,CrO_4^{2-}\,,MnO_4^-\,,CrO_2^-$$

$$\mathsf{C.}\,CrO_2^-,ClO_4^-,MnO_4^-,CrO_4^{2-}$$

$${\tt D.}\ CrO_2^-, MnO_4^-, CrO_4^{2-}, ClO_4^-$$

Answer: A



Watch Video Solution

9. The largest oxidation number exhibited by an element depends on its outer eletronic configuration. With which of the following outer electronic configurations the element will exhibit largest oxidation number?

B. $3d^34s^2$

D. $3d^54s^2$

C. $3d^54s^1$

A. $3d^{2}4s^{2}$

Answer: d



Watch Video Solution

A.
$$CH_4+2O_2
ightarrow CO_2+2H_2O$$

10. Identify the disproportionation reaction.

B.
$$CH_4 + 4Cl_2
ightarrow CCl_4 + 4HCl$$

C. $2F_2+2OH^ightarrow2F^-+OF_2+H_2O$

D.
$$2NO_2+2OH^-
ightarrow NO_2^-+NO_3^-+H_2O$$

Answer: D



11. Which of the following elements does not show disproportionation tendency?

A. Cl

B. Br

C. F

D. I

Answer: c



Watch Video Solution

12. The following reaction is used for the preparation of oxygen gas in the laboratory

$$2KClO_3(s) \stackrel{ ext{Heat}}{\longrightarrow} 2KCl(s) + 3O_2(g)$$

Which of the following statement(s) is/are correct about the reaction?

- A. Potassium is undergoing oxidation
- B. Chlorine is undergoing oxidation
- C. Oxygen is reduced
- D. None of the species are undergoing oxidation or reduction

Answer: a,b,c,d



Watch Video Solution

13. Identify the correct statement(s) in relation to the following reaction.

$$Zn+2HCl
ightarrow ZnCl_2+H_2$$

- A. Zinc is acting as an oxidant
- B. Chlorine is acting as a reductant
- C. Hydrogen ion is acting as an oxidant
- D. Zinc is acting as a reductant

Answer: c,d

14. The exhibition of various oxidation states by an element is also related to the outer orbital electornic configuration of its atom. Atom(s) having which of the following outermost electronic configurations will exhibit more than one oxidation state in its compounds

A.
$$3s^{-1}$$

 $\mathsf{B.}\,3d^14s^2$

 $\mathsf{C.}\,3d^24s^2$

D. $3s^23p^3$

Answer: b,c,d



Watch Video Solution

15. Identify the correct statements with reference to the given reaction

 $P_4 + 3OH^- + 3H_2O o PH_3 + 3H_2PO_2^-$

A. Phosphorus is undergoing reduction only

B. Phosphorus is undergoing oxidation only

C. Phosphorus is undergoing oxidation as well as reduction

D. Hydrogen is undergoing neither oxidation nor reduction

Answer: c,d



Watch Video Solution

16. Which of the following electrodes will act as anodes, which connected to Standard Hydrogen Electrode?

A.
$$Al/Al^{3+}$$
 $E^{\Theta}=-1.66$

$$\mathrm{B.}\, Fe/Fe^{2+} \qquad E^{\,\Theta} \,=\, -\, 0.44$$

C.
$$Cu/Cu^{2+}$$
 $E^{\,\Theta}=\,+\,0.34$

D.
$$F_2(g)/2F^-(aq)$$
 $E^{\,\Theta}=02.87$

Answer: a,b

Short Answer Type Questions

1. The reaction $Cl_2(g)+20H^-(aq) o ClO^-(aq)+Cl^-(aq)+H_2O(l)$ represents

 $Cl_2(g)+20H^-(aq) o ClO^-(aq)+Cl^-(aq)+H_2O(l)$ represents the process of bleaching. Identify and name the species that bleaches the substances due to its oxidising action.



2. MnO_4^{2-} undergoes disproportionation reaction in acidic medium but

 MnO_4^- does not. Given reason.



3. PbO and PbO_2 react with HCl according to following chemical equations

. $2PbO + 4HCl
ightarrow 2PbCl_2 + 2H_2O$

$$PbO_2 + 4HCl
ightarrow PbCl_2 + Cl_2 + 2H_2O$$

Why do these compounds differ n their reactivity?



4. Nitric acid is an oxidising agent and reacts with PbO but it does not react with PbO_2 . Explain why?



5. Balance the following by ion electron method in acidic medium.

$$CIO_3^{\,f e}\,+I_2
ightarrow\,IO_3^{\,f e}\,+CI^{\,f e}$$



6. Calculate the oxidation number of phosphorus in the following species.

(a)
$$HPO_3^{2-}$$
 (b) PO_4^{3-}



7. Calculate the oxidation number of each sulphur atom in the following compounds.

- (a) $Na_2S_2O_3$ (b) $Na_2S_4O_6$ (c) Na_2SO_3 (d) Na_2SO_4
 - Watch Video Solution

8. Balance the following equations :

- a. $Fe^{3+}+Sn^{+2}
 ightarrow Sn^{4+}+Fe^{2+}$
- b. $MnO_4^{\,oldsymbol{\Theta}}\,+H_2S
 ightarrow S+Mn^{2\,+}$
- c. $Cr_2O_7^{2\,-}+2I^{\,oldsymbol{arTheta}}
 ightarrow 2Cr^{3\,+}+I_2$
- d. $Zn+NO_3^{\,oldsymbol{\Theta}}
 ightarrow Zn^{2\,+}+N{H_4^{\,\oplus}}$

e. $MnO_4^{m{\Theta}} + SO_3^{2-}
ightarrow SO_4^{2-} + MnO_2$

f. $Cl_2 + IO_3^{\,oldsymbol{\Theta}}
ightarrow IO_4^{\,oldsymbol{\Theta}}$ (in basic medium)



9. Identify the redox reaction out of the following reacitons and identify the oxidising and reducing agents in them.

- (a) $3HCl(aq) + HNO_3(aq)
 ightarrow Cl_2(g) + NOCl(g) + 2H_2O(l)$
- (b) $HgCl_2(aq) + 2KI(aq)
 ightarrow HgI_2(s) + 2KCl(aq)$
- (c) $Fe_2O_3(s)+3CO(g)\stackrel{\Delta}{\longrightarrow} 2Fe(s)+3CO_2(g)$

(d) $PCl_2(l) + 3H_2O(l) \rightarrow 3HCl(aq) + H_2PO_3(aq)$

- (e) $4NH_3(aq)+3O_2(g)
 ightarrow 2N_2(g)+6H_2O(g)$



10. Balance the following ionic equation.

$$MnO_4^- + H^+ + Br^- o Mn^{2+} + Br_2 + H_2O$$



11. Match column I and column II for the oxidation states of the central atoms.

			######################################
	Column I	Column II	
Α.	$Cr_2O_7^{2-}$	1.	+3
B.	MnO_4^-	2.	+4
C	VO ₃	3.	+5
D.	FeF ₆ ³⁻	5.	+6
		6.	+7



12. Match the items in column I with relevant items in column II

	Column I	Column II	
Α.	lons having positive charge	1.	
В.	The sum of oxidation number of all atoms in a neutral molecule	2.	-1
C.	Oxidation number of hydrogen ion (H^+)	3.	+1
D.	Oxidation number of fluorine in NaF	4.	0
E.	lons having negative charge	5.	Cation
		6.	Anion



Watch Video Solution

Assertion And Reason

1. Assertion (A) Among halogens fluorine is the best oxidation.

Reason (R) Fluorine is the most electronegative atom

A. Both A and R are true and R is the correct explanation of A

B. Both A and R are true but R is not the correct explanation of A

C. A is true but R is false

D. Both A and R are false

Answer: B



Watch Video Solution

2. Assertion (A) In the reaction between potassium permanganate and potassium iodide, permanganate ions acts as oxidising agent.

Reason (R) Oxidation state of manganese changes from +2 and +7 during the reaction.

A. Both A and R are true and R is the correct explanation of A

B. Both A and R are true but R is not the correct explanation of A $\,$

C. A is true but R is false

D. Both A and R are false

Answer: c



3. Assertion (A) The decomposition of hydrogen peroxide to form water and oxygen is an example of disproportionation reaction Reason (R) The oxygen of peroxide is in -1 oxidation state and it is converted to zero oxidation state in ${\cal O}_2$ and -2 oxidation state in ${\cal H}_{2O}$.

A. Both A and R are true and R is the correct explanation of A

B. Both A and R are true but R is not the correct explanation of A

C. A is true but R is false

D. Both A and R are false

Answer: a



Watch Video Solution

4. Assertion (A) Redox couple is the combination of oxidised and reduced form of a substance involved in an oxidation or reduction half cell $E_{Fe^{-3+}/Fe^{2+}}^{\Theta} \quad \text{and} \quad E_{Fe^{-3+}/Fe^{2+}}^{\Theta} \quad \text{and} \quad E_{Fe^{-3+}/Fe^{2+}/Fe^{2+}}^{\Theta} \quad \text{and} \quad E_{Fe^{-3+}/Fe^{2+}/Fe^{2+}}^{\Theta} \quad \text{and} \quad E_{Fe^{-3+}/Fe^{2+}/Fe^{2+}/Fe^{2+}}^{\Theta} \quad \text{and} \quad E_{Fe^{-3+}/Fe^{2+}/Fe^{2+}/Fe^{2+}/Fe^{2+}/Fe^{2+}}^{\Theta} \quad \text{and} \quad E_{Fe^{-3+}/Fe^{2$

 $E^{m{ heta}}_{Cu^{2+}\,/Cu}, Fe^{3\,+}\,/Fe^{2\,+}$ and $Cu^{2\,+}\,/Cu$ are redox couples

- A. Both A and R are true and R is the correct explanation of A

 B. Both A and R are true but R is not the correct explanation of A

 C. A is true but R is false
 - D. Both A and R are false

Answer: a



Long Answer Type Questions

1. Explain redox reaction on the basis of electron transfer, Given suitable examples.



2. On the basis of standard electrode potential values, suggest which of the following reactions would take place? (Consult the book for $E^{\, \theta}$ value)

(a)
$$Cu+Zn^{2+}
ightarrow Cu^{2+}+Zn$$

(b)
$$Mg+Fe^{2+}
ightarrow Mg^{2+}+Fe$$

(c)
$$Br_2 + 2Cl^-
ightarrow Cl_2 + 2Br^-$$

(d)
$$Fe+Cd^2
ightarrow Cd+Fe^{2+}$$



3. Which of the following elements does not show disproportionation tendency?



4. Write redox couples involved in the reactions (a) to (d) given in quesiton 34.



watch video Solution

and arrange them in increasing order of oxidation number of chlorine. $NaClO_4, NaClO_3, NaClO, KClO_2, Cl_2O_7, ClO_3, Cl_2O, NaCl, Cl_2, ClO_2$

5. Find out the oxidation number of chlorine in the following compounds

Which oxidation state is not present in any of the above compounds?`



6. Which method can be used to find out strength of reductant/oxidant in a solution? Explain with an example.

