



CHEMISTRY

BOOKS - NCERT CHEMISTRY (HINGLISH)

THE P-BLOCK ELEMENTS

Mcqs

1. The element which exists in liquid state for a wide range of temperature and can be used for measuring high temperature is

A. B

B. Al

C. Ga



D. In

Answer: C



Watch Video Solution

2. Which of the following is a Lewis acid ?



Answer: A



Watch Video Solution

3. The geometry of a complex species can be understood from the knowledge of type of hybridisation of orbitals of central atom. The hybridisation of orbitals of central atom in $[B(OH_4)]^-$ and the geometry of the complex are respectively.

A. sp^3 , tetrahedral

B. sp^3 , square planar

C. sp^3d^2 , octahedral

D. dsp^2 , square planar

Answer: A

 [Watch Video Solution](#)

4. Which of the following oxides is acidic in nature ?

A. B_2O_3

B. Al_2O_3

C. Ga_2O_3

D. In_2O_3

Answer: A

 [Watch Video Solution](#)

5. The exhibition of highest co-ordination number depends on the availability of vacant orbitals in the central atom. Which of the following elements is not likely to act as central atom in MF_6^{3-} ?

A. B

B. Al

C. Ga

D. In

Answer: A



[Watch Video Solution](#)

6. Boric acid is an acid because its molecule

A. contains replaceable H^+ ion

B. gives up a proton

C. accepts OH^- from water releasing proton

D. combines with proton from water molecule

Answer: C

 [Watch Video Solution](#)

7. Catenation i.e., linking of similar atoms depends on size and electronic configuration of atoms. The tendency of catenation in group 14 elements follows the order.

A. $C > Si > Ge > Sn$

B. $C > Si > Ge \approx Sn$



C. $Si > C > Sn > Ge$

D. $Ge > Sn > Si > C$

Answer: B

 [Watch Video Solution](#)

8. Silicon has a strong tendency to form polymers like silicones. The chain length of silicone polymer can be controlled by adding



Answer: C



Watch Video Solution

9. Ionisation enthalpy ($\Delta_i H$ kJ mol⁻¹) for the elements of group 13 follows the order.



C. $B < Al > Ga < In > Tl$

D. $B > Al < Ga > In < Tl$

Answer: D



[Watch Video Solution](#)

10. In the structure of diborane,

A. All hydrogen atoms lie in one plane and boron atoms lie in a plane perpendicular to this plane

B. 2 boron atoms and 4 terminal hydrogen atoms lie in the same plane and 2 bridging hydrogen atoms lie in the perpendicular plane.





C. 4 bridging hydrogen atoms and boron atoms lie in one plane and two terminal hydrogen atoms lie in a plane perpendicular to this plane

D. All the atoms are in the same plane

Answer: B

 [Watch Video Solution](#)

11. A compound of boron X reacts at 200°C temperature with NH_3 to give another compound Y which is called as inorganic benzene. The compound Y is a colourless liquid and is highly light sensitive. Its melting point is -57°C . The compound X with excess of NH_3 and at a still higher temperature gives boron nitride $(\text{BN})_n$. The compounds X and Y are respectively:



Answer: A



Watch Video Solution

12. Quartz is extensively used as a piezoelectric material, it contains

A. Pb

B. Si

C. Ti

D. Sn

Answer: B



Watch Video Solution

13. The most commonly used reducing agent is

A. $AlCl_3$

B. $PbCl_2$

C. $SnCl_4$

D. SnCl_2

Answer: D

 [Watch Video Solution](#)

14. Dry ice is

A. solid NH_3

B. solid SO_2

C. solid CO_2

D. solid N_2

Answer: C

 [Watch Video Solution](#)

15. Cement, the important building material is a mixture of oxides of several elements. Besides calcium, iron and sulphur, oxides of elements of which of the group (s) are present in the mixture ?

- A. Group 2
- B. Groups 2, 13 and 14
- C. Groups 2 and 13
- D. Groups 2 and 14

Answer: B



[Watch Video Solution](#)

16. The reason for small radius of Ga compared to Al is

- A. poor screening effect of d and f-orbitals
- B. increase in nuclear charge
- C. presence of higher orbitals

D. higher atomic number

Answer: A::B

 [Watch Video Solution](#)

17. The linear shape of CO_2 is due to

A. sp^3 hybridisation of carbon

B. sp hybridisation of carbon

C. $p\pi - p\pi$ bonding between carbon and oxygen

D. sp^2 hybridisation of carbon

Answer: B::C

 [Watch Video Solution](#)

18. $MeSiCl$ is used during polymerisation of organo silicones because

- A. chain length of organo silicone polymers can be controlled by adding Me_3SiCl
- B. Me_3SiCl blocks the end terminal of silicone polymer
- C. Me_3SiCl improves the quality and yield of the polymer
- D. Me_3SiCl acts as a catalyst during polymerisation

Answer: A::B

 [Watch Video Solution](#)

19. Which of the following statements are correct ?

- A. Fullerenes have dangling bonds
- B. Fullerenes are cage-like molecules
- C. Graphite is thermodynamically most stable allotrope of carbon
- D. Graphite is slippery and hard and therefore used as a dry lubricant in machines.

Answer: B::C



[View Text Solution](#)

20. Which of the following statements are correct ? Answer on the basis of given figure







- A. The two bridged hydrogen atoms and the two boron atoms lie in one plane
- B. Out of six B-H bonds two bonds can be described in terms of 3 centre 2 electron bonds
- C. Out of six B-H bonds four B-H bonds can be described in terms of 3 centre 2 electron bonds
- D. The four terminal B-H bonds are two centre-two electron regular bonds

Answer: A::B::D



Watch Video Solution

21. Identify the correct resonance structures of carbon dioxide from the one given below:



Answer: D



Watch Video Solution

Short Answer

1. Draw the structures of $BCl_3 \cdot NH_3$ and $AlCl_3$ (dimer).

 [Watch Video Solution](#)

2. Explain the nature of boric acid as a Lewis acid in water.

 [Watch Video Solution](#)

3. Draw the structure of boric acid showing hydrogen bonding. Which species is present in water ? What is the hybridisation of boron in this species ?

 [Watch Video Solution](#)

4. Explain why the following compounds behave as Lewis acids ?

(a) BCl_3

(b) $AlCl_3$



Watch Video Solution

5. Give reasons for the following

(a) CCl_4 is immiscible in water, whereas $SiCl_4$ is easily hydrolysed.

(b) Carbon has a strong tendency for catenation compared to silicon.



Watch Video Solution

6. Explain the following

(a) CO_2 is a gas whereas SiO_2 is a solid

(b) Silicon forms SiF_6^{2-} ion whereas corresponding fluoro compound of carbon is not known.



Watch Video Solution

7. The +1 oxidation state in group 13 and +2 oxidation state in group 14 becomes more and more stable with increased atomic number. Explain.



Watch Video Solution

8. Carbon and silicon both belong to the group 14, but in spite of the stoichiometric similarity, the dioxides, (i.e., carbon dioxide and silicon dioxide), differ in their structures. Comment.

 [Watch Video Solution](#)

9. If a trivalent atom replaces a few silicon atoms in three dimensional network of silicon dioxide, what would be the type of charge on overall structure ?

 [Watch Video Solution](#)

10. When BCl_3 is treated with water, it hydrolyses and forms $[B(OH)_4]^-$ only whereas $AlCl_3$ in acidified aqueous solution forms $[Al(H_2O)_6]^{3+}$ ion, Explain what is the hybridisation of boron and aluminium in these species?

 [Watch Video Solution](#)



Watch Video Solution

11. Aluminium dissolves in mineral acids and aqueous alkalis and thus shows amphoteric character. A piece of aluminum foil is treated with dilute hydrochloric acid or dilute sodium hydroxide solution in a test tube and on bringing a burning match stick near the mouth of the test tube, a pop sound indicates the evolution of hydrogen gas. The same activity when performed with concentrated nitric acid, reaction doesn't proceed. Explain the reason.



Watch Video Solution

12. Explain the following

(a) Gallium has higher ionisation enthalpy than aluminium


(b) Boron does not exist as B^{3+} ion

(c) Aluminium forms $[AlF_6]^{3-}$ ion but boron does not form $[BF_6]^{3-}$ ion.





Watch Video Solution

13. Identify the compound A, X and Z in the following reactions:



 [Watch Video Solution](#)

14. Complete the following chemical equations:



 [Watch Video Solution](#)

Matching

1. Match the species given in Column I with the properties mentioned in Column II

Column-I

Column-II

- | | |
|--------------------|--|
| A. BF_4^- | 1. Oxidation state of central atom is +4 |
| B. AlCl_3 | 2. Strong oxidising agent |
| C. SnO | 3. Lewis acid |
| D. PbO_2 | 4. Can be further oxidised |
| | 5. Tetrahedral shape |

 [Watch Video Solution](#)

2. Match the species given in Column I with properties given in Column II

Column-I

Column-II

- | | |
|--------------------|--|
| A. Diborane | 1. Used as a flux for soldering metals |
| B. Gallium | 2. Crystalline form of silica |
| C. Borax | 3. Banana bonds |
| D. Aluminosilicate | 4. Low melting, high boiling, useful for measuring |
| E. Quartz | 5. Used as catalyst in petrochemical industries |

 [Watch Video Solution](#)

3. Match the species given in Column I with hybridisation given in Column

II.

Column-I

Column-II

- | | |
|-------------------------------------|--------------|
| A. Boron in $[B(OH_4)]^-$ | 1. sp^2 |
| B. Aluminium in $[Al(H_2O)_6]^{3+}$ | 2. sp^3 |
| C. Boron in B_2H_6 | 3. sp^3d^2 |
| D. Carbon in buckminster fullerene | |
| E. Silicon in SiO_4^{4-} | |
| F. Germanium in $[GeCl_6]^{2-}$ | |



[Watch Video Solution](#)

Assertion And Reason

1. Assertion (A): If aluminium atoms replace a few silicon atoms in three dimensional network of silicon dioxide, the overall structure acquires a negative charge.

Reason(R): Aluminium is trivalent while silicon is tetravalent.

- A. Both A and R are correct and R is the correct explanation of A
- B. Both A and R are correct but R is not the correct explanation of A
- C. Both A and R are not correct
- D. A is not correct but R is correct

Answer: d

 [Watch Video Solution](#)

2. Assertion (A) : Silicons are water repelling in nature.

Reason (R) : Silicons are organosilicon polymers, which have $(- R_2SiO -)$ as repeating unit.

- A. A and R both are correct R is the correct explanation of A
- B. Both A and R are correct but R is not the correct explanation of A
- C. A and R both are correct
- D. A is not correct but R is correct

Answer: b

 [Watch Video Solution](#)

Long Answer

1. Describe the general trends in the following properties of the elements in groups 13

- (a) Atomic size
- (b) Metallic character
- (c) Oxidation states

 [Watch Video Solution](#)

2. Account for the following observations

- (a) $AlCl_3$ is a Lewis acid
- (b) Though fluorine is more electronegative than chlorine yet BF_3 is a weaker Lewis acid than ClI_3
- (c) PbO_2 is a stronger oxidising agent than SnO_2
- (d) The +1 oxidation state of thallium is more stable than its +3 state.

 [Watch Video Solution](#)

3. When aqueous solution of borax is acidified with hydrochloric acid, a white crystalline solid is formed which is soapy to touch, is this solid acidic or basic in nature? Explain.

 [Watch Video Solution](#)

4. Three pairs of compounds are given below, identify that compound in each of the pairs which has group 13 element in more stable oxidation state. Give reason for your choice.

(i) $TlCl_3$, $TlCl$ (ii) $AlCl_3$, $AlCl$ (iii) $InCl_3$, $InCl$

 [Watch Video Solution](#)

5. BCl_3 exists as monomer whereas $AlCl_3$ is dimerised through halogen bridging. Give reason, Explain the structure of the dimer of $AlCl_3$ also.

 [Watch Video Solution](#)

6. Boron fluoride exists as BF_3 but boron hydride doesn't exist as BH_3 .

Give reason. In which form does it exist ? Explain its structure.

 [Watch Video Solution](#)

7. (a) What are silicones ? States the uses of silicones

(b) What are boranes ? Give chemical equation for the preparation of diborane.

 [Watch Video Solution](#)

8. A compound (A) of boron reacts with Nme_3 to give an adduct (B) which on hydrolysis gives a compound (C) and hydrogen gas. Compound (C) is an acid. Identify the compounds A,B and C. give the reactions involved.

 [Watch Video Solution](#)

9. A non-metallic element of group 13, used in making bullet proof vests is extremely hard solid of black colour. It can exist in many allotropic forms and has unusually high melting point. Its trifluoride acts as Lewis acid towards ammonia. The element exhibits maximum covalency of four. Identify the element and write the reaction of its trifluoride with ammonia. Explain why does the trifluoride act as Lewis acid.

 [Watch Video Solution](#)

10. A tetravalent element forms monoxide and dioxide with oxygen. When air is passed over heated element (1273K), producer gas is obtained. Monoxide of the element is a powerful reducing agent and reduces ferric oxide to iron. Identify the element and write formulas of its monoxide and dioxide. Write chemical equations for the formation of producer gas and reduction of ferric oxide with the monoxide.

 [Watch Video Solution](#)