



## MATHS

### BOOKS - NCERT MATHS (HINGLISH)

### COMPLEX NUMBERS AND QUADRATIC EQUATIONS

#### Short Answer Type Questions

1. For a positive integer  $n$ , find the value of  $(1 - i)^n \left(1 - \frac{1}{i}\right)^n$ .

 [Watch Video Solution](#)

2. Evaluate  $\sum_{n=1}^{13} (i^n + i^{n+1})$ , where  $n \in N$ .

 [Watch Video Solution](#)

3. If  $\left(\frac{1+i}{1-i}\right)^3 - \left(\frac{1-i}{1+i}\right)^3 = x + iy$ ,  $f \in d(x, y)$

 [Watch Video Solution](#)

4.  $\frac{(1+i)^2}{2-i} = x + iy$ , then find the value of  $x+y$ .

 [Watch Video Solution](#)

5. If  $\left(\frac{1-i}{1+i}\right)^{100} = a + ib$ ,  $f \in d(a, b)$

 [Watch Video Solution](#)

6. If  $a = \cos \theta + i \sin \theta$ , then find the value of  $\frac{1+a}{1-a}$ .

 [Watch Video Solution](#)

7. If  $(1+i)z = (1-i)\bar{z}$ , then show that  $z = -i\bar{z}$ .

 [Watch Video Solution](#)

8.

If

$z = x + iy$ , then show that  $z\bar{z} + 2(z + \bar{z}) + b = 0$ , where  $b \in \mathbb{R}$ ,  $x, y \in \mathbb{R}$ .

 [Watch Video Solution](#)

9. If the real part of  $\frac{\bar{z} + 2}{z - 1}$  is 4, then show that the locus of the point representing  $z$  in the complex plane is a circle.

 [Watch Video Solution](#)

10. Show that the complex number  $z$ , satisfying  $\frac{z - 1}{z + 1} = \frac{\pi}{4}$  lies on a circle.

 [Watch Video Solution](#)

11. Solve the equation  $|z| = z + 1 + 2i$ .



Watch Video Solution

## Long Answer Type Questions

1. If  $|z + 1| = z + 2(1 + i)$ , find  $z$ .



Watch Video Solution

2. If  $\arg(z - 1) = \arg(z + 3i)$ , then find  $(x - 1) : y$ , where  $z = x + iy$ .



Watch Video Solution

3. Show that  $\left| \frac{z - 2}{z - 3} \right| = 2$  represents a circle, find its centre and radius.



Watch Video Solution

4. If  $\frac{z-1}{z+1}$  is a purely imaginary number ( $z \neq -1$ ), then find the value of  $|z|$ .

 [Watch Video Solution](#)

5.  $z_1$  and  $z_2$  are two complex numbers such that  $|z_1| = |z_2|$ . "and"  $\arg(z_1) + \arg(z_2) = \pi$ , then show that  $z_1 = -\bar{z}_2$ .

 [Watch Video Solution](#)

6. If  $|z+1| = 1$  ( $z \neq -1$ ) and  $z_2 = \frac{z_1-1}{z_1-2}$ , then show that the real part of  $z_2$  is zero.

 [Watch Video Solution](#)

7. If  $z^1, z^2$  and  $z^3, z^4$  are two pairs of conjugate complex number, then find  $\arg 2 \left( \frac{z_1}{z_4} \right) + \left( \frac{z_2}{z_3} \right)$ .

 [Watch Video Solution](#)

8. If  $|z_1| = |z_2| = \dots = |z_n| = 1$ , prove that

$$|z_1 + z_2 + z_3 + \dots + z_n| = \frac{1}{z_1} + \frac{1}{z_2} + \frac{1}{z_3} + \dots + \frac{1}{z_n}.$$

 [Watch Video Solution](#)

9. If the complex number  $Z_1$  and  $Z_2$ ,  $\arg(Z_1) - \arg(Z_2) = 0$ . then show that  $|z_1 - z_2| = |z_1| - |z_2|$ .

 [Watch Video Solution](#)

10. Solve the system of equations  $\operatorname{Re}(z^2) = 0$ ,  $|z| = 2$

 [Watch Video Solution](#)

11. Find a complex number  $z$  satisfying the equation  $z + \sqrt{2}|z + 1| + i = 0$ .



Watch Video Solution

12. Convert the complex number  $z = \frac{i - 1}{\frac{\cos \pi}{3} + i \frac{\sin \pi}{3}}$  in the polar form.



Watch Video Solution

13. If  $z$  and  $w$  are two complex number such that  $|zw| = 1$  and  $\arg(z) - \arg(w) = \frac{\pi}{2}$ , then show that  $zw = -i$ .



Watch Video Solution

14. Fill in the blanks of the following .

(i) For any two complex numbers  $z_1, z_2$  and any real numbers  $a, b$ ,

$$|az_1 - bz_2|^2 + |bz_1 + az_2|^2 = \dots$$

(ii) The value of  $\sqrt{-25} \times \sqrt{-9}$  is...

(iii) The number  $\frac{(1 - i)^3}{1 - i^3}$  is equal to ...

(iv) The sum of the series  $i + i^2 + i^3 + \dots$  upto 1000 terms is ...

(v) Multiplicative inverse of  $1 + i$  is ...

(vi) If  $z_1$  and  $z_2$  are complex numbers such that  $z_1 + z_2$  is a real number, then  $z_1 = \dots$

(vii)  $\arg(z) + \arg \bar{z}$  where, ( $\bar{z} \neq 0$ ) is...

(viii) If

$|z + 4| \leq 3$ , then the greatest and least values of  $|z + 1|$  are... and ...

(ix) If  $\left| \frac{z - 2}{z + 2} \right| = \frac{\pi}{6}$ , then the locus of  $z$  is ...

(x) If  $|z| = 4$  and  $\arg(z) = \frac{5\pi}{6}$ , then  $z = \dots$



[Watch Video Solution](#)

**True False**

1. State true or false for the following. (i) The order relation is defined on the set of complex numbers. (ii) Multiplication of a non-zero complex number by  $-i$  rotates the point about origin through a right angle in the anti-clockwise direction. (iii) For any complex number  $z$ , the minimum value of  $|z| + |z - 1|$  is 1. (iv) The locus represent by  $|z - 1| = |z - i|$  is a line perpendicular to the join of the points  $(1, 0)$  and  $(0, 1)$ . (v) If  $z$  is a



complex

number

such

that

$z \neq 0$  and  $\operatorname{Re}(z) = 0$ , then  $\operatorname{Im}(z^2) = 0$ . (vi) The equality  $|z-4| = |z-2|$  represents the region given by  $x=3$ . (vii) Let  $z_1$  and  $z_2$  be two complex numbers such that  $|z_1 + z_2| = |z_1 - z_2|$ , then  $\arg(z_1 - z_2) = 0.2$  is not a complex number.



Watch Video Solution

## 2. Match the statements of column A and Column B.

Column A	Column B
(i) The polar form of $i + \sqrt{3}$ is	(a) Perpendicular bisector of segment joining $(-2, 0)$ and $(2, 0)$ .
(ii) The amplitude of $-1 + \sqrt{-3}$ is	(b) On or outside the circle having centre at $(0, -4)$ and radius 3.
(iii) If $ z + 2  =  z - 2 $ , then locus of $z$ is	(c) $\frac{2\pi}{3}$
(iv) If $ z + 2i  =  z - 2i $ , then locus of $z$ is	(d) Perpendicular bisector of segment joining $(0, -2)$ and $(0, 2)$ .
(v) Region represented by	(e) $2\left(\cos\frac{\pi}{6} + i\sin\frac{\pi}{6}\right)$
(vi) Region represented by $ z + 4  \leq 3$ is	(f) On or inside the circle having centre $(-4, 0)$ and radius 3 units.
(vii) Conjugate of $\frac{1+2i}{1-i}$ lies in	(g) First quadrant
(viii) Reciprocal of $1 - i$ lies in	(h) Third quadrant



Watch Video Solution

3. What is the conjugate of  $\frac{2 - i}{(1 - 2i)^2}$ ?

 [Watch Video Solution](#)

4. If  $|z_1| = |z_2|$ , is it necessary that  $z_1 = z_2$ .

 [Watch Video Solution](#)

5. If  $\frac{(a^2 + 1)^2}{2a - i} = x + iy$ , then when is the value of  $x^2 + y^2$ ?

 [Watch Video Solution](#)

6. Find the value of  $z$ , if  $|z| = 4$  and  $\arg(z) = \frac{5\pi}{6}$ .

 [Watch Video Solution](#)

7. Find the value of  $\left| (1 + i) \frac{(2 + i)}{(3 + i)} \right|$

 [Watch Video Solution](#)

8. Find the principal argument of  $(1 + i\sqrt{3})^2$ .



Watch Video Solution

9. where does  $z$  lie, if  $\left| \frac{z - 5i}{z + 5i} \right| = 1$ ?



Watch Video Solution

### Objective Type Questions

1.  $\sin x + i \cos 2x$  and  $\cos x - i \sin 2x$  are conjugate to each other for (A)  $x = n\pi$  (B)  $x = (n+1/2)\pi/2$  (C)  $x=0$  (D) no value of  $x$

A.  $x = n\pi$

B.  $x = \left( n + \frac{1}{2} \right) \frac{\pi}{2}$

C.  $x=0$

D. No value of  $x$

**Answer: D**



**Watch Video Solution**

2. The real value of  $\alpha$  for which the expression  $\frac{1 - i \sin \alpha}{1 + 2i \sin \alpha}$  is purely real is

A.  $(n + 1) \frac{\pi}{2}$

B.  $(2n + 1) \frac{\pi}{2}$

C.  $n\pi$

D. None of these

**Answer: C**



**Watch Video Solution**

3. If  $z = x + iy$  lies in III quadrant, then  $\frac{\bar{z}}{z}$  also lies in III quadrant If:

A.  $x > y > 0$

B.  $x < y < 0$

C.  $y < x < 0$

D.  $y > x > 0$

**Answer: B**



**Watch Video Solution**

4. The value of  $(z + 3)(\bar{z} + 3)$  is equivalent to (A)  $|z+3|^2$  (B)  $|z-3|$  (C)  $z^2+3$  (D) none of these

A.  $|z + 3|^2$

B.  $|z - 3|$

C.  $z^2 + 3$

D. None of these

**Answer: A**



Watch Video Solution

5. If  $\left(\frac{1+i}{1-i}\right)^x = 1$ , then (A)  $x=2n+1$  (B)  $x=4n$  (C)  $x=2n$  (D)  $x=4n+1$ ,  $n \in \mathbb{N}$ .

A.  $x = 2n + 1$

B.  $x = 4n$

C.  $x = 2n$

D.  $x = 4n + 1$

**Answer: B**



Watch Video Solution

6. A real value of  $x$  satisfies the equation  $\frac{3-4ix}{3+4ix} = \alpha - i\beta$  ( $\alpha, \beta \in \mathbb{R}$ ),  
if  $\alpha^2 + \beta^2 =$

A.  $x = 2n + 1$

B.  $x = 4n$

C.  $x = 2n$

D.  $x = 4n + 1$

**Answer: A**



**Watch Video Solution**

7. Which of the following is correct for any two complex numbers

$z_1$  and  $z_2$ ?  $|z_1 z_2| = |z_1| |z_2|$  (b)  $\arg(z_1 z_2) = \arg(z_1) \arg(z_2)$  (c)

$|z_1 + z_2| = |z_1| + |z_2|$  (d)  $|z_1 + z_2| \geq |z_1| + |z_2|$

A.  $|z_1 z_2| = |z_1| |z_2|$

B.  $\arg(z_1 z_2) = \arg(z_1) \cdot \arg(z_2)$

C.  $|z_1 + z_2| = |z_1| + |z_2|$

D.  $|z_1 + z_2| \geq |z_1| - |z_2|$

**Answer: A**



**Watch Video Solution**

8. The point represented by the complex number  $(2 - i)$  is rotated about origin through an angle  $\frac{\pi}{2}$  in the clockwise direction, the new position of point is (A)  $1+2i$  (B)  $-1-2i$  (C)  $2+i$  (D)  $-1+2i$

A.  $1 + 2i$

B.  $-1 - 2i$

C.  $2 + i$

D.  $-1 + 2i$

**Answer: B**



[Watch Video Solution](#)

9. Let  $x, y \in R$ . Then  $x + iy$  is a non real complex number is

A.  $x = 0$

B.  $y = 0$



C.  $x \neq 0$

D.  $y \neq 0$

**Answer: D**

 [Watch Video Solution](#)

10. If  $a + ib = c + id$ , then

A.  $a^2 + c^2 = 0$

B.  $b^2 + c^2 = 0$

C.  $b^2 + d^2 = 0$

D.  $a^2 + b^2 = c^2 + d^2$

**Answer: D**

 [Watch Video Solution](#)

11. The complex number which satisfies the condition  $\left| \frac{i+z}{i-z} \right| = 1$  lies on  
circle  $x^2 + y^2 = 1$  b. the  $x$  - axis c. the  $y$  - axis d. the line  $x + y = 1$

A. Circle  $x^2 + y^2 = 1$

B. the X-axis

C. the Y-axis

D. the line  $x + y = 1$

**Answer: B**



**Watch Video Solution**

12. If  $z$  is a complex number, then

A.  $|z^2| > |z|$

B.  $|z^2| = |z|^2$

C.  $|z^2| < |z|^2$

D.  $|z^2| \geq |z|^2$

**Answer: B**



**Watch Video Solution**

13.  $|z_1 + z_2| = |z_1| + |z_2|$  is possible, if

A.  $z_2 = \bar{z}_1$

B.  $z_2 = \frac{1}{z_1}$

C.  $\arg(z_1) = \arg(z_2)$

D.  $|z_1| + |z_2|$

**Answer: C**



**Watch Video Solution**

14. The real value of  $\theta$  for which the expression  $\frac{1 + i \cos \theta}{1 - 2i \cos \theta}$  is real number is

A.  $n\pi + \frac{\pi}{4}$

B.  $n\pi + (-1)^2 \frac{\pi}{4}$

C.  $2n\pi \pm \frac{\pi}{2}$

D. None of these

**Answer: C**



**Watch Video Solution**

15. the value of  $\arg(x)$  when  $x < 0$  is

A. 0

B.  $\frac{\pi}{2}$

C.  $\pi$

D. None of these

**Answer: C**



**Watch Video Solution**

16. If  $f(z) = \frac{7 - z}{1 - z^2}$ , where  $z = 1 + 2i$ , then  $|f(z)|$  is

A.  $\frac{|z|}{2}$

B.  $|z|$

C.  $2|z|$

D. None of these

**Answer: A**



**Watch Video Solution**