



BIOLOGY

BOOKS - NCERT BIOLOGY (HINGLISH)

MOLECULAR BASIS INHERITANCE

Molecular Basis Inheritance

1. In a DNA strand the nucleotides are linked together by

A. glycosidic bonds

B. phosphodiester bonds

C. peptide bonds

D. hydrogen bonds

Answer: B



Watch Video Solution

2. A nucleoside differs from a nucleotide. It lacks the

A. base

B. suger

C. phophate group

D. hydroxyl group

Answer: C



Watch Video Solution

3. Both deoxyribose and ribose belong to a class of sugars called

A. trioses

B. hexoses

C. pentoses

D. polysaccharides

Answer: C



Watch Video Solution

4. The fact that a purine base always paired through hydrogen bonds with a pyrimidine base leads to, in the DNA double helix

- A. the antiparallel nature
- B. the semiconservative nature
- C. uniform width throughout DNA
- D. uniform length in all DNA

Answer: C



Watch Video Solution

5. The net electric charge on DNA and histones is

- A. both positive
- B. both negative
- C. Both (a) and (b)
- D. zero

Answer: C



Watch Video Solution

6. The promoter site and the terminator site for transcription are located at

A. 3' (downstream) end and 5' (upstream) end, respectively of the transcription unit

B. 5' (upstream) end and 3' (Downstream) end, respectively of the transcription unit

C. the 5' (uptream) end

D. the 3' (downstream)end

Answer: C



Watch Video Solution

7. Which of the following statements is the most appropriate for sickle cell anaemia

A. It cannot be treated with iron supplements

B. it is a molecular disease

C. It confers resistance to acquiring malaria

D. All of the above

Answer: D





8. One of the following is true with respect to AUG

- A. It codes for methionine only
- B. It is also an initiation codon
- C. It codes for methionine in both prokaryotes and eukaryotes
- D. All of the above

Answer: D



[Watch Video Solution](#)

9. The first genetic material could be

A. Protein

B. carbohydrates

C. DNA

D. RNA

Answer: D



[Watch Video Solution](#)

10. With regard to mature mRNA in eukaryotes

A. exons and introns do not appear in the mature RNA

B. exons appear but introns do not appear in the mature RNA

C. introns appear but exons do not appear in the mature RNA

D. both exons and introns appear in the mature RNA

Answer: D



Watch Video Solution

11. The human chromosome with the highest and least number of gens in them are respectively

- A. chromosome 21 and Y
- B. chromosome 1 and X
- C. chromosome 1 and Y
- D. chromosome X and Y

Answer: C



Watch Video Solution

12. Who amongst the following scientists had no contribution in the development of the double helix model for the structure of DNA ?

A. Rosalind Franklin

B. Maurice Wilkins

C. Erwin Chargaff

D. Meselson and Stahl

Answer: D



Watch Video Solution

13. DNA is a polymer of nucleotides which are linked to each other by 3' – 5' phosphodiester bond . To prevent polymerisation of nucleotides, which of the following modifications would you choose ?

A. Replace purine with pyrimindines

B. Remove/ Replace 3' OH group in deoxy ribose

C. Remove/Replace 2' OH group with some other group in deoxy ribose

D. Both (b) and (c)

Answer: B



Watch Video Solution

14. Discontinuous synthesis of DNA occurs in one strand, because

A. DNA molecule being synthesised is very

long

B. DNA dependent DNA polymerase

catalyses polymerisation only in one

direction (5' → 3')

C. it is a more efficient process

D. DNA ligase has to have a role

Answer: B



Watch Video Solution

15. Which of the following steps in transcription is catalysed by RNA polymerase?

A. Initiation

B. Elongation

C. Termination

D. All of the above

Answer: B



Watch Video Solution

16. Control of gene experssion takes place at the level of

A. DNA-replication

B. transcription

C. translation

D. None of these

Answer: B



Watch Video Solution

17. Regulatory proteins are the accessory proteins that interact with RNA polymerase and affect its role in transcription. Which of the following statements is correct about regulatory protein ?

A. They only increase expression

B. They only decrease expression

C. They interact with RNA polymerase but do not affect the expression

D. They can act both as activators and as repressors

Answer: D



Watch Video Solution

18. Which was the last human chromosome to be completely sequenced ?

A. Chromosome 1

B. Chromosome 11

C. Chromosome 21

D. Chromosome-X

Answer: A



Watch Video Solution

19. Which of the following are the functions of RNA

- A. It is carrier of genetic information from DNA to ribosomes synthesising polypeptides
- B. It carries amino acids to ribosome
- C. It is a constituent component of ribosomes
- D. All of the above

Answer: D



Watch Video Solution

20. While analysing the DNA of an organism a total number of 5386 nucleotides were found out of which the proportion of different bases were: Adenine=29 %, Guanine= 17%, Cytosine=32%, Thymine=17 %, Considering the Chargaff's rule it can be concluded that

- A. it is a double-stranded circular DNA
- B. it is single-stranded DNA
- C. it is a double-stranded linear DNA
- D. NO conclusion can be drawn

Answer: B



Watch Video Solution

21. In some viruses, DNA is synthesised by using RNA as template . Such a DNA is called

A. A-DNA

B. B-DNA

C. cDNA

D. rDNA

Answer: C



Watch Video Solution

22. If Meselson and Stahl's experiment is continued for four generations in bacteria, the

ratio of $\overset{15}{N} / \overset{15}{N} : \overset{15}{N} / \overset{14}{N} : \overset{14}{N} / \overset{14}{N}$ containing DNA in

the fourth generation would be

A. 1 : 1 : 0

B. 1 : 4 : 0

C. 0 : 1 : 3

D. 0:1:7

Answer: D



Watch Video Solution

23. If the sequence of nitrogen bases of the coding strand of DNA in a transcription unit is $5' - ATGAATG - 3'$, the sequence of bases in its RNA transcript would be

A. $5' - AUGAUG - 3'$

B. 5' - U A C U U A C - 3'

C. 5' - C A U U C A U - 3'

D. 5' - G U A A G U A - 3'

Answer: A



Watch Video Solution

24. The RNA polymerase holoenzyme transcribes

A. the promoter, structural gene and the terminator region

B. the structural gene and the terminator regions

C. the structural gene and the terminator regions

D. the structural gene only

Answer: C



Watch Video Solution

25. If the base sequence of a codon in mRNA is $5' - AUG - 3'$, the sequence of tRNA pairing with it must be

A. $5' - UAC - 3'$

B. $5' - CAU - 3'$

C. $5' - AUG - 3'$

D. $5' - GUA - 3'$

Answer: A



Watch Video Solution

26. The amino acid attaches to the tRNA at its

A. 5'-end

B. 3'-end

C. Anti codon site

D. DHU loop

Answer: B



Watch Video Solution

27. To initiate translation, the mRNA first binds to

- A. the smaller ribosomal sub-unit
- B. the larger ribosomal sub-unit
- C. the whole ribosome
- D. No such specificity exists

Answer: A



Watch Video Solution

28. In *E. coli*, the lac operon gets switched on when

A. lactose is present and it binds to the repressor

B. repressor binds to operator

C. RNA polymerase binds to the operator

D. lactose is present and it binds to RNA polymerase

Answer: A



Watch Video Solution

29. What is the function of histones in DNA packaging ?



Watch Video Solution

30. DIFFERENCE BETWEEN EUCHROMATIN &
HETEROCHROMATIN



Watch Video Solution

31. The enzyme DNA polymerase in *E. coli* is a DNA dependent polymerase and also has the ability to proofread the DNA strand being synthesised Explain. Discuss the dual polymerase.



Watch Video Solution

32. What is the cause of discontinuous synthesis of DNA on one of the parental

strands of DNA? What happens to these short stretches of synthesised DNA?



[Watch Video Solution](#)

33. Given below is the sequence of coding strand of DNA in a transcription unit 3' AATGCAGCTAT TAGG-5'

Write the sequence of

(a) its complementary strand

(b) the mRNA



[Watch Video Solution](#)

34. What is DNA polymorphism? Why is it important to study it?



Watch Video Solution

35. Based on your understanding of genetic code, explain the formation of any abnormal hemoglobin molecule. What are the known consequences of such a change?



Watch Video Solution

36. Sometimes cattle or even human beings give birth to their young ones that are having extremely different sets of organs like limb/position of eye(s) etc. Comment .



Watch Video Solution

37. In a nucleus, the number of ribonucleoside triphosphates is 10 times the number of deoxy $\times 10$ ribonucleoside triphosphates, but only deoxy ribonucleotides are added during the DNA replication. Suggest a mechanism.



[Watch Video Solution](#)

38. Name a few enzymes involved in DNA replication other than DNA polymerase and ligase. Name the Key function for each of them.



[Watch Video Solution](#)

39. Name any three viruses which have RNA as the genetic material.



 [Watch Video Solution](#)

40. Define transformation in Griffith's experiment. Discuss how it helps in the identification of DNA as the genetic material.



[Watch Video Solution](#)

41. Who revealed biochemical nature of the transforming principle?



[Watch Video Solution](#)

42. Discuss the significance of heavy isotope of nitrogen in the Meselson and Stahl's experiment .



Watch Video Solution

43. Define a cistron. Giving examples differentiate between monocistronic and polycistronic unit.



Watch Video Solution

44. Give any six features of the human genome.



Watch Video Solution

45. During DNA replication, why is it that the entire molecule does not open in one go? Explain replication fork. What are the two functions that the monomers (dNTPs) play ?



Watch Video Solution

46. Retroviruses do not follow central dogma.

Comment.



Watch Video Solution

47. In an experiment, DNA is treated with the compound which tends to place itself amongst the stacks of nitrogenous base pairs.

As a result of this, the distance between two consecutive base increases. From 0.34-0.44nm, calculate the length of DNA double helix

(Which has 2×10^9 bp) in the presence of saturating of this compound.



[Watch Video Solution](#)

48. What would happen if histones were to be mutated and made rich in acidic amino acids such as aspartic acid and glutamic acid in place of basic amino acids such as lysine and arginine?



[Watch Video Solution](#)

49. Recall the experiments done by Frederick Griffith, Avery, MacLeod and McCarty, where DNA was speculated to be the genetic material. If RNA, instead of DNA was the genetic material, would the heat-killed strain of pneumococcus have transformed the R-strain into virulent strains? Explain.



Watch Video Solution

50. You are repeating the Hershey-Chase experiment and are provided with two

isotopes ^{32}P and ^{15}N (in place of ^{35}S in the original experiment). How do you expect your results to be different?



[Watch Video Solution](#)

51. There is only one possible sequence of amino acids when deduced from a given nucleotide. But multiple nucleotides sequence can be deduced from a single amino acid sequence. Explain this phenomenon.



[Watch Video Solution](#)

52. A single base mutation in a gene may not 'always' result in loss or gain of function. Do you think the statement is correct? Define your answer .



Watch Video Solution

53. A low level of expression of lac operon occurs at all the time. Can you explain the logic behind this phenomena.



Watch Video Solution

54. How has the sequencing of human genome opened new windows for treatment of various genetic disorders. Discuss amongst your classmates.



Watch Video Solution

55. The total number of genes in humans is far less (It 25000) than the previous estimate (up to 140000 genes). Comment.



[Watch Video Solution](#)

56. Now , sequencing of total genomes is getting less expensive day by day. Soon it may be affordable for a common men to get his genome sequenced. What in your opinion could be the advantage and disadvantage of this development?



[Watch Video Solution](#)

57. Would it be appropriate to use DNA probes such as VNTR in DNA fingerprinting of a bacteriophage?



Watch Video Solution

58. During in vitro synthesis of DNA, a researcher used 2', 3'-dideoxy cytidine triphosphate as raw nucleotide in place of 2' - deoxy cytidine. What would be the consequence?





[Watch Video Solution](#)

59. That background information did Watson and Crick have made available for developing a model of DNA? What was their contribution?



[Watch Video Solution](#)

60. What are the functions of

(i) methylated guanine cap?

(ii) poly-A 'tail' in a mature on RNA?



[Watch Video Solution](#)

61. Do you think that the alternate splicing of exons may enable a structural gene to code for several isoproteins from one and the same gene? If yes, how? If not, why so ?



Watch Video Solution

62. Comment on the utility of variability in number of tansem repeats during DNA fingerprinting .



[Watch Video Solution](#)

63. Give an account of Hershey and Chase experiment. What did it conclusively prove? If both DNA and protein contained phosphorus and sulphur do you think the result would have been the same?



[Watch Video Solution](#)

64. During the course of evolution why DNA was chosen over RNA as genetic material. Give

reasons by first discussing the desired criteria in a molecule that can act as genetic material and in the light of biochemical differences between DNA and RNA .



[Watch Video Solution](#)

65. Give an account of post transcriptional modifications of a eukaryotic mRNA.



[Watch Video Solution](#)

66. Discuss the process of translation in detail.



Watch Video Solution

67. Define an operon, giving an example, explain an inducible operon.



Watch Video Solution

68. There is a paternity dispute for a child'. Which technique can solve the problem?

Discuss the principle involved.



[Watch Video Solution](#)

69. Give an account of the methods used in sequencing the human genome.



[Watch Video Solution](#)

70. List the various markers that are used in DNA fingerprinting



[Watch Video Solution](#)

71. Replication was allowed to take place in the presence of radioactive deoxynucleotides precursors in E. coli that was a mutant for DNA ligase. Newly synthesised radioactive DNA was purified and strands were separated by denaturation. These were centrifuged using density gradient centrifugation. Which of the following would be a correct result ?



Watch Video Solution

