

BIOLOGY

BOOKS - NCERT BIOLOGY (HINGLISH)

PRINCIPLE OF INHERITANCE AND VARIATIONS

Principle Of Inheritance And Variations

1. All gens located on the same chromosome

A. from different groups depending upon their relative distance

B. from one linkage group

C. will not from any linkage group

D. from interactive groups that dffect the phenotype

Answer: B



$$2n\pm 1 \,\, ext{and} \,\, 2n\pm 2$$
 are called

- A. aneuploidy
- B. polyploidy
- C. allopolyploidy
- D. monosomy

Answer: A



3. Distance between the genes and percentage of recombination shows

A. a direct relationship

B. an inverse relationship

C. a parallel relationship

D. no relationship

Answer: A



4. If a genetic disease is transferred from a phenotypically normal but carrier female to only some of the male progeny, the disease is

A. autosomal dominant

B. autosomal recessive

C. sex-linked dominant

D. sex-linked recessive

Answer: D



5. In sickle cell anaemia glutamic acid is replaced by valine Which one of the following triplets codes for valine?

A. G G G

B. A A G

C. G A A

D. GUG

Answer: D



6. Person having genotype I^AI^B would show the blood group as AB. Thus is because of

- A. pleitropy
- B. codominance
- C. segregation
- D. incomplete dominance

Answer: B



= /			• . •	•		•
1. ZZ/ZW	type of se	x detern	nınatıon	IS	seen	ın
· · ==-/ = · ·	-/	· ·				

- A. platypus
- B. snails
- C. cockroach
- D. peacock

Answer: D



8. A cross between two tall plants resulted in offspring having few dwarf plants. What would be the genotypes of both the plants?

- A. TT and Tt
- B. Tt and Tt
- C. TT and TT
- D. Tt and tt

Answer: B



9. In a dihybrid crossm if you get 9:3:3:1 ratio it denotes that

A. the alleles of two genes are interacting with each other

B. it is a multigenic inheritance

C. it is case of multiple allelism

D. the alleles of two genes are segregating independently

Answer: D

10. Which of the following will not result in variations among siblings?

A. Independent assortment of genes

B. Crossing over

C. Linkage

D. Mutation

Answer: C



11. Mendel's law of independent assortment holds good for genes situated on the

A. non-homolgous chmologous

B. homologous chromosomes

C. extra nnclear genetic element

D. same chromosome

Answer: A



12. Occasionally, a single gene may express more than one effect. The phenomenon is called

A. multiple allelism

B. mosaicism

C. pleiotropy

D. polygeny

Answer: C



13. In a certain taxon of insects some have 17 chromosomes and the others have 18 chromosomes. The 17 and 18 chromosomebearing organisms are

A. males and frmales, respectively

B. femelses and males, respectively

C. all males

D. all frmales

Answer: A

14. The inheritance pattern of a gene over generations amoung human is studied by the pedigree analysis. Character studied in the pedigree analysis is equivalent to

A. quantitaviev trait

B. Mendelian trait

C. polygenic trait

D. maternal trait

Answer: B



Watch Video Solution

15. It is said thet Mendel proposed that the factor controlling any character is discrete and independen. His proposition was based on the

A. result of F_3 -generation of a cross

B. observations that the offspring of a cross made between the plants having

two contrasting characters shows only

character without any blending

- C. self-pollination of F_1 offsprings
- D. cross-pollination of F_1 -generation with recessive parent

Answer: B



16. Two genes 'A' and 'B' are linked. In a dihybrid cross involving these two genes, the F_1 heterozyogte is crossed with homozygous recessive parental type (aa bb). What would be the ratio of offspring in the next generation?

- A. 1:1:1:1
- B. 9: 3: 3: 1
- C. 3:1
- D. 1:1

Answer: A

17. In the F_2 generation a Mendelian dihybrid cross the number of phenotypes and genotypes are

- A. phenotypes-4 genotypes-16
- B. phenotypes-9, genotypes-4
- C. phenotypes-4, genotypes-8
- D. phenotypes-4, genotypes-9

Answer: D

18. Mother and father of a person with 'O' blood group have 'A' and 'B' blood group respectively. What would be the genotype of both mother and father?

A. Mother is homozygous for 'A' blood group and father is heterozgous for 'B'

B. Mother is heterozygous for 'A' blood group and father is homozygous for 'B'

C. Both mother and father are heterozygous for 'A' and 'B' blood group respectively

D. Both mother and father are homozygous for 'A' and 'B' blood group respectively

Answer: C



19. What is the cross between the progeny of F_1 and the homozygous recessive parent called? How is it useful?



Watch Video Solution

20. Do you think Mendel's Laws of inheritance would have been different in the characters that he chose were located on the same chromosome.



21. Enlist the steps of controlled crosspollination. Would esasculation be needed in a cucurbit plant? Give reasons for your answer.




Watch Video Solution

22. A person has tgo perform crosses for the purpose of studying inheritance of a few traits/characters. What should be the criteria for selecting the organisms?



23. the pedigree chart given below shows a particular trait which is absent in parents but present in the next generation irrespective of sexes. Draw your conclusion on the basis of the pedigree.





24. In order to obtain the F_1 -generation Mendel pollinated a pure-breeding tall plant with a pure-breeding dwarf plant. But for getting the F_2 -generatin, he simply self-pollinated the tall F_1 plants. Why?



Watch Video Solution

25. Genes contain the information that is required to express a particular trait.' Explain.



26. How are alleles of particular gane differ feom each other? Explain its significance.



Watch Video Solution

27. In a monohybrid cross of plants with red and white flowered plants. Mendel got only red flowered plants. On self-pollinating these F_1 plants got both red and white flowered plants in 3:1 ratio. Explain the basis of using

RR and rr symbols to represnt the genotype of plants of parental generation.



Watch Video Solution

28. For the experssion of traits genes provide only the potentiality and the enivornment provides the opportunity. Comment on the veracity of the statement.



29. A, B, D are three independently assorting genes with their recessive alleles a,b,d respectively. A cross was made between individuals of Aa bb DD genotype with aa bb dd. Find out the type of genotypes of the offspring produced.



Watch Video Solution

30. In our society a woman is often blamed for not bearing male child. Do you thing it is

right? Justify.



Watch Video Solution

31. Discuss the genetic basis of wrinkled phentype of pea seed.



Watch Video Solution

32. Even if a character shows multiple allelism, an individual will only have two alleles for that character. Why?

33. How does a mutagen induce mutation? Explain with example.



34. In a Mendelian monohybrid cross, the F_2 -generation shows identcal genotypic and phenotypic ratios. What does it tell us about

the nature of alleles involved? Justify your answer.



Watch Video Solution

35. Can a child have blood group 'O' if his parents have blood group 'A' and 'B' Explain.



Watch Video Solution

36. What is Down's syndrome? Give its symotoms and cause. Why is it that the chances of having a child with Down's syndrome incrreases if the age of the mother exceeds forth years?



Watch Video Solution

37. How was it concluded that genes are located on chromosomes?



38. A plant with red flowers was crossed with another plant with yellow flowers. If F1 showed all flowers orange in colour, explain the inheritance.



Watch Video Solution

39. What are the characteristic features of a trur-breeding line?



40. In peas, tellenss is dominate over dgarfness, and red colour of flowers is dominant over the white coolour. When a tall plant bearing red flowers was pollinated with a dwarf plant bearing white flowers, the different phenotypic groups were obtained in the progeny in numbers mentioned against them

Tall, Red = 138

Tall, White = 132

Dwarf, Red = 136

Dwarf, White = 128

Mention the genotypes of the two parents and of the four offspring types.



Watch Video Solution

41. Why is the frequency of red-green colourblindness is many times higher in males than that in the females?



42. If a father and son are both defective in red-greenn colour vision, is it likely that the son inherited the trait from his father? Comment.



Watch Video Solution

43. Discuss why Drosophila has been used extensively for genetical studies?



44. How do genes and chromosomes share similarity from the point of view of genetical studies?



Watch Video Solution

45. What is recombination? Discuss the applications of recombination from the point of view of genetic engineering.



46. What is artificial selection? Do you think it affects the process of natural selection? How



Watch Video Solution

47. With the help of an example differntiate between incomplete dominance and codominance.



48. It is said, that the harmful alleles get eliminated from population over a period of time, yet sickle-cell anaemia is persisting in human population. Why?



Watch Video Solution

49. In a plant tallenss is dominant over dwarfness and red flower is dominant over white. Starting with the parents work out a dihybrid cross. What is standard dihybrid

ratio? Do you think the values would deviate if the two genes in question are interacting wiht each other?



Watch Video Solution

50. (a) In humans, males are heterogametic and frmales are homogametic, Explain. Are there any examples where males are homogametic and females heterogametic?

(b) Also describe as to, who determines the

sex of an unborn child? Mention whether temperature has a role in sex determination.



Watch Video Solution

51. A normal visioned woman, whose father is colour blind, marries a normal visioned man. What would be probability of her sons and daughters to be colour blind. ? Explain with the help of a pedigree chart.



52. Discuss in detail the contributions of Morgan and Sturvant in the area of genetics.



Watch Video Solution

53. Define an euploidy. How is it different form polyploidy? Describe the individuals having following chromosomal abnormalities.

- (a) Trisomy of 21st Chromosome
- (b) XXY
- (c) XO



