



CHEMISTRY

BOOKS - CHEMISTRY

AMINES

Amines

1. Which of the following is a 3° amine

A. 1-methylcyclohexylamine

B. Triethylamine

C. Tert-butylamine

D. Propan-2-amine

Answer: B



Watch Video Solution

2. The correct IUPAC name for



A. allyl methylamine

B. 2-amiono-4-pentane

C. 4-aminopent-1-ene

D. N-methylprop-2-ene-1-amine



Answer: D



Watch Video Solution

3. Amongst the following, the amongst base in aqueous medium is....

A. CH_3NH_2




Answer: C




Watch Video Solution



4. Which of the following is the weakest Bronsted base?



B.



C.




Answer: A






Watch Video Solution

5. Benzylamine may be alkylated as shown in the following equation?



Which of the following alkyl halides is best suited for this reaction through S_N1 mechanism?



Answer: C



Watch Video Solution

6. Which of the following reagents would not be a good choice for reducing an aryl nitro compound to an amine?

A. $H_2(\text{excess}) / Pt$

B. $LiAlH_6$ in ether

C. Fe and HCl

D. Sn and HCl

Answer: B



Watch Video Solution


7. In order to prepare a 1° amine from an alkyl halide with simultaneous addition of one CH_2 group in the carbon chain, the reagent used as source of nitrogen is.....

A. Sodium amide, $NaNH_2$

B. sodium azide, NaN_3

C. potassium cyanide, KCN

D. potassium phthalimide



Answer: C



Watch Video Solution

8. The source of nitrogen in Gabriel synthesis of amine is..


A. sodium azide, NaN_3

B. sodium nitrite, $NaNO_2$

C. potassium cyanide, KCN

D. potassium

phthalimide




Answer: D



Watch Video Solution

9. Amongst the given set of reactants, the most appropriate for preparing 2° amine is..



D. None of these

Answer: C



Watch Video Solution

10. The best reagent for converting 2-phenylpropanamide into 2-phenylpropanamine is....

A. excess H_2

B. Br_2 in aqueous NaOH

C. iodine in the presence of red phosphorus

D. $LiAlH_4$ in ether

Answer: D



Watch Video Solution

11. The best reagent for converting, 2-phenylpropanamide into 1-phenylethanamine is....

A. excess H_2 / Pt

B. $NaOH / Br_2$

C. $NABH_4$ / methanol

D. $LiAlH_4$ ether

Answer: B




Watch Video Solution

12. Hofman bromamide degradation reaction is shown by.....

A. $ArNH_2$

B. $ArCONH_2$




Answer: B




Watch Video Solution


13. The correct increasing order is basic strength for the following compounds is...



(I)



(II)



(III)

A. $I < III < I$

B. $III < III < II$

C. $III < II < I$




D. $II < I < III$

Answer: D



Watch Video Solution

14. Methylamine reacts with HNO_2 to form....





Answer: C



Watch Video Solution

15. The gas evolved when methylamine reacts with nitrous acid is



Answer: B



Watch Video Solution

16. In the nitration of benzene using a mixture of conc. H_2SO_4 and conc. HNO_3 , the species which initiates the reaction is...



Answer: C



Watch Video Solution

17. Reduction of aromatic nitro compounds using Fe and HCl gives...





- A. aromatic oxime
- B. aromatic hydrocarbon
- C. aromatic primary amine
- D. aromatic amide

Answer: C



Watch Video Solution

18. The most reactive amine towards dilute hydrochloric acid is...



Answer: B



Watch Video Solution

19. Acid anhydrides on reaction with primary amine gives...

A. amide

B. imide

C. secondary amine


D. imine

Answer: A



Watch Video Solution

20. The reaction



named as....

- A. Sandmeyer reaction
- B. Gattermann reaction
- C. Claisen reaction
- D. Carbylamine reaction

Answer: B



Watch Video Solution

21. Best method for preparing primary amines from alkyl halides without changing the number of carbon atoms in the chain is

A. Hofmann bromamide reaction

B. Gabriel phthalimide

C. Sandmeyer reaction

D. reaction with NH_3

Answer: B



Watch Video Solution

22. Which of the following compounds will not undergo azo coupling reaction with benzene diazonium chloride?

A. Aniline

B. Phenol

C. Anisole




D. Nitrobenzene

Answer: D




Watch Video Solution

23. Which of the following compounds is the weakest Bronsted base?



D.




Answer: C




Watch Video Solution

24. Among the following amines, the strongest Bronsted base is....




A.

B. NH_3



C.








D.

Answer: D



Watch Video Solution

25. The correct decreasing order of basic strength of the following species is







Answer: A



Watch Video Solution

26. Which of the following should be most volatile?



A. II

B. IV

C. I

D. III

Answer: B



Watch Video Solution

27. Which of the following methods of preparing of amines will give some number of carbon atoms in the chain of amines as in the reactant?

A. Reaction of nitrite with $LiAlH_4$

B. Reaction of amide with $LiAlH_4$ followed by treatment with water

C. Heating alkylhalide with potassium salt of phthalimide followed by hydrolysis

D. Treatment of amide with bromine in aqueous solution of sodium hydroxide.

Answer: A::B::C



Watch Video Solution

28. Which of the following cannot be prepared by Sandmeyer's reaction?

A. Chlorobenzene

B. Bromobenzene

C. Iodobenzene

D. Fluorobenzene

Answer: C::D




Watch Video Solution

29. Reduction of nitrobenzene by which of the following reagent gives aniline?

A. Sn / HCl

B. Fe / HCl





Answer: A::B::C



Watch Video Solution

30. Which of the following species are involved








Answer: A::B



Watch Video Solution

31. The reagents that can be used convert benzenediazonium chloride to benzene are....




D. $LiAlH_4$


Answer: B::C




Watch Video Solution

32. The product of the following reaction is ...







A.



B.



C.




D.

Answer: A::B




Watch Video Solution


33. Arneium ion involved in the bromination of aniline is....



A.




B.



C.

D.



Answer: A::B::C



Watch Video Solution

34. Which of the following can be prepared by Garbriel synthesis?

A. Isobutyl amine

B. 2-phenylethylamine

C. N-methylbenzylamine



D. Aniline



Answer: A::B



Watch Video Solution

35. Which of the following reaction are correct?






Answer: A::C



Watch Video Solution


36. Under which of the following reaction conditions, aniline gives p-nitro derivative as the major product?

A. Acetyl chloride/pyridine followed by
reaction with conc.



B. Acetic anhydride/pyridine followed by
conc. H_2SO_4 + conc. HNO_3

C. Dil. HCl followed by reaction with conc.



D. Reaction with conc.



Answer: A::B



Watch Video Solution

37. Which of the following reaction belong to electrophilic aromatic substitution

- A. Bromination of acetanilide
- B. Coupling reaction of aryldiazonium salts
- C. Diazotisation of aniline
- D. Acylation of aniline

Answer: A::B



 [Watch Video Solution](#)

38. What is the role of HNO_3 in the nitrating mixture used for nitration of benzene?



[Watch Video Solution](#)

39. Why is NH_2 group of aniline acetylated before carrying out nitration



[Watch Video Solution](#)

40. What is the product when $C_6H_5CH_2NH_2$ reacts with HNO_3 ?




Watch Video Solution

41. What is the best reagent to convert nitrile to primary amine



Watch Video Solution

42. Give the structure of 'A' in the following reaction.



Watch Video Solution

43. What is Hinsberg reagent?



Watch Video Solution

44. Why is benzene diazonium chloride not stored and is used immediately after its preparation?



Watch Video Solution

45. Why does acylation of $-NH_2$ of aniline reduces its activating effect?



Watch Video Solution

46. Explain why $MeNH_2$ is stronger base than $MeOH$?



Watch Video Solution

47. What is the role of pyridine in the acylation reaction of amines?



Watch Video Solution

48. Under the reaction condition (acidic, basic) the coupling reaction of aryl diazonium chloride with aniline is carried out?



Watch Video Solution

49. Predict the product of reaction for aniline with bromine in non-polar solvent such as CS_2



Watch Video Solution

50. Arrange the following compounds in increasing order of dipole moment?




Watch Video Solution

51. What is the structure and IUPAC name of the compound, allyl amine?



Watch Video Solution

52. Write down the IUPAC name of



Watch Video Solution

53. A compound Z with molecular formula C_3H_9N reacts with $C_6H_5SO_2Cl$ to give a solid, insoluble in alkali. Identify Z.



Watch Video Solution



54. A primary amine, RNH_2 can be reacted with $CH_3 - X$ to get secondary amine, $R - NHCH(3)$, but the only disadvantage is that 3° amine and quaternary ammonium salts are also obtained as side products. Can

your suggest a method where RNH_2 forms only 2° amine?



Watch Video Solution

55. Complete the following reaction




Watch Video Solution

56. Why is aniline soluble in aqueous HCl?




Watch Video Solution

57. Suggest a route by which of the following conversion can be accomplished.



Watch Video Solution

58. Identify A and B in the following reactions.



Watch Video Solution

59. How will you carry out the following conversion?

(i) Toluene -p-toluidine

(ii) p-toluidine diazonium chloride -p-toluic acid



[Watch Video Solution](#)

60. Write following conversions

(i) Nitrobenzene-Acetanilide

(ii) Acetanilide-p-nitroaniline



[Watch Video Solution](#)


61. A solution contains 1g mol. Each of p-toluene diazonium chloride and p-nitrophenyl diazonium chloride. To this 1g mol. of alkaline

solution of phenol is added. Predict the major product. Explain your answer.




Watch Video Solution

62. How will you bring out the following conversion?




Watch Video Solution

63. How will you carry out the following conversion?




Watch Video Solution

64. How will you carry out the following conversion?



 [Watch Video Solution](#)

65. How will you carry out the following conversion?



 [Watch Video Solution](#)

66. Match the reactions given in Column I with the statements given in Column II

Column I	Column II
A. Ammonolysis	1. Amine with lesser number of carbon atoms
B. Gabriel phthalimide synthesis	2. Detection test for primary amines.
C. Hofmann bromamide reaction	3. Reaction of phthalimide with KOH and $R-X$
D. Carbylamine reaction	4. Reaction of alkylhalides with NH_3



Watch Video Solution

67. Match the reactions given in Column I with the statements given in Column II

Column I	Column II
A. Benzene sulphonyl chloride	1. Zwitter ion
B. Sulphanilic acid	2. Hinsberg reagent
C. Alkyl diazonium salts	3. Dyes
D. Aryl diazonium salts	4. Conversion to alcohols



Watch Video Solution

68. Assertion(A) Acylation of amines gives a monosubstituted product whereas alkylation of amines gives polysubstituted product.

Reason(R) Acyl group sterically hinders the approach of further acyl group

A. Both assertion and reason are wrong

B. Both assertion and reason are correct

statement but reason is not correct

explanation of assertion.

C. Assertion is correct statements and reason is correct explanation of assertion.

D. Both assertion and reason are correct statements and reason is correct explanation of assertion .

Answer:



Watch Video Solution

69. Assertion (A): Hofmann's bromamide reaction is given by primary amines.

Reason: Primary amines are more basic than secondary amines.

A. Both assertion and reason are wrong

B. Both assertion and reason are correct statement but reason is not correct explanation of assertion.

C. Assertion is correct statements and reason is correct explanation of

assertion.

D. Both assertion and reason are correct statements and reason is correct explanation of assertion .

Answer:



Watch Video Solution

70. Assertion (A): N-ethylbenzene sulphonamide is soluble in alkali.

Reason (R): Hydrogen attached to nitrogen In sulphonamide is strongly acidic.

A. Both assertio and reason are worng

B. Both assertion and reason are correct statement but reason is not correct explanation of assertion.

C. Assertion is correct statements and reason is correct explanation of assertion.

D. Both asseration and reason are correct
statements and reason is correct
explanation of assertion .

Answer:



Watch Video Solution

71. Assertion(A): N,N-diethylbenzene
sulphonamide is insoluble in alkali.

Reason(R): Sulphonyl group attached to

nitrogen atoms is strong electron withdrawing group.

A. Both assertion and reason are wrong

B. Both assertion and reason are correct statement but reason is not correct explanation of assertion.

C. Assertion is correct statements and reason is correct explanation of assertion.

D. Both asseration and reason are correct statements and reason is correct explanation of assertion .

Answer:



Watch Video Solution

72. Assertion(A): Only a small amount of HCl is required in the reduction of nitro compound with iron scrap and HCl in the presence of steam.

Reson(R): $FeCl_2$ formed get hydrolysed to release HCl during the reaction.

A. Both assertio and reason are worng

B. Both assertion and reason are correct statement but reason is not correct explanation of assertion.

C. Assertion is correct statements and reason is correct explanation of assertion.

D. Both assertion and reason are correct statements and reason is correct explanation of assertion .

Answer:



Watch Video Solution

73. Assertion(A): Aromatic 1° amines can be prepared by Gabriel phthalimide synthesis.

Reason (R): Aryl halides undergo nucleophilic substitution with anion formed by phthalimide.

A. Both assertio and reason are worng

B. Both assertion and reason are correct statement but reason is not correct explanation of assertion.

C. Assertion is correct statements and reason is correct explanation of assertion.

D. Both asseration and reason are correct statements and reason is correct explanation of assertion .

Answer:



Watch Video Solution

74. Assertion(A): Acetanilide is less basic aniline.

Reason(R): Acetylation of aniline results in decrease of electron density on nitrogen.

A. Both assertio and reason are worng

B. Both assertion and reason are correct

statement but reason is not correct

explanation of assertion.

C. Assertion is correct statements and reason is correct explanation of assertion.

D. Both assertion and reason are correct statements and reason is correct explanation of assertion .

Answer:



Watch Video Solution

75. A hydrocarbon 'A' (C_4H_8) on reaction with HCl gives a compound 'B', (C_4H_9Cl) which on reaction with 1 mol of NH_3 gives compounds 'C' ($C_4H_{11}N$). On reacting with $NaNO_2$ and HCl followed by treatment with water compound 'C' yields an optically active alcohol, 'D'. Ozonolysis of 'A' gives 2 mols of acetaldehyde. Identify compound 'A' to 'D'. Explain the reaction involved.




Watch Video Solution

76. A coloured substance 'A' (C_6H_7) is sparingly soluble in water and gives a water soluble compound 'B' on treating with mineral acid. On reaction with $CHCl_3$ and alcoholic potash 'A' produces an obnoxious smell due to the formation of compound 'C'. Reaction of 'A' with benzenesulphonyl chloride gives compound 'D' which is soluble in alkali. With $NaNO_2$ and HCl , 'A' forms compound 'E' which reacts with phenol in alkaline medium to give an orange dye 'F'. Identify compounds 'A' to 'F'.



Watch Video Solution

77. Predict the reagent or the product in the following reaction sequence.



Watch Video Solution