



MATHS

BOOKS - NCERT MATHS (HINGLISH)

STATISTICS AND PROBABILITY

Statistics And Probability

1. Find the class mark of the class 90 – 120.

A. 100

B. 101

C. 104

D. 105

Answer: D



Watch Video Solution

2. Find the range of the data

25, 18, 20, 22, 16, 6, 17, 15, 12, 30, 32, 10, 19, 8, 11 and 20.

A. 25

B. 26

C. 27

D. 28

Answer: B

 Watch Video Solution

3. In a frequency distribution, the mid values of a class is 10 and width of the class is 6. The lower limit of the class is

A. 6.5

B. 7

C. 8.5

D. 12

Answer: B



[Watch Video Solution](#)

4. The width of each of five continuous classes in a frequency distribution is 5 and the lower class limit of the lowest class is 10. The upper class limit of the highest class is

A. 15

B. 25

C. 35

D. 40

Answer: C



Watch Video Solution

5. If m is the mid-point and l is the upper limit of a class in a continuous frequency distribution, then lower class limit of the class is

A. $2m + l$

B. $2m - l$

C. $m - l$

D. $m - 2l$

Answer: B



Watch Video Solution

6. The class marks of a frequency distribution are given as follows 15,20, 25,..... The class corresponding to the class mark 20 is

A. $12.5 - 17.5$

B. $16.5 - 21.5$

C. $17.5 - 22.5$

D. $19.5 - 20.5$

Answer: C



Watch Video Solution

7. In the class intervals $10 - 20$, $20 - 30$, the number is 20 is included in

A. $10 - 20$

B. $20 - 30$

C. Both the intervals

D. None of these

Answer: B



Watch Video Solution

8. A ground frequency table with class intervals of equal sizes using 250 – 270 (270 not included in this interval) as one of the class interval is constructed for the for the following data

268,220,368,258,242,310,272,342,

310, 290, 300, 320, 319, 304, 402, 338,

406, 292, 354, 278, 210, 240, 330, 336,

406, 215, 258, 236.

The frequency of the class 310-330 is

A. 4

B. 5

C. 6

D. 7

Answer: A



Watch Video Solution

9. A grouped frequency distribution table with classes of equal sizes using 63-72 (72 included) as one of the class is constructed for the following data

30,32,45,54,74,78,108,112,66,66,76,88,

40, 14, 20,15,35,44,66,75,84,95,96,102,110,88,74,112,14,34,44.

The number of classes in the distribution will be

A. 9

B. 10

C. 11

D. 12

Answer: B



[Watch Video Solution](#)

10. To draw a histogram to represent the following frequency distribution.

Class Interval 5 – 10 10 – 15 15 – 25 25 – 45 45 – 75

Frequency 6 12 10 8 15

The adjusted frequency for the class 25 – 45 is

A. 6

B. 5

C. 3

D. 2

Answer: D



Watch Video Solution

11. The mean of five numbers is 30. If one number is excluded, their mean becomes . The excluded number is

A. 28

B. 30

C. 35

D. 38

Answer: D



[Watch Video Solution](#)

12. If the mean of the observation $x, x+3, x+5, x+7$ and $x+10$ is 9, then mean of the last three observations is

A. $\frac{101}{3}$

B. $\frac{102}{3}$

C. $11\left(\frac{1}{3}\right)$

D. $\frac{112}{3}$

Answer: C



[Watch Video Solution](#)

13. If \bar{x} represents the mean of n observations x_1, x_2, \dots, x_n , then values of $\sum_{i=1}^n (x_i - \bar{x})$

A. -1

B. 0

C. 1

D. $n - 1$

Answer: B



[Watch Video Solution](#)

14. If each observation of the data is increased by 5, then their mean

A. remains the same

B. becomes 5 times the original mean

C. is decreased by 5

D. is increased by 5

Answer: D

 [Watch Video Solution](#)

15. Let \bar{x} be the mean of x_1, x_2, \dots, x_n and \bar{y} be the mean of y_1, y_2, \dots, y_n . If \bar{z} is the mean of $x_1, x_2, \dots, x_n, y_1, y_2, \dots, y_n$, then \bar{z} is equal to

A. $\bar{x} + \bar{y}$

B. $\frac{\bar{x} + \bar{y}}{2}$

C. $\frac{\bar{x} + \bar{y}}{n}$

D. $\frac{\bar{x} + \bar{y}}{2n}$

Answer: B

 [Watch Video Solution](#)

16. Let \bar{x} be the mean of x_1, x_2, \dots, x_n and \bar{y} be the mean of y_1, y_2, \dots, y_n . If \bar{z} is the mean of $x_1, x_2, \dots, x_n, y_1, y_2, \dots, y_n$, then \bar{z} is equal to

- A. $\left(a + \frac{1}{a}\right)\bar{x}$
- B. $\left(a + \frac{1}{a}\right)\frac{\bar{x}}{2}$
- C. $\left(a + \frac{1}{a}\right)\frac{\bar{x}}{n}$
- D. $\frac{\left(a + \frac{1}{a}\right)\bar{x}}{2n}$

Answer: B



Watch Video Solution

17. If $\bar{x}_1, \bar{x}_2, \bar{x}_3, \dots, \bar{x}_n$ are the means of n groups with n_1, n_2, \dots, n_n number of observations, respectively, then the mean \bar{x} of all the groups taken together is given by

- A. $\sum_{i=1}^n n_i \bar{x}_i$

$$\text{B. } \frac{\sum_{i=1}^n n_i \bar{x}_i}{n^2}$$

$$\text{C. } \frac{\sum_{i=1}^n n_i \bar{x}_i}{\sum_{i=1}^n n_i}$$

$$\text{D. } \frac{\sum_{i=1}^n n_i \bar{x}_i}{2n}$$

Answer: C



Watch Video Solution

18. The mean of 100 observation is 50. If one of the observation which was 50 is replaced by 150, the resulting mean will be

A. 50.5

B. 51

C. 51.5

D. 52

Answer: B



[Watch Video Solution](#)

19. There are 50 numbers. Each number is subtracted from 53 and the mean of the number so obtained is found to be $= 3.5$. The mean of the given number is

A. 46.5

B. 49.5

C. 53.5

D. 56.5

Answer: D



[Watch Video Solution](#)

20. The mean of 25 observations is 36. Out of these observations, if the mean of first 13 observations is 32 and that of the last 13 observations is 40, the 13th observation is

A. 23

B. 36

C. 38

D. 40

Answer: B



[Watch Video Solution](#)

21. The median of the data 78, 56, 22, 34, 45, 54, 39, 54, and 84 is

A. 45

B. 49.5

C. 54

D. 56

Answer: C



[Watch Video Solution](#)

22. For drawing a frequency polygon of a continuous frequency distribution, we plot the points whose ordinates are the frequencies of the respective classes and abscissae are, respectively

- A. upper limits of the classes
- B. lower limits of the classes
- C. class marks of the classes
- D. upper limits of preceding classes

Answer: C



[Watch Video Solution](#)

23. Median of the following numbers

4, 4, 5, 7, 6, 7, 7, 12, 3 is

- A. 4

B. 5

C. 6

D. 7

Answer: C



[Watch Video Solution](#)

24. The mode of given data
15, 14, 19, 20, 14, 15, 16, 14, 15, 18, 14, 19, 15, 17 and 15 is

A. 14

B. 15

C. 16

D. 17

Answer: B



[Watch Video Solution](#)

25. In a sample study of 642 people, it was found that 514 people have a high school certificate. If a person is selected at random, the probability that the person has a high school certificate, is

A. 0.5

B. 0.6

C. 0.7

D. 0.8

Answer: D



[Watch Video Solution](#)

26. In a survey of 364 children aged 19-36 months, it was found that 91 liked to eat potato chips. If a child is selected at random, the probability that he/she does not like to eat potato chips, is

A. 0.25

B. 0.50

C. 0.75

D. 0.80

Answer: C



Watch Video Solution

27. In a medical examination of students of a class, the following blood groups are recorded.

Blood group	A	AB	B	O
Number of students	10	13	12	5

A student is selected at random from the class. The probability that he/she has blood group B, is

A. $\frac{1}{4}$

B. $\frac{13}{40}$

C. $\frac{3}{10}$

D. $\frac{1}{8}$

Answer: C



Watch Video Solution

28. Two coins are tossed 1000 times and the outcomes are recorded as below

Number of heads	2	1	0
Frequency	200	550	250

Based on this information, the probability for atmost one head is

A. $\frac{1}{5}$

B. $\frac{1}{4}$

C. $\frac{4}{5}$

D. $\frac{3}{4}$

Answer: C



Watch Video Solution

29. 80 bulbs are selected at random from a lot and their time (in hours) is recorded in the form of a frequency table given below

Life time (in hours)	300	500	700	900	1100
Frequency	10	12	23	25	10

One bulb is selected at random from the lot. The probability that its life is 1150 h, is

A. $\frac{1}{80}$

B. $\frac{7}{16}$

C. 0

D. 1

Answer: C



Watch Video Solution

30. The probability that bulbs selected randomly from the lot has life less than 900 h, is

A. $\frac{11}{40}$

B. $\frac{5}{16}$

C. $\frac{7}{16}$

D. $\frac{9}{16}$


Answer: D



Watch Video Solution

31. The frequency distributions been represented graphically as follows.

Marks	0-20	20-40	40-60	60-100
Number of students	10	15	20	25



Is this representation correct?

- A. Yes
- B. No
- C. cannot say
- D. None

Answer: B

 [Watch Video Solution](#)

32. In a diagnostic test in mathematics given to students, the following marks (out of 100) are recorded 46,52,48,11,41,62,54,53,96,40,98 and 44.

Which average will be a good representative of the above data and why?



[Watch Video Solution](#)

33. A child says that the median of 3, 14, 18, 20 and 5 is 18. What does not the child understand about finding the median?



[Watch Video Solution](#)

34. A football player scored the following number of goals in the 10 matches 1, 3, 2, 5, 8, 6, 1, 4, 7 and 9. Since, the number of matches is 10 (an even number), therefore

$$\text{Median} = \frac{5^{\text{th}} \text{observation} + 6^{\text{th}} \text{observation}}{2} = \frac{8 + 6}{2} = 7$$

Is it the correct answer and why?



[Watch Video Solution](#)

35. Is it correct to say that in a histogram, the area of each rectangle is proportional to the class size of the corresponding class interval? If not, correct the statement.

 [Watch Video Solution](#)

36. The class marks of a continuous distribution are 1.04, 1.14, 1.24, 1.34, 1.44, 1.54 and 1.54

Is it correct to say the last interval will be 1.55 – 1.73? Justify your answer.

 [Watch Video Solution](#)

37. 30 children were asked about the number of hours they watched TV programmes last week. The result are recorded as under

Number of hours	0-5	5-10	10-15	15-20
Frequency	8	16	4	2

Can we say that the number of children who watched TV for 10 or more hour in a week 22? Justify your answer.

 [Watch Video Solution](#)

38. Can the experimental probability of an event be a negative number? If not, why?

 [Watch Video Solution](#)

39. Can the experimental probability of an event be greater than 1? Justify your answer.

 [Watch Video Solution](#)

40. As the number of tosses of a coin increases the ratio of the number of heads to the total number of tosses will be $\frac{1}{2}$. Is it correct? If not, write the correct one.



[Watch Video Solution](#)

41. The blood groups of 30 students are recorded as follows

A,B,O,A,AB,O,A,O,B,A,OB,B,A,AB,B,A,AB,B,A,A,O,A,AB,B,A,O,B,A,B,A

Prepare a frequency distribution table for the data.



[Watch Video Solution](#)

42. The value of π upto 35 decimal places is given below

3.14159265358973238462643383277950288

Make a frequency distribution of the digits 0 to 9 after the decimal point.



[Watch Video Solution](#)

43. The scores (out of 100) obtained by 33 students in a mathematics test are as follows

69,48,84,58,48,73,83,48,66,58,84,66,64,71,64,66,69,66,83,66,69,71,81,71,73,69,66,66,66

Represent this data in the form of a frequency distribution.



[Watch Video Solution](#)

44. Prepare a continuous grouped frequency distribution from the following data

Mid-point	Frequency
5	4
15	8
25	13
35	12
45	6

Also, find the size of class intervals.



[Watch Video Solution](#)

45. Convert the given frequency distribution into a continuous grouped frequency distribution.

Class interval	Frequency
150 - 153	7
154 - 157	7
158 - 161	15
162 - 165	10
166 - 169	5
170 - 173	6

In which intervals would 153.5 and 157.5 be included?

 [Watch Video Solution](#)

46. The expenditure of a family of different heads in a month is given below

Head	Food	Education	Clothing	House rent	Others	Savings
Expenditure (₹)	4000	2500	1000	3500	2500	1500

Draw a bar graph to represent the data above.

 [Watch Video Solution](#)

47. Expenditure on education of a country during a five years period (2002-2006), in crore of rupees, is given below

Elementary Education	240
Secondary Education	120
University Education	190
Teacher's Training	20
Social Education	10
Other Educational Programmes	115
Cultural Programmes	25
Technical Education	125

Represent the information above by a bar graph.



[Watch Video Solution](#)

48. The following table gives the frequencies of most commonly used letters a,e,l,o,r,t,u, from a page of a book

Letters	a	e	i	o	r	t	u
Frequency	75	125	80	70	80	95	75

Represent the information above by a bar graph.



[Watch Video Solution](#)

49. If the mean of the following data is 20.2, then find the value of p .

x	10	15	20	25	30
f	6	8	p	10	6

A. 10

B. 15

C. 20

D. 25

Answer: C

[Watch Video Solution](#)

50. Obtain the mean of the following distribution.

Frequency (f_i)	Variable (x_i)
4	4
8	6
14	8
11	10
3	12

A. 7.5

B. 8.05

C. 9

D. None

Answer: B



Watch Video Solution

51. A class consists of 50 students out of which 30 are girls. The mean of marks scored by girls in a test is 73 (out of 100) and that of boys is 71. Determine the mean score of the whole class.

A. 70

B. 71

C. 72.2

D. None

Answer: C



[Watch Video Solution](#)

52. Mean of 50 observations was found to be 80.4. But later on, it was discovered that 96 was misread as 69 at one place. Find the correct mean.

A. 80.94

B. 85

C. 90

D. None

Answer: A



[Watch Video Solution](#)

53. Ten observations 6,14, 15,17, $x+1$, $2x-13$, 30, 32,34 and 43 are written in an ascending order. The median of the data is 24. Find the value of x .

A. 10

B. 15

C. 18

D. 20

Answer: D



[Watch Video Solution](#)

54. The points scored by a basket ball team in a series of matches are as follows

17,2,7,27,25,5,14,18,10,24,48,10,8,7,10,28

Find the median and mode for the data.

A. 11, 12

B. 12, 10


C. 10, 15

D. None

Answer: B

 [Watch Video Solution](#)

55. In the figure, there is histogram depicting daily wages of workers in a factory. Construct the frequency distribution table.



[▶ Watch Video Solution](#)

56. A company selected 4000 households at random and surveyed them to find out a relationship between income level and the number of television sets in a home. The information, so obtained is listed in the following table.

Monthly income (in ₹)	Number of televisions/households			
	0	1	2	Above 2
< 10000	20	80	10	0
10000-14999	10	240	60	0
15000-19999	0	380	120	30
20000-24999	0	520	370	80
25000 and above	0	1100	760	220

Find the probability

i) of a household earning Rs 10000- Rs 14999 per year and having exactly one television.

ii) of a household earning Rs 25000 and more per year owning 2 televisions.

iii) of a household not having any television.



[Watch Video Solution](#)

57. Two dice are thrown simultaneously 500 times. Each time the sum of the two numbers appearing on their tops is noted and recorded as given in the following table

Sum	Frequency
2	14
3	30
4	42
5	55
6	72
7	75
8	70
9	53
10	46
11	28
12	15

If the dice are thrown once more, then what is probability of getting a sum

- A. 3?
- B. more than 10?
- C. less than or equal to 5?
- D. between 8 and 12?

Answer:



Watch Video Solution

58. Bulbs are packed in cartons each containing 40 bulbs, seven hundred cartons were examined for defective bulbs and the results are given in the following table.

Number of defective bulbs	0	1	2	3	4	5	6	More than 6
Frequency	400	180	48	41	18	8	3	2

One carton was selected at random. What is the probability that it has

- i) no defective bulb?
- ii) defective bulbs from 2-6?
- iii) defective bulbs less than 4?



Watch Video Solution

59. Over the past 200 working days, the number of defective parts produced by a machine is given in the following table.

Number of defective parts	0	1	2	3	4	5	6	7	8	9	10	11	12	13
Days	50	32	22	18	2	2	10	10	10	8	6	6	2	2

Determine the probability that tomorrow's output will have

- A. no defective part.
- B. atleast one defective part.
- C. nor more than 5 defective parts.
- D. more than 13 defective parts.

Answer:



Watch Video Solution

60. A recent survey found that the edges ages of workers in a factory as follow.

Age (in years)	20-29	30-39	40-49	50-59	60 and above
Number of workers	38	27	86	46	3

If a person is selected at random, find the probability that the person is

- A. 40 yr or more

B. under 40 yr

C. having age from 30-39 year.

D. under 60 but over 39 year.

Answer:

 [Watch Video Solution](#)

61. Draw a histogram of the following distribution.

Height (in cm)	Number of students
150-153	7
153-156	8
156-159	14
159-162	10
162-165	6
165-168	5

 [Watch Video Solution](#)

62. Draw a histogram to represent the following grouped frequency distribution.

Age (in years)	Number of teachers
20-24	10
25-29	28
30-34	32
35-39	48
40-44	50
45-49	35
50-54	12



[Watch Video Solution](#)

63. The lengths of 62 levels of a plant are measured in millimetres and the data is represented in the following table

Length (in mm)	Number of leaves
118-126	8
127-135	10
136-144	12
145-153	17
154-162	7
163-171	5
172-180	3

Draw a histogram to represent the data above.

 [Watch Video Solution](#)

64. Following table gives the distribution of students of sections A and B of a class according to the marks obtained by them.

Section A		Section B	
Marks	Frequency	Marks	Frequency
0-15	5	0-15	3
15-30	12	15-30	16
30-45	28	30-45	25
45-60	30	45-60	27
60-75	35	60-75	40
75-90	13	75-90	10

Represent the marks of the students of both the sections on the same graph by two frequency polygons. What do you observe?

 [Watch Video Solution](#)

65. The mean of the distribution is 50.

x	10	30	50	70	90
f	17	$5a + 3$	32	$7a - 11$	19

Find the value of a and hence the frequencies of 30 and 70

- A. 3
- B. 4
- C. 5
- D. 6

Answer: C



Watch Video Solution

66. The mean marks (out of 100) of boys and girls in an examination are 70 and 73, respectively. If the sum mean marks of all the students in that

examination is 71, find the ratio of the number of boys to the number of girls.

A. 4:1

B. 2:1

C. 3:1

D. 5:1

Answer: B



Watch Video Solution

67. A total of 25 patients admitted to a hospital are tested for levels of blood sugar, (mg/dl) and the results obtained were as follows.

87	71	83	67	85
77	69	76	65	85
85	54	70	68	80
73	78	68	85	73
81	78	81	77	75

Find mean, median and mode (mg/dl) of the above data.

A. 75.64, 77, 95

B. 75, 87, 55

C. 75.64, 87, 88

D. 75.64, 77, 85

Answer: D



[Watch Video Solution](#)

Long Answer Type Questions

1. The following are the marks (out of 100) of 60 students in Mathematics.

16,13,5,80,7,51,48,24,56,70,19,17,16,36,34,

42,34,42,34,34,35,72,55,75,31,52,28,97,74,45,62,68,86,

35,85,36,81,75,55,26,95,31,7,78,92,62,52,56,15,63,25,36,54,44,47,27,72,17,4,30`.

Construct a grouped frequency table with width 10 of each class starting from 0-9.



[Watch Video Solution](#)

2. Construct a grouped frequency distribution table with width 10 of each class, in such a way that one of the class is 10-20 (20 not included).

 [View Text Solution](#)

3. The marks obtained (out of 100) by a class of 80 students are given below

Marks	Number of students
10-20	6
20-30	17
30-50	15
50-70	16
70-100	26

 [View Text Solution](#)

4. Following table shows a frequency distribution for the speed of cars passing through at a particular spot on a high way.

Class interval (km/h)	Frequency
30-40	3
40-50	6
50-60	25
60-70	65
70-80	50
80-90	28
90-100	14

Draw a histogram and frequency polygon representing the data above.



[View Text Solution](#)

5. Refer to Q. 7. Draw the frequency polygon representing the above data without drawing the histogram.



[View Text Solution](#)