



PHYSICS

BOOKS - NCERT PHYSICS (HINGLISH)

WORK AND ENERGY

Work And Energy

1. When a body falls freely towards the earth,
then its total energy

A. increases

B. decreases

C. remains constant

D. first increases and then decreases

Answer: C



Watch Video Solution

2. A car is accelerated on a levelled road and attains a velocity 4 times of its initial velocity. In this process, the potential energy of the car

A. does not change

B. becomes twice to that of initial

C. becomes 4 times that of initial

D. becomes 16 times that of initial

Answer: A



Watch Video Solution

3. In case of negative work, the angle between the force and displacement is

A. 0

B. 45°

C. 90°

D. 180°

Answer: D



Watch Video Solution

4. An iron sphere of mass 10 kg has the same diameter as an aluminium sphere of mass 3.5 kg. Both spheres are dropped simultaneously

from a tower. When they are 10 m above the ground, they have the same

- A. acceleration
- B. momenta
- C. potential energy
- D. kinetic energy

Answer: A



Watch Video Solution

5. A girl is carrying a school bag of 3 kg mass on her back and moves 200 m on a levelled road. The work done against the gravitational force will be ($g = 10\text{ms}^{-2}$)

A. $6 \times 10^3 J$

B. $6J$

C. $0.6J$

D. zero

Answer: D



Watch Video Solution

6. Which one of the following is not the unit of energy?

- A. Joule
- B. Newton metre
- C. Kilowatt
- D. Kilowatt hour

Answer: C



Watch Video Solution

7. The work done on an object does not depend on the :

A. displacement

B. force applied

C. angle between force and displacement

D. initial velocity of the object

Answer: D



Watch Video Solution

8. Water stored in a dam possesses

A. no energy

B. electrical energy

C. kinetic energy

D. potential energy

Answer: D



Watch Video Solution

9. A body is falling from a height h . After it has fallen a height $\frac{h}{2}$, it will possess

A. only potential energy

B. only kinetic energy

C. half potential and half kinetic energy

D. more kinetic and less potential energy

Answer: C



Watch Video Solution

10. A rocket is moving up with a velocity v if the velocity of this rocket is suddenly tripled, what will be the ratio of two kinetic energies ?



[Watch Video Solution](#)


11. Avinash can run with a speed of 8 m/s against the frictional force of 10 N , and Kapli can move with a speed of 3 m/s against the frictional force of 25 N . Who is more powerful and why ?



[Watch Video Solution](#)

12. A boy is moving on a straight road against a frictional force of 5 N. After travelling a distance of 1.5 km, he forgot the correct path at a round about, of radius 100m. However, he moves on the circular path for one and half cycle and then he moves forward upto 2.0 km.

Calculate the work done by him.



Watch Video Solution

13. Can any object have mechanical energy even if its momentum is zero? Explain.



Watch Video Solution

14. Can any object have momentum even if its mechanical energy is zero?



[Watch Video Solution](#)

15. The power of a motor pump is 2kW. How much water per minute the pump can raise to a height of 10 m ? (Given $g = 10m / s^2$)



[Watch Video Solution](#)

16. The weight of a person on a planet A is about half that on the Earth. He can jump upto 0.4 m height on the surface of the Earth. How high can he jump on the planet A ?



Watch Video Solution

17. The velocity of a body moving in a straight line is increased by applying a constant force F , for some distance in the direction of the motion. Prove that the increase in the kinetic

energy of the body is equal to the work done by the force on the body.



[Watch Video Solution](#)

18. Is it possible that an object is in the state of accelerated motion due to external force acting on it, but no work is being done by the force. Explain it with as example.



[Watch Video Solution](#)

19. A ball is dropped from a height of 10 m. If the energy of the ball reduces by 40% after striking the ground, how much high can the ball bounce back? ($g = 10\text{m} / \text{s}^2$)



[Watch Video Solution](#)

20. If an electric iron of 1200 W is used for 30 minutes everyday, find electric energy consumed in the month of April.



[Watch Video Solution](#)

21. A light and a heavy object have the same momentum. Find out the ratio of their kinetic energies. Which one has a larger kinetic energy ?



Watch Video Solution

22. An automobile engine propels a 1000 kg car (A) along a levelled road at a speed of 36 km/h. Find the power if the opposing frictional force is 100 N. Now, suppose after

travelling a distance of 200 m, this car collides with another stationary car (B) of same mass and comes to rest. Let its engine also stop at the same time. Now car (B) starts moving on the same level road without getting its engine started. Find the speed of the car (B) just after the collision.



[Watch Video Solution](#)

23. A girl having mass of 35 kg sits on a trolley of mass 5 kg. The trolley is given an initial

velocity of 4 m/s by applying a force. The trolley comes to rest after travelling a distance of 16 m . (a) How much work is done on the trolley? (b) How much work is done by the girl?



[Watch Video Solution](#)

24. Four men lift a 250 kg box to a height of 1 m and hold it without raising or lowering it. (a) How much work is done by the men in lifting the box? (b) How much work do they do

in just holding it ? (c) why do they get tired while holding it ? ($g = 10m / s^2$)



[Watch Video Solution](#)

25. What is power ? How do you differentiate killowatt from kilowatt hour ? The Jog Falls in Karnataka state are nearly 20 m high. 2000 tonnes of water falls from it in a minute. Calculate the equivalent power if all this energy can be utilized ? ($g = 10m / s^2$)



[Watch Video Solution](#)

26. How is the power related to the speed at which a body can be lifted ? How many kilograms will a man working at the power of 100 W, be able to lift at constant speed of 1 m / s vertically ? ($g = 10\text{ m//s}^2$)`



Watch Video Solution

27. Define watt. Express kilowatt in terms of joule per second. A 150 kg car engine develops

500 W for each kg. What force does it exert in moving the car at a speed of 20 m/s ?



[Watch Video Solution](#)

28. Compare the power at which each of the following is moving upwards against the force of gravity ? ($g = 10 \text{ m/s}^2$) (i) a butterfly of mass 1.0 g that flies upward at a rate of 0.5 m/s (ii) a 250 g squirrel climbing up on a tree at a rate of 0.5 m/s .



[Watch Video Solution](#)

