



MATHS

BOOKS - NAGEEN MATHS (HINGLISH)

POLYNOMIALS

Solved Examples

1. Find zeroes of the polynomial $x^2 - 3x + 2$ and verify the relation between its zeroes and coefficients.



[Watch Video Solution](#)

2. Find zeroes of the polynomial $2x^2 - 5x + 2$ and verify the relation between zeroes and coefficients.



[Watch Video Solution](#)

3. Find zeroes of the polynomial $6x^2 - 3 - 7x$ and verify the relation between zeroes and coefficients.





[Watch Video Solution](#)

4. Find zeroes of the quadratic $\sqrt{3}x^2 - 8x + 4\sqrt{3}$ and verify the relation between the zeroes and coefficients.



[Watch Video Solution](#)

5. Find zeroes of the polynomial $x^2 - 4$ and verify the relation between zeroes and coefficients.



[Watch Video Solution](#)

6. Find zeroes of the polynomial $x^2 - 3$ and verify the relation between zeroes and coefficients.



[Watch Video Solution](#)

7. Find zeroes of the polynomial $2t^2 + 3t$ and verify the relation between zeroes and coefficients.



[Watch Video Solution](#)

8. Find a quadratic polynomial, the sum of whose zeroes is 5 and their product is 6. Hence, find zeroes of the polynomial.



[Watch Video Solution](#)

9. Find a quadratic polynomial whose zeroes are -2 and 5. Hence, verify the relation between zeroes and coefficients of the polynomial.



[Watch Video Solution](#)

10. If the product of zeroes of the polynomial $(ax^2 - 6x - 6)$ is 4, find the value of a.

A. $2/3$

B. $-3/2$

C. 1

D. None of these

Answer: B



Watch Video Solution

11. If $x - \frac{2}{3}$ and $x + 3$ are factors of the quadratic polynomial $ax^2 + 7x + b$, then find the values of a and b .



[Watch Video Solution](#)

12. If one zero of the polynomial $(a^2 + 9)x^2 + 13x + 6a$ is reciprocal of the other, find the value of a .



[Watch Video Solution](#)

13. Verify that 1,2,3 are the zeroes of the cubic polynomial

$p(x) = x^3 - 6x^2 + 11x - 6$ and verify the relation between its zeroes and coefficients.



Watch Video Solution

14. Find a cubic polynomial whose zeroes are

$\frac{1}{2}$, $-\frac{3}{2}$ and 2.



Watch Video Solution

15. Divide $2x^2 + x - 5$ by $x+2$ and verify the division algorithm.



Watch Video Solution

16. Divide $4x^2 - 11x^2 + 7x - 2$ by $1 + x - x^2$ and verify the division algorithm.

Note

Always write the divided and divisor in standard form i.e., decreasing order of the variable.



17. On dividing $(x^2 - 3x^2 + x + 2)$ by a polynomial $g(x)$, the quotient and remainder are $(x-2)$ and $(-2x+4)$ respectively. Find $g(x)$.

A. $x^2 - x + 3$

B. $x^2 - x + 1$

C. $x^2 - x + 2$

D. $x^2 - x$

Answer: B



Watch Video Solution

18. If the polynomial $(x^4 + 2x + 8x^2 + 12x + 18)$ is divided by another polynomial $(x^2 + 5)$, the remainder comes out to be $(px+q)$. Find the values of p and q .



Watch Video Solution

19. What real number should be subtracted from the polynomial $(3x^3 + 10x^2 - 14x + 9)$

so that $(3x - 2)$ divides it exactly?

A. 5

B. 6

C. 7

D. 8

Answer: A



Watch Video Solution

20. If 2 is a zero of the polynomial $x^3 - 2x^2 - x + 2$, then find its other zeroes.



Watch Video Solution

21. If 1 and -1 are zeroes of the polynomial $x^3 + 5x^2 - x - 5$, then find all zeroes of the given polynomial.



Watch Video Solution

22. Obtain all other zeroes of $(x^4 + 4x^3 - 2x^2 - 20x - 15)$ if two of its zeroes are $\therefore \sqrt{5}$ and $-\sqrt{5}$.



[Watch Video Solution](#)

23. If sum of zeroes of a polynomial $= \alpha + \beta = -8$ and product of zeroes $= \alpha\beta = 6$, then form a polynomial whose zeroes are $(\alpha - \beta)$ and $(\alpha + \beta)$.



[Watch Video Solution](#)

24. If α, β, γ are zeroes of cubic polynomial $x^3 + 5x - 2$, then find the value of $\alpha^3 + \beta^3 + \gamma^3$.



Watch Video Solution

25. If the polynomial $x^4 - 6x^3 + 16x^2 - 25x + 10$ is divided by another polynomial $x^2 - 2x + k$, the remainder comes out to be $(x-a)$. Find k and a .



Watch Video Solution

26. If $a^2 - 2a - 3$ is a factor of $a^4 + pa^3 + 12a - 9$, find the value of $p^2 - 2q - 3$.



[Watch Video Solution](#)

27. If one zero of a quadratic polynomial $p(x) = ax^2 + bx + c$ is square of the other, then give the relation in a , b and c .



[Watch Video Solution](#)

28. If α and β are zeroes of the quadratic polynomial $f(x) = 3x^2 - 5x - 2$, then find the value of $\left(\frac{\alpha^2}{\beta} + \frac{\beta^2}{\alpha}\right) + 6(\alpha + 1)(\beta + 1)$.



[Watch Video Solution](#)

29. Find the maximum and minimum value of the polynomial $f(x) = -x^2 + x + 2$.



[Watch Video Solution](#)

30. If α and β are zeroes of the quadratic polynomial $2x^2 + 2(a + b)x + a^2 + b^2$, form the quadratic polynomial whose zeroes are $(\alpha + \beta)^2$.



Watch Video Solution

31. If α, β are zeroes of polynomial $f(x) = x^2 - p(x + 1) - c$, then find the value of $(\alpha + 1)(\beta + 1)$.



Watch Video Solution

32. If α, β gamma are the zeroes of polynomial $f(x) = (x - 1)(x^2 + x + 3)$, then find the value of $\alpha^3 + \beta^3 + \gamma^3$.



Watch Video Solution

33. Amitabh own a garden. In the garden, the number of mango trees is equal to number of mangoes per tree and the cost price per mango is the same as the number of mango trees in the garden. The maintenance cost is ₹

860 per tree. If Amitabh sells one mango at ₹ 61, the overall loss in the business is ₹ 800. Find the number of mangoes in the garden, if no mangoes were wasted and the number of trees were more than 30.



[View Text Solution](#)

34. Find zeroes of the polynomial $p(x)$ $x^3 - 9x^2 + 26x - 24$, if it is given that the product of its two zeroes is 8.



[Watch Video Solution](#)

35. Find the common zeroes of the polynomials $x^3 + x^2 - 2x - 2$ and $x^3 - x^2 - 2x + 2$.



[View Text Solution](#)

Problems From Ncert Exemplar

1. Find zeroes of the polynomial $5t^2 + 12x + 7$ by factorisation method and verify the

relation between zeroes and coefficients of the polynomial.



[Watch Video Solution](#)

2. Given that zeroes of cubic polynomial $x^3 - 6x^2 + 10$ are of the form $a, a+b, a+2b$ for some real numbers a and b , find the values of a and b as well as zeroes of the given polynomial.



[Watch Video Solution](#)

3. Given that $\sqrt{3}$ is a zero of a polynomial $6x^3 + \sqrt{2x^2} - 10x - 4\sqrt{2}$, find the other two zeroes.



[Watch Video Solution](#)

4. Find k so that $x^2 + 2x + k$ is a factor of $2x^4 + x^3 - 14x^2 + 5x + 6$. Also find all zeroes of two polynomials.



[View Text Solution](#)

5. For which values of a and b are zeroes of $q(x) = x^3 + 2x + a$ also zeroes of the polynomial $p(x)$

$$= x^5 - x^4 - 4x^3 + 3x^2 + 3x + b? \quad \text{Which}$$

zeroes of $p(x)$ are not zeroes of $p(x)$?



[View Text Solution](#)

6. Give example of polynomials $p(x), g(x), q(x)$ and $r(x)$ which satisfy the division algorithm and

(i) $\deg p(x) = \deg q(x)$

(ii) $\deg q(x) = \deg r(x)$

(iii) $\deg r(x) = 0$



[View Text Solution](#)

7. If one of the zeroes of the cubic polynomial $ax^3 + bx^2 + cx + d$ is zero, the product of the other two zeroes is :

A. $-\frac{c}{a}$

B. $\frac{c}{a}$

C. 0

D. $\frac{-b}{a}$

Answer: B



Watch Video Solution

8. The zeroes of the quadratic polynomial

$x^2 + 99x + 127$ are:

A. both positive

B. both negative

C. one positive and one negative

D. both equal

Answer: B



Watch Video Solution

9. If the zeroes of the quadratic $ax^2 + bx + c$ where $c \neq 0$, are equal then:

A. c and a have opposite signs

B. c and b have opposite signs

C. c and a have same signs

D. c and b have same signs

Answer: C



Watch Video Solution

10. If the zeroes of the cubic polynomial $x^3 - 6x^2 + 3x + 10$ are of the form a , $a + b$ and $a + 2b$ for some real numbers a and b , find the values of a and b as well as the zeroes of the given polynomial.



Watch Video Solution

11. For which values of a and b , the zeroes of $q(x) = x^3 + 2x^2 + a$ are also the zeroes of the polynomial $p(x) = x^5 - x^4 - 4x^3 + 3x^2 + 3x + b$? Which zeroes of $p(x)$ are not the zeroes of $q(x)$?



[View Text Solution](#)

Exercise 2 A

1. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$x^2 + 9x + 20$$



[Watch Video Solution](#)

2. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$x^2 + 4x - 5$$





[Watch Video Solution](#)

3. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$x^2 - 6x - 16$$



[Watch Video Solution](#)

4. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the

relation between zeroes and coefficients :

$$4x^2 - 4x - 3$$



[Watch Video Solution](#)

5. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$2x^2 - 15 - 11x$$



[Watch Video Solution](#)

6. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$4x^2 - 4x + 1$$



[Watch Video Solution](#)

7. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$6x^2 - x - 2$$





[Watch Video Solution](#)

8. Find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$x^2 + 2\sqrt{2}x - 6$$



[Watch Video Solution](#)

9. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the

relation between zeroes and coefficients :

$$\sqrt{3}x^2 + 8x + 5\sqrt{3}$$



[Watch Video Solution](#)

10. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$4x^2 - 5x + 1$$



[Watch Video Solution](#)

11. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$x^2 - 9$$



Watch Video Solution

12. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$x^2 - 2$$





[Watch Video Solution](#)

13. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$u^2 + 2u$$



[Watch Video Solution](#)

14. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify

the relation between zeroes and coefficients :

$$3t^2 + 5t$$



[Watch Video Solution](#)

15. Find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$6x^2 + 5ax - 6a^2 = 0$$



[Watch Video Solution](#)

16. From question number 1 to 16, find zeroes of the given quadratic polynomials and verify the relation between zeroes and coefficients :

$$a^2x^2 - 11a^2x + 30a^2 - a - 1, a \neq 0$$



[View Text Solution](#)

17. Find the quadratic polynomial, the sum of whose zeroes is 17 and the product is 60. Hence, find zeroes of the polynomial.



[Watch Video Solution](#)

18. Find a quadratic polynomial, the sum of whose zeroes is 7 and the product is -60. Hence, verify the relation between zeroes and coefficients of the polynomial.



Watch Video Solution

19. If the product of zeroes of the polynomial $3x^2 + 5x + k$ is 6, find the value of k .



Watch Video Solution

20. If the sum of zeroes of the polynomial

$x^2 + 2kx - 12$ is 1, find the value of k .



Watch Video Solution

21. If $x = \frac{5}{3}$ and $x = -\frac{1}{2}$ are the zeroes of

the polynomial $ax^2 - 7x + b$, then find the

values of a and b .



Watch Video Solution

22. Find a quadratic polynomial, the sum of whose zeroes is $\frac{5}{3}$ and product is 2.



[Watch Video Solution](#)

23. Find a quadratic polynomial, the sum of whose zeroes is $-\frac{3}{4}$ and product is 5.



[Watch Video Solution](#)

24. If α, β be the zeros of the polynomial $2x^2 + 5x + k$ such that $\alpha^2 + \beta^2 + \alpha\beta = \frac{21}{4}$ then $k = ?$



Watch Video Solution

25. If α and β are zeroes of a polynomial $f(x) = 3x^2 - 4x + 1$, find a quadratic polynomial whose zeroes are $\frac{\alpha^2}{\beta}$ and $\frac{\beta^2}{\alpha}$.



Watch Video Solution

26. If α, β are zeroes of the polynomial $x^2 - 2x - 15$, then form a quadratic polynomial whose zeroes are (2α) and (2β) .



Watch Video Solution

27. If α and β are zeroes of a quadratic polynomial $ax^2 + bx + c$. Find the value of:

(i) $\alpha^2 - \beta^2$

(ii) $\alpha^3 + \beta^3$

(iii) $\alpha^4\beta + \beta^4\alpha$

(iv) $\sqrt{\frac{\alpha}{\beta}} + \sqrt{\frac{\beta}{\alpha}}$

$$(v) \frac{\alpha^2}{\beta} + \frac{\beta^2}{\alpha}$$


$$\left(\alpha^{-1} + \frac{1}{\alpha^{-1}} \right) \left(\beta^{-1} + \frac{1}{\beta^{-1}} \right)$$



[View Text Solution](#)

28. Which of the graphs given below corresponds to linear polynomial or a quadratic polynomial ? Also, find the number

of zeroes of the polynomial in each case.



[Watch Video Solution](#)

Exercise 2 B

1. Verify that 1, -2, 4 are zeroes of the cubic polynomial $x^3 - 3x^2 - 6x + 8$. Also verify the

relation between zeroes and coefficient of the polynomial.



[Watch Video Solution](#)

2. Verify that 1,-2, and $1/2$ are zeroes of $2x^3 + x^2 - 5x + 2$. Also verify the relationship between the zeroes and the coefficients



[Watch Video Solution](#)

3. Find a cubic polynomial whose zeroes are 5,6 and -4.



[Watch Video Solution](#)

4. Find a cubic polynomial whose zeroes are $\frac{1}{2}$, 1 and -1.



[Watch Video Solution](#)

5. Find the cubic polynomial with the sum, sum of the products of its zeroes taken two at a time and the product of its zeroes are 5, -6, 12 respectively.



[Watch Video Solution](#)

6. Find the quotient and remainder in each of the following and verify the division algorithm :

(i) $p(x) = x^3 - 4x^2 + 2x - 1$ is divided by

$$g(x)=x+2.$$

(ii) $p(x) = x^4 + 2x^2 - x + 1$ is divided by $g(x) = x^2 + 1$.

(iii) $p(x) = 2x^4 - 3x^3 + x^2 + 5x - 3$ is divided by $g(x) = x^2 + x - 1$.

(iv) $p(x) = x^4 - 5x^2 + 6$ is divided by $g(x)=x+2$.



[Watch Video Solution](#)

7. By actual division show that $x+2$ is a factor of $x^3 + 4x^2 + 3x^2 - 20$.



[Watch Video Solution](#)

8. On dividing $3x^3 + x^2 + 2x + 6$ by a polynomial $g(x)$, the quotient and remainder are $(3x-5)$ and $(3x+21)$ respectively. Find $g(x)$.



[Watch Video Solution](#)

9. If 1 is a zero of the polynomial $x^3 - 4x^2 - 7x + 10$, find its other two zeroes.



[Watch Video Solution](#)

10. If two zeroes of the polynomial $x^4 + 3x^3 - 20x^2 - 6x + 36$ are $\sqrt{2}$ and $-\sqrt{2}$. find the other zeroes of polynomial



[Watch Video Solution](#)

11. Find all the zeros of the polynomial $x^4 + x^3 - 34x^2 - 4x + 120$,



[Watch Video Solution](#)

12. 13. find all zeroes of
 $2x^4 - 3x^3 - 3x^2 + 6x - 2$, if you know that
two of its zeroes are $\sqrt{2}$ and $-(\sqrt{2})$



[Watch Video Solution](#)

13. Find all zeroes of the polynomial
 $2x^4 - 9x^3 + 5x^2 + 3x - 1$ if two of its zeroes
are $2 + \sqrt{3}$ and $2 - \sqrt{3}$



[Watch Video Solution](#)

14. Obtain all zeros of

$(3x^4 - 15x^3 + 13x^2 + 25x - 30)$, if two of its

zeros are $\sqrt{\frac{5}{3}}$ and $-\sqrt{\frac{5}{3}}$.



[Watch Video Solution](#)

15. If 12 , -5 and 7 are zeroes of

$x^4 - 6x^3 - 26x^2 + 138x - 35$ find the other

zeroes



[Watch Video Solution](#)

16. If the zeroes of the polynomial $x^3 - 3x^2 + x + 1$ are

$a, b, a + b$, find a and b .



[Watch Video Solution](#)

17. Find zeroes of the polynomial $f(x) = x^3 - 13x^2 + 32x - 60$, if it is given that the product of its two zeroes is 10.



[Watch Video Solution](#)

18. What must be added to $p(x) = 4x^4 - 5x^3 - 39x^2 - 46x - 2$, so that the resulting polynomial is divisible by $g(x) = 4x^2 + 7x + 3$?



[Watch Video Solution](#)

19. What must be added to $11t^3 + 5t^4 + 6t^5 - 3t^2 + t + 5$, so that the resulting polynomial is exactly divisible by $4 - 2t + 3t^2$?





[Watch Video Solution](#)

20. If α, β, γ are zeroes of polynomial $6x^3 + 3x^2 - 5x + 1$, then find the value of $\alpha^{-1} + \beta^{-1} + \gamma^{-1}$.



[Watch Video Solution](#)

Revision Exercise Very Short Answer Questions

1. Find zeroes of the polynomial $x^2 - x - 2$.



[Watch Video Solution](#)

2. Find zeroes of the polynomial $x^2 + x - a(a + 1)$.



[Watch Video Solution](#)

3. If one zero of the polynomial $x^2 + 5x + k$ is 2, find the value of k .



[Watch Video Solution](#)

4. If one zero of the polynomial $kx^2 - 3x + k$ is 1, find the value of k.



[Watch Video Solution](#)

5. If 3 is a zero of the polynomial $2x^2 + x + k$, find the value of k.



[Watch Video Solution](#)

6. If 1 is a zero of the polynomial $ax^2 - 3(a - 1)x - 1$, then find the value of a.



[Watch Video Solution](#)

7. If -4 is a zero of the polynomial $x^2 - x - (2k + 2)$, then find the value of k.



[Watch Video Solution](#)

8. If the sum of zeroes of the polynomial $3x^2 - 2kx + 5$ is 4, then find the value of k .



[Watch Video Solution](#)

9. If the product of zeroes of the polynomial $x^2 + 5x - k$ is 10, then find the value of k .



[Watch Video Solution](#)

10. If $x+a$ is a factor of $2x^2 + 2ax + 5x + 10$,
find the value of a .



Watch Video Solution

11. State division algorithm for polynomials.



Watch Video Solution

Revision Exercise Short Answer Questions

1. $2\sqrt{3}x^2 - 5x + \sqrt{3}$



[Watch Video Solution](#)

2. Find zeroes of the polynomial $5x^2 - 4 - 8x$.



[Watch Video Solution](#)

3. If α and β are zeroes of $x^2 - 5x + 6$, then find the value of $\alpha^2 + \beta^2$.



[Watch Video Solution](#)

4. If α and β are zeroes of $5x^2 - 7x + 1$, then find the value of $\frac{1}{\alpha} + \frac{1}{\beta}$.



[Watch Video Solution](#)

5. If α and β are zeroes of $8x^2 - 6x + 1$, then find the value of $\frac{1}{\alpha} + \frac{1}{\beta}$.

A. 6

B. 8

C. -6

D. -8

Answer: A



Watch Video Solution

6. If $(a-b)$, a and $(a+b)$ are zeroes of $2x^3 - 12x^2 + 5x - 1$, then find the value of a .



Watch Video Solution

7. If α and β are zeroes of the polynomial $3x^2 + 6x + 1$, then find the value of $\alpha + \beta + \alpha\beta$.



[Watch Video Solution](#)

8. Find zeroes of the polynomial $x^2 - \sqrt{2}x - 12$.



[Watch Video Solution](#)

1. Divide $x^4 + 5x^3 - x^2 + 4x - 3$ by $x-2$ and verify the division algorithm.



[Watch Video Solution](#)

2. Find the quadratic polynomial whose zeroes are $-\frac{1}{3}$ and $\frac{2}{5}$. Verify the relation between coefficients and zeroes of the polynomial.



[Watch Video Solution](#)

3. obtain all the zeroes of $3x^4 + 6x^3 - 2x^2 - 10x - 5$ if two of its zeroes are $\sqrt{\frac{5}{3}}$ and $-\sqrt{\frac{5}{3}}$



[Watch Video Solution](#)

4. Find all zeroes of the polynomial $2x^4 - 9x^3 + 5x^2 + 3x - 1$ if two of its zeroes are $2 + \sqrt{3}$ and $2 - \sqrt{3}$



[Watch Video Solution](#)