



MATHS


BOOKS - NAGEEN MATHS (HINGLISH)

TRIANGLES

Solved Example

1. In the adjoining figure $DE \parallel BE$ and D divides AB in the ratio 2:3 find.


(i) $\frac{AE}{EC}$ (ii) $\frac{AE}{AC}$



Watch Video Solution

2. In the figure PQ is parallel to MN if $\frac{KP}{PM} = \frac{4}{13}$ and $KN = 2.4$.

Find KQ.



[▶ Watch Video Solution](#)

3. if D and E are points on the sides AB and AC of a $\triangle ABC$. Such that $AB=12$ cm, $AD=8$ cm, $AE=12$ cm, $AC= 18$ cm. show that $DE \parallel BC$.

[▶ Watch Video Solution](#)

4. In the given figure, in $\triangle ABC$, $DE \parallel BC$ so that $AD = (4x - 3)$ cm, $AE = (8x - 7)$ cm, $BD = (3x - 1)$ cm and $CE = (5x - 2)$ cm.

. Find the value of x .




[Watch Video Solution](#)

5. In $\triangle ABC$, D and E are points on the sides AB and AC respectively. Find whether $DE \parallel BC$ if


(i) $AD = 3\text{ cm}$, $BD = 4.5\text{ cm}$, $AE = 4\text{ cm}$, $AC = 10\text{ cm}$

(ii) $AB = 7\text{ cm}$, $BD = 4.5\text{ cm}$, $AE = 3.5\text{ cm}$, $CE = 5.6\text{ cm}$.




[Watch Video Solution](#)

6. In the following figure $AB \parallel CD \parallel EF \parallel GH$ and $BH = 100$ cm. find x and y .



[▶ Watch Video Solution](#)

7. Prove using similar triangles, that a line drawn through the mid-point of one side of a triangle parallel to another side, bisects the third side.



[Watch Video Solution](#)


8. Prove that the line joining the mid-points of the two sides of a triangle is parallel to the third side.

[Watch Video Solution](#)

9. The external angle bisector of an angle of a triangle divides the opposite side externally in the ratio of the sides containing the angle.


[▶ Watch Video Solution](#)

10. ABCD is a trapezium such that $AB \parallel CD$. Its diagonals AC and BC intersect each other at O. Prove that $\frac{AO}{OC} = \frac{BO}{OD}$



[▶ Watch Video Solution](#)

11. Any line parallel to the parallel sides of a trapezium divides the non-parallel sides proportionally.




[▶ Watch Video Solution](#)

12. The side BC of a triangle ABC is bisected at D ; o is any point in AD , BO and CO produced meet AC and AB in E and F respectively and AD is produced to X so that D is the mid-point of OX . Prove that $AO:AX = AF:AB$ and show that $FEBC$.

[▶ Watch Video Solution](#)

13. Let ABC be a triangle and D and E be two points on side AB such that $AD = BE$. If $DP \parallel BC$ and $EQ \parallel AC$, THEN PROVE THAT

$PQ \parallel AB$



[▶ Watch Video Solution](#)


14. In figure, $DE \parallel AB$ and $BD \parallel BEF$. Prove that $DC^2 = CF \times AC$

[▶ Watch Video Solution](#)

15. In the given figure $\triangle ACB \sim \triangle APQ$. If $BC = 8\text{ cm}$, $PQ = 4\text{ cm}$, $BA = 6.5\text{ cm}$, $AP = 2.8\text{ cm}$, find CA and AQ .


[▶ Watch Video Solution](#)

16. The triangles shown in adjoining figures are similar. Find the values of a and b .





Watch Video Solution

17. In the given figure if $AD \parallel BC$, find the value of x .



[▶ Watch Video Solution](#)

18. Find $\angle P$ in the figure below.






Watch Video Solution

19. In the figure $AC \parallel BD$, prove that:

(i) $\triangle ACE \sim \triangle BDE$ (ii) $\frac{AE}{CE} = \frac{BE}{DE}$



Watch Video Solution

20. S and T are points on sides PR and QR of $\triangle PQR$ such that

$\angle P = \angle RTS$ then

A. $RP = RT$

B. $PQ = TS$


C. $\triangle RPQ \sim \triangle RTS$

D. $QR = RS$

Answer: C

 Watch Video Solution

21. ABC is an isosceles triangle with $AB = AC$ and D is a point on AC such that $BC^2 = AC \times CD$. Prove that $BD = BC$






22. In the given figure if $\angle B = 90^\circ$ and BD is perpendicular to AC then prove that:

(i) $\triangle ADB \sim \triangle BDC$ (ii) $\triangle ADB \sim \triangle ABC$

(iii) $\triangle BDC \sim \triangle ABC$ (iv) $BD^2 = AD \times DC$

(v) $AB^2 = AD \times AC$ (vi) $BC^2 = CD \times AC$

(vii) $AB^2 + BC^2 = AC^2$




[▶ Watch Video Solution](#)

23. In the given figure, $DEFG$ is a square and $\angle BAC = 90^\circ$ prove that (i)

$\triangle AGF \sim \triangle DBG$ (ii) $\triangle AGF \sim \triangle EFC$


[▶ View Text Solution](#)

24. In the adjoining figure if $a = 18$, $b = 12$, $c = 14$ and $d = 8$, what is the measure of x ?



[▶ Watch Video Solution](#)

25. In the adjoining figure, $\triangle PQR$ is a right angled triangle in which $\angle PQR = 90^\circ$, square $ABCD$ is a square of side 4 units and square $GHIJ$ is a square of side 7 units. EC and CG are the length and breadth of rectangle $CEFG$. Find the length EC .




[▶ Watch Video Solution](#)

26. Dr. Bansal needs to determine the distance PQ across a river in an east-west direction as shown in the adjoining figure. He can't measure this distance directly over the water. So, he selects the point S from where a straight line to point Q stays on land so he can measure distance. He then moves eastward a distance of 400 m from point S to T , so that the

line of sight from point T to P cuts the previous line SQ at R. finally with a long measuring tape. he determines that.

$$SR = 250 \text{ m}, QR = 1250 \text{ m}$$


Determine if this is enough information to calculate the distance PQ and if so, find PQ and hence find the time taken by a swimmer to cross the river PQ with a uniform speed of 800 m/hr.



[Watch Video Solution](#)

27. In the adjoining figure, $AB \parallel CD \parallel EF$.


prove that $\frac{1}{x} + \frac{1}{y} = \frac{1}{z}$.



[▶ Watch Video Solution](#)


28. In trapezium ABCD. $AB \parallel DC$ and $DC = 2AB$. A line segment EF drawn parallel to AB cuts AD in F and BC in E such that $\frac{BE}{EC} = \frac{3}{4}$.

Diagonal DB intersects EF at G. prove that $EF = 10AB$.



[▶ Watch Video Solution](#)

29. Through the mid-point M of the side CD of a parallelogram $ABCD$, the line BM is drawn, intersecting AC in L and AD produced in E . Prove that $EL = 2BL$



Watch Video Solution

30. If two sides and a median bisecting one of these sides of a triangle are respectively proportional to the two sides and corresponding median of another triangle; then triangle are similar.



Watch Video Solution

31. If two sides and a median bisecting the third side of a triangle are respectively proportional to the corresponding sides and median of the other triangle; then the two triangles are similar.

 [Watch Video Solution](#)

32. The perimeters of two similar triangles are 25cm and 15cm respectively. If one side of first triangle is 9cm, what is the corresponding side of the other triangle?

A. $\frac{15}{7}$

B. $\frac{17}{7}$

C. $\frac{27}{5}$

D. $\frac{17}{5}$


Answer: C

 [Watch Video Solution](#)

33. A lamp is 3.3 m be the lamp post and $CD = 110$ cm tall walks away from the base of this lamp post at a speed of 0.8 m/s. find the length of the shadow of boy after 4 seconds.

[▶ Watch Video Solution](#)

34. In figures $\triangle ABC$ and $\triangle DEF$ are similar, the area of $\triangle ABC$ is 9 sq. m and that of $\triangle DEF$ is 16 sq. cm. if $EF = 4.2$ cm, find BC .



[▶ Watch Video Solution](#)

35. If D,E,F are the mid-points of the sides BC, Ca and AB respectively of a triangle ABC, prove by vector method that Area of $\triangle DEF = 1/4$ Area of $\triangle ABC$



[Watch Video Solution](#)

36. Prove that the area of an equilateral triangle described on one side of a square is equal to half the area of the equilateral triangle described on one of its diagonals.



[Watch Video Solution](#)

37. In Fig. 4.170, $ABCD$ is a trapezium in which $AB \parallel DC$ and $AB = 2 DC$. Determine the ratio of the areas of $\triangle AOB$ and $\triangle COD$. (FIGURE)



[Watch Video Solution](#)

38. In a trapezium ABCD, O is the point of intersection of AC and BD, $AB \parallel CD$ and $AB = 2 \times CD$. If the area of $\triangle AOB = 84\text{cm}^2$. Find the area of $\triangle COD$.

A. 42cm^2

B. 21cm^2

C. 25cm^2

D. 40cm^2

Answer: B



[Watch Video Solution](#)

39. In figure, $DE \parallel BC$ and the ratio of the areas of $\triangle ADE$ and trapezium BDEC is 4:5. Find the ratio of DE:BC. If $BD = 2\text{cm}$. Then find AD.



[Watch Video Solution](#)

40. X and Y are points on the sides AB and BC respectively of $\triangle ABC$ such that $XY \parallel AC$ and XY divides $\triangle ABC$ into two parts in area, find $\frac{AX}{AB}$



Watch Video Solution


41. CE and DE are equal chords of a circle with centre O. if $\angle AOB = 90^\circ$ find $ar(\triangle CED)ar(\triangle AOB)$



Watch Video Solution

42. In the given figure $DE \parallel BC$ and $AD:DB = 5:4$

Find the ratio $ar(\triangle DEF) : ar(\triangle CFB)$



[▶ Watch Video Solution](#)

43. If two triangles are similar; prove that the ratio of corresponding sides is equal to the ratio of corresponding altitudes.

[▶ Watch Video Solution](#)

44. Prove that the ratio of the areas of two similar triangles is equal to the square of the ratio of their corresponding medians.


 [Watch Video Solution](#)

45. If two triangles are similar; prove that the ratio of the corresponding sides is same as the corresponding angle bisector segments.

 [Watch Video Solution](#)

46. In the adjoining figure ADE and ABC are two similar triangles, point D divides AB in the ratio 2:1 and point E divides AC in the ratio 1:2 . If the

area of $\triangle ADE$ is 23 square units, then find the ar($\square DECB$).



[Watch Video Solution](#)

47. The sides of a triangle are 5 cm, 8 cm and 11 cm respectively. Determine whether it is a right angled triangle or not.

[Watch Video Solution](#)

48. A ladder, 25 m long reaches a window of building 20 m, above the ground. The distance of the foot of the ladder from the building.

A. 45 m

B. 5 m

C. 10 m

D. 15 m

Answer: D



[Watch Video Solution](#)

49. Two poles of height 6 meters and 11 meters stand vertically on a plane ground. If the distance between their feet is 12 meters. Find the distance between their tops.



[Watch Video Solution](#)

50. P and Q are the mid-points of the sides CA and CB respectively of a $\triangle ABC$, right angled at C, prove that. (i) $4AQ^2 = 4AC^2 + BC^2$ (ii) $4BP^2 = 4BC^2 + AC^2$



[Watch Video Solution](#)


51. The perpendicular AD on the base BC of a $\triangle ABC$ intersects BC at D, so that $DB=3CD$. Prove that $2AB^2 = 2AC^2 + BC^2$



[Watch Video Solution](#)

52. In the given figure AD is perpendicular to BC produced, prove that :

$$c^2 = a^2 + b^2 = 2ax$$



[▶ Watch Video Solution](#)

53. ABC is a right triangle, right angled at C. if P is the length of perpendicular from C to AB and $AB=c$, $BC=a$ and $CA=b$, then prove that (i)

$$pc=ab \quad (ii) \quad \frac{1}{p^2} = \frac{1}{a^2} + \frac{1}{b^2}$$

[▶ Watch Video Solution](#)

54. Prove that the sum of the squares of the sides of rhombus is equal to the sum of the squares of its diagonals.

 [Watch Video Solution](#)

55. In an equilateral triangle ABC the side BC is trisected at D . Prove that $9 AD^2 = 7 AB^2$

 [Watch Video Solution](#)

56. O is any point inside a rectangle $ABCD$. then which of the following is correct:

A. $OB^2 + OD^2 = OA^2 + OC^2$

B. $OB^2 - OD^2 = OA^2 + OC^2$

C. $OB^2 - OD^2 = OA^2 - OC^2$

D. None

Answer: A



[Watch Video Solution](#)

57. In a triangle ABC , $AC > AB$, D is the mid-point of BC and $AE \perp BC$. Prove that: (i) $AB^2 = AD^2 - BCDE + \frac{1}{4}BC^2$ (ii) $AB^2 + AC^2 = 2AD^2 + \frac{1}{2}BC^2$



[Watch Video Solution](#)

58. In PQR , $QM \perp PR$ and $PR^2 - PQ^2 = QR^2$. Prove that $QM^2 = PM \times MR$



[Watch Video Solution](#)

59. prove by vector method that the sum of the squares of the diagonals of a parallelogram is equal to the sum of the squares of its sides.



[Watch Video Solution](#)

60. In an equilateral triangle, prove that three times the square of one side is equal to four times the square of one of its altitudes.

 [Watch Video Solution](#)

61. In Figure, ABC is a right triangle right angled at B and points D and E trisect BC . Prove that $8AE^2 = 3AC^2 + 5AD^2$.

 [Watch Video Solution](#)

62. In a $\triangle ABC$ the angles at B and C are acute. If BE and CF be drawn perpendiculars on AC and AB respectively, prove that

$$BC^2 = AB \times BF + AC \times EC$$


 [Watch Video Solution](#)

63. Nazinia is fly fishing in a stream. The tip of her fishing rod is 1.8 m above the surface of the water and the fly at the end of the string rests on the water 3.6 m away and 2.4 m from a point directly under the tip of the rod. Assuming that h

 [Watch Video Solution](#)


Problems From Ncert Exemplar

1. In figure, if $\angle 1 = \angle 2$ and $\triangle NSQ \cong \triangle MTR$, then prove that $\triangle PTS \cong \triangle PRQ$.



[▶ Watch Video Solution](#)

2. In figure $DE \parallel OQ$ and $DF \parallel OR$. Show that $EF \parallel QR$.




[▶ Watch Video Solution](#)

3. In figure A, B and C are points on OP, OQ and OR respectively such that $AB \parallel PQ$ and $AC \parallel PR$. Show that $BC \parallel QR$.

[▶ Watch Video Solution](#)

4. In Figure altitudes AD and CE of $\triangle ABC$ intersect each other at the point P . Show that: (i) $\triangle AEP \sim \triangle CDP$ (ii) $\triangle ABD \sim \triangle CBE$ (iii) $\triangle AEP \sim \triangle ADB$ (iv) $\triangle PDC \sim \triangle BEC$



[Watch Video Solution](#)

5. ABCD is a trapezium in which $AB \parallel DC$ and P, Q are points on AD and BC respectively, such that $PQ \parallel DC$, if $PD=18$ cm, $BQ=35$ cm and $QC=15$ cm. Find AD .

[Watch Video Solution](#)

6. In Fig. 6.44, ABC and DBC are two triangles on the same base BC. If AD


intersects BC at O, show that $\frac{ar(ABC)}{ar(DBC)} = \frac{AO}{DO}$

 [Watch Video Solution](#)

7. In ΔPQR , $PD \perp QR$ such that D lies on QR, if $PQ=a, PR=b, QD=c$ and $DR=d$, then prove that $(a+b)(a-b)=(c+d)(c-d)$.


 [Watch Video Solution](#)

8. In a ΔPQR , N is a point on PR, such that $QN \perp PR$. If $PN \cdot NR=QN^2$, then prove that $\angle PQR = 90^\circ$.




Watch Video Solution

9. In figure BD and CE intersect each other at the point P. Is $\triangle PBC \sim \triangle PDE$? Why?



[▶ Watch Video Solution](#)

10. If in two right triangles, one of the acute angles of one triangle is equal to an acute angle of the other triangle. Can you say that two triangles will be similar? Why?



[▶ Watch Video Solution](#)

11. In $\triangle PQR$, $QM \perp PR$ and $PR^2 - PQ^2 = QR^2$. Prove that $QM^2 = PM \times MR$

[▶ Watch Video Solution](#)

12. Diagonals of a trapezium PQRS intersect each other at the point O, $PQ \parallel RS$ and $PQ = 3RS$. Find the ratio of the areas of $\triangle POQ$ and $\triangle ROS$.

 [Watch Video Solution](#)

13. A 5 m long ladder is placed leaning towards a vertical wall such that it reaches the wall at a point 4 m high. If the foot of the ladder is moved 1.6 m towards the wall, then find the distance by which the top of the ladder would slide upwards on the wall.


 [Watch Video Solution](#)

14. In Fig. 6.21, PA, QB, RC and SD are all perpendiculars to a line l, AB = 6 cm, BC = 9 cm, CD = 7 cm and SP = 36 cm. Find PO, QR and RS. Fig. 6.21

 [Watch Video Solution](#)


1. In the adjoining figure $DE \parallel BC$ and D divides AB in the ratio 2:3 find.

(i) $\frac{AE}{EC}$ (ii) $\frac{AE}{AC}$



Watch Video Solution


2. In the figure DE is parallel to BC and $\frac{AD}{DB} = \frac{2}{3}$ if AE = 3.7 cm find EC.



[▶ Watch Video Solution](#)


3. In the figure if $DE \parallel AB$, find the value of x . Given $AD = (x-4)$.

$DC = 4\text{ cm}$, $EB = (3x-19)\text{ cm}$ and $EC = (x-3)\text{ cm}$.



 [Watch Video Solution](#)

4. In the given figure if $PQ \parallel YZ$. Find XQ .





Watch Video Solution

5. D and E are respectively the points on the side AB and AC of a $\triangle ABC$ such that $AB = 5.6\text{ cm}$, $AD = 1.4\text{ cm}$, $AC = 7.2\text{ cm}$ and $AE = 1.8\text{ cm}$, show that $DE \parallel BC$.



Watch Video Solution

6. In a $\triangle ABC$, D and E are points on the sides AB and AC respectively such that $DE \parallel BC$. If $AD = 6\text{ cm}$, $DB = 9\text{ cm}$ and $AE = 8\text{ cm}$, find AC .

(ii) If $\frac{AD}{DB} = \frac{3}{4}$ and $AC = 15\text{ cm}$, find AE . (iii) If $\frac{AD}{DB} = \frac{2}{3}$ and $AC = 18\text{ cm}$, find AE .



Watch Video Solution

7. In Fig. 4.20, if $PQ \parallel BC$ and $PR \parallel CD$. Prove that (i) $\frac{AR}{AD} = \frac{AQ}{AB}$ (ii) $\frac{QB}{AQ} = \frac{DR}{AR}$. (FIGURE)



 [Watch Video Solution](#)

8. In a ABC , D and E are points on sides AB and AC respectively such that $BD = CE$. If $\angle B = \angle C$, show that $DEBC$.

A.

B.

C.

D.


Answer: N/A

 [Watch Video Solution](#)

9. In ABC , D and E are points on sides AB and AC respectively such that $AD \times EC = AE \times DB$. Prove that $DEBC$.


 [Watch Video Solution](#)

10. In the given figure, if $DE \parallel AQ$ and $DF \parallel AR$. Prove that $EF \parallel QR$.



[Watch Video Solution](#)

11. In the given figure A, B and C are points on OP, OQ and OR respectively such that $AB \parallel PQ$ and $BC \parallel QR$. Show that $AC \parallel PR$.




[▶ Watch Video Solution](#)

12. Prove that the diagonals of a trapezium divide each other proportionally.

[▶ Watch Video Solution](#)

13. In $\triangle ABC$ the bisector of $\angle B$ meets AC at D . A line $PQ \parallel AC$ meets AB, BC and BD at P, Q and R respectively.

show that $PR \times BQ = QR \times BP$.




[▶ Watch Video Solution](#)

14. The diagonals of a quadrilateral ABCD intersect each other at the point O such that $\frac{AO}{BO} = \frac{CO}{DO}$. Show that ABCD is a trapezium.

[▶ Watch Video Solution](#)

15. In the given figure AD is the bisector of $\angle A$. If $BD = 4 \text{ cm}$, $DC = 3 \text{ cm}$ and $AB = 6 \text{ cm}$. Find AC.



[▶ Watch Video Solution](#)

16. The bisector of interior $\angle A$ of ABC meets BC in D , and the bisector of exterior $\angle A$ meets BC produced in E . Prove that $\frac{BD}{BE} = \frac{CD}{CE}$.

[▶ Watch Video Solution](#)

17. AD is a median of ABC . The bisector of $\angle ADB$ and $\angle ADC$ meet AB and AC in E and F respectively. Prove that $EF \parallel BC$.

 [Watch Video Solution](#)

18. If the bisector of an angle of a triangle bisects the opposite side, prove that the triangle is isosceles.

 [Watch Video Solution](#)

19. D, E and F are the points on sides BC, CA and AB respectively, of $\triangle ABC$ such that AD bisects $\angle A$, BE bisects $\angle B$ and CF bisects $\angle C$. If $AB = 5$ cm, $BC = 8$ cm and $CA = 4$ cm. find AF, CE and BD .

 [Watch Video Solution](#)

20. If the diagonal BD of a quadrilateral $ABCD$ bisects both $\angle B$ and $\angle D$.

Prove that $\frac{AB}{BC} = \frac{AD}{CD}$.

 [Watch Video Solution](#)

21. Prove that the line segments joining the mid-points of the adjacent sides of a quadrilateral form a parallelogram.

 [Watch Video Solution](#)

22. In figure, P is the mid-point of BC , Q is the mid-point of AC , R is the mid-point of AP , such that BQ produced meets AC at R .

 [Watch Video Solution](#)

23. In Figure, $ABCD$ is a parallelogram in which P is the mid-point of DC and Q is a point on AC such that $CQ = \frac{1}{4}AC$. If PQ produced

meets BC at R . Prove that R is a mid-point of BC .

[▶ Watch Video Solution](#)

Exercise 6 B


1. In the given figure, $AB \parallel CD$. Prove that $\triangle AOB \sim \triangle DOC$.



[▶ Watch Video Solution](#)

Exercise 6 B

1. In the given figure, if $\angle ADE = \angle B$ show that $\triangle ADE \sim \triangle ABC$.




[▶ Watch Video Solution](#)

2. P and Q are points on the sides AB and AC respectively of a $\triangle ABC$. If $AP = 2\text{cm}$, $PB = 4\text{cm}$, $AQ = 3\text{cm}$ and $QC = 6\text{cm}$. Show that $BC = 3PQ$.


[▶ Watch Video Solution](#)

3. In the adjoining figure, $\frac{AO}{OC} = \frac{BO}{OD} = \frac{1}{2}$ and $AB = 4\text{ cm}$ find the value of CD .





[Watch Video Solution](#)

4. In the figure $\triangle ABC \sim \triangle AED$. If $AD = 5\text{ cm}$, $AE = 6\text{ cm}$, $BC = 12\text{ cm}$ and $AB = 15\text{ cm}$. Determine AC and DE .



[▶ Watch Video Solution](#)

5. in the adjoining figure find $\angle F$.




[▶ Watch Video Solution](#)

6. A vertical stick 12m long casts a shadow 8m long on the ground. At the same time a tower casts the shadow 40m long on the ground. Determine the height of the tower.

[▶ Watch Video Solution](#)


7. In the given figure , if $XY \parallel BC$, find the length of XY .



[▶ Watch Video Solution](#)


8. In the given figure if

$\triangle EDC \sim \triangle EBA$, $\angle BEC = 115^\circ$ and $\angle EDC = 70^\circ$. Find $\angle DEC$, $\angle DC$



[▶ Watch Video Solution](#)

9. in the given figure $\angle CAB = 90^\circ$ and $AD \perp BC$. if $AC = 75$ cm , $AB = 1$ m and $BD = 1.25$ m . Find AD .



[▶ Watch Video Solution](#)

10. the perimeters of two similar triangles are 40 cm and 30 cm respectively. If one side of the first triangle is 21 cm. Determine the corresponding side of the second triangle.

[▶ Watch Video Solution](#)

11. The diagonal BD of a parallelogram ABCD intersects the segment AE at the point F, where E is any point on the Side BC. Prove that $DF \times EF = FB \times FA$.

 [Watch Video Solution](#)

12. Prove that the line segments joining the mid-points of the sides of a triangle form four triangles, each of which is similar to the original triangle.

 [Watch Video Solution](#)

13. In a $\triangle ABC$ P and Q are points on AB and AC respectively and $PQ \parallel BC$. Prove that the median AD bisects PQ.

 [Watch Video Solution](#)

14. In Fig. 4.122, AD and BE are respectively perpendiculars to BC and AC . Show that: (FIGURE) $ADC \sim BEC$ (ii) $CA \times CE = CB \times CD$ (iii) $ABC \sim DEC$ (iv) $CD \times AB = CA \times DE$



[Watch Video Solution](#)

15. In $\triangle ABC$, if $AD \perp BC$ and $AD^2 = BD \times DC$, prove that $\angle BAC = 90^\circ$.



[Watch Video Solution](#)

16. If one diagonal of a trapezium divides the other diagonal in the ratio 1:2, prove that one of the parallel lines is double the other.



[Watch Video Solution](#)

17. One angle of a triangle is equal to one angle of another triangle and the bisectors of these two equal angles divide the opposite sides in the same ratio, prove that the triangles are similar.

 [Watch Video Solution](#)

18. In the adjoining figure two medians AD and BE of a $\triangle ABC$ meet each other at O. prove that (i) $\triangle AOB \sim \triangle DOE$

 [Watch Video Solution](#)

19. In an isosceles ABC , the base AB is produced both the ways to P and Q such that $AP \times BQ = AC^2$. Prove that $APC \sim BCQ$.

 [Watch Video Solution](#)

20. Two poles of height 'a' metres and 'b' meters are 'p' meters apart. Prove that the height of the point of intersection of the lines joining the top of each pole to the foot of the opposite pole is given by $\frac{ab}{a+b}$ meters.

 [Watch Video Solution](#)


21. E is a point on side AD produced of a parallelogram ABCD and BE intersects DC at F. prove that $\triangle ABE \sim \triangle CFB$.

 [Watch Video Solution](#)

22. In a right angled triangle with sides a and b and hypotenuse c, the altitude drawn on the hypotenuse is x. prove that $ab=cx$.

 [Watch Video Solution](#)


23. in the given figure, if $\triangle ABE \cong \triangle ACD$ prove that $\triangle ADE \sim \triangle ABC$.



[▶ Watch Video Solution](#)


24. A man wishes to determine the height of a tall building . In the middle of the horizontal field next to the buliding, there is a sign post whose top measures to be 2.5 m above the ground. The man then backup from the post away from the building until the top of the post just lines up with

the top of the building and marks the spot where his feet are. the man then measures the distances shown in the adjoining figure. if the eyes of a man standing on the ground are 1.4 m above the ground, find the height of the building.



[View Text Solution](#)

25. In $\triangle PQR$, $\angle P = 72^\circ$, M is the mid point of side QR, and L and N are the feet of perpendicular drawn from M to PQ and PR respectively. If $LM=MN$, then what is the measure of $\angle NMR$?





[View Text Solution](#)

Exercise 6 C

1. The areas of two similar $\triangle ABC$ and $\triangle PQR$ are 64 sq. cm and 121 sq. cm. respectively. If $QR = 15.4$ cm, find BC .



[Watch Video Solution](#)

2. If $ABCDEF$ such that $AB = 1.2$ cm and $DE = 1.4$ cm . Find the ratio of areas of ABC and DEF .



[Watch Video Solution](#)

3. The areas of two similar triangle are 81cm^2 and 49cm^2 respectively. If the altitude of the bigger triangle is 4.5 cm, find th corresponding altitude of the smaller triangle.

 [Watch Video Solution](#)

4. The areas of two similar triangles are 100cm^2 and 64cm^2 respectively. If a median of the smaller triangle is 5.6 cm, find the corresponding median of the other.

 [Watch Video Solution](#)


5. Two isosceles triangles have equal vertical angles and their areas are in the ratio 9:16. Find the ratio of their corresponding heights.

 [Watch Video Solution](#)

6. In a trapezium PQRS, $PQ \parallel SR$ and $PQ = 2SR$. If the diagonals intersect at O and area of $\triangle POQ = 96\text{cm}^2$, find the area of $\triangle SOR$.

 [Watch Video Solution](#)


7. In the adjoining figure $BC \parallel DE$. Area of $\triangle ABC = 25\text{cm}^2$. area of trapezium $BCED = 24\text{cm}^2$, $DE = 14$ cm, calculate length of BC .



[▶ Watch Video Solution](#)

8. If the area of two similar triangles are equal then the triangles are congruent.

9. In the given figure, $\angle 1 = \angle 2$ and $\angle 3 = \angle 4$. If $BC = 7.5$ cm, $DE = 12.5$ cm and area of $\triangle ABC = 13.5$ cm². Find the area of $\triangle ADE$.


[▶ View Text Solution](#)

10. $\triangle ABC$ is right angled at A and $AD \perp BC$. If $BC = 13$ cm and $AC = 5$ cm. find the ratio of the areas of $\triangle ABC$ and $\triangle ADC$.

[▶ View Text Solution](#)

11. $\square ABCD$ is a rectangle. Triangle EFB has an area of 2cm^2 .
triangle BEC has an area of 3cm^2 .

Find the area of shaded region.



[View Text Solution](#)

Exercise 6 D

1. Find in each case whether the sides of the triangle, as given below form a right triangle or not

(1) 9 cm, 12 cm and 15 cm (ii) 8 cm, 15 cm and 17 cm

(iii) 7 cm, 24 cm and 25 cm

 [Watch Video Solution](#)

2. In $\triangle ABC$ right angled at C

(i) $AB = 1.7$ cm, $BC = 1.5$ cm, find CA (ii) $CA = 2.4$ cm, $AB = 4.0$ cm, find BC

 [Watch Video Solution](#)

3. A ladder reaches a window which is 15 metres above the ground on one side of the street. Keeping its foot at the same point, the ladder is turned to the other side of the street to reach a window 8 metres high. Find the width of the street, if the ladder is 13 meters.

 [Watch Video Solution](#)

4. A man goes 40m due north and then 50m due west. Find his distance from the starting point.

 [Watch Video Solution](#)

5. The side of a rhombus is 13 cm. if one of the diagonals is 24 cm, find the length of the other diagonal.

 [Watch Video Solution](#)

6. In the adjoining figure: $\angle PSQ = 90^\circ$, $PQ = 10$ cm , $QS = 6$ cm and $RQ = 9$ cm . Calculate the length of PR.


 [Watch Video Solution](#)

7. ABC is a isosceles right angled triangle, right angled at C. prove that $AB^2 = 2AC^2$



 Watch Video Solution

8. $\triangle ABC$ is an isosceles triangle with $AC = BC$. If $AB^2 = 2AC^2$. Prove that $\triangle ABC$ is a right triangle.



 Watch Video Solution

9. In an equilateral $\triangle ABC$, AD is the altitude drawn from A on the side BC. Prove that $3AB^2 = 4AD^2$

 Watch Video Solution

10. M and N are the points on sides QR and PQ respectively of a $\triangle PQR$, right angled at Q. prove that $PM^2 + RN^2 = PR^2 + MN^2$

 [Watch Video Solution](#)

11. In a square ABCD, show that $AC^2 = 2AB^2$.

 [Watch Video Solution](#)

12. In a rhombus ABCD, prove that $AC^2 + BD^2 = 4AB^2$

 [Watch Video Solution](#)


13. In triangle ABC, $\angle A = 90^\circ$, $CA = AB$ and D is a point on AB produced.

Prove that :

$$DC^2 - BD^2 = 2AB \cdot AD$$

 [Watch Video Solution](#)

14. The following figure shows a triangle ABC in which AD is a median and $AE \perp BC$. Prove that $2AB^2 + 2AC^2 = 4AD^2 + BC^2$.



[▶ Watch Video Solution](#)

15. From a point O in the interior of a ABC , perpendiculars OD , OE and OF are drawn to the sides BC , CA and AB respectively. Prove that:

(i) $AF^2 + BD^2 + CE^2 = OA^2 + OB^2 + OC^2 - OD^2 - OE^2 - OF^2$

(ii) $AF^2 + BD^2 + CE^2 = AE^2 + CD^2 + BF^2$


[▶ Watch Video Solution](#)

16. In a right triangle ABC, right angled at A, AD is drawn perpendicular to BC. Prove that:

$$AB^2 - BD^2 = AC^2 - CD^2$$


[▶ Watch Video Solution](#)

17. In the given figure, ABC is a right triangle, right angled at B. Medians AD and CE are of respective length 5 cm and $2\sqrt{5}cm$. Find the length of AC.



[▶ Watch Video Solution](#)

18. In the given figure, $\angle QPR = 90^\circ$, $QR = 26$ cm, $PM = 6$ cm, $MR = 8$ cm and $\angle PMR = 90^\circ$. Find the area of triangle PQR.



[Watch Video Solution](#)

19. Given a right angled $\triangle ABC$. The lengths of the sides containing the right angle are 6 cm and 8 cm. A circle is inscribed in $\triangle ABC$. Find the radius of the circle.

[Watch Video Solution](#)

20. In an acute angled triangle , express a median in term of its sides.

 [Watch Video Solution](#)

21. In a quadrilateral ABCD, $\angle B = 90^\circ$ and $AD^2 = AB^2 + BC^2 + CD^2$
prove that $\angle ACD = 90^\circ$.

 [Watch Video Solution](#)


22. ABC is a right triangle right angled at C and $AC = \sqrt{3}BC$. Prove that
 $\angle ABC = 60^\circ$.

 [Watch Video Solution](#)

23. In $\triangle ABC$, $\angle A = 60^\circ$ prove that $BC^2 = AB^2 + AC^2 - AB \cdot AC$

 [Watch Video Solution](#)

24. In the adjoining figure, find x, y and h .



[▶ Watch Video Solution](#)

Revision Exercise Very Short Questions

1. M and N are points on sides AC and BC respectively of a $\triangle ABC$. State whether $MN \parallel BC$ if $CM = 4.2$ cm, $MA = 2.8$ cm, $NB = 3.6$ cm, $CN = 5.7$ cm.

[▶ Watch Video Solution](#)


2. If $DE \parallel BC$ in $\triangle ABC$ where D and E are points on AB and AC respectively. If $\frac{AD}{DB} = \frac{8}{15}$ and $EC = 3.5$ cm, find AE .

 [Watch Video Solution](#)

3. If in $\triangle ABC$, AD is the bisector of $\angle A$ and D lies on BC . If $AB = 6.4$ cm, $AC = 8$ cm, $BD = 5.6$ cm, find DC .

 [Watch Video Solution](#)

4. In the given figure $\triangle AOB \sim \triangle DOC$, prove that $AB \parallel CD$.



[▶ Watch Video Solution](#)

5. A man goes 24m due west and then 10 m due north. How far is he from the starting point?

[▶ Watch Video Solution](#)

6. Find the height of an equilateral triangle having each side 12 cm.

[▶ Watch Video Solution](#)

[Watch Video Solution](#)

7. $\triangle ABC$ is an isoscles triangle with $AB= AC= 13$ cm and the length of altitude from A on BC is 5 cm, find BC.

[Watch Video Solution](#)

8.

In

$\triangle ABC$ if $\frac{AB}{AC} = \frac{BD}{DC}$ and if $\angle B = 70^\circ$ and $\angle C = 50^\circ$ find $\angle BAD$

[Watch Video Solution](#)


9. In a rhombus of side 10 cm one of the diagonals is 12 cm long. Find the length of second diagonal.

[Watch Video Solution](#)

1. In an equilateral triangle ABC , D is the mid-point of AB and E is the mid-point of AC . Find the ratio between $ar(\triangle ABC) : ar(\triangle ADE)$

[View Text Solution](#)

2. In the given figure, $DE \parallel BC$ and $\frac{AD}{DB} = \frac{2}{3}$ if $AE = 3.7$ cm, find EC .



[Watch Video Solution](#)

3. If P and Q are points on the sides AB and AC respectively of $\triangle ABC$, if $PQ \parallel BC$, $AP = 2$ cm, $AB = 6$ cm and $AC = 9$ cm find AQ.

 [Watch Video Solution](#)

4. If the diagonal BD of a quadrilateral $ABCD$ bisects both $\angle B$ and $\angle D$, show that $\frac{AB}{BC} = \frac{AD}{CD}$.

 [Watch Video Solution](#)

5. Prove that the line joining the mid-points of the diagonals of a trapezium is parallel to the parallel sides of trapezium and is half of their difference.

 [Watch Video Solution](#)

6. A man goes 150 m due east and then 200 m due north. How far is he from the starting point ?

 [Watch Video Solution](#)

7. In an equilateral triangle with side a , prove that the altitude is of length $\frac{a\sqrt{3}}{2}$

 [Watch Video Solution](#)

8. Two poles of heights 6m and 11 m stand on plane ground. If the distance between their feet is 12 m, find the distance between their tops.

 [Watch Video Solution](#)

9. find the length of the diagonal of a rectangle whose sides are 8 m and 6m.



 [Watch Video Solution](#)

10. the side of a triangle are $\frac{1}{2}(a + b)$, $\frac{1}{2}(a - b)$ and \sqrt{ab} state the nature of triangle.

 [Watch Video Solution](#)

Revision Exercise Long Questions

1. The bisector of interior $\angle A$ of $\triangle ABC$ meets BC in D, and the bisector of exterior angle $\angle A$ meets BC produced in E. prove that $\frac{BD}{BE} = \frac{CD}{CE}$

 [Watch Video Solution](#)

2. AD is a median of $\triangle ABC$. The bisectors of $\angle ADB$ and $\angle ADC$ meet AB and AC in E and F respectively prove that $EF \parallel BC$.

 [Watch Video Solution](#)

3. $\triangle ABC$ and $\triangle DBC$ are two triangles on the same base BC. A and D lies on opposite sides of BC. Prove that $\frac{ar(\triangle ABC)}{ar(\triangle DBC)} = \frac{AO}{DO}$

 [Watch Video Solution](#)

4. Prove that three times the sum of the squares on the sides of a triangle is equal to four times the sum of the square on the medians of the triangle.

 [Watch Video Solution](#)