



# PHYSICS

## BOOKS - PEARSON IIT JEE

### FOUNDATION

#### KINEMATICS

#### Example

1. A horse is tied to a rope of length 5 cm and the other end of the rope is tied to a pole.

Find the displacement and the distance travelled by the horse in the following cases

(i) When the horse makes half revolution along a circular path.

(ii) When it makes one full revolution

(iii) When it makes  $\frac{3}{4}$  th of the revolution.




**Watch Video Solution**

2. A body moving along a straight path covers one-third of a distance with a velocity of 5 Km/h and the rest of the path with a velocity

of 20 Kmph.

Find the average velocity of the body



[Watch Video Solution](#)

**3.** A bird sitting on a tree top at a height of 10 m from the ground picks up sticks lying on the ground to build a nest on the tree top. It starts picking up the sticks at 7:00 a.m. and ends up 7:10 a.m. During this interval it makes

5 trips up and down. Find the average speed and average velocity of the bird




[Watch Video Solution](#)

4. A clock has its minute hand 14 cm long. At what speed and at what velocity does the tip of the minute hand move in a half an hour duration ?



[Watch Video Solution](#)

5. A car moves along a straight path with variable velocity as shown in the figure. When the car is at position A, its velocity is  $10\text{ms}^{-1}$  and when it is at position B, its velocity is  $20\text{ms}^{-1}$ . If the car takes 5 seconds of time to move from A to B, find the acceleration of the car.



[Watch Video Solution](#)

6. The driver of a passenger train moving at a speed of  $90\text{kmh}^{-1}$  observes a goods train at rest on the same track at a distance of 250 m and immediately applies the brakes. What should be the minimum retardation of the passenger train so as to avoid collision of the two trains?



[Watch Video Solution](#)

7. A train moving at a speed of  $100\text{ms}^{-1}$  comes to rest in 5 seconds. Find its

retardation.



[Watch Video Solution](#)

8. A car accelerates uniformly at  $4ms^{-2}$  from rest. Find its velocity at the end of 5 seconds.



[Watch Video Solution](#)

**Test Your Concepts Very Short Answer Type Questions**

1. What are the different branches of mechanics?



[Watch Video Solution](#)

2. What is kinematics?



[Watch Video Solution](#)

3. How, do you represent a vector geometrically?







[Watch Video Solution](#)

4. What does the length of the line in geometrical representation of a vector signify?



[Watch Video Solution](#)

5. A body is first displaced by 5 m and then by 12 m in different direction. The minimum displacement it can have is \_\_\_\_\_ m




[Watch Video Solution](#)

6. Motion and rest are relative . How do you justify this?



[Watch Video Solution](#)

7. You are walking towards India Gate. Is India Gate at rest with respect with to you or in motion with respect to you?



[Watch Video Solution](#)

8. A passenger, seated in a train is at rest with reference to \_\_\_\_\_



[Watch Video Solution](#)

9. Define scalar quantities and vector quantities.  
Give some examples.



[Watch Video Solution](#)

10. The average value of acceleration due to gravity at sea level is \_\_\_\_\_  $ms^{-1}$



[Watch Video Solution](#)

11. A particle moved 5 m towards east then moved 8 m towards west. What is the total distance travelled and the magnitude of displacement?



[Watch Video Solution](#)

**12.** Define distance, displacement, speed, velocity and acceleration.



**Watch Video Solution**

**13.** Why is displacement referred to as a vector quantity?



**Watch Video Solution**

**14.** Speedometer of a vehicle measures its \_\_\_\_\_ speed.



**Watch Video Solution**

**15.** When does a particle motion have uniform speed?



**Watch Video Solution**

**16.** What is non-uniform motion ?



[Watch Video Solution](#)

**17.** What is instantaneous velocity?



[Watch Video Solution](#)

**18.** The ratio of the total distance travelled by a body to the total time taken is known as its

-----



[Watch Video Solution](#)

19. Convert the following speeds into  $ms^{-1}$

A.  $18Kmh^{-1}$

B.  $63Kmh^{-1}$

C.  $99Kmh^{-1}$

D.  $108Kmh^{-1}$

**Answer:**



**Watch Video Solution**

20. Convert the followign speeds into  $kmh^{-1}$



A.  $2ms^{-1}$

B.  $10ms^{-1}$

C.  $12.5ms^{-1}$

D.  $15ms^{-1}$

**Answer:**



**Watch Video Solution**

21.  $1ms^{-2} = \underline{\hspace{2cm}} kmh^{-2}$



**Watch Video Solution**

22. A car attains a velocity of  $20\text{ms}^{-1}$  in 2.5 s. If initially it had been at rest, its acceleration must be \_\_\_\_\_



[Watch Video Solution](#)

23. What is the acceleration of a body moving with uniform velocity ?



[Watch Video Solution](#)


**24.** Rate of decrease in the magnitude of velocity is also known as \_\_\_\_\_



**Watch Video Solution**

**25.** The displacement-time graph of a body is shown in the figure below. The part of the graph that represents the uniform motion of

the body is \_\_\_\_\_



[▶ Watch Video Solution](#)

26. What is the acceleration due to gravity?

[▶ Watch Video Solution](#)

27. A bus moves by 8 m from its position of rest in 2 s, along a straight road. If it covers 10m in the next second, it is moving with \_\_\_\_\_



[Watch Video Solution](#)

28. What are the different types of graphs that can be drawn to represent the motion of a particle?



[Watch Video Solution](#)

**29.** Give the equations of motion of a particle undergoing retardation along a straight line.



**Watch Video Solution**

**30.** In a displacement versus time graph \_\_\_\_\_ is taken on the x-axis



**Watch Video Solution**

1. Explain briefly what is mechanics and mention the different branches of mechanics.



[Watch Video Solution](#)

2. Compare and contrast scalars and vectors



[Watch Video Solution](#)

3. A race horse runs straight north and covers a distance of 12m then turns east and travels a

distance of 5m Draw the diagram showing the displacements and from the figure, calculate the net displacement of the horse.




[Watch Video Solution](#)

4. Redraw the following figure to scale and find out the distance and displacement of



particle moving along the path A-B-C-D



[Watch Video Solution](#)

5. Distinguish between distance and displacement.



[Watch Video Solution](#)

6. A crow picks up pebbles and puts them into a pot which is 10 m away from th pot. In doing so, it makes 5 trips within 80 seconds. What is the aerge speed of the crow?



[Watch Video Solution](#)

7. Differentiate between speed and velocity



[Watch Video Solution](#)

8. Write short notes on instantaneous speed and instantaneous velocity. Give examples.



[Watch Video Solution](#)

9. Write short notes on uniform speed and uniform velocity. Give examples?



[Watch Video Solution](#)

10. A bike starting from rest picks up velocity of  $72 \text{ kmh}^{-1}$  over distance of 40m. Calculate

its acceleration



[Watch Video Solution](#)

**11.** Explain , with an examples how a particle moving with uniform speed has variable velocity



[Watch Video Solution](#)

**12.** A pencil is tied to one end of a string of length 5 cm and the other is fixed to a nail. If

the time taken to draw a half circle and a full circle, with the pencil is 2 and 4 seconds, respectively, find the speed and velocity pencil

(a) to draw half circle is drawn.

(b) when full circle is drawn




**Watch Video Solution**

**13.** Write short notes on acceleration and deceleration Give example.



**Watch Video Solution**

14. A particle travelled along a semi-circular path A-C-B as shown in the figure below. The radius of the semi-circular path is 7m.



- Find the distance travelled by the particle
- Find the displacement (magnitude and direction)
- What would be these quantities if the particle completes the circle?



[Watch Video Solution](#)

**15.** In the given circle of radius  $R$ , find the speed and velocity in each case if the time taken

(a) to travel from A to B is 11s


(b) to complete the circle is 22 s



[Watch Video Solution](#)

**Essay Type Questions**

1. A particle takes 8 s to travel from A to B through P (see the figure given below) and another particle travelling through Q takes 7 s. Find the speed and velocity of each particle.



[Watch Video Solution](#)



2. A particle moving along a straight line has instantaneous velocities during the first 5 seconds as given below. Draw a velocity - time graph

Time (t) in s	0	1	2	3	4	5
Velocity (v) in $\text{m s}^{-1}$	0	2.5	5	7.5	10	12.5



[Watch Video Solution](#)

3. Draw a displacement-time graph for the data given below with respect to a particle moving

in a straight line

Time (t) in s	0	1	2	3	4
Displacement(s) in m	0	5	20	45	80



[Watch Video Solution](#)

Level 1

1. Uniform speed is a vector quantity?



[Watch Video Solution](#)

2. For a body moving along a circular path the average velocity and average speed can never be equal



[Watch Video Solution](#)

3. Can a body have a constant velocity but a varying speed ?



[Watch Video Solution](#)

4. Average speed is always equal to magnitude of average velocity. Is this statement true or false ?



[Watch Video Solution](#)

5. Velocity-time graph cannot be used to find instantaneous velocity



[Watch Video Solution](#)

6. Statement-I : A particle moves in a straight line with constant acceleration. The average velocity of this particle cannot be zero in any time interval.

Statement-II : For a particle moving in straight line with constant acceleration, the average velocity in a time interval is  $\frac{u + v}{2}$ , where  $u$  and  $v$  are initial and final velocity of the particle of the given time interval.



**Watch Video Solution**

7. The travel from a train from one station to another is an example of translatory motion



[Watch Video Solution](#)

8. In velocity-time graph, velocity is taken on \_\_\_\_\_ axis



[Watch Video Solution](#)

9. The ratio of the total displacement of a body to the total time taken is \_\_\_\_\_



[Watch Video Solution](#)

**10.** The velocity-time graph of a body moving with uniform velocity is a straight line parallel to \_\_\_\_\_



[Watch Video Solution](#)

**11.** A body moving with constant speed has zero acceleration only when the particle is in \_\_\_\_\_ dimensional motion.



[Watch Video Solution](#)

**12.** The average speed of a bus in its whole journey when it travels is given distance between two places with a speed of  $20\text{kmhr}^{-1}$  and returns back with a speed of  $12\text{kmh}^{-1}$  is \_\_\_\_\_



[Watch Video Solution](#)

**13.** When a body has unequal displacements in equal interval, of time it is said to be moving



with \_\_\_\_\_



**Watch Video Solution**

**14.** When a particle moves in a straight line from point A to point B the distance covered is \_\_\_\_\_ the magnitude of the displacement.



**Watch Video Solution**

15.

Match

columns

Column A		Column B	
A. Scalar quantity	( )	a. One dimensional motion	
B. Vector quantity	( )	b. Displacement in nth second	
C. $s/t$	( )	c. $ut + \frac{1}{2}at^2$	
D. $v - u$	( )	d. $\frac{(v + u)}{2}$	
E. $S_n$	( )	e. Two dimensional motion	
F. Motion of a shell fired by a gun	( )	f. $2as$	
G. Motion of a kite	( )	g. Uniform velocity	
H. Motion of a car on a straight road	( )	h. Three dimensional motion	
I. $s$	( )	i. $at$	
J. $v^2 - u^2$	( )	j. Average speed	



Watch Video Solution

**16.** Two persons X and Y take 10 hours and 12 hours, respectively to travel from Bangalore to Hyderabad, then the

A. average velocity of X is equal to average velocity of Y.

B. average velocity of X is less than that of Y.

C. average velocity of X is more than that of Y.

D. We cannot compare their velocities.

**Answer:**



**Watch Video Solution**

**17.** A car starting from rest traveling along a straight path with uniform acceleration covers  $S_1$ ,  $S_2$  and  $S_3$  distances in the first, second and that seconds of its travel. Then, the ratio

of  $\frac{(S_2 - S_1)}{(S_3 - S_2)}$  is \_\_\_\_\_

A. 3 : 5

B. 1 : 2

C. 1:3


D. 1:1

**Answer:**



**Watch Video Solution**

**18.** The displacement-time graph of a body is shown in the figure below.



The part of the graph that represents the body at rest is

- A. OA
- B. AB
- C. BC
- D. CD

**Answer:**



**Watch Video Solution**

**19.** A body is first displaced by 5 m and then by 12 m in different direction. The minimum displacement it can have is \_\_\_\_\_ m

- A. 0
- B. 17
- C. 7
- D. 13

**Answer:**



**Watch Video Solution**

**20.** A passanger, seated in a train is at rest with reference to \_\_\_\_\_

A. the bus

B. a jeep moving in the opposite direction  
to the bus

C. the tress on the ground.



D. both (a) and (c)

**Answer:**



**Watch Video Solution**

21. A body starting from rest along straight line is traveling with an acceleration of  $6\text{ms}^{-1}$ , then the distance traveled by it in the 3rd seconds is \_\_\_\_\_ m

A. 27

B. 18

C. 15

D. 21

**Answer:**



**Watch Video Solution**

22. A body starts from rest and moves along a straight line path with uniform acceleration.

The ratio of velocities at  $t = 1\text{ s}$  and  $t = 2\text{ s}$  is

\_\_\_\_\_

A. 2 : 1

B. 1 : 2

C. 1 :  $\sqrt{2}$

D.  $\sqrt{2}$  : 1

**Answer:**



**Watch Video Solution**

**23.** A body undergoes a displacement of 3 m in the 1st second, 4 m in the 2nd second, 5 in the

3rd second and so on. The body is moving with  
a/an

- A. uniform velocity
- B. uniform acceleration
- C. uniform deceleration
- D. None of these

**Answer:**



**Watch Video Solution**

24.  $45 \text{ km h}^{-1}$  \_\_\_\_\_  $\text{ms}^{-1}$

A. 162

B. 12.5

C. 2.5

D. 75

**Answer:**



**Watch Video Solution**

25. A body moving from its initial position of rest along a straight line covers 1 m in 1s. It then covers 8 m in the next, then the body is moving with \_\_\_\_\_

A. uniform velocity

B. an acceleration of  $2\text{ms}^{-2}$  in the first second

C. average acceleration  $t = 1\text{sto}3\text{sof}2\text{ms}^{-1}$  from

D. both (b) and (c)

**Answer:**



**Watch Video Solution**

**26.** The ratio of the numerical values of the average velocity and average speed of a body is always.

- A. greater than
- B. less than or equal to
- C. greater than or equal to
- D. less than

**Answer:**



**Watch Video Solution**

27. A bus travel one third of the distance with a speed of  $12\text{kmh}^{-1}$  and the remaining distance with a speed of  $20\text{kmh}^{-1}$ . The average speed of the bus is \_\_\_\_\_  $\text{kmh}^{-1}$

A. 14

B. 20

C. 12



D. 16.4

**Answer:**



**Watch Video Solution**

**28.** The ratio of distances traveled by two bodies, A and B starting from rest moving along a straight line with equal accelerations is  $x$ , where  $x \geq 1$ , then

A. time taken by body  $A >$  time taken by  
body B.

B. time taken by body  $A <$  time taken by  
body B.

C. time taken by body  $A \geq$  time taken by  
body B.

D. time taken by body  $A \leq$  time taken by  
body B.

**Answer:**



**Watch Video Solution**

**29.** When a body moves with uniform velocity then


- A. it has zero acceleration
- B. it moves along a straight line path
- C. average velocity= instantaneous velocity
- D. All the above

**Answer:**



**Watch Video Solution**

30. The velocity-time graph of a certain is shown in the following graph. The part of the graph that shows deceleration of the body is



A. OA

B. AB


C. BC

D. CD

**Answer:**

 [Watch Video Solution](#)

**31.** A body is moving along the curve, ABC as shown in the figure, and the initial and final positions are A and C, respectively. Displacement is the line joining



A. initial and final position of the body

B. midpoint (B) and final position of the  
body

C. midpoint (B) and initial position of the  
body

D. Both (2) and (3)

**Answer:**



**Watch Video Solution**

32. The speedometer of a car indicates

A. its instantaneous speed

B. average speed

C. average velocity

D. Both (1) and (3)

**Answer:**



**Watch Video Solution**

**33.** A boy throw a ball vertically upwards and catches it after 2 seconds. Which of the following is true regarding the motion of the ball?

(a) The displacement is zero

(b) Magnitude of acceleration is constant

A. Only (a) is true

B. Only (b) is true

C. Both (a) and (b) are true

D. Both (a) and (b) are false



**Answer:**



**Watch Video Solution**

**34.** If a sports car at rest accelerates uniformly to a speed of  $144\text{kmh}^{-1}$  in 5 s, it covers a distance of \_\_\_\_\_ m

A. 100

B. 140

C. 60

D. 80

**Answer:**



**Watch Video Solution**

**35.** A ball is thrown vertically upward. If it spends 4s in air, then find the maximum height achieved by it.



**Watch Video Solution**

**36.** The driver of a car moving with a velocity of  $54\text{kmh}^{-1}$  applies to decrease its velocity to

$3.6\text{kmh}^{-1}$ . If the retardation produced by the breaks is  $2.0\text{ms}^{-1}$ , arrange the following steps in sequential order to calculate the distance travelled by the car.

(a) Write down the required equation of motion as  $v^2 - u^2 = 2as$  where  $v, u, a$  and  $s$  are final velocity, initial velocity, retardation and displacement,

(b) Write down the given data and convert all the values into the same system of unit

(c) Get the value of 's' as  $\frac{v^2 - u^2}{-2a}$

(d) Substitute the given values in the above equations

A. a b d c

B. b a c d

C. a d b c

D. a b c d

**Answer:**



**Watch Video Solution**

**37. Assrtion o (A) :** A body may have velocity and displacement in the oppostie direction

Reason (R) : Velocity is distance travelled by the body in a unit time

A. A and R are correct and R is the correct explanation for A

B. A and R are correct but R is not the correct explanation for A

C. A is correct but R is incorrect


D. Both A and R are incorrect

**Answer:**



**Watch Video Solution**

38. The  $\vec{s} - t$  graph of a body is as shown in the figure. The time for which the body is in motion is \_\_\_\_\_ second



A. 2

B. 3

C. 6

D. 10


**Answer:**



**Watch Video Solution**

**39.** Motion of a body is depicted graphically as shown in the figure. The average speed of the

body is \_\_\_\_\_  $ms^{-1}$



A.  $3/4$

B.  $9/8$

C.  $4/3$

D.  $8/9$



**Answer:**



**Watch Video Solution**

**40.** An object moves the first half of the total distance with a speed of  $2 \text{ m s}^{-1}$ . If the average of the body is  $3 \text{ m s}^{-1}$ , the speed of the body when it travels the remaining distance is \_\_\_\_\_  $\text{m s}^{-1}$

A. 3

B. 6

C. 4

D. 2

**Answer:**



**Watch Video Solution**

**41.** An electric fan rotates 100 times in 50s . If the length of its wing from its axis of rotation is 0.5 m, then the speed of particle at the edge of the wing is \_\_\_\_\_  $ms^{-1}$

A.  $2\pi$

B.  $0.5\pi$

C.  $\pi$

D. 2


**Answer:**



**Watch Video Solution**

**42.** A person starts from a point O and travels along a path PQR as shown in the figure. Then, the speed of the person is \_\_\_\_\_

$ms^{-2}$



A. 0.2

B. 20

C. 12

D. 0.4

**Answer:**





43. The ratio of unit of acceleration and velocity gives unit of the physical quantity

-----

A. time

B. frequency

C. amplitude

D. speed

**Answer:**



Watch Video Solution

44. A bus moves with uniform velocity along a straight line path. If the average velocity of the bus is  $80\text{kmh}^{-1}$ , then its instantaneous velocity at  $t=0$  is \_\_\_\_\_

A. 70

B. 100

C. 80

D. zero

**Answer:**



**Watch Video Solution**

**45.** A bus travels one third of the distance with a speed of  $12\text{kmh}^{-1}$  and the remaining distance with a speed of  $20\text{kmh}^{-1}$ . The average speed of the bus is \_\_\_\_\_  $\text{kmh}^{-1}$

A. 14

B. 20

C. 12

D. 16

**Answer:**




**Watch Video Solution**


**Level 2**

1. In the following graphs, the velocity of linearly moving body is against its time of travel. Analyse each of the given graphs and discuss the type of motion of the body






(ii)




(iii)






(iv)



(v)



Watch Video Solution

2. A bus moving along a straight highway with a speed of  $72\text{kmh}^{-1}$  is brought to rest within a distance of 50m. How long does it take for the bus to stop?



[Watch Video Solution](#)

3. A train of certain length traveling with a uniform speed of  $36\text{kmh}^{-1}$  crosses a bridge of 600 m in 80s Find the length of the train



 [Watch Video Solution](#)

4. The length of a minute hand of clock is 3 cm. Find the average velocity of the tip of the minute hand when it moves during a time interval from 4:00 p.m. to 4:15 p.m.



[Watch Video Solution](#)

5. Give examples of variable velocity, when

(a) the magnitude is constant and the direction is changing

n (b) the magnitude is changing and the direction remains the same

(c) both the magnitude and direction are changing



[Watch Video Solution](#)

6. The distance between two places A and B is 180 km by road and 120 km by air. An aeroplane takes 20 min to go from A to B whereas a deluxe bus starting at A takes 5 h to reach B. Find the average speed and

average velocity by both means of transport)

(Ignore the vertical ascent of aeroplane)



**Watch Video Solution**

7. A car starting from rest and moving with uniform acceleration on a straight road travels for sometime such that the paths described by it in the last second and the penultimate second of its motion are in the ratio 4:3 respectively . Calculate the total time traveled by the body



[Watch Video Solution](#)

8. On a 60 km stretch of road a cyclist travels first 20 km at a uniform speed of  $20\text{kmh}^{-1}$ . How fast must he travel the remaining distance so that his average speed is  $10\text{kmh}^{-1}$  for the entire trip.



[Watch Video Solution](#)

9. A car starting from rest and moving along a straight path with uniform acceleration covers

distances  $p$  and  $q$  in the first two successive equal intervals of time. Find the ratio of  $p$  to  $q$ .



[Watch Video Solution](#)

**10.** A bus starts from rest with an acceleration of  $5\text{ms}^{-2}$ . A man who is on a motorcycle, 24 m behind the bus, overtakes the bus in 2s. If the motorcyclist moves with uniform velocity, find his velocity



[Watch Video Solution](#)



**11.** The dimensions (measurements) of a hall are 12m, 4 m and 3, respectively. An ant starts at one corner of the hall, travels only along the adgees and reaches a diagonally opposite, corner, taking the shortest possible route. Find the distance travelled by the at t and its magnitude of displacement .



**Watch Video Solution**

**12.** A car takes 25s to stop after th application of breaks. Whatt is the distance traveled by

the car if the brakes produces a uniform retardation of  $0.4ms^{-2}$ ?



[Watch Video Solution](#)

**13.** A bus starts movins with uniform acceleration from it position of rest. If moves 48 m in 4s. On applying the brakes, its stops after covering 24m. Find the deceleration of the bus



[Watch Video Solution](#)

**14.** A bus traveling along a straight highway covers one third of the total distance between two places with a velocity  $20\text{kmh}^{-1}$ . The remaining part of the distance was covered with a velocity of  $30\text{kmh}^{-1}$  for the first half of the remaining time and with velocity  $50\text{kmh}^{-1}$  for the next half on the time. Find the average velocity of the bus for its whole journey.



**Watch Video Solution**

15. A particle starts from rest and moves with a constant acceleration along a straight path to attain  $64\text{ms}^{-1}$  in  $t$  s. If at  $t=(t+3)$  s the speed is  $76\text{ms}^{-1}$ , then find the acceleration of the particle and 't'



[Watch Video Solution](#)

Level 3

1. A Car accelerates uniformly from rest. If the reading on the speedometer after 5 s is  $kmh^{-1}$




[Watch Video Solution](#)

2. A person starts from point A and reaches point C which is the midpoint of BD. If it takes four seconds time, then determine

(a) the average speed


(b) the average velocity



Watch Video Solution

3. In the figure, shown , explain the difference

between  $\overrightarrow{DE}$  and  $\overrightarrow{ED}$



Watch Video Solution

4. A police man is running with a uniform speed of  $5\text{kmh}^{-1}$  and a thief is running with a uniform speed of  $2\text{kmh}^{-1}$ . Is it possible to find


whether the policeman can catch the thief?

Explain



[Watch Video Solution](#)

5. An object moves long the path ABC as shown in the figure. Determine the displacement.



[Watch Video Solution](#)



6. A policeman is running with a uniform velocity of  $5\text{kmh}^{-1}$  towards east and a thief is running with a uniform velocity of  $2\text{kmh}^{-1}$  towards east. Is it possible for the policeman to catch the thief? Explain



[Watch Video Solution](#)

7. In above problem, if the police man is behind the thief and the initial distance

between them is 10 m, how much time will it take of the policmane to catch the thief?



[View Text Solution](#)

8. A bike startingh from rest picks up velocity of  $72 \text{ kmh}^{-1}$  over distance of 40m. Calculate its accleration



[Watch Video Solution](#)

9. A pencil is tied to one end of a string of length 5 cm and the other is fixed to a nail. If the time taken to draw a half circle and a full circle, with the pencil is 2 and 4 seconds, respectively, find the speed and velocity pencil


(a) to draw half circle is drawn.

(b) when full circle is drawn



**Watch Video Solution**

10. A particle takes 8 s to travel from A to B through P (see the figure given below) and another particle travelling through Q takes 7 s. Find the speed and velocity of each particle.



[Watch Video Solution](#)

**11.** A Bullet Train in Japan starting from rest accelerates uniformly at  $0.5ms^{-2}$  for 2 minutes. It then maintains uniform speed for 20 minutes and then retards uniformly at the rate of  $0.25ms^{-1}$  and comes to rest. Calculate the average speed of the train



**Watch Video Solution**

**12.** A car A has just overtaken car B which is moving in the same direction as A. Given below are few cases explaining the motion of the

cars at that instance. Identify the given cases as cases that are necessarily true, cases that can be true only under certain conditions and cases that are necessarily false.

(i) The car is accelerating and car B is decelerating

(ii) The car A is decelerating and car B accelerating

(iii) Both cars accelerating

(iv) Both cars are decelerating

(v) Both cars moving with uniform velocity

(vi) Car A is moving with uniform velocity and car B is accelerating.

(vii) Instantaneous speed of car A is less than that of car B

(viii) Instantaneous speed of car B is less than that of car A.



[Watch Video Solution](#)

**13.** Find the initial velocity and acceleration of a body if the distance traveled by that body in  $n$ th second is  $(5.69 + 0.008n)$ m



[Watch Video Solution](#)

**14.** A race horse runs straight north and covers a distance of 12m then turns east and travels a distance of 5m Draw the diagram showing the displacements and from the figure, calculate the net displacement of the horse.



**Watch Video Solution**

**15.** A crow picks up pebbles and puts them into a pot which is 10 m away from the pot. In doing so, it makes 5 trips within 80 seconds. What is the average speed of the crow?





[Watch Video Solution](#)

**16.** A boy kicks a football horizontally from the roof of a building of height 10m, . If the line joining the initial position of the football and the point where it hits the ground make an angle of  $45^\circ$  with the ground, then find the displacement of the football




[Watch Video Solution](#)

17. A rod of length 2m starts to roll on a horizontal surface as shown in figure. At the same time an ant starts from one end of the rod to other and when the rod rolls through a distance 10m the ant reaches the other end (B). Calculate the distance and displacement of the ant

(a) with respect to the rod

(b) with respect to the ground.



[Watch Video Solution](#)

**18.** A bird sitting on a tree top at a height of  $5\text{ m}$  from the ground, picks up sticks lying on the ground to build a nest on the tree top. It

starts picking up the sticks at 7:00 a.m. and ends up at 7:10 a.m. During this interval it makes 5 trips up and down. Find the average speed and average velocity of the bird.



**Watch Video Solution**