



BIOLOGY

BOOKS - CENGAGE BIOLOGY (HINGLISH)

PLANT GROWTH AND DEVELOPMENT

Exercises

1. The period of suspended growth due to exogenous condition is termed as

A. Dormancy

B. Rest

C. Quiescence

D. All of these

Answer: D



Watch Video Solution

2. Seeds of Tomato do not germinate in its pulp due to

- A. Impermeable seed coat
- B. Immature embryo
- C. Presence of ferulic acid in pulp
- D. Abscisic acid in pulp

Answer: C



Watch Video Solution

3. Treatment of seed at low temperature under moist conditions to break its dormancy is called

A. Scarification

B. Pressure chamber method

C. Stratification

D. Impaction

Answer: C



Watch Video Solution

4. Which does not happen during seed germination?

A. Emergence of radical

B. Increase in the rate of respiration

C. Hydrolysis of stored polysaccharides and
proteins

D. Photosynthesis by cotyledons

Answer: D



Watch Video Solution

5. Real growth is

A. protoplasmic growth

B. Cell wall growth

C. Growth in size

D. Growth in volume

Answer: A



Watch Video Solution

6. Growth in plant organs is

A. Qualitative and extrinsic

B. Quantitative and intrinsic

C. Qualitative and intrinsic

D. Quantitative and extrinsic

Answer: C



Watch Video Solution

7. The point in S-shaped growth curve where growth is maximum is called

A. Inflexion point

B. Compensation point

C. Extinction point

D. Deflection point

Answer: C



Watch Video Solution

8. Exponential phase in growth is characterized by

A. Enlargements of cells

B. Constant increase in growth rate

C. Maturation of cells

D. Both (1) and (2)

Answer: D



Watch Video Solution

9. Which of the following is not a growth-measuring instrument?

A. Auxanometer

B. Crescograph

C. Horizontal microscope

D. Clinostat

Answer: 3



Watch Video Solution

10. The plant growth is regulated by

A. Climatic factor

B. Growth hormones

C. Both (1) and (2)

D. None of these

Answer: B



Watch Video Solution

11. The growth of plants differs from growth of animals in being

A. Being localized and indefinite

B. Being indefinite

C. Having indefinite life span

D. Having definite life span

Answer: A



Watch Video Solution

12. The scientist who suspected the presence of some growth substances was

A. Linnaeus

B. Mendel

C. Charles Darwin

D. Robert Brown

Answer: C



Watch Video Solution

13. If an etiolated stem could be first saturated with auxin by spraying and then exposed to a streak of light from one side it will

A. Bend toward the light

B. Bend away from the light

C. Grow straight upward

D. Be prevented from growing

Answer: A



Watch Video Solution

14. Which plant hormone is basic in nature

A. Auxin

B. Gibberellin

C. Cytokinin

D. Abscisic acid

Answer: B



Watch Video Solution

15. Which of the following is not a physiological effect/ an influence of auxin

A. Cell elongation

B. Development of parthenocarpic fruits

C. Prevention of abscission of leaves and fruits

D. Reversal of genetic dwarfism

Answer: B



Watch Video Solution

16. Transport of auxins is

A. Polar

B. Diffuse

C. Through xylem

D. Through phloem

Answer: D



Watch Video Solution

17. The movement shown by a plant kept in a phototropic chamber is due to

A. Differential synthesis of hormones

B. Differential translocation of hormones

C. None of these

D. Both (1) and (2)

Answer: B



Watch Video Solution

18. Sprouting of potato can be prevented in storage by

A. CH_4

B. GA_3

C. MH

D. CK

Answer: B



Watch Video Solution

19. Phyotron is a device by which

A. Electron flow is measured

B. Mutations are induced in plants

C. The wind velocity is measured

D. Plants are grown in controlled environment

Answer: B



Watch Video Solution

20. Apical dominance in higher plants is due to

A. Balance between auxins and cytokinins

B. Enzyme activity

C. Carbohydrates and nitrogen ratio

D. Incorrect photoperiod

Answer: B



Watch Video Solution

21. Cholodny-Went theory is connected with

A. phototropism

B. Photomorphogenesis

C. Photorespiration

D. Photosynthesis

Answer: B



Watch Video Solution

22. Gibbane ring skeleton in structure and production of hydrolytic enzymes in barley endosperm is a characteristic of

A. Cytokinin

B. Auxins

C. Gibberellins

D. Ethylene

Answer: C



Watch Video Solution

23. Avena curvature test and dwarf maize test are bioassays of, respectively,

A. Auxins and gibberellins

B. GA and CK

C. Auxins and CK

D. IA A and ethylene

Answer: A



Watch Video Solution

24. Specific property attributed to gibberellins is

- A. Shortening of genetically tall plants
- B. Elongation of genetically dwarf plants
- C. Rooting or stem cuttings
- D. Promotion of leaf and fruit fall

Answer: B



Watch Video Solution

25. The synthesis of amylase in certain cereals is stimulated by

A. IAA

B. GA

C. OK

D. ABA

Answer: D



Watch Video Solution

26. Cytokinins are considered a part of

A. t-RNA

B. r-RNA

C. DNA

D. Vascular tissues

Answer: B



Watch Video Solution

27. An anti-ageing plant hormone from the following is

A. IAA

B. GA_3

C. Zeatin

D. C_2H_4

Answer: C



28. Richmond-Lang effect is due to

A. IAA

B. OK

C. GA

D. C_2H_4

Answer: B



29. The number of female flowers can be increased by the application of

A. IAA

B. C_2H_4

C. OK

D. All of these

Answer: A



Watch Video Solution

30. Triple response is shown by hormone

A. Ethylene

B. CK

C. 2, 4-D

D. GA_3

Answer: A



Watch Video Solution

31. Which of the following is an anti-gibberellin as well as a stress hormone?

A. ABA

B. CK

C. NAAM

D. 2, 4-D

Answer: B



Watch Video Solution

32. Which is not true for abscisic acid?

A. Acts as an anti-transpirant

B. Synthesized in chloroplast from carotenoids

C. Increases stress tolerance in plants

D. Induces epinasty of leaves and flowers

Answer: A



Watch Video Solution

33. $CH_2 = CH_2$ is mainly responsible for

- A. Formation of root hair
- B. Formation of nodes
- C. Ripening of fruits
- D. Formation of internodes

Answer: C



Watch Video Solution

34. For flowering, critical dark period should always be exceeded in

- A. Long day plants
- B. Short day plants
- C. Day neutral plants
- D. All types of plants

Answer: B



Watch Video Solution

35. Photoperiodic stimulus is perceived by

A. Meristematic cells

B. Leaves

C. Flowers

D. Seeds

Answer: A



Watch Video Solution

36. Which of the following statements does not characterize photoperiodism?

A. Mediated by florigen hormone.

B. Conversion of shoot apex into reproductive apex.

C. Red light is stimulatory in SDP, LDP, and DNP for flowering.

D. The number of correct photoperiodic induction may be 1-25

Answer: B



View Text Solution

37. Find the odd one (w.r.t. photoperiod) from the following.

A. Rice

B. Cosmos

C. Chrysanthemum

D. Larkspur

Answer: D



View Text Solution

38. Hypothetical florigen could be produced prematurely in long day plant by exposing it to

- A. Shortening of period
- B. Red light during night
- C. Extending dark period
- D. Far red light

Answer: B



View Text Solution

39. The acquisition of ability to flower by chilling treatment is called

- A. Vernalization
- B. Yarovization
- C. Springification
- D. All of these

Answer: A



Watch Video Solution

40. Which is not a requirement of vernalization?

A. Aerobic condition

B. Moisture

C. high temperature

D. Differentiated tissues

Answer: C



Watch Video Solution

41. The hormone which can replace the long days and low temperature requirement for flowering in some plants is

A. Gibberellin

B. Cytokinin

C. Vernalin

D. Ethylene

Answer: A



Watch Video Solution

42. Senescence is

A. Terminal irreversible phase of ageing

B. Combined deteriorative processes in
mature plant

C. A period between complete maturity and
final death of an organ

D. All of these

Answer: B



Watch Video Solution

43. Shoot or top senescence occurs in

A. Rice

B. Gladiolus

C. Mango

D. Dalbergia

Answer: B



Watch Video Solution

44. Abscission zone is characterized by

- A. Presence of callose plugs
- B. Presence of a distinct layer
- C. Activity of celluloses and pectinases
- D. All of these

Answer: A



[View Text Solution](#)

45. In which layer of abscission zone, the breakdown of cells occur?

- A. Gonidial layer
- B. Protective layer
- C. Seperation layers
- D. All of these

Answer: C



46. The leaves of *Mimosa pudica* (sensitive plant) droop down on touch because

A. The plant has nervous system

B. The leaves are very tender

C. The leaves are injured

D. The turgor pressure of the leaf base changes

Answer: D



Watch Video Solution

47. Plants growing under prolonged water stress condition develop the phenomenon of leaf area adjustment which is

- A. Shortening of plastochron
- B. Reduction of leaf surface area
- C. Shortening of internodal length
- D. Shedding of older leaves

Answer: D



Watch Video Solution

48. The seasonal activity of cambium is promoted by

A. Proline

B. Auxins

C. Ethylene

D. Abscissic acid

Answer: C



49. Find odd one (w.r.t. cause of seed dormancy)

A. Amaranthus

B. Capsella

C. Ginkgo

D. Trigonella

Answer: D



View Text Solution

50. The pigment concerned with various photomorphogenetic processes in plant has

A. Open tetrapyrrolic structure

B. Absorption spectra different from that of chlorophyll

C. Positive effects on membrane permeability

D. All of these

Answer: C



View Text Solution

51. Plant hormones are

- A. Growth regulators
- B. Growth promoters
- C. Growth inhibitors
- D. None of above

Answer: A



Watch Video Solution

52. The most common auxin is

A. GA

B. ABA

C. Kinetin

D. IAA

Answer: D



Watch Video Solution

53. Gibberellin promotes cell division and elongation in

A. Leaves

B. Roots

C. Shoots

D. All of these

Answer: C



Watch Video Solution

54. The deteriorative processes in plants that naturally terminate their functional life are collectively called

A. Wilting

B. Abscission

C. Plasmolysis

D. Senescence

Answer: D



Watch Video Solution

55. Which of the following is used for artificial ripening of fruits?

A. Auxin

B. ABA

C. Ethylene gas

D. Cytokinin

Answer: C



Watch Video Solution

56. The induction of flowering is used for ripening of fruits?

A. Vernalization

B. Photoperiodism

C. Cryobiology

D. Chlozology

Answer: A



Watch Video Solution

57. Plant growth is

A. Limited

B. Unlimited

C. Diffused

D. Both (1) and (2)

Answer: B



Watch Video Solution

58. Hormone produced during leaf fall is

A. IAA

B. ABA

C. Florigen

D. Kinetin

Answer: B



Watch Video Solution

59. Climacteric fruit is the one which shows

- A. High respiration rate at ripening
- B. Sudden change in taste
- C. Sudden change in color and shape
- D. None of the above

Answer: A



Watch Video Solution

60. Phytochrome is found in

A. Vascular cryptogams

B. Prokaryotes

C. Brain cell

D. Kidney cell

Answer: A



Watch Video Solution

61. Genetically dwarf plant can be converted into a plant of normal height with help of:

A. Auxin

B. Gibberellin

C. Cytokinins

D. Auxin

Answer: B



Watch Video Solution

62. A phytohormone involved in the de novo synthesis of α -amylase in germinating seeds is

A. Auxin

B. Gibberellin

C. Ethylene

D. Cytokinin

Answer: B



Watch Video Solution

63. Phytochrome is responsible for

A. Photosynthesis

B. Flowering

C. Fruit formation

D. Respiration

Answer: B



Watch Video Solution

64. Which of the following is a gaseous hormone?

A. Ethylene

B. Cytokinin

C. Both ethylene and auxin

D. Gibberellin

Answer: A



Watch Video Solution

65. The pineapple which under natural condition is difficult to blossom has been made to produce fruits throughout the year by application of

A. IAA, IBA

B. NAA, 2, 4-D

C. Phenyl mercuric acid

D. Cytokinins

Answer: A



Watch Video Solution

66. Most of the plants are seasonal due to

A. Photoperiodism

B. Phototropism

C. Photosynthesis

D. Photolysis

Answer: A



Watch Video Solution

67. Certain chemical substances having profound effect on growth, are called

A. Catalytic agents

B. Phytohormones

C. Enzymes

D. Compost

Answer: B



Watch Video Solution

68. Phytochrome was discovered by

A. W. Went

B. Garner and Allard

C. F.F. Blackman

D. Borthwick and Handricks

Answer: D



View Text Solution

69. The activity of α -amylase in the endosperm of a germinating seed of barley is induced by

A. Ethylene

B. Cytokinin

C. IAA

D. Gibberellin

Answer: D



Watch Video Solution

70. A Pigment concerned with both floral induction and seed germination is

A. Florigen

B. Chlorophyll

C. Plastocyanin

D. Phytochrome

Answer: D



Watch Video Solution

71. Gibberellins were first discovered in fungal genus

A. Mucor

B. Rhizopus

C. Agaricus

D. Fusarium

Answer: D



Watch Video Solution

72. The presence of auxins in a solution could be tested by

A. Avena sativa stem tip test

B. Carbon tetrachloride test

C. Iodine test

D. Defoliation test

Answer: A



Watch Video Solution

73. Auxanometer is used to measure plant organ

A. Length

B. Width

C. Depth

D. Growth

Answer: D



Watch Video Solution

74. The pigment which mainly absorbs red and far-red radiation in plants, is known as

- A. Chlorophyll
- B. Phytochrome
- C. Cytochrome
- D. Carotene

Answer: B



Watch Video Solution

75. The hormone which can break seed dormancy is

A. Auxin

B. Gibberellin

C. Ethylene

D. Cytokinin

Answer: B



Watch Video Solution

76. Which one of the following is not a synthetic auxin?

A. 2, 4-D

B. 2, 4, 5-T

C. NAA

D. IAA

Answer: D



Watch Video Solution

77. Which plant hormone causes fruit ripening?

A. IAA

B. Cytokinin

C. Ethylene

D. GA

Answer: C



Watch Video Solution

78. Which hormone is responsible for apical growth

A. IAA

B. ABA

C. GA

D. All of these

Answer: A



Watch Video Solution

79. Absciscic acid controls

A. Cell elongation and cell wall formation

B. Shoot elongation

C. Leaf fall and dormancy

D. Cell division

Answer: C



Watch Video Solution

80. Which hormone is used to induce ripening in banana?

A. Cytokinin

B. Ethylene

C. ABA

D. GA_3

Answer: B



Watch Video Solution

81. Which among the following is a synthesis plant hormone?

A. IAA

B. GA

C. 2, 4-D

D. ABA

Answer: C



Watch Video Solution

82. Richmond-Lang effect is shown by

A. Auxins

B. Sugars

C. Zeatin

D. Gibberellin

Answer: C



Watch Video Solution

83. Ethylene is used for

A. Growth of plants

B. Delaying fruit abscission

C. Ripening of fruits

D. Stopping the leaf abscission

Answer: C



Watch Video Solution

84. Auxanometer is used to measure plant organ

- A. Respiration
- B. Transpiration
- C. Plant movement
- D. Growth

Answer: D



Watch Video Solution

85. Which of the following plant hormone is extracted from fungus?

A. Ethylene

B. Gibberellin

C. Cytokinin

D. 2, 4-D

Answer: B



Watch Video Solution

86. Highest auxin concentration occurs

A. Root and shoot tips

B. Leaves and fruits

C. Mid stem portion

D. None of these

Answer: A



Watch Video Solution

87. Ethylene is used for

- A. Decreasing the senescence
- B. Increasing the heights of stem
- C. Ripening of fruits
- D. Prevention of leaf fall

Answer: C



Watch Video Solution

88. The movement of pollen tube is called

A. Chemotropism

B. Thermotaxis

C. Thermonastic

D. Hydrotropism

Answer: A



Watch Video Solution

89. Which of the following plant is LDP?

A. Xanthium

B. Soyabean

C. Wheat

D. Tobacco

Answer: A



Watch Video Solution

90. Phytotron is

A. A controlled condition chamber for plants

B. Leaf culture process

C. Special culture of seeds

D. Root culture process

Answer: B



Watch Video Solution

91. Phytochrome occurs in two forms. Its stable form is

A. P_f form

B. P_r form

C. Both forms

D. None of these

Answer: A



View Text Solution

92. Which pigment is responsible for flowering in plant?

A. Phytochrome

B. Cytochrome

C. Anthocyanin

D. Xanthophyll

Answer: A



Watch Video Solution

93. The process of vernalization can be induced by

A. Cytokinin

B. Auxins

C. Phototropin

D. GA

Answer: D



Watch Video Solution

94. Phototropism is due to the hormone

A. IAA

B. GA

C. 2-4 D

D. Cytokinin

Answer: A



Watch Video Solution

95. Phototropism affects

A. Vegetative growth

B. Internode elongation

C. Seed germination

D. Reproductive growth

Answer: B



Watch Video Solution

96. Apical dominance is not affected by

- A. Indoleacetic acid
- B. Gibberellins
- C. Indoleacetaldehyde
- D. Indolebutyric acid

Answer: D



Watch Video Solution

97. The activity of α -amylase in the endosperm of a germinating seed of barley is induced by

A. Ethylene

B. Cytokinin

C. IAA

D. Gibberellin

Answer: D



Watch Video Solution

98. A Pigment concerned with both floral induction and seed germination is

A. Florigen

B. Chlorophyll

C. Plastocyanin

D. Phytochrome

Answer: A



Watch Video Solution

99. Which of the following may be the substitute of photoperiodism?

A. Humidity

B. Temperature

C. Mineral nutrients

D. Soil moisture

Answer: B



Watch Video Solution

100. Phytohormine commonly called stress hormone is

A. Auxin

B. Absciscic acid

C. Gibberellin

D. Cytokinins

Answer: B



Watch Video Solution

101. The ripening of fruits can be hastened by treatment with

A. IAA

B. Florigen

C. Ethylene

D. Cytokinin

Answer: C



Watch Video Solution

102. Opening of floral bud is an example of

- A. Induced movement
- B. Hyponastic movement
- C. Epinastic movement
- D. Cleistogamous movement

Answer: C



Watch Video Solution

103. Pruning of plants promotes branching because the axillary buds get sensitized to

A. Ethylene

B. Gibberellin

C. Cytokinin

D. IAA

Answer: A



Watch Video Solution

104. IAA mainly inhibits the growth of

A. Root

B. Leaf

C. Shoot

D. Generally whole plant

Answer: D



Watch Video Solution

105. Movement due to external stimuli is known of

A. Autonomic movement

B. Paratonic movement

C. Amoeboid movement

D. Excretory movement

Answer: B



Watch Video Solution

106. Auxin originates at the tip of the stem and controls growth elsewhere. The movement of auxin is largely

A. Acropetal

B. Basipetal

C. Lateral




D. Centripetal

Answer: B



Watch Video Solution

107. The formula of Auxin-A is



Answer: B



Watch Video Solution

108. Growth hormone responsible for apical dominance is

A. Auxin

B. Cytokinin

C. Gibberellin

D. Ethylene

Answer: A



Watch Video Solution

109. 2, 4-D is a synthetic

A. Auxin

B. Gibberellin

C. Cytokinin

D. Florigen

Answer: A



Watch Video Solution

110. Which of the following induces femaleness in plants?

A. Auxin and ethylene

B. Ethanol

C. ABA

D. Gibberellin

Answer: A



Watch Video Solution

111. Which one prevents premature fall of fruit ?

A. GA_3

B. NAA

C. Ethylene

D. Zeatin

Answer: B



Watch Video Solution

112. Which of the following is a weed killer?

A. 2, 4-D

B. NAA

C. GA

D. ABA

Answer: A



Watch Video Solution

113. Which one is prevents over-ripening of banana and browning of cut fruits?

A. Gibberellic Acid

B. Indole-3 Acetic Acid

C. Ascorbic Acid

D. Abscisic Acid

Answer: C



Watch Video Solution

114. Which weedicide can defoliate the complete forest?

A. 2, 4-D

B. MH

C. AMO-1618

D. Biopesticide

Answer: C



Watch Video Solution

115. Agent orange is

A. Biodegradable insecticide

B. Dioxin weedicide

C. Biofertilizer

D. Biopesticide

Answer: B



Watch Video Solution

116. Phyotron is a device by which

A. Induce mutation breeding in wheat

B. Electron bombarding system

C. Plants are grown in controlled environment

D. Heavy water plants

Answer: C



Watch Video Solution

117. Lateral axillary buds are not allowed to grow by

A. Auxin

B. Ethylene

C. Gibberellin

D. Cytokinin

Answer: A



Watch Video Solution

118. Richmond-Lang effect is due to

A. Cytokinin

B. Auxin

C. ABA

D. All the above

Answer: A



Watch Video Solution

119. A hypothetical chemical involved in the following of plants is or chemical agent which has important role in flowering is

A. Gibberellin

B. NAA

C. Florigen

D. IAA

Answer: C



Watch Video Solution

120. Growth in internodal regions of green plants is due to

A. Ethylene

B. Indole acetic acid

C. Cytokinin

D. Gibberellins

Answer: D



Watch Video Solution

121. One set of a plant was grown at 12 hours day and 12 hours night period cycle and it flowered while in the other set night period cycles and it flowered while in the other set night phase was interrupted by flash of light and did not produce flower. Under which one of the following categories will you place this plant

A. Short day

B. Long day

C. Darkness neutral

D. Day neutral

Answer: A



Watch Video Solution

122. Maximum growth rate occur in

A. Exponential phase

B. Stationary phase

C. Senescent phase

D. Lag phase

Answer: A



Watch Video Solution

123. Ability of Venus Fly Trap to capture insects is due to

- A. Chemical stimulation by the prey
- B. A passive process requiring no special ability on the part of the plant
- C. Specialized "muscle-like" cells

D. Rapid turgor pressure changes

Answer: B



Watch Video Solution

124. why is vivipary an undesirable character for annual crop plants?

A. It reduces vigor of the plant.

B. The seeds cannot be stored under normal conditions for the next season.

C. The seeds cannot exhibit long dormancy

D. It adversely affects fertility of the plant.

Answer: B



Watch Video Solution

125. Gibberellins can promote seed germination because of their influence on

A. Rate of cell division

B. Production of hydrolyzing enzymes

C. Synthesis of abscisic acid

D. Absorption of water through hard seed coat.

Answer: B



Watch Video Solution

126. How does pruning help in making the hedge dense

A. The apical shoot grows faster after pruning.

B. It releases wound hormones

C. It induces the differentiation of new shoots from the rootstock.

D. It frees axillary buds from apical dominance.

Answer: D



Watch Video Solution

127. Parthenocarpic tomato fruitlets can be produced by

- A. Raising the plants from vernalized seeds
- B. Treating the plants with phenylmercury acetate
- C. Removing androecium of flowers before pollen grains are released
- D. Treating the plants with low concentrations of gibberellic acid and auxins.

Answer: D



Watch Video Solution

128. An enzyme that can stimulate germination of barley seeds is

A. Protease

B. Invertase

C. α -amylase

D. Lipase

Answer: C



Watch Video Solution

Assertion Reasoning

1. Assertion: If a plant is kept horizontally, auxin accumulates on the lower surface.

Reason: The displacement of statoliths and other cell organelles to lower surface modifies the translocation pattern of auxins.

A. If both Assertion and Reason are true and the Reason is the correct explanation of the Assertion.

B. If both Assertion and Reason are true, but the Reason is not the correct explanation of the Assertion.

C. If Assertion is true, but Reason is false.

D. If both Assertion and Reason are false.

Answer: A



Watch Video Solution

2. Assertion: Only bud and embryo can be vernalized.

Reason: Vernalization requires dividing cells.



Watch Video Solution

3. Assertion: Phytochrome, a protein, has regulatory functions.

Reason: Various morphogenetic processes are regulated by it.





[Watch Video Solution](#)

4. Assertion: Auxin treatment cause acidification of cell wall and helps in cell elongation.

Reason: Loosening of cell wall-ageing hormones.



[Watch Video Solution](#)

5. Assertion: Cytokinins are anti-ageing hormones.

Reason: They cause changes in osmotic potential by increasing the volume of mature cells.



[Watch Video Solution](#)

Archives

1. Opening of floral buds is

A. Autonomic movement of growth

B. Autonomic movement of locomotion

C. Autonomic movement of variation

D. Paratonic movement of growth

Answer: A



Watch Video Solution

2. Which one of the following pairs is not correctly matched?

A. IAA-Cell wall elongation

B. Abscisic acid-Stomatal closure

C. Gibberellic acid-Leaf fall

D. Cytokinin-Cell division

Answer: C



Watch Video Solution

3. The wavelength of light absorbed by Pr form of phytochrome is

A. 620 nm

B. 640 nm

C. 680 nm

D. 720 nm

Answer: B



Watch Video Solution

4. The hormone which was discovered through

' foolish seedling ' disease of rice is

Or

Bakane disease in paddy is caused by

A. IAA

B. GA

C. ABA

D. 2, 4-D

Answer: B



Watch Video Solution

5. Senescence as an active developmental cellular process in the growth and functioning of a flowering plant, is indicated in

A. Annual plants

B. Floral parts

C. Vessels and tracheid differentiation

D. Leaf abscission

Answer: D



Watch Video Solution

6. Importance of day length (photoperiodism)
in flowering of plants was first shown in

A. Cotton

B. Petunia

C. Lemna

D. Tobacco

Answer: D



Watch Video Solution

7. One of the synthetic auxin is

A. IBA

B. NAA

C. IAA

D. GA

Answer: B



Watch Video Solution

8. Which one of the following acids is a derivative of carotenoids?

A. Abscisic acid

B. Indole butyric acid

C. Indole-3- acetic acid

D. Gibberellic acid

Answer: A



Watch Video Solution

9. Phototropic curvature is result of uneven distribution of

A. Cytokinins

B. Auxin

C. Gibberellin

D. Phytochrome

Answer: B



Watch Video Solution

10. Importance of day length (photoperiodism) in flowering of plants was first shown in

A. Tomato

B. Cotton

C. Tobacco

D. Potato

Answer: C



Watch Video Solution

11. Coiling of garden pea tendrils around any support is an example of

A. Thigmotropism

B. Thermotaxis

C. Thigmotaxis

D. Thigmonasty

Answer: A



Watch Video Solution

12. One of the commonly used plant growth hormone in tea plantation is

A. Abscisic acid

B. Zeatin

C. Indole-3- acetic acid

D. Ethylene

Answer: B



Watch Video Solution

13. Root development is promoted by

A. Auxin

B. Gibberellin

C. Ethylene

D. Abscisic acid

Answer: A



Watch Video Solution

14. Through their effect on plant growth regulators, what do the temperature and light control in the plants

A. Apical dominance

B. Flowering

C. Closure of stomata

D. Fruit elongation

Answer: B



Watch Video Solution

15. Which one of the following generally acts as an antagonist to gibberellins

A. Zeatin

B. Ethylene

C. ABA

D. IAA

Answer: C



Watch Video Solution

16. Vernalization stimulates flowering in

A. Zamikand

B. Turmeric

C. Carrot

D. Ginger

Answer: C



Watch Video Solution

17. During seed germination, its stored food is mobilised by

A. Ethylene

B. Cytokinin

C. ABA

D. Gibberellin

Answer: D



Watch Video Solution

18. Which one of the following is not used for ex situ plant conservation

A. Field gene banks

B. Seed banks

C. Shifting cultivation

D. Botanical Gardens

Answer: C



Watch Video Solution

19. Non-albuminous seed is produced in

A. Maize

B. Castor

C. Wheat

D. Pea

Answer: D



Watch Video Solution

20. Which one of the following plant hormone (phytomone) is known as a stress hormone

A. Abscissic acid

B. Ethylene

C. GA_3

D. Indole acetic acid

Answer: A



Watch Video Solution

21. A few normal seedlingd of tomato were kept in a dark room. After a few days were found to have become white coloured like albinos. Ehich of the following terms will you use to describe them

A. Mutated

B. Embolised

C. Etiolated

D. Defoliated

Answer: C



Watch Video Solution

22. Dr. F. Went noted that if coleoptile tips were removed and placed on agar for one hour, the agar would produce a bending when placed on one side of freshly cut

coleoptile stumps .Of what significance is this experiment

A. It made possible the isolation and exact identification of auxin

B. It is the basis for quantitative determination of small amounts of growth-promoting substances.

C. It supports the hypothesis that IAA is auxin.

D. It demonstrated polar movements of
auxins

Answer: B



Watch Video Solution

23. What causes a green plant exposed to the light on only one side, to bend toward the source of light as it grows

- A. Auxin accumulates on the shaded side, stimulating greater cell elongation there
- B. Green plants need light to perform photosynthesis
- C. Green plants seek light because they are phototropic
- D. Light stimulates plant cells on the lighted side to grow faster.

Answer: A



Watch Video Solution

24. The rate of growth of any organism follows

Or

Typical growth curve in plants is

A. Parabolic

B. Sigmoid

C. Linear

D. Stair-steps shaped

Answer: C



Watch Video Solution

25. Auxin can be bioassayed by

A. Lettuce hypocotyl elongation

B. Avena coleoptile curvature

C. Hydroponics

D. Potometer

Answer: B



Watch Video Solution

26. The Avena curvature is used for bioassay of

A. ABA

B. GA3

C. IAA

D. Ethylene

Answer: C



Watch Video Solution

27. You are given a tissue with its potential for differentiation in an artificial culture .Which of the following pairs of hormones would you add to the medum to securre shoots as well as roots

- A. Auxin and abscisic acid
- B. Gibberellin and abscisic acid
- C. IA and gibberellin
- D. Auxin and cytokinin

Answer: D



[Watch Video Solution](#)

28. Phytochrome is

- A. Lipoprotein
- B. Chromoprotein
- C. Flavoprotein
- D. Glycoprotein

Answer: B



[Watch Video Solution](#)

