

India's Number 1 Education App

MATHS

BOOKS - OBJECTIVE RD SHARMA MATHS VOL I (HINGLISH)

CARTESIAN PRODUCT OF SETS AND RELATIONS

Illustration

1. If A =
$$\{1, 2\}$$
 and B = $\{0, 1\}$, then A \times B =

D. none of these

Answer: A



watch video Solution

2. If A = {1, 2, 3}, B = {3, 4, 5}, then
$$(A \cap B) \times A$$
 is

A.
$$\{(1,3),(2,3),(3,3)\}$$

B.
$$\{(3,1),(3,2),(3,3)\}$$

$$C.\{(1,3),(3,1),(3,2)\}$$

D. none of these

Answer: B



Watch Video Solution

3. If A = $\{x \in R : 0 < x < 1\}$ and $B = \{x \in R : -1 < x < 1\}$, then

A imes B is the set of all points lying

A. inside the rectangle having vertices at (1, 1), (0, 1), (0, -1) and (1, -1)

B. inside the rectangle having vertices at (1, 0), (1, 1), (0, 1) and (0, 0)

and (1, -1)

D. inside or on the sides of the rectangle whose vertices are at (1, 1), (0,

C. on the sides of the rectangle whose vertices are at (1, 1), (0, 1), (0, -1)

1), (0, -1) and (1, -1)

Answer: A



Watch Video Solution

4. If $A = \{a, b, c, d\}$ and $B = \{1, 2, 3\}$, then which of the following is a relation from A to B?

A. $R_1 = \{(a, 1), (2, b), (c, 3)\}$

B. $R_2 = \{(a, 1), (d, 3), (b, 2), (b, 3)\}$

 $C. R_3 = \{(1, a), (2, b), (3, c)\}$

D. $R_4 = \{(a, 1), (b, 2), (c, 3), (3, d)\}$

Answer: B

5. Let $A=\{1,2,3,...10\}$ and $R=\{(x,y)\!:\!x+2y=10,x,y\in A\}$ be a relation A. Then, $R^{-1}=$

A.
$$\{(2,4),(4,3),(6,2),(8,1)\}$$

B.
$$\{(4,2), (3,4), (2,6), (1,8)\}$$

C.
$$\{(4,2), (3,4), (2,6)\}$$

D.
$$\{(y,x)\!:\!2x+y=10, x,y\in A\}$$

Answer: B



Watch Video Solution

6. Which of the following relations is not symmetric?

A. R_1 on R defined by $(x,y) \in R_1 \Leftrightarrow 1+xy>0$ for all $x,y \in R$

by

$$(a,b)R_2(c,d)\Leftrightarrow a+d=b+c \ ext{ for all } \ a,b,c,d\in N$$

- C. R_3 on Z defined by $(a,b) \in R_3 \Leftrightarrow b-a$ is an even integer
- D. R_4 on power set of a set X defined by A R_4 B iff $A\subseteq B$.

Answer: D



Watch Video Solution

7. Which one of the following is not an equivalence relation?

- A. R_1 on Z defined by a $R_1b \Leftrightarrow a-b$ is divisible by m, where m is a fixed positive integer.
- B. R_2 on R defined by a $R_2b\Leftrightarrow 1+ab>0$ for all $a,b\in R$.
- C. R_3 on N imes N defined by (a, b) R_3 (c, d) \Leftrightarrow ad = bc for all a, b, c, d
 - $\in N$.
- D. R_4 on Z defined by aR_4 b $\ \Leftrightarrow$ a-b is an even integer for all $a,b\in Z$.

Answer: B



Watch Video Solution

Section I Solved Mcqs

1. Let A and B be two sets such that

$$A \times B = \{(a,1), (b,3), (a,3), (b,1), (a,2), (b,2)\}$$

Then,

A.
$$A = \{1, 2, 3\}$$
 and $B = \{a, b\}$

B.
$$A = \{a, b\}$$
 and $B = \{1, 2, 3\}$

C. A = {1, 2, 3} and
$$B \subset \{a,b\}$$

$$\mathsf{D}.\,A\subset\{a,b\}\ \mathrm{and}\ B\subset\{1,2,3\}$$

Answer: B



2. Let A and B be two sets such that $A \times B$ consists of 6 elements. If three elements of $A \times B$ are: (1,4),~(2,6),~(3,6) . Find $A \times B~and~B \times A$.

A.
$$A = \{1, 2\}$$
 and $B = \{3, 4, 6\}$

B.
$$A = \{4, 6\}$$
 and $B = \{1, 2, 3\}$

C.
$$A = \{1, 2, 3\}$$
 and $B = \{4, 6\}$

D.
$$A = \{1, 2, 4\}$$
 and $B = \{3, 6\}$

Answer: C



3. Let A be a non-empty set such that $A \times A$ has 9 elements among which are found (-1, 0) and (0, 1). Then,

A.
$$A = \{-1, 0\}$$

B.
$$A = \{0, 1\}$$

D.
$$A = \{-1, 1\}$$

Answer: C



Watch Video Solution

4. Let AandB be two non-empty sets having n elements in common, then prove that $A \times BandB \times A$ have n^2 elements in common.

A. 2n

B. n

 $\mathsf{C}.\,n^2$

D. none of these

Answer: C



5. Let A and B be two sets having 3 elements in common. If n(A)=5 and

$$n(B)=$$
 4, then $n((A imes B)\cap (B imes A))$ =

A. 20

B. 16

C. 3

D. 9

Answer: D



Watch Video Solution

6. For any three sets A, B and C, $A imes (B' \cup C')$ equals

A.
$$(A imes B) \cap (A imes C)$$

B.
$$(A imes B) \cup (B imes C)$$

$$\mathsf{C}.\,(A\times C)\cap (B\times C)$$

D.
$$(A imes C) \cup (B imes C)$$

Answer: A



Watch Video Solution

7. Write the domain of the relation R defined on the set Z of integers as follows $(a,b)\in R\Leftrightarrow a^2+b^2=25$

- A. {3, 4, 5}
- B. {0, 3, 4, 5}
- C. $\{0, \pm 3, \pm 4, \pm 5\}$
- D. none of these

Answer: C



Watch Video Solution

8. R relation on the set Z of integers and it is given by $(x,y)\in R\Leftrightarrow |x-y|\leq 1$ then , R is

A. reflexive and transitive

B. reflexive and symmetric

C. symmetric and transitive

D. an equivalence relation

Answer: B



Watch Video Solution

- 9. S is a relation over the set R of all real numbers and it is given by $(a,b) \in S \Leftrightarrow ab \geq 0$. Then S is :
 - A. symmetric and transitive only
 - B. reflexive and symmetric only
 - C. a partial order relation
 - D. an equivalence relation

Answer: D

10. The relation R defined on the set $A = \{1, 2, 3, 4, 5\}$ by

$$R=\left\{(a,b)\!:\!\left|a^2-b^2
ight|<16
ight\}$$
 is given by

A.
$$\{(1,1), (2,1), (3,1), (4,1), (2,3)\}$$

B.
$$\{(2,2), (3,2), (4,2), (2,4)\}$$

C.
$$\{(3,3), (4,3), (5,4), (3,4)\}$$

D. none of these

Answer: D



Watch Video Solution

11. Let R be the relation over the set of all straight lines in a plane such that $l_1Rl_2\Leftrightarrow l_1\perp l_2.$ Then, R is

A. symmetric

B. reflexive

C. transitive

D. an equivalence relation

Answer: A



Watch Video Solution

12. If $A=\{a,b,c\}, ext{ then the relation } R=\{(b,c)\} ext{ on } A ext{ is }$

A. reflexive only

B. symmetric only

C. transitive only

D. reflexive and transitive only

Answer: C



13. In the set Z of all integers, which of the following relation R is not an equivalence relation?

A.
$$xRy$$
: if $x \leq y$

B.
$$xRy$$
: if $x = y$

C.
$$xRy$$
: if $x-y$ is an even integer

D.
$$xRy$$
: if $x = y \pmod{3}$

Answer: A



Watch Video Solution

14. Theorem 1(i) (For any three set A; B; C; prove that

$$A imes (B \cup C) = (A imes B) \cup (A imes C))$$

A.
$$(A imes B) \cup (A imes C)$$

B.
$$(A \cup B) imes (A \cup C)$$

C. both (a) and (b)

D. none of these

Answer: A



Watch Video Solution

15. If $A=\left\{x\!:\!x^2-5x+6=0\right\}, B=\{2,4\}, C=\{4,5\}$ then find $A imes (B\cap C)$

,

A. {(2, 4), (3, 4)}


B. {(4, 2), (4, 3)}

C. {(2, 4), (3, 4), (4, 4)}

D. $\{(2, 2), (3, 3), (4, 4), (5, 5)\}$

Answer: A





D. $A imes (B\cap C)$

Answer: C



- **17.** The relation $R = \{(1,1), (2,2), (3,3)\}$ on the set $A = \{1,2,3\}$ is
 - A. symmetric only
 - B. reflexive only
 - C. an equivalence relation
 - D. transitive only

Answer: C



Watch Video Solution

- **18.** Let R = {(1, 3), (4, 2), (2, 4), (2, 3), (3, 1)} be a relation on the set A = {1, 2, 3,
- 4}. The relation R is
 - A. reflexive
 - B. transitive
 - C. not symmetric
 - D. a function

Answer: C



Watch Video Solution

19. Let $Y=(1,2,3,4,5\}, A=\{1,2).$ B=(3,4,5) If (A imes B) denotes

Cartesian product of the set A and B, then number of elements in

$$(Y \times A) \cap (Y \times B)$$
 is _____
A. Y

B. A

C. B

D. ϕ

Answer: D


Watch Video Solution

20. Let A = {1, 2, 3, 4, 5, ..., 17, 18}. Let ' \cong ' be the equivalence relation on

A. 4

B. 5

C. 6



Answer: C



Watch Video Solution

21. Let S be the set of all real numbers. Then the relation R=

$$\{(a,b)\!:\!1+ab>0\}$$
 on S is

- A. Reflexive and symmetric but not transitive
- B. Reflexive and transitive but not symmetric
- C. Symmetric and transitive but not reflexive
- D. None of the above is true

Answer: A



22. Let $R = \{(3,3), (6,6), (9,9), (12,12), (6,12), (3,9), (3,12), (3,6)\}$

be relation on the set $A=\{3,6,9,12\}$. The relation is-

A. reflexive and symmetric only

B. an equivalence relation

C. reflexive only

D. reflexive and transitive only

Answer: D



Watch Video Solution

23. Let R be the real line. Consider the following subsets of the plane

R imes R . $S = \{(x,y)\!:\! y = x + 1 and 0 < x < 2\}, T = \{(x,y)\!:\! x - y \; ext{ is }$

an integer }. Which one of the following is true?

A. S is an equivalence relation on R but T is not

B. T is an equivalence relation on R but S is not

C. Neither S not T is an equivalence relation on R

D. Both S and T are equivalence relation on R

Answer: B



Watch Video Solution

24. Let W denote the words in the english dictionary. Define the relation R

= $\{(x,y)\in W imes W \mid {\sf words} \; {\sf x} \; {\sf and} \; {\sf y} \; {\sf have} \; {\sf at} \; {\sf least} \; {\sf one} \; {\sf letter} \; {\sf in} \; {\sf common}\}.$

Then R is:

A. not reflexive, symmetric and transitive

B. reflexive, symmetric and not transitive

C. reflexive, not symmetric and transitive

D. reflexive, symmetric and transitive.

Answer: B



25. On the set N of natural numbers, delined the relation F by a R b if the GCD of a and b is 2, then R is

A. reflexive but not symmetric

B. symmetric only

C. equivalence

D. neither reflexive, nor transitive.

Answer: B



Watch Video Solution

26. Let R = {(1, 3), (4, 2), (2, 4), (2, 3), (3, 1)} be a relation on the set A = {1, 2,

3, 4}. The relation R is

A. a function

B. transitive

C. not symmetric

D. reflexive

Answer: C



Watch Video Solution

27. The relation on the set $A=\{x\!:\!|x|<3,x,\in Z\}$ is defined by $R=\{(x,y);y=|x|,x
eq-1\},$ Then the numbers of elements in the power set of R is

A. 32

B. 16

C. 8

D. 64

Answer: B



28. The number of equivalence relations that can be defined on set {a, b,

c}, is

A. 3

B. 5

C. 7

D. 8

Answer: B



Watch Video Solution

29. Let R be a relation on the set of integers given by $aRb \Leftrightarrow a=2^k.$ b for some integer k. Then, R is

A. an equivalence relation

B. reflexive but not symmetric

C. reflexive and transitive but not symmetric

D. reflexive and symmetric but not transitive.

Answer: A



. Then

Watch Video Solution

30. Consider the following relations: $R = \{(x, y) \mid x, y \text{ are real numbers and } x\}$

for rational number w}; some $S = \left\{ \left(rac{m}{n}, rac{p}{q}
ight) \ : {
m m} \ , {
m n} \ , {
m p} \ {
m and} \ {
m q} \ {
m are integers such that} \ {
m n} \ , {
m q}
eq 0 \ {
m and} \ {
m q} \ {
m m} = 0 \ {
m and} \ {
m q} \ {
m m} \ {
m q} \ {
m q} \ {
m q} \ {
m m} \ {
m q} \ {
m$

A. S is an equivalence relation but R is not an equivalence relation

C. R is an equivalence relation but S is not an equivalence relation

D. neither R nor S is an equivalence relation

B. R and S both are equivalence relations

Answer: A

31. Let N be the set of natural numbers and for $a\in N$, aN denotes the set $\{ax\colon x\in N\}$. If $bN\cap cN=dN$, where b, c, d are natural numbers greater than 1 and the greatest common divisor (GCD) of b and c is 1, then d equals

- A.b+c
- $\mathsf{B.}\left\{bc\right\}$
- C. $\min \{b, c\}$
- D. bc

Answer: D



Watch Video Solution

32. Let A and B be too sets containing four and two elements respectively then the number of subsets of set $A \times B$ having atleast 3 elements is

A. 275 B. 510 C. 219 D. 256 **Answer: C** Watch Video Solution 33. If the numbers of different reflexive relations on a set A is equal to the number of different symmetric relations on set A, then the number of elements in A is A. 1 B. 3 C. 1 and 3 D. 3 and 7

Answer: B



Watch Video Solution

34. Let $R=\left\{(x,y)\colon x,y\in N \text{ and } x^2-4xy+3y^2=0\right\}$, where N is the set of all natural numbers. Then the relation R is

- A. reflexive and transitive
- B. reflexive symmetric
- C. symmetric and transitive
- D. on equivalence relation

Answer: A



Watch Video Solution

Section Ii Assertion Reason Type

1. Statement-1: On the set Z of all odd integers relation R defined by

 $(a,b) \in R \Leftrightarrow a-b$ is even for all $a,b \in Z$ is an equivalence relation.

Statement-2: If a relation R on a set A is symmetric and transitive, then it is reflexive and hence an equivalence relation, because

$$(a,b) \in R \Rightarrow (b,a) \in R$$
 [By symmetry]

$$(a,b) \in R ext{ and } (b,a) \in R \Rightarrow (a,a) \in R ext{ [By transitivity]}$$

A. Statement-1 is True, Statement-2 is true, Statement-2 is a correct explanation for statement-1.

B. Statement-1 is True, Statement-2 is true, Statement-2 is not a correct explanation for Statement-1.

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True.

Answer: C



2. Statement-1: The relation R on the set $N \times N$ defined by (a, b) R (c, d)

 \Leftrightarrow a+d = b+c for all a, b, c, d \in N is an equivalence relation.

Statement-2: The intersection of two equivalence relations on a set A is an equivalence relation.

A. Statement-1 is True, Statement-2 is true, Statement-2 is a correct explanation for statement-1.

B. Statement-1 is True, Statement-2 is true, Statement-2 is not a correct explanation for Statement-1.

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True.

Answer: B



Watch Video Solution

3. Statement-1: The relation R on the set $N \times N$ defined by (a, b) R (c, d)

 \Leftrightarrow a+d = b+c for all a, b, c, d \in N is an equivalence relation.

Statement-2: The union of two equivalence relations is an equivalence relation.

A. Statement-1 is True, Statement-2 is true, Statement-2 is a correct explanation for statement-1.

B. Statement-1 is True, Statement-2 is true, Statement-2 is not a correct explanation for Statement-1.

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True.

Answer: C



4. Statement-1: If R is an equivalence relation on a set A, then ${\cal R}^{-1}$ is also an equivalence relation.

Statement-2: $R=R^{-1}$ iff R is a symmetric relation.

A. Statement-1 is True, Statement-2 is true, Statement-2 is a correct explanation for statement-1.

B. Statement-1 is True, Statement-2 is true, Statement-2 is not a correct explanation for Statement-1.

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True.

Answer: B

5.



Watch Video Solution

he

the

set

of real numbers.

Statement-1

 $A = \{(x,y) \in R imes R \colon \! y - x ext{ is an integer} \}$ is an equivalence relation on

R. Statement-2 : $B=\{(x,y)\in R\times R\colon x=\alpha y \text{ for some rational number a}\}$ is an equivalence relation on R.

A. Statement-1 is True, Statement-2 is true, Statement-2 is a correct explanation for statement-1.

B. Statement-1 is True, Statement-2 is true, Statement-2 is not a correct explanation for Statement-1.

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True.

Answer: C



- **6.** Consider the following relation R on the set of real square matrices of order 3. $R=\{(A,B)\mid A=P^{-1}BP \text{ for some invertible matrix P}\}$ Statement I R is an equivalence relation. Statement II For any two invertible 3×3 matrices M and N, $(MN)^{-1}=N^{-1}M^{-1}$
 - A. Statement-1 is True, Statement-2 is true, Statement-2 is a correct explanation for statement-1.
 - B. Statement-1 is True, Statement-2 is true, Statement-2 is not a correct explanation for Statement-1.

C. Statement-1 is True, Statement-2 is False

D. Statement-1 is False, Statement-2 is True.

Answer: A



Watch Video Solution

Exercise

1. Let R be relation from a set A to a set B, then

A.
$$R=A\cup B$$

B.
$$R=A\cap B$$

$$\operatorname{C.} R \subseteq A \times B$$

$$\operatorname{D\!.} R \subseteq B \times A$$

Answer: C



2. If R is a relation from a finite set A having m elements to a finite set B having n elements then the number of relations from A to B is 2^{mn} b.

- A. 2^{mn}
- $\mathsf{B.}\ 2^{mn}-1$

 $2^{mn} - 1$ c. . d. m^n

- C. 2mn
- D. m^n

Answer: A



Watch Video Solution

3. If R is a relation on a finite set having n elements, then the number of relations on A is

A. 2^n

$B.\ 2^{n^2}$
$C.n^2$
D. n^n
Answer: B
Watch Video Solution
4. Prove that a relation R on a set A is symmetric iff $R=R^{-1}$
A. reflexive
B. symmetric
C. transitive
D. none of these
Answer: B
Watch Video Solution

5. Let R be a reflexive relation on a set A and I be the identity relation on
A. Then
A. $R\subset I$
B. $I\subset R$
C. $R=I$
D. none of these
Answer: B
Watch Video Solution

6. Let A be the set of the children in a family. The relation \hat{A} 'x is a brother of y' relation on A is

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: C



Watch Video Solution

7. Two points P and Q in a plane are related if OP = OQ, where is a fixed point. This relation is :

A. partial order relation

B. equivalence relation

C. reflexive but not symmetric

D. reflexive but not transitive

Answer: B



8. The relation R defined in N as $aRb\Rightarrow b$ is divisible by a is

A. reflexive but not symmetric

B. symmetric but not transitive

C. symmetric and transitive

D. none of these

Answer: A



9. Given the relation $R=\{(1,2),(2,3)\}$ on the set $A=\{1,2,3\}$ the minimum number of ordered pairs which when added to R make it an equivalence relation is

A. 5

B. 6

C. 7

Answer: C



Watch Video Solution

10. An integer m is said to be related to another integer n if m is a multiple of n. Then the relation is : (A) reflexive and symmetric (B) reflexive and transitive (C) symmetric and transitive (D) equivalence relation

- A. reflexive and symmetric
- B. reflexive and transitive
- C. symmetric and transitive
- D. equivalence relation

Answer: B



11. Let A = $\{1, 2, 3, 4\}$, and let R = $\{(2, 2), (3, 3), (4, 4), (1, 2)\}$ be a relation on A. Then, R, is

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: C



12. Let R_1 be a relation defined by

 $R_1 = \{(a,b) \mid a>b, a,b \in R\}$. Then R_1 , is

A. an equivalence relation on R

B. transitive but not reflexive and symmetric

C. symmetric, transitive but nor reflexive

D. neither transitive nor reflexive but symmetric

Answer: B



Watch Video Solution

13. Let R be a reflexive relation on a finite set A having n elements and let there be m ordered pairs in R, then

A. $m \geq n$

B. $m \leq n$

 $\mathsf{C}.m = n$

D. none of these

Answer: A



- **14.** The void relation on a set A is
 - A. reflexive
 - B. symmetric and transitive
 - C. reflexive and symmetric
 - D. reflexive and transitive

Answer: B



- **15.** Let R be a reflexive relation on a finite set A having n elements and let there be m ordered pairs in R, then
 - A. less than n
 - B. greater than or equal to n
 - C. less than or equals to n
 - D. none of these

Answer: B



 $A=\{1, 2, 3\}$ is

Watch Video Solution

16. The relation $R=\{(1,1),(2,2),(3,3),(1,2),(2,3),(1,3)\}$ on a set

A. reflexive but not symmetric

B. reflexive but not transitive

C. symmetric and transitive

D. neither symmetric nor transitive

Answer: A



Watch Video Solution

17. Let R and S be two equivalence relations on a set A Then : A. $R\cup S$ is an equivalence relation on A B. $R\cap S$ is an equivalence relation on A C.

R-S is an equivalence relation on A D. None of these

A. $R \cup S$ is an equivalence relation on A

B. $R \cap S$ is an equivalence relation on A

C. R-S is an equivalence relation on A

D. none of these

Answer: B



Watch Video Solution

18. The relation is subset of on the power set P(A) of a set A is

A. symmetric

B. anti-symmetric

C. equivalence relation

D. none of these

Answer: B



19. Let
$$P=\left\{(x,y)\mid x^2+y^2=1, x,y\in R
ight\}$$
 . Then, R, is

D. antisymmetric

Answer: B



20. Let $R=\{(a,a)\}$ be a relation on a set A.Then R is

A. symmetric

B. antisymmetric

C. symmetric and antisymmetric

D. neither symmetric nor antisymmetric

Answer: C



Watch Video Solution

- 21. Which one of the following relations on R is an equivalence relation?
 - A. $aR_1b\Leftrightarrow |a|=|b|$
 - B. $aR_2b\Leftrightarrow a>b$
 - C. $aR_3b\Leftrightarrow$ a divides b
 - D. $aR_4b \Leftrightarrow a < b$

Answer: A



22. Let X be a family of sets and R be a relation on X defined by A is disjoint from B. Then, R, is

A. reflexive

B. symmetric

C. antisymmetric

D. transitive

Answer: B



- **23.** If R is an equivalence relation on a set A, then \mathbb{R}^{-1} is A. reflexive only
- B. symmetric but not transitive C. equivalence D. None of these
 - A. reflexive only
 - B. symmetric but not transitive
 - C. equivalence

D. none of these

Answer: C



Watch Video Solution

24. Let R and S be two non-void relations on a set A. Which of the following statements is false?

A. R and S are transitive implies $R \cup S$ is transitive

B. R and S are transitive implies $R \cap S$ is transitive

C. R and S are symmetric implies $R \cup S$ is symmetric

D. R and S are reflexive implies $R\cap S$ is reflexive

Answer: A



25. If R be a relation < from $A=\{1,2,3,4) o B=(1,3,5)$ that is $(a,b) \in R \Leftrightarrow a < b$, then RoR^{-1} is

A. $\{(1,3), (1,5), (2,3), (2,5), (3,5), (4,5)\}$

B. $\{(3, 1), (5, 1), (3, 2), (5, 2), (5, 3), (5, 4)\}$

C. $\{(3,3), (3,5), (5,3), (5,5)\}$

D. $\{(3,3), (3,4), (4,5)\}$

Answer: C



26. If R is a relation from a set A to a set B and S is a relation from B to a set C, then the relation SoR

A. is from A to C

B. is from C to A

C. does not exist

D. none of these

Answer: A



Watch Video Solution

- **27.** If $R\subset A imes B$ and $S\subset B imes C$ be two relations, then $(SoR)^{-1}=$
 - A. $S^{-1}oR^{-1}$
 - B. $R^{-1}oS^{-1}$
 - C. SoR
 - D. RoS

Answer: B



28. In the set $A=\{1,2,3,4,5\}$, a relation R is defined by

 $R = \{(x,y) | x, y \in A \text{ and } x < y\}$. Then R is

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: C



Watch Video Solution

29. 7. Let A= {p, q, r}. Which of the following is an equivalence relation on

A?(a) R, = {(p, q), (q, r), (p, r), (p, q)} (b) R2 = {(1,9).(,p), (r,r). (9,7)} (c) Rz = {(p,

p), (q,9), (r, r), (p, q)} (d) one of these

A. $R_1 = \{(p,q), (q,r), (p,r), (p,p)\}$

B. $R_2 = \{(r,q), (r,p), (r,r), (q,q)\}$

C. $R_3 = \{(p, p), (q, q), (r, r), (p, q)\}$

D. none of these

Answer: D



Watch Video Solution

30. In order that a relation R defined on a non-empty set A is an equivalence relation, it is sufficient, if R

A. is reflective

B. is symmetric

C. is transitive

D. possesses all the above three properties

Answer: D



31. Let R be a relation on the set N of naturalnumbers defined by $nRm \Leftrightarrow n$ is a factor of m(ie. nim) Then R is

A. reflexive and symmetric

B. transitive and symmetric

C. equivalence

D. reflexive, transitive but not symmetric

Answer: D



Watch Video Solution

32. Let R and S be two non-void relations on a set A. Which of the following statements is false?

A. R and S are transitive, then $R \cup S$ is also transitive

B. R and S are transitive, then $R \cap S$ is also transitive

C. R and S are reflexive, then $R\cap S$ is also reflexive

D. R and S are symmetric, then $R \cup S$ is also symmetric

Answer: A



Watch Video Solution

33. Let R be a relation defined on the set of natural numbers N as

 $R=\{(x,y)\!:\!x,y\in N,2x+y=41\}$ Find the domain and range of R.

Also, verify whether R is (i) reflexive, (ii) symmetric (iii) transitive.

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: D



34. Let L be the set of all straight lines in the Euclidean plane. Two lines l_1 and l_2 are said to be related by the relation R iff l_1 is parallel to l_2 . Then, the relation R is not

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: D



35. For real numbers x and y, we write x* y, if $x-y+\sqrt{2}$ is an irrational number. Then, the relation * is an equivalence relation.

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: A



Watch Video Solution

36. Let $X = \{1, 2, 3, 4\}$ and $Y = \{1, 3, 5, 7, 9\}$. Which of the following is relations from X to Y

A.
$$R_1 = \{(x, y) \mid y = 2 + x, x \in X, y \in Y\}$$

B.
$$R_2 = \{(1,1), (2,1), (3,3), (4,3), (5,5)\}$$

C.
$$R_3 = \{(1, 1), (1, 3), (3, 5), (3, 7), (5, 7)\}$$

D.
$$R_4 = \{(1,3), (2,5), (2,4), (7,9)\}$$

Answer: D



37. Let n be a fixed positive integer. Define a relation R on the set Z of integers by, $aRb \Leftrightarrow n \mid a-b$. Then, R is not

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: D



Watch Video Solution

38. Let L denote the set of all straight lines in a plane.Let a relation R be defined by $\alpha R \beta \Leftrightarrow \alpha \perp \beta, \alpha, \beta \in L$.Then R is

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: B



Watch Video Solution

Chapter Test

1. If n(A imes B) = 45, then n(A) cannot be

A. 15

B. 17

C. 5

D. 9

Answer: B



2. Set builder form of the relation

$$R = \{(\,-2,\,-7), (\,-1,\,-4), (0,\,-1), (1,2), (2,5)\}$$
 is

A.
$$\{(a,b)\!:\!b=2a-3,a,b,\ \in Z\}$$

B.
$$\{(x,y)\!:\!y=3x-1,x,y\in Z\}$$

C.
$$\{(a,b)\!:\!b=3a-1,a,b\in N\}$$

$$\hbox{ D. } \{(u,v)\!:\! v=3u-1,\ -2\leq u<3 \ \hbox{and} \ u\in Z\}$$

Answer: D



3. If A = {(a, b, c, l, m, n}, then the maximum number of elements in any relation on A, is

- A. 12
- B. 16
- C. 32

Answer: D



Watch Video Solution

4. If A={1, 2, 3}, then the relation

$$R = \{(1,1), (2,2), (3,1), (1,3)\}$$
, is

A. reflexive

B. symmetric

C. transitive

D. equivalence

Answer: B



5. If relation R is defined as: aRb if "a is the father of b". Then, R is

6. If $R = \{(a,b): |a+b| = a+b\}$ is a relation defined on a set

A. reflexive

B. symmetric

C. transitive

D. none of these

Answer: D



 $\{\,-1,0,1\}$, then R is

A. reflexive

B. symmetric

C. anti symmetric

D. transitive

Answer: B



7. A relation between two persons is defined as follows: aRb \Leftrightarrow a and born in different months. Then, R is

- A. reflexive
- B. symmetric
- C. transitive
- D. equivalence

Answer: B



Watch Video Solution

8. Which of the following is an equivalence relation?

A. is father of B. is less than C. is congruent to D. is an uncle of **Answer: C Watch Video Solution** 9. Consider the following statements: (i) Every reflexive relation is antisymmetric (ii) Every symmetric relation is antisymmetric. Which one among (i) and (ii) is true? A. (i) alone is true B. (ii) alone is true C. Both (i) and (ii) are true D. Neither (i) nor (ii) is true

Answer: D



Watch Video Solution

10. Let A be a set of compartments in a train. Then the relation R defined on A as aRb iff "a and b have the link between them", then which of the following is true for R?

- A. reflexive
- B. symmetric
- C. transitive
- D. equivalence

Answer: B



11. If a set has 13 elements and R is a reflexive relation on A with n elements, then

A.
$$13 \leq n \leq 26$$

 $\mathrm{B.}\,0 \leq n \leq 26$

C. $13 \leq n \leq 169$

 $\mathsf{D.}\,0 < n \leq 169$

Answer: C



12. The relation 'is not equal to' is defined on R, is

A. reflexive only

B. symmetric only

C. transitive only

D. equivalence.

Answer: B



13. Assertion and Reason type questions :Consider the following statements, p: Every reflexive relation is a symmetric relation, q: Every anti-symmetric relation is reflexive.Which of the following is/ are true?

A. p alone

B. q alone

C. both q and q

D. neither p nor q

Answer: D



14. Let X be the set of all engineering colleges in a state of Indian Republic and R be a relation on X defined as two colleges are related iff they are affiliated to the same university, then R is

A. only reflexive

B. only symmetric

C. only transitive

D. equivalence

Answer: D



Watch Video Solution

15. If $R = \{(a,b) : a+b=4\}$ is a relation on $\{1,2,3\}$, then R is

A. reflexive

B. function

C. equivalence

D. transitive

Answer: B



Watch Video Solution

16. If A is a non-empty set, then which of the following is $f \ a \ l \ s \ e$?

p: There is at least one reflexive relation on A

q: There is at least one symmetric relation on A

A. p alone

B. q alone

C. both p and q

D. neither p nor q

Answer: D



17. If $A = \{x, y, z\}$, then the relation

 $R = \{(x,x), (y,y), (z,z), (z,x), (z,y)\},$ is

A. symmetric

B. antisymmetric

C. transitive

D. both (a) and (b)

Answer: D



18. Assertion and Reason type questions :Consider the following statements, p: Every reflexive relation is a symmetric relation, q: Every anti-symmetric relation is reflexive.Which of the following is/ are true?

A. p alone

B. q alone

C. both p and q
D. neither p nor q
Answer: D
Watch Video Solution
19. The relation "is a factor of" on the set N of all natural number is not
A. reflexive
B. symmetric
C. antisymmetric
D. transitive
Answer: B
Watch Video Solution

20. The relation $R = \{(1,3), (3,5)\}$ is defined on the set with minimum number of elements of natural numbers. The minimum number of elements to be included in R so that R is an equivalence relation, is

- A. 5
- B. 6
- C. 7
- D. 8

Answer: A



- **21.** If a set A contains n elements, then which of the following is the number of functions on the set A?
 - A. 2^n
 - $\mathsf{B.}\left(n!\right) ^{n!}$

$C.\left(n!\right)^n$
D. n^n
Answer: D
Allswei. D
Watch Video Solution
22. In a set of teachers of a school, then which of the following cannot be
the number of reflexive relations on the set A?
A. reflexive and symmetric
B. symmetric and transitive
C. reflexive and transitive
D. equivalence
Answer: D
View Text Solution

23. If A={4, 6, 10, 12} and R is a relation defined on A as "two elements are related iff they have exactly one common factor other than 1". Then the relation R is

- A. antisymmetric
- B. only transitive
- C. only symmetric
- D. equivalence

Answer: C



Watch Video Solution

24. In a set of ants in a locality, two ants are said to be related iff they walk on a same straight line, then the relation is

- A. reflexive and symmetric
- B. symmetric and transitive

C. reflexive and transitive

D. equivalence

Answer: D

Watch Video Solution

25. Let R be a relation defined on S, the se

25. Let R be a relation defined on S, the set of squares on a chess board such that xRy iff x and y share a common side. Then, which of the following is false for R?

- A. Reflexive
- B. symmetric
- C. Transitive
- D. All the above

Answer: C



26. X is the set of all residents in a colony and R is a relation defined on X as follows:

"Two persons are related iff they speak the same language"

The relation R, is

- A. only symmetric
- B. only reflexive
- C. both symmetric and reflexive but not transitive
- D. equivalence

Answer: D



Watch Video Solution

27. Let A = {ONGC, BHEL, SAIL, GAIL, IOCL} and R be a relation defined as "two elements of A are related if they share exactly one letter". The relation R, is

A. anti-symmetric B. only transitive C. only symmetric D. equivalence **Answer: C Watch Video Solution** 28. Let A be the set of all animals. A relation R is defined as "aRb iff a and b are in different zoological parks". Then R is A. only reflexive B. only symmetric C. only transitive D. equivalence **Answer: B**



29. Consider the non-empty set consisting of children in a family and a relation R defined as aRb, if a is brother of b. Then, R is

A. only reflexive

B. only symmetric

C. only transitive

D. equivalence

Answer: D



Watch Video Solution

30. Let A be the set of all student in a school. A relation R is defined on A as follows:

"aRb iff a and b have the same teacher"

The relation R, is

A. reflexive

B. symmetric

C. transitive

D. equivalence

Answer: D



Watch Video Solution

 $n(A \cup B) = 24$, then $n(A \times B) =$

31. If A and B are two sets such that $nig(A\cap\overline{B}ig)=9$, $nig(\overline{A}\cap Big)=10$ and

- A. 105
- B. 210
- C. 70
- D. none of these

Answer: B

