



CHEMISTRY

BOOKS - MTG CHEMISTRY (ENGLISH)

REDOX REACTIONS

Mcqs Redox Reactions In Terms Of Electron Transfer Reactions

1. Which of the following statements is not true?





- A. In a chemical reaction, oxidation is always accompanied by reduction.
- B. When a negative ion changes to neutral species, the process is oxidation,
- C. Oxidising agent has a tendency to lose electrons.
- D. Conversion of MnO_4^{2-} to MnO_4^- is oxidation.

Answer: C



Watch Video Solution

2. Which of the following is not a redox reaction ?






Answer: C



Watch Video Solution

3. Which substance is serving as a reducing agent in the following reaction?





Answer: B

 [Watch Video Solution](#)

Mcqs Oxidation Number

1. Which of the following is not a rule for calculating oxidation number ?

A. For ions, oxidation number is equal to the charge on the ion.

B. The oxidation number of oxygen is -2 in all of its compounds.

C. The oxidation number of fluorine is -1 in all of its compounds.

D. Oxidation number of hydrogen is +1 except in binary hydrides of alkali metals and alkaline earth metals where it is -1.

Answer: B

 [Watch Video Solution](#)

2. The oxidation number of carbon in CH_2Cl_2 is

A. 0

B. +1

C. +2

D. +4

Answer: A

 [Watch Video Solution](#)

3. Oxidation state of iron in $Fe(CO)_4$ is

A. +1

B. -1

C. +2





D. 0

Answer: D



Watch Video Solution

4. The oxidation states of sulphur in the anions SO_3^{2-} , $S_2O_4^{2-}$, SO_4^{2-} , and $S_2O_6^{2-}$ follow the order



Answer: C

 [Watch Video Solution](#)

5. Oxidation numbers of Mn in its compounds

$MnCl_2$, $Mn(OH)_3$, MnO_2 and $KMnO_4$ respectively are:-

A. +2, +4, +7, +3

B. +2, +3, +4, +7

C. +7, +3, +2, +4


D. +7, +4, +3, +2

Answer: B

 [Watch Video Solution](#)

6. Arrange the oxides of nitrogen in increasing order of oxidation state of

N from +1 to +5.



Answer: B

 [Watch Video Solution](#)

7. The oxidation state of S in $H_2S_2O_8$ is

A. +6

B. +7

C. +8

D. 0

Answer: A

 [Watch Video Solution](#)

8. Match the compounds given in column I with oxidation states of carbon given in column II and mark the appropriate choice.

Column I	Column II
(A) $C_6H_{12}O_6$	(i) +3
(B) $CHCl_3$	(ii) -3
(C) CH_3CH_3	(iii) +2
(D) $(COOH)_2$	(iv) 0

A. (A) \rightarrow (iv), (B) \rightarrow (iii), (C) \rightarrow (ii), (D) \rightarrow (i)

B. (A) \rightarrow (i), (B) \rightarrow (ii), (C) \rightarrow (iii), (D) \rightarrow (iv)

C. (A) \rightarrow (ii), (B) \rightarrow (iii), (C) \rightarrow (iv), (D) \rightarrow (i)




D. (A) \rightarrow (iii), (B) \rightarrow (ii), (C) \rightarrow (i), (D) \rightarrow (iv)

Answer: A



[Watch Video Solution](#)





9. Among the following identify the species with an atom in +6 oxidation state.



Answer: D

 [Watch Video Solution](#)

10. The pair of the compounds in which both the metals are in the highest possible oxidation state is,



Answer: B

 [Watch Video Solution](#)

11. An element that never has a positive oxidation state in any of its compounds is

A. O

B. N

C. Cl

D. F

Answer: D

 [Watch Video Solution](#)

12. Oxidation number of iodine in IO_3^- , IO_4^- , KI and I_2 respectively are

A. -2 , -5 , -1 , 0

B. $+5$, $+7$, -1 , 0

C. +2, +5, +1, 0

D. -1, +1, 0, +1

Answer: B

 [Watch Video Solution](#)

13. Various oxidation states of few elements are mentioned. Which of the options is not correctly matched ?

A. a. Phosphorus: +3 to +5

B. b. Nitrogen : +1 to +5


C. c. Iodine : -1 to +7

D. d. Chromium : +3 to +6

Answer: D

 [View Text Solution](#)

14. Carbon is in the lowest oxidation state in






Answer: A



Watch Video Solution

15. Which of the following is a decreasing order of oxidation states of the central atoms?



Answer: C

 [Watch Video Solution](#)

16. Which compound amongst the following has the highest oxidation number of Mn?

$KMnO_4$, K_2MnO_4 , MnO_2 and Mn_2O_3

A. (A) $KMnO_4$

B. (B) K_2MnO_4

C. (C) MnO_2

D. (D) Mn_2O_3

Answer: A

 [Watch Video Solution](#)

17. Match the column I with column II and mark the appropriate choice.

Column I (Compound)		Column II (Oxidation state of Fe)	
(A)	$K_3[Fe(OH)_6]$	(i)	+8/3
(B)	$K_2[FeO_4]$	(ii)	+2
(C)	$FeSO_4 \cdot (NH_4)_2 SO_4 \cdot 6H_2O$	(iii)	+3
(D)	Fe_3O_4	(iv)	+6

A. (A) \rightarrow (iii), (B) \rightarrow (i), (C) \rightarrow (ii), (D) \rightarrow (iv)

B. (A) \rightarrow (iii), (B) \rightarrow (iv), (C) \rightarrow (ii), (D) \rightarrow (i)

C. (A) \rightarrow (i), (B) \rightarrow (iii), (C) \rightarrow (ii), (D) \rightarrow (iv)


D. (A) \rightarrow (iv), (B) \rightarrow (ii), (C) \rightarrow (i), (D) \rightarrow (iii)

Answer: B



Watch Video Solution

18. In which of the following compounds oxidation state of chlorine has two different values?



Answer: C



[Watch Video Solution](#)

19. The oxidation number of nitrogen in $(\text{N}_2\text{H}_5)^+$ is

A. -2

B. $+2$

C. $+3$

D. -3

Answer: A

 Watch Video Solution

20. Fill up the table from the given choice.

Element	Oxidation number
Oxygen	-2 in most compounds <u>(i)</u> in H_2O_2 and <u>(ii)</u> in OF_2
Halogen	-1 for <u>(iii)</u> in all its compounds
Hydrogen	<u>(iv)</u> in most of its compounds <u>(v)</u> in binary metallic hydrides
Sulphur	<u>(vi)</u> in all sulphides

- A. (i) (ii) (iii) (iv) (v) (vi)
+1 +1 *Cl* +1 -1 +2
- B. (i) (ii) (iii) (iv) (v) (vi)
-1 +2 *F* +1 -1 -2
- C. (i) (ii) (iii) (iv) (v) (vi)
-1 +1 *F* +1 +2 +2
- D. (i) (ii) (iii) (iv) (v) (vi)
+2 +2 *Cl* +1 +1 +6

Answer: B

 [Watch Video Solution](#)

21. Mark the correct statement from the following :

A. Copper metal can be oxidised by Zn^{2+} ions.

B. Oxidation number of phosphorus in P_4 is 4


C. An element in the highest oxidation state acts only as a reducing agent.

D. The element which shows highest oxidation number of +8 is Os in OsO_4

Answer: D

 [Watch Video Solution](#)




22. Which compound among the following has lowest oxidation number of chlorine ?



Answer: C

 [Watch Video Solution](#)

23. Which of the following oxidation numbers is not correctly matched ?



Answer: C

 [Watch Video Solution](#)

24. Examples of few compounds in a particular oxidation state are given.


Mark the example which is not correct.



Answer: B

 [Watch Video Solution](#)

25. The oxidation numbers of the sulphur atoms in peroxy-monosulphuric acid (H_2SO_5) and peroxydisulphuric acid ($H_2S_2O_8$) are respectively.



B. +3, +3

C. +6, +6

D. +4, +6

Answer: C

 [Watch Video Solution](#)

26. Which is not true about the oxidation state of the following elements ?

A. Sulphur +6 to -2

B. Carbon +4 to -4

C. Chlorine +7 to -1

D. Nitrogen +3 to -1

Answer: D

 [Watch Video Solution](#)

27. O.N. (Oxidation Number) of Fe in $K_4[Fe(CN)_6]$ is

A. +2

B. +3

C. +4


D. +6

Answer: A



Watch Video Solution


28. Arrange the following in increasing order of oxidation state of Ni.



A. $Ni(CO)_4$, $K_2[Ni(CN)_4]$, $K_2[NiF_6]$

B. $K_2[Ni(CN)_4]$, $Ni(CO)_4$, $K_2[NiF_6]$


C. $Ni(CO)_4$, $K_2[NiF_6]$, $K_2[Ni(CN)_4]$



Answer: A

 Watch Video Solution

29. The correct sequence of the oxidation state of underlined elements is



A. +3, +5, +5, +2.5, $-\frac{1}{3}$

B. +5, +3, +5, +3, $+\frac{1}{3}$


C. +3, +3, +5, +5, $-\frac{1}{3}$

D. +5, +5, +3, +2.5, $+\frac{1}{3}$

Answer: A

 Watch Video Solution

30. What are the oxidation states of phosphorus in the following compounds ?



A. +1, +3, +3, +3, +5

B. +3, +3, +5, +5, +5

C. +1, +2, +3, +5, +5

D. +1, +5, +5, -3, +5

Answer: D



Watch Video Solution

31. In which of the following compounds carbon is in highest oxidation state ?

A. CH_3Cl


B. CCl_4



Answer: B

 [Watch Video Solution](#)

32. The oxidising state of molybdenum in its oxo complex species



A. +2

B. +3

C. +4

D. +5

Answer: B

 [Watch Video Solution](#)

33. Oxidation number of P in $Ba(H_2PO_2)_2$ is

A. +3

B. +2

C. +1

D. -1

Answer: C



Watch Video Solution

34. Which of the following can act as oxidising as well as reducing agent?

A. H_2O_2

B. SO_3

C. H_2SO_4

D. HNO_3

Answer: A

 [Watch Video Solution](#)


35. When a piece of sodium metal is dropped in water, hydrogen gas evolved because

- A. sodium is reduced and acts as an oxidising agent
- B. water is oxidised and act as a reducing agent
- C. sodium loses electrons and is oxidised while water is reduced
- D. water loses electrons and is oxidised to hydrogen.

Answer: C

 [Watch Video Solution](#)

36. In the reaction,



A. I_2 is reducing agent.

B. I_2 is oxidising agent and $S_2O_3^{2-}$ is reducing agent

C. $S_2O_3^{2-}$ is oxidising agent.

D. I_2 is reducing agent and $S_2O_3^{2-}$ is oxidising agent.

Answer: B

 [Watch Video Solution](#)

37. In the reaction : $Cl_2 + OH^- \rightarrow Cl^- + ClO_4^- + H_2O :-$

A. Chlorine is oxidised

B. Chlorine is reduced.


C. Chlorine is oxidised as well as reduced.

D. Chlorine is neither oxidised nor reduced.

Answer: C

 [Watch Video Solution](#)

38. Consider the following reaction :



Which of the following statements regarding oxidation and reduction is correct?


- A. HCHO is oxidised to HCOO^- and $[\text{Ag}(\text{NH}_3)_2]^+$ is reduced to Ag.
- B. HCHO is reduced to HCHO and $[\text{Ag}(\text{NH}_3)_2]^+$ is oxidised to Ag.
- C. $[\text{Ag}(\text{NH}_3)_2]^+$ is reduced to Ag while OH^- is oxidised to HCOO^-
- D. $[\text{Ag}(\text{NH}_3)_2]^+$ is oxidised to NH_3 while HCHO is reduced to H_2O .

Answer: A



Watch Video Solution

39. Identify the compounds which are reduced and oxidised in the following reaction:



A. N_2H_4 is oxidised and BrO_3^- is reduced.

B. BrO_3^- is oxidised and N_2H_3 is reduced.

C. BrO_3^- is both reduced and oxidised.


D. This is not a redox reaction.

Answer: A



[Watch Video Solution](#)

40. Identify the oxidant and reductant in the following redox reaction:



A. Oxidation of potassium manganate is taking place.

B. Reduction of potassium manganate is taking place.

C. Oxidation of Cl_2 is taking place.

D. Cl_2 acts as reducing agent in the reaction.

Answer: A

 [Watch Video Solution](#)

41. Indicate whether the following conversions represent an oxidation, a reduction or none (neither oxidation nor reduction).

(i) $HClO_3$ to $HClO_4$ (ii) NH_4^+ to NH_3

(iii) NO_2 to N_2O_4 (iv) HSO_3^- to SO_4^{2-}

(v) H_2O_2 to H_2O




- | | | | | | |
|----|------------------|-------------------|--------------------|-------------------|------------------|
| A. | (i)
Oxidation | (ii)
Reduction | (iii)
None | (iv)
None | (v)
Oxidation |
| B. | (i)
Oxidation | (ii)
None | (iii)
None | (iv)
Oxidation | (v)
Reduction |
| C. | (i)
Reduction | (ii)
Oxidation | (iii)
Reduction | (iv)
None | (v)
Reduction |
| D. | (i)
Oxidation | (ii)
Reduction | (iii)
None | (iv)
Reduction | (v)
Reduction |

Answer: B



Watch Video Solution

42. In which of the following reactions, the underlined substance has been reduced ?






Answer: C



Watch Video Solution

43. A compound contains atoms X,Y and Z. the oxidation number of X is +2, of Y is +5 and of Z is -2. The possible formula of the compound is






Answer: C

 [Watch Video Solution](#)

44. Consider the following reactions,



A. $SnCl_2$ is oxidised and $FeCl_3$ acts as oxidising agent.

B. $FeCl_3$ is oxidised and acts as oxidising agent.

C. $SnCl_2$ is reduced and acts as oxidising agent.

D. $FeCl_3$ is oxidised and $SnCl_2$ acts as a oxidising agent.

Answer: A

 [Watch Video Solution](#)

45. Which of the following statements is correct regarding redox reactions-


- A. An increase in oxidation number of an element is called reduction
- B. A decrease in oxidation number of an element is called oxidation.
- C. A reagent which lowers the oxidation number of an element in a given substance is reductant.
- D. A reagent which increases the oxidation number of an element in a given substance is reductant .

Answer: C



Watch Video Solution

46. In the reaction ,




- A. Bromine is reduced and carbonate ion is oxidised.
- B. Bromine undergoes disproportionation.
- C. Bromine is reduced and water is oxidised.
- D. Only water is oxidised to carbonic acid.

Answer: B

 [Watch Video Solution](#)

47. Given below is a redox reaction. Which of the following types the reaction belongs to ?




- A. Combination reaction
- B. Decomposition reaction
- C. Metal displacement reaction
- D. Non-metal displacement reaction

Answer: C

 [Watch Video Solution](#)

48. Identify the oxidant and the reductant respectively in the following reaction.







- A. Chlorine and Bromide
- B. Bromide and Chlorine
- C. Bromide and Bromide
- D. Chlorine and Chlorine

Answer: C

 [Watch Video Solution](#)




49. Which of the following is a disproportionation reaction?



Answer: A

 [Watch Video Solution](#)

50. Which of the following is not an example of disproportionation reaction ?



Answer: D

 [Watch Video Solution](#)

51. White phosphorus reacts with caustic soda to form PH_3 and NaH_2PO_2 . This reaction is an example of

- A. oxidation
- B. reduction
- C. disproportionation
- D. displacement

Answer: C

 [Watch Video Solution](#)

52. What is the oxidation number of carbon in C_3O_2 (carbon suboxide) ?

- A. $+4/3$
- B. $+10/4$

C. +2

D. +2/3

Answer: A

 [Watch Video Solution](#)

53. In the conversion of $Br_2 \rightarrow BrO_3^{-1}$ the oxidation state of bromine changes from to +5.

A. +1 to +5

B. 0 to -3


C. +2 to +5

D. 0 to +5

Answer: D

 [Watch Video Solution](#)

54. Permanganate (VII) ion, MnO_4^- oxidises I^- ion to I_2 and gives manganese (IV) oxide MnO_2 in basic medium. The skeletal ionic equation is given as



The values of p, q, r and s are


- A. $\begin{matrix} p & q & r & s \\ 1 & 2 & 8 & 4 \end{matrix}$
- B. $\begin{matrix} p & q & r & s \\ 2 & 6 & 2 & 3 \end{matrix}$
- C. $\begin{matrix} p & q & r & s \\ 2 & 4 & 2 & 8 \end{matrix}$
- D. $\begin{matrix} p & q & r & s \\ 1 & 4 & 8 & 2 \end{matrix}$

Answer: B




[View Text Solution](#)


55. Choose correct statements (s) regarding the following reactions.




A.




B.



C.



D.






Answer: A



[View Text Solution](#)

56. The Mn^{3+} ion is unstable in solution and undergoes disproportionation reaction to give Mn^{+2} , MnO_2 , and H^{\oplus} ion. Write a balanced ionic equation for the reaction.





Answer: D

 [Watch Video Solution](#)

57. The number of moles of $KMnO_4$ reduced by 1mol of KI in alkaline medium is (a) $1/5$ (b) 2 (c) $3/2$ (d) 4

A. $1/5$

B. 2



C. $3/2$

D. 4




Answer: B

 [Watch Video Solution](#)

58. Balance the following equation by oxidation number method:



B.




Answer: A



[View Text Solution](#)

59. Which will be the value of x, y and z in the following equation.



B. $\begin{matrix} x & y & z \\ 3 & 2 & 3 \end{matrix}$

C. $\begin{matrix} x & y & z \\ 3 & 6 & 5 \end{matrix}$

D. $\begin{matrix} x & y & z \\ 3 & 3 & 3 \end{matrix}$

Answer: C

 [Watch Video Solution](#)

60. The number of electrons involved in the conversion of MnO_4^- to MnO_2 is

A. 3

B. 4






C. 1

D. 2

Answer: A

 [Watch Video Solution](#)

61. The values of coefficients to balance the following reaction are



Answer: D

 [Watch Video Solution](#)

62. The stoichiometric constants for the reaction $p\text{Cu} + q\text{HNO}_3 \rightarrow r\text{Cu}(\text{NO}_3)_2 + s\text{NO} + t\text{H}_2\text{O}$ p, q, r, s and t respectively are

A. 3, 3, 3, 2, 3

B. 3, 2, 3, 2, 4





C. 3, 8, 3, 2, 4

D. 2, 3, 3, 3, 2

Answer: C

 [Watch Video Solution](#)

63. What is the correct representation of reaction occurring when HCl is heated with MnO_2 ?



Answer: B

 [Watch Video Solution](#)

64. When $KMnO_4$ is reduced with oxalic acid in acidic solution, the oxidation number of Mn changes from

- A. +2 to +7
- B. +4 to +7
- C. +7 to +2
- D. +6 to +2

Answer: C

 [Watch Video Solution](#)

65. When a manganous salt is fused with a mixture of KNO_3 and solid $NaOH$, the oxidation number of Mn change from +2 to:

- A. +4
- B. +3

C. +6

D. +7

Answer: C



[Watch Video Solution](#)

66. For decolourisation of 1mol of $KMnO_4$, the moles of H_2O_2 required is

A. $1/2$

B. $3/2$

C. $5/2$

D. $7/2$

Answer: C



[Watch Video Solution](#)

67. The number of moles of $K_2Cr_2O_7$ reduced by 1mol of Sn^{2+} ions is

A. $1/3$

B. $1/6$

C. $2/3$

D. $3/4$

Answer: A



Watch Video Solution

68. Which of the following colour changes shown during redox titrations is not correct ?

A. $Cr_2O_7^{2-}$ oxidises the indicator diphenylamine to produce blue colour showing end point.

B. Iodine formed by oxidation of I^- ions gives blue colour with starch showing end point.

C. $KMnO_4$ in the form of MnO_4^- ions gives pink colour showing end point.

D. Thiosulphate ions ($S_2O_3^{2-}$) give blue colour showing end point.

Answer: D

 [Watch Video Solution](#)

69. Which of the following acts as a self-indicator ?

A. $K_2Cr_2O_7$

B. $KMnO_4$

C. *Oxalic acid*

D. Iodine

Answer: B

 [Watch Video Solution](#)

70. Which of the following are the common oxidising agents used in redox titrations ?

- A. $K_2Cr_2O_7$, $KMnO_4$, Iodine
- B. $FeSO_4$, $KMnO_4$, Sodium thiosulphate
- C. Oxalic acid, $KMnO_4$, $CuSO_4$
- D. Mohr's salt, KI, Sodium sulphate

Answer: A

 [Watch Video Solution](#)

Higher Order Thinking Skills

1. The oxidation states of metal in the compounds $Fe_{0.94}O$ and $[Cr(PPh_3)_3(CO)_3]$ respectively are

- A. $\frac{200}{94}$, 0

B. $0, \frac{94}{200}$

C. 2, 1


D. $1, \frac{200}{94}$

Answer: A



Watch Video Solution

2. Consider the following reaction,



Select the incorrect statement.

- A. It is not a disproportionation reaction.
- B. It is intramolecular redox reaction.
- C. OH^- is a reducing as well as oxidising agent.



- D. | is a reducing as well as oxidising agent.



Answer: C



Watch Video Solution

3. Which of the following is a redox reaction ?

A. Reaction of H_2SO_4 with NaOH

B. In atmosphere, formation of O_3 from O_2 by lightening

C. Formation of oxides of nitrogen from nitrogen and oxygen by
lightening


D. Evaporation of H_2O

Answer: C




Watch Video Solution

4. Why following two reaction proceed differently?



and




- A. three numbers of Pb^{2+} ions get oxidised to Pb^{4+} state
- B. one number Pb^{4+} ion gets reduced to Pb^{2+} and two numbers of Pb^{2+} ions remain unchanged in their oxidation state
- C. one number Pb^{2+} ion gets oxidised to Pb^{4+} and two numbers of Pb^{4+} ions remain unchanged in their oxidation states
- D. three numbers of Pb^{4+} ions get reduced to Pb^{2+} state.

Answer: B



[View Text Solution](#)

5. which of the following statements is not correct about the reaction given below?



- A. Fe is oxidised from Fe^{2+} to Fe^{3+} .

B. Carbon is oxidised from C^{2+} to C^{4+} .

C. N is oxidised from N^{3-} to N^{5+} .

D. Carbon is not oxidised.

Answer: D



Watch Video Solution

6. One mole of N_2H_4 loses ten moles of electrons to form a new compound A . Assuming that all the nitrogen appears in the new compound, what is the oxidation state of nitrogen in A ? (There is no change in the oxidation state of hydrogen.)

A. -1

B. -3


C. $+3$

D. $+5$



Answer: C

 Watch Video Solution

7. Using the following Latimer diagram for bromine,




the species undergoing disproportionation is



Answer: C

 Watch Video Solution



The incorrect statement for the balanced equation is:

- A. stoichiometric coefficient of HSO_4^- is 6
- B. iodide is oxidized
- C. sulphur is reduced
- D. H_2O is one of the products.

Answer: C



[Watch Video Solution](#)

9. MnO_4^- ions are reduced in acidic conditions to Mn^{2+} ions whereas they are reduced in neutral condition to MnO_2 . The oxidation of 25 mL of a solution x containing Fe^{2+} ions required in acidic condition 20 mL of a solution y containing MnO_4^- ions. What value of solution y would be required to oxidize 25 mL of solution x containing Fe^{2+} ions in neutral condition ?

A. 11.4 mL

B. 12.0 mL

C. 33.3 mL

D. 35.0 mL





Answer: C



Watch Video Solution

Ncert Exemplar Problems

1. Which of the following is not an example of redox reaction?



Answer: D





Watch Video Solution

2. The more positive the value of E^θ , the greater is the tendency of the species to get reduced. Using the standard electrode potential of redox couples given below find out which of the following is the strongest oxidising agent.

$$E^\theta \text{ values: } Fe^{3+} / Fe^{2+} = + 0.77$$

$$I_2(s) / I^- = + 0.54,$$

$$Cu^{2+} / Cu = + 0.34, Ag^+ / Ag = 0.80V$$



Answer: D





Watch Video Solution

3. E^θ values of some redox couples are given below. On the basis of these values choose the correct option.

$$E^\theta \text{ values: } Br_2 / Br^- = + 1.90$$

$$Ag^+ / Ag(s) = + 0.80$$

$$Cu^{2+} / Cu(s) = + 0.34, I_2(s) / I^- = + 0.54$$

A. Cu will reduce Br^-

B. Cu will reduce Ag

C. Cu will reduce I^-



D. Cu will reduce Br_2

Answer: D



Watch Video Solution

4. Using the standard electrode potential, find out the pair between which redox reaction is not feasible. E° values :



A. Fe^{3+} and I^-

B. Ag^+ and Cu



C. Fe^{3+} and Cu

D. Ag and Fe^{3+}

Answer: D

 [Watch Video Solution](#)

5. Thiosulphate reacts differently with iodine and bromine in the reactions given below :



Which of the following statements justifies the above dual behaviour of thiosulphate ?

- A. Bromine is a stronger oxidant than iodine.
- B. Bromine is a weaker oxidant than iodine.
- C. Thiosulphate undergoes oxidation by bromine and reduction by iodine in these reactions.
- D. Bromine undergoes oxidation and iodine undergoes reduction in these reactions.

Answer: A



[Watch Video Solution](#)

6. The oxidation number of an element in a compound is evaluated on the basis of certain rules. Which of the following rules is not correct in this respect ?



- A. The oxidation number of hydrogen is always +1.

- B. The algebraic sum of all the oxidation numbers in a compound is zero.
- C. An element in the free or the uncombined state bears oxidation number zero.
- D. In all its compounds, the oxidation number of fluorine is -1.

Answer: A

 [Watch Video Solution](#)

7. In which of the following compounds, an element exhibits two different oxidation states?







Answer: B



Watch Video Solution

8. Which of the following arrangements represent increasing oxidation number of the central atom?







Answer: A



Watch Video Solution

9. The largest oxidation number exhibited by an element depends on its outer electronic configuration. With which of the following outer

electronic configurations the element will exhibit largest oxidation number ?







Answer: D



Watch Video Solution

10. Identify the disproportionation reaction.



Answer: D

 [Watch Video Solution](#)

11. Which of the following elements does not show disproportionation tendency?

A. Cl

B. Br

C. F

D. I

Answer: C

 [Watch Video Solution](#)

Assertion Reason

1. Assertion : Conversion of potassium ferrocyanide to potassium ferricyanide is an oxidation process.

Reason : Oxidation is the addition of oxygen/electronegative element to a substance or removal of hydrogen/electropositive element from a substance.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



Watch Video Solution

2. Justify that the reaction

$2Cu_2O_s + Cu_2S(s) \rightarrow 6Cu(s) + SO_2(g)$ a redox reaction. Identify the species oxidised / reduced. Which acts as an oxidant and which acts as a reductant?

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

3. Assertion : HNO_2 can act both as a reducing agent and an oxidising agent.

Reason : In HNO_2 , oxidation state of nitrogen is +3 which can change from -3 to +5.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

4. Assertion : Decomposition of potassium chlorate is an example of redox reaction .

Reason : There is no change in the oxidation number of potassium in decomposition of potassium chlorate.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

5. Assertion : Displacement reactions of chlorine, bromine and iodine using fluorine are not generally carried out in aqueous solution.

Reason : Fluorine being highly reactive attacks water and displaces the oxygen of water.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

6. Assertion : Decomposition of hydrogen peroxide is an example of disproportionation reaction.

Reason : In a disproportionation reaction, an element in one oxidation state is simultaneously oxidised and reduced .

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

7. Assertion : CO_4^- does not show disproportionation reaction.

Reason : In ClO_4^- , chlorine is present in its highest oxidation state .

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

8. Assertion : All halogens undergo disproportionation reaction in alkaline medium.

Reason : All halogens exhibit variable oxidation states.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



Watch Video Solution

9. Assertion : The only way to get F_2 from F^- is to oxidise electrolytically.

Reason : The recovery of halogens from their halides requires an oxidation process.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B

 [Watch Video Solution](#)

10. Assertion: Oxygen atom in both O_2 and O_3 has oxidation number zero.

Reason: In F_2O , oxidation number of O is $+2$.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: D



Watch Video Solution

11. Assertion : In the species, $S_4O_6^{2-}$ each of the two extreme sulphurs exhibits oxidation state of +5 and the two middle sulphurs as zero.

Reason : The average of four oxidation numbers of sulphurs of the $S_4O_6^{2-}$ is 2.5.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B

 [Watch Video Solution](#)

12. Assertion : In titrations involving potassium permanganate no indicator is used.

Reason : MnO_4^- acts as the self-indicator.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A

 [Watch Video Solution](#)

13. Assertion : The transfer of electrons from zinc to copper takes place through metal wire connecting the two rods.

Reason : Electricity from solution in one beaker to other flows by migration of ions through the salt bridge.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B



Watch Video Solution

14. Assertion : Insert electrolytes like KCl , KNO_3 are used in salt bridge.

Reason : Salt bridge provides an electric contact between the two solutions without allowing them to mix with each other.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

15. Assertion : A metal having negative reduction potential when dipped in the solution of its own ions has a tendency to pass into solution .

Reason : Metals undergo reduction .

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



[Watch Video Solution](#)

Redox Reactions In Terms Of Electron Transfer Reactions

1. Which of the following statements is not true?

- A. In a chemical reaction, oxidation is always accompanied by reduction.
- B. When a negative ion changes to neutral species, the process is oxidation,
- C. Oxidising agent has a tendency to lose electrons.
- D. Conversion of MnO_4^{2-} to MnO_4^- is oxidation.

Answer: C

 [Watch Video Solution](#)




2. Which of the following is not a redox reaction ?

- A. $CuO + H_2 \rightarrow Cu + H_2O$
- B. $Na + H_2O \rightarrow NaOH + \frac{1}{2}H_2$
- C. $CaCO_3 \rightarrow CaO + CO_2$
- D. $2K + F_2 \rightarrow 2KF$

Answer: C

 [Watch Video Solution](#)


3. Which substance is serving as a reducing agent in the following reaction?



Answer: B

 [Watch Video Solution](#)

4. A redox reaction is shown in the diagrams. Identify the reaction.








- A. $Zn_{(s)} + Cu_{(aq)}^{2+} \rightarrow Zn_{(aq)}^{2+} + Cu_{(s)}$
- B. $Cu_{(s)} + 2Ag_{(aq)} \rightarrow Cu_{(aq)}^{2+} + 2Ag_{(s)}$
- C. $2Ag_{(s)} + Cu_{(aq)}^{2+} \rightarrow 2Ag_{(aq)}^{+} + Cu_{(s)}$
- D. $2Cu_{(s)} + Zn_{(aq)}^{2+} \rightarrow Cu_{(aq)}^{2+} + Zn_{(s)}$

Answer: A

 [Watch Video Solution](#)

5. Identify the redox reaction taking place in a beaker.





Answer: B



Watch Video Solution

Oxidation Number

1. Which of the following is not a rule for calculating oxidation number ?

A. For ions, oxidation number is equal to the charge on the ion.

B. The oxidation number of oxygen is -2 in all of its compounds.

C. The oxidation number of fluorine is -1 in all of its compounds.

D. Oxidation number of hydrogen is +1 except in binary hydrides of alkali metals and alkaline earth metals where it is -1.

Answer: B

 [Watch Video Solution](#)

2. The oxidation number of carbon in CH_2Cl_2 is

A. 0

B. +1

C. +2

D. +4

Answer: A

 [Watch Video Solution](#)

3. Oxidation state of iron in $Fe(CO)_4$ is

A. +1

B. -1

C. +2





D. 0

Answer: D



Watch Video Solution

4. The oxidation states of sulphur in the anions SO_3^{2-} , $S_2O_4^{2-}$, SO_4^{2-} , and $S_2O_6^{2-}$ follow the order



Answer: C

 [Watch Video Solution](#)

5. Oxidation numbers of Mn in its compounds

$MnCl_2$, $Mn(OH)_3$, MnO_2 and $KMnO_4$ respectively are:-

A. +2, +4, +7, +3

B. +2, +3, +4, +7

C. +7, +3, +2, +4


D. +7, +4, +3, +2

Answer: B

 [Watch Video Solution](#)

6. Arrange the oxides of nitrogen in increasing order of oxidation state of

N from +1 to +5.



Answer: B

 [Watch Video Solution](#)

7. The oxidation state of S in $H_2S_2O_8$ is

A. +6

B. +7

C. +8

D. 0

Answer: A

 [Watch Video Solution](#)

8. Match the compounds given in column I with oxidation states of carbon given in column II and mark the appropriate choice.

Column I	Column II
(A) $C_6H_{12}O_6$	(i) +3
(B) $CHCl_3$	(ii) -3
(C) CH_3CH_3	(iii) +2
(D) $(COOH)_2$	(iv) 0

A. (A) \rightarrow (iv), (B) \rightarrow (iii), (C) \rightarrow (ii), (D) \rightarrow (i)

B. (A) \rightarrow (i), (B) \rightarrow (ii), (C) \rightarrow (iii), (D) \rightarrow (iv)

C. (A) \rightarrow (ii), (B) \rightarrow (iii), (C) \rightarrow (iv), (D) \rightarrow (i)




D. (A) \rightarrow (iii), (B) \rightarrow (ii), (C) \rightarrow (i), (D) \rightarrow (iv)

Answer: A



[Watch Video Solution](#)

9. Among the following identify the species with an atom in +6 oxidation state.







Answer: D



Watch Video Solution

10. The pair of the compounds in which both the metals are in the highest possible oxidation state is,



Answer: B

 [Watch Video Solution](#)

11. An element that never has a positive oxidation state in any of its compounds is

A. O

B. N

C. Cl

D. F

Answer: D

 [Watch Video Solution](#)

12. Oxidation number of iodine in IO_3^- , IO_4^- , KI and I_2 respectively are

A. -2 , -5 , -1 , 0

B. $+5$, $+7$, -1 , 0

C. +2, + 5, + 1, 0

D. - 1, + 1, 0, + 1

Answer: B

 [Watch Video Solution](#)

13. Various oxidation states of few elements are mentioned. Which of the options is not correctly matched ?

A. a. Phosphorus: +3 to +5

B. b. Nitrogen : +1 to +5


C. c. Iodine : -1 to +7

D. d. Chromium : +3 to +6

Answer: D

 [View Text Solution](#)

14. Carbon is in the lowest oxidation state in






Answer: A



Watch Video Solution

15. Which of the following is a decreasing order of oxidation states of the central atoms?



Answer: C

 [Watch Video Solution](#)

16. Which compound amongst the following has the highest oxidation number of Mn?

$KMnO_4$, K_2MnO_4 , MnO_2 and Mn_2O_3

A. (A) $KMnO_4$

B. (B) K_2MnO_4



C. (C) MnO_2

D. (D) Mn_2O_3

Answer: A

 [Watch Video Solution](#)

17. In which of the following compounds oxidation state of chlorine has two different values?



Answer: C



Watch Video Solution

18. The oxidation number of nitrogen in $(\text{N}_2\text{H}_5)^+$ is

A. -2

B. $+2$

C. $+3$

D. -3

Answer: A

 [Watch Video Solution](#)

19. Mark the correct statement from the following :

- A. Copper metal can be oxidised by Zn^{2+} ions.
- B. Oxidation number of phosphorus in P_4 is 4
- C. An element in the highest oxidation state acts only as a reducing agent.
- D. The element which shows highest oxidation number of +8 is Os in OsO_4

Answer: D

 [Watch Video Solution](#)

20. Which compound among the following has lowest oxidation number of chlorine ?






Answer: C



Watch Video Solution

21. Which of the following oxidation numbers is not correctly matched ?



Answer: C

 [Watch Video Solution](#)

22. Examples of few compounds in a particular oxidation state are given.

Mark the example which is not correct.

A. P in $H_2PO_2 = +1$

B. Chlorine in +7 oxidation state – $HClO$

C. Chromium in +6 oxidation state – CrO_2Cl_2

D. Carbon in 0 oxidation state – $C_{12}H_{22}O_{11}$

Answer: B

 [Watch Video Solution](#)

23. The oxidation numbers of the sulphur atoms in peroxy-monosulphuric acid (H_2SO_5) and peroxydisulphuric acid ($H_2S_2O_8$) are

respectively.

A. +8, + 7

B. +3, + 3

C. +6, + 6

D. +4, + 6

Answer: C



Watch Video Solution

24. Which is not true about the oxidation state of the following elements

?

A. Sulphur +6 to -2

B. Carbon +4 to -4

C. Chlorine +7 to -1

D. Nitrogen +3 to -1

Answer: D

 [Watch Video Solution](#)

25. O.N. (Oxidation Number) of Fe in $K_4[Fe(CN)_6]$ is

A. +2

B. +3


C. +4





D. +6

Answer: A

 [Watch Video Solution](#)

26. Arrange the following in increasing order of oxidation state of Ni.






Answer: A



Watch Video Solution

27. The correct sequence of the oxidation state of underlined elements is



A. $+3$, $+5$, $+5$, $+2.5$, $-\frac{1}{3}$

B. $+5$, $+3$, $+5$, $+3$, $+\frac{1}{3}$


C. $+3$, $+3$, $+5$, $+5$, $-\frac{1}{3}$

D. $+5$, $+5$, $+3$, $+2.5$, $+\frac{1}{3}$

Answer: A

 [Watch Video Solution](#)

28. What are the oxidation states of phosphorus in the following compounds ?



A. +1, +3, +3, +3, +5

B. +3, +3, +5, +5, +5

C. +1, +2, +3, +5, +5

D. +1, +5, +5, -3, +5

Answer: D

 [Watch Video Solution](#)

29. In which of the following compounds carbon is in highest oxidation state ?




Answer: B



Watch Video Solution

30. The oxidising state of molybdenum in its oxo complex species



A. +2

B. +3

C. +4

D. +5

Answer: B

 [Watch Video Solution](#)

31. Oxidation number of P in $Ba(H_2PO_2)_2$ is

A. +3

B. +2

C. +1

D. -1

Answer: C

 [Watch Video Solution](#)

32. Which of the following can act as oxidising as well as reducing agent?

A. H_2O_2

B. SO_3

C. H_2SO_4

D. HNO_3

Answer: A

 [Watch Video Solution](#)


33. When a piece of sodium metal is dropped in water, hydrogen gas evolved because

- A. sodium is reduced and acts as an oxidising agent
- B. water is oxidised and act as a reducing agent
- C. sodium loses electrons and is oxidised while water is reduced
- D. water loses electrons and is oxidised to hydrogen.

Answer: C

 [Watch Video Solution](#)

34. In the reaction,



- A. I_2 is reducing agent.
- B. I_2 is oxidising agent and $S_2O_3^{2-}$ is reducing agent
- C. $S_2O_3^{2-}$ is oxidising agent.
- D. I_2 is reducing agent and $S_2O_3^{2-}$ is oxidising agent.

Answer: B



[Watch Video Solution](#)


35. In the reaction : $Cl_2 + OH^- \rightarrow Cl^- + ClO_4^- + H_2O :-$

- A. Chlorine is oxidised
- B. Chlorine is reduced.
- C. Chlorine is oxidised as well as reduced.
- D. Chlorine is neither oxidised nor reduced.

Answer: C

 Watch Video Solution

36. Consider the following reaction :




Which of the following statements regarding oxidation and reduction is correct?

- A. HCHO is oxidised to HCOO^- and $[\text{Ag}(\text{NH}_3)_2]^+$ is reduced to Ag.
- B. HCHO is reduced to HCOO^- and $[\text{Ag}(\text{NH}_3)_2]^+$ is oxidised to Ag.
- C. $[\text{Ag}(\text{NH}_3)_2]^+$ is reduced to Ag while OH^- is oxidised to HCOO^-
- D. $[\text{Ag}(\text{NH}_3)_2]^+$ is oxidised to NH_3 while HCHO is reduced to H_2O .

Answer: A

 Watch Video Solution

37. Identify the compounds which are reduced and oxidised in the following reaction:



A. N_2H_4 is oxidised and BrO_3^- is reduced.

B. BrO_3^- is oxidised and N_2H_3 is reduced.

C. BrO_3^- is both reduced and oxidised.


D. This is not a redox reaction.

Answer: A



[Watch Video Solution](#)

38. Identify the oxidant and reductant in the following redox reaction:



A. Oxidation of potassium manganate is taking place.

B. Reduction of potassium manganate is taking place.

C. Oxidation of Cl_2 is taking place.

D. Cl_2 acts as reducing agent in the reaction.

Answer: A



Watch Video Solution

39. Indicate whether the following conversions represent an oxidation, a reduction or none (neither oxidation nor reduction).

(i) $HClO_3$ to $HClO_4$ (ii) NH_4^+ to NH_3

(iii) NO_2 to N_2O_4 (iv) HSO_3^- to SO_4^{2-}

(v) H_2O_2 to H_2O

A. (i) (ii) (iii) (iv) (v)
Oxidation Reduction None None Oxidation

B. (i) (ii) (iii) (iv) (v)
Oxidation None None Oxidation Reduction




C. (i) (ii) (iii) (iv) (v)
Reduction Oxidation Reduction None Reduction

D. (i) (ii) (iii) (iv) (v)
Oxidation Reduction None Reduction Reduction

Answer: B

 [Watch Video Solution](#)




40. In which of the following reactions, the underlined substance has been reduced ?



Answer: C

 [Watch Video Solution](#)

41. A compound contains atoms X,Y and Z. the oxidation number of X is +2, of Y is +5 and of Z is -2. The possible formula of the compound is




Answer: C



Watch Video Solution

42. Consider the following reactions,



A. $SnCl_2$ is oxidised and $FeCl_3$ acts as oxidising agent.

B. $FeCl_3$ is oxidised and acts as oxidising agent.

C. $SnCl_2$ is reduced and acts as oxidising agent.

D. $FeCl_3$ is oxidised and $SnCl_2$ acts as a oxidising agent.

Answer: A

 [Watch Video Solution](#)


43. Which of the following statements is correct regarding redox reactions-

- A. An increase in oxidation number of an element is called reduction
- B. A decrease in oxidation number of an element is called oxidation.
- C. A reagent which lowers the oxidation number of an element in a given substance is reductant.
- D. A reagent which increases the oxidation number of an element in a given substance is reductant .

Answer: C

 [Watch Video Solution](#)

44. In the reaction ,




- A. Bromine is reduced and carbonate ion is oxidised.
- B. Bromine undergoes disproportionation.
- C. Bromine is reduced and water is oxidised.
- D. Only water is oxidised to carbonic acid.

Answer: B



[Watch Video Solution](#)

45. Given below is a redox reaction. Which of the following types the reaction belongs to ?



- A. Combination reaction
- B. Decomposition reaction


C. Metal displacement reaction

D. Non-metal displacement reaction

Answer: C

 [Watch Video Solution](#)

46. Identify the oxidant and the reductant respectively in the following reaction.



A. Chlorine and Bromide

B. Bromide and Chlorine





C. Bromide and Bromide

D. Chlorine and Chlorine

Answer: C

 [Watch Video Solution](#)

47. Which of the following is a disproportionation reaction?



Answer: A



Watch Video Solution

48. Match the column I with column II with the type of reaction and mark the appropriate choice.

Column I	Column II
(A) $3\text{Mg}_{(s)} + \text{N}_{2(g)} \xrightarrow{\Delta} \text{Mg}_3\text{N}_{2(s)}$	(i) Displacement
(B) $\text{NaH}_{(s)} + \text{H}_2\text{O}_{(l)} \rightarrow \text{NaOH}_{(aq)} + \text{H}_{2(g)}$	(ii) Decomposition
(C) $3\text{ClO}^-_{(aq)} \rightarrow 2\text{Cl}^-_{(aq)} + \text{ClO}^-_{3(aq)}$	(iii) Combination
(D) $2\text{KClO}_{3(s)} \rightarrow 2\text{KCl}_{(s)} + 3\text{O}_{2(g)}$	(iv) Disproportionation

6.

A. (A) \rightarrow (i), (B) \rightarrow (iii), (C) \rightarrow (ii), (D) \rightarrow (iv)

B. (A) \rightarrow (iv), (B) \rightarrow (iii), (C) \rightarrow (ii), (D) \rightarrow (i)

C. (A) \rightarrow (ii), (B) \rightarrow (i), (C) \rightarrow (iii), (D) \rightarrow (iv)




D. (A) \rightarrow (iii), (B) \rightarrow (i), (C) \rightarrow (iv), (D) \rightarrow (ii)

Answer: D



Watch Video Solution

49. Which of the following is not an example of disproportionation reaction ?



Answer: D



Watch Video Solution

50. White phosphorus reacts with caustic soda to form PH_3 and NaH_2PO_2 . This reaction is an example of

A. oxidation

B. reduction

C. disproportionation

D. displacement

Answer: C

 [Watch Video Solution](#)


51. What is the oxidation number of carbon in C_3O_2 (carbon suboxide) ?

- A. $+4/3$
- B. $+10/4$
- C. $+2$
- D. $+2/3$

Answer: A

 [Watch Video Solution](#)

52. The oxidation number of Cr in $CrO(5)$ which has the following structure is



- A. +4
- B. +5
- C. +6
- D. +10

Answer: C



Watch Video Solution

53. In the conversion of $Br_2 \rightarrow BrO_3^{-1}$ the oxidation state of bromine changes from to +5.

A. +1 to +5

B. 0 to -3

C. +2 to +5


D. 0 to +5

Answer: D



Watch Video Solution

54. Permanganate (VII) ion, MnO_4^- oxidises I^- ion to I_2 and gives manganese (IV) oxide MnO_2 in basic medium. The skeletal ionic equation is _____ given _____ as




The values of p, q, r and s are

- A. $\begin{matrix} p & q & r & s \\ 1 & 2 & 8 & 4 \end{matrix}$
- B. $\begin{matrix} p & q & r & s \\ 2 & 6 & 2 & 3 \end{matrix}$
- C. $\begin{matrix} p & q & r & s \\ 2 & 4 & 2 & 8 \end{matrix}$
- D. $\begin{matrix} p & q & r & s \\ 1 & 4 & 8 & 2 \end{matrix}$


Answer: B

 [View Text Solution](#)


55. Choose correct statements (s) regarding the following reactions.




A.




B.



C.






D.



Answer: A

 [View Text Solution](#)

56. The Mn^{3+} ion is unstable in solution and undergoes disproportionation reaction to give Mn^{2+} , MnO_2 , and H^{\oplus} ion. Write a balanced ionic equation for the reaction.



Answer: D

 [Watch Video Solution](#)

57. The number of moles of $KMnO_4$ reduced by 1mol of KI in alkaline medium is (a) $1/5$ (b) 2 (c) $3/2$ (d) 4

A. $1/5$

B. 2


C. $3/2$


D. 4

Answer: B




 [Watch Video Solution](#)

58. Balance the following equation by oxidation number method:





B.




Answer: A



[View Text Solution](#)

59. Which will be the value of x, y and z in the following equation.



A. $\begin{matrix} x & y & z \\ 6 & 3 & 5 \end{matrix}$

B. $\begin{matrix} x & y & z \\ 3 & 2 & 3 \end{matrix}$

C. $\begin{matrix} x & y & z \\ 3 & 6 & 5 \end{matrix}$

D. $\begin{matrix} x & y & z \\ 3 & 3 & 3 \end{matrix}$

Answer: C

 [Watch Video Solution](#)

60. The number of electrons involved in the conversion of MnO_4^- to MnO_2 is

A. 3

B. 4


C. 1

D. 2

Answer: A

 [Watch Video Solution](#)

61. The values of coefficients to balance the following reaction are



- A. $\begin{matrix} Cr(OH)_3 & ClO^- & CrO_4^{2-} & Cl^- \\ 2 & 3 & 3 & 3 \end{matrix}$
- B. $\begin{matrix} Cr(OH)_3 & ClO^- & CrO_4^{2-} & Cl^- \\ 2 & 4 & 3 & 2 \end{matrix}$
- C. $\begin{matrix} Cr(OH)_3 & ClO^- & CrO_4^{2-} & Cl^- \\ 2 & 4 & 4 & 2 \end{matrix}$
- D. $\begin{matrix} Cr(OH)_3 & ClO^- & CrO_4^{2-} & Cl^- \\ 2 & 3 & 2 & 3 \end{matrix}$

Answer: D



Watch Video Solution





62. The stoichiometric constants for the reaction $pCu + qHNO_3 \rightarrow rCu(NO_3)_2 + sNO + tH_2O$ p, q, r, s and t respectively are

- A. 3, 3, 3, 2, 3
- B. 3, 2, 3, 2, 4
- C. 3, 8, 3, 2, 4
- D. 2, 3, 3, 3, 2

Answer: C

 [Watch Video Solution](#)

63. What is the correct representation of reaction occurring when HCl is heated with MnO_2 ?



Answer: B

 [Watch Video Solution](#)

64. When $KMnO_4$ is reduced with oxalic acid in acidic solution, the oxidation number of Mn changes from

A. +2 to +7

B. +4 to +7

C. +7 to +2

D. +6 to +2

Answer: C



Watch Video Solution

65. When a manganous salt is fused with a mixture of KNO_3 and solid NaOH, the oxidation number of Mn change from +2 to:

A. +4

B. +3

C. +6

D. +7

Answer: C

 [Watch Video Solution](#)

66. For decolourisation of 1mol of $KMnO_4$, the moles of H_2O_2 required is

A. $1/2$

B. $3/2$

C. $5/2$

D. $7/2$

Answer: C

 [Watch Video Solution](#)

67. The number of moles of $K_2Cr_2O_7$ reduced by 1mol of Sn^{2+} ions is

A. $1/3$

B. $1/6$

C. $2/3$

D. $3/4$

Answer: A



Watch Video Solution

68. Which of the following colour changes shown during redox titrations is not correct ?


- A. $Cr_2O_7^{2-}$ oxidises the indicator diphenylamine to produce blue colour showing end point.
- B. Iodine formed by oxidation of I^- ions gives blue colour with starch showing end point.
- C. $KMnO_4$ in the form of MnO_4^- ions gives pink colour showing end point.
- D. Thiosulphate ions ($S_2O_3^{2-}$) give blue colour showing end point.

Answer: D



[Watch Video Solution](#)

69. Which of the following acts as a self-indicator ?



C. *Oxalic acid*

D. Iodine

Answer: B



[Watch Video Solution](#)

70. Which of the following are the common oxidising agents used in redox titrations ?

A. $K_2Cr_2O_7$, $KMnO_4$, Iodine

B. $FeSO_4$, $KMnO_4$, Sodium thiosulphate

C. Oxalic acid, $KMnO_4$, $CuSO_4$


D. Mohr's salt, KI, Sodium sulphate

Answer: A

 [Watch Video Solution](#)

Mcqs Redox Reactions And Electrode Processes

1. Given below is the set up for Daniell cell. Label p, q, r, s, t in the given figure.



- | p | q | r | s | t |
|------------|---------|----------------|------------------|------------------|
| A. Anode | Cathode | Salt
bridge | Electron
flow | Current
flow |
| B. Cathode | Anode | Salt
bridge | Current
flow | Electron
flow |
| C. Anode | Cathode | Salt
bridge | Current
flow | Electron
flow |
| D. Cathode | Anode | Salt
bridge | Ions
flow | Electron
flow |

Answer: A

Watch Video Solution

2. Given below are few statements regarding electrode potentials. Mark the correct statements.

A. (i) and (ii)

B. (i) and (iii)

C. (ii) and (iii)

D. (i), (ii) and (iii)

Answer: D



[View Text Solution](#)

3. What will be the products of electrolysis of an aqueous solution of $AgNO_3$ with silver electrodes ?

A. Ag from Ag anode dissolves while Ag^+ from solution gets deposited on cathode.

B. Ag is liberated at cathode and O_2 is liberated at anode.

C. Ag at cathode and nitric acid at anode is liberated.

D. No reaction takes place.

Answer: A

 [Watch Video Solution](#)

4. What will be the products of electrolysis of $AgNO_3$ solution in water with platinum electrodes ?

A. Ag is liberated at cathode and Ag is deposited in anode.

B. Ag is liberated at cathode and O_2 is liberated at anode.


C. Ag is liberated at anode and water is liberated at cathode.

D. Ag is liberated at cathode and silver oxide is liberated at anode.

Answer: B

 [Watch Video Solution](#)

5. In an oxidation process for a cell,



the other metal (M_2) being univalent showing reduction takes up

Electrons to complete redox reaction.

A. (n-1)

B. 1

C. n

D. 2

Answer: C



[Watch Video Solution](#)

6. Which of the following reactions takes place at anode ?

A. Reduction

B. Oxidation

C. Decomposition





D. Dissolution

Answer: B



Watch Video Solution

7. Which of the following will act as cathode when connected to standard hydrogen electrode which has E° value given as zero ?



(iii) (D)(i), (ii), (iii) and (iv)

A. (i) and (ii)

B. (ii) and (iv)





C. (i) and (iii)

D. (i), (ii), (iii) and (iv)

Answer: B

 [Watch Video Solution](#)








8. Which of the following reaction does not take place at cathode ?



Answer: B

 [Watch Video Solution](#)

9. Based on the following reactions, arrange the metals in increasing order of their reduction potentials.



Answer: B



Watch Video Solution

10. Which of the following is not a correct statement about electrochemical series of reduction potentials ? (A)The standard electrode potential of hydrogen is 0.00 volts. (B)Active non-metals have

positive reduction potentials. (C)Active metals have negative reduction potentials. (D)Metals which have positive reduction potentials are good reducing agent

- A. The standard electrode potential of hydrogen is 0.00 volts.
- B. Active non-metals have positive reduction potentials.
- C. Active metals have negative reduction potentials.
- D. Metals which have positive reduction potentials are good reducing agent.

Answer: D

 [Watch Video Solution](#)

11. The solution in a beaker turns blue if

- A. Cu electrode is placed in $ZnSO_4$ solution
- B. Cu electrode is placed in $AgNO_3$ solution

C. Cu electrode is placed in $Al_2(SO_4)_3$ solution

D. Cu electrode is placed in $FeSO_4$ solution

Answer: B

 [Watch Video Solution](#)

12. The standard electrode potential a Ag^+ / Ag is +0.80 V and of Cu^{2+} / Cu is +0.34 V. These electrodes are connected through a salt bridge and if :

A. copper electrode acts as cathode, then $E^\circ cell$ is +0.46 volt

B. Silver electrode acts as anode, then $E^\circ cell$ is -0.34 volt

C. Copper electrode acts as anode, then $E^\circ cell$ is +0.46 volt

D. Silver electrode acts as cathode, then $E^\circ cell$ is -0.34 volt

Answer: C

 [Watch Video Solution](#)

13. The E° values of redox complex of halogens are given. Based on these values mark the correct statement.

$$E^\circ_{I_2/Cl^-} = + 0.54V, E^\circ_{Br_2/Br^-} = + 1.08V,$$

$E^\circ_{Cl_2/Cl^-} = + 1.36V$, (A)Chlorine can displace bromine and iodine from their salt solutions. (B)Chlorine can only displace iodine from its salt solution. (C)Bromine can displace chlorine from its salt solution. (D)Iodine can displace chlorine and bromine from their salt solutions

- A. Chlorine can displace bromine and iodine from their salt solutions.
- B. Chlorine can only displace iodine from its salt solution.
- C. Bromine can displace chlorine from its salt solution.
- D. Iodine can displace chlorine and bromine from their salt solutions.

Answer: A



Watch Video Solution

14. Arrange the following metals in the order in which they displace each other from the solution of their salts. *Al*, *Cu*, *Fe*, *Mg*, and *Zn*.

A. Cu, Fe, Zn, Al, Mg

B. Fe, Zn, Cu, Al, Mg

C. Mg, Cu, Fe, Zn, Al

D. Mg, Al, Zn, Fe, Cu

Answer: D



[Watch Video Solution](#)

15. Arrange the following metals in increasing order of their reducing power.

$$E_{K^+/K}^\circ = -2.93V, E_{Ag^+/Ag}^\circ = +0.80V, E_{Al^{3+}/Al}^\circ = -1.66V, E_{Au^{3+}/Au}^\circ = +1.66V$$

A. *Li* < *K* < *Al* < *Ag* < *Au*

B. *Au* < *Ag* < *Al* < *K* < *Li*

C. $K < Al < Au < Ag < Li$

D. $Al < Ag < Au < Li < K$

Answer: B

 [Watch Video Solution](#)

16. A metal X displaces nickel from nickel sulphate solution but does not displace manganese from manganese sulphate solution. What is the correct order of their reducing powers ?

A. $Ni > Mn > X$

B. $X > Mn > Ni$

C. $Mn > X > Ni$

D. $Mn > Ni > X$

Answer: C

 [Watch Video Solution](#)

17.

Given

$$E_{Ag^+/Ag}^\circ = +0.80V, E_{Cu^{2+}/Cu}^\circ = +0.34V, E_{Fe^{3+}/Fe^{2+}}^\circ = +0.76V, E_{Ce^{4+}/Ce^{3+}}^\circ = +1.61V$$

Which of the following statements is not correct ?

A. Fe^{3+} does not oxidise Ce^{3+} .

B. Cu reduces Ag^+ to Ag.

C. Ag will reduce Cu^{2+} to Cu.

D. Fe^{3+} oxidises Cu to Cu^{2+}

Answer: C






Watch Video Solution

18. निम्नलिखित आयनों को इलेक्ट्रॉन ग्रहण करने की बढ़ती क्षमता के क्रम में लिखो ।

H^+ , Mg^{2+} , K^+ , Ag^+ , Zn^{2+} तथा Cu^{2+}

A. $Ag^+ > H^+ > Zn^{2+} > Mg^{2+} > K^+$







Answer: A



Watch Video Solution

19. What will be the order of decreasing reducing nature for the given metals ?



Answer: D



Watch Video Solution

20. Which of the following is the strongest oxidizing agent ?



Answer: A



[Watch Video Solution](#)

21. Fluorine is the best oxidising agent because it has

A. it is most electronegative .

B. it has highest reduction potential.



C. it has highest oxidation potential.

D. it has smallest size.

Answer: B

 [Watch Video Solution](#)

22. Which of the following halides is most acidic ?



Answer: C

 [Watch Video Solution](#)

1. Given below are few statements regarding electrode potentials. Mark the correct statements.

- A. (i) and (ii)
- B. (i) and (iii)
- C. (ii) and (iii)
- D. (i), (ii) and (iii)

Answer: D



[View Text Solution](#)

2. What will be the products of electrolysis of an aqueous solution of $AgNO_3$ with silver electrodes ?

- A. Ag from Ag anode dissolves while Ag^+ from solution gets deposited on cathode.
- B. Ag is liberated at cathode and O_2 is liberated at anode.

C. Ag at cathode and nitric acid at anode is liberated.

D. No reaction takes place.

Answer: A

 [Watch Video Solution](#)

3. What will be the products of electrolysis of $AgNO_3$ solution in water with platinum electrodes ?

A. Ag is liberated at cathode and Ag is deposited in anode.

B. Ag is liberated at cathode and O_2 is liberated at anode.


C. Ag is liberated at anode and water is liberated at cathode.

D. Ag is liberated at cathode and silver oxide is liberated at anode.

Answer: B

 [Watch Video Solution](#)

4. In an oxidation process for a cell,



the other metal (M_2) being univalent showing reduction takes up

Electrons to complete redox reaction.

A. (n-1)

B. 1

C. n

D. 2

Answer: C



[Watch Video Solution](#)

5. Which of the following reactions takes place at anode ?

A. Reduction

B. Oxidation

C. Decomposition





D. Dissolution

Answer: B



Watch Video Solution

6. Which of the following will act as cathode when connected to standard hydrogen electrode which has E° value given as zero ?



(iii) (D)(i), (ii), (iii) and (iv)

A. (i) and (ii)

B. (ii) and (iv)





C. (i) and (iii)

D. (i), (ii), (iii) and (iv)

Answer: B

 [Watch Video Solution](#)








7. Which of the following reaction does not take place at cathode ?



Answer: B

 [Watch Video Solution](#)

8. Based on the following reactions, arrange the metals in increasing order of their reduction potentials.



Answer: B



Watch Video Solution

9. Which of the following is not a correct statement about electrochemical series of reduction potentials ? (A)The standard electrode potential of hydrogen is 0.00 volts. (B)Active non-metals have


positive reduction potentials. (C)Active metals have negative reduction potentials. (D)Metals which have positive reduction potentials are good reducing agent

- A. The standard electrode potential of hydrogen is 0.00 volts.
- B. Active non-metals have positive reduction potentials.
- C. Active metals have negative reduction potentials.
- D. Metals which have positive reduction potentials are good reducing agent.

Answer: D

 [Watch Video Solution](#)

10. If a spoon of copper metal is placed in a solution of $FeSO_4$, what will be the correct observation ?



(A)Copper is dissolved in $F e S O 4$ to give brown deposit. (B)No reaction takes place. (C)Iron is deposited on copper spoon. (D)Both copper and iron are precipitated

A. Copper is dissolved in $F e S O 4$ to give brown deposit.

B. No reaction takes place.

C. Iron is deposited on copper spoon.

D. Both copper and iron are precipitated.

Answer: B



Watch Video Solution

11. The solution in a beaker turns blue if

- A. Cu electrode is placed in $ZnSO_4$ solution
- B. Cu electrode is placed in $AgNO_3$ solution
- C. Cu electrode is placed in $Al_2(SO_4)_3$ solution
- D. Cu electrode is placed in $FeSO_4$ solution

Answer: B



[Watch Video Solution](#)

12. The standard electrode potential a Ag^+ / Ag is +0.80 V and of Cu^{2+} / Cu is +0.34 V. These electrodes are connected through a salt bridge and if :

- A. copper electrode acts as cathode, then $E^\circ cell$ is +0.46 volt
- B. Silver electrode acts as anode, then $E^\circ cell$ is -0.34 volt
- C. Copper electrode acts as anode, then $E^\circ cell$ is +0.46 volt

D. Silver electrode acts as cathode, then E°_{cell} is -0.34 volt

Answer: C

 [Watch Video Solution](#)

13. The E° values of redox complex of halogens are given. Based on these values mark the correct statement.

$$E^\circ_{I_2/CI^-} = + 0.54V, E^\circ_{Br_2/Br^-} = + 1.08V,$$

$E^\circ_{Cl_2/Cl^-} = + 1.36V$, (A)Chlorine can displace bromine and iodine from their salt solutions. (B)Chlorine can only displace iodine from its salt solution. (C)Bromine can displace chlorine from its salt solution. (D)Iodine can displace chlorine and bromine from their salt solutions

- A. Chlorine can displace bromine and iodine from their salt solutions.
- B. Chlorine can only displace iodine from its salt solution.
- C. Bromine can displace chlorine from its salt solution.
- D. Iodine can displace chlorine and bromine from their salt solutions.

Answer: A

 [Watch Video Solution](#)

14. Arrange the following metals in the order in which they displace each other from the solution of their salts. *Al, Cu, Fe, Mg, and Zn.*

A. Cu, Fe, Zn, Al, Mg

B. Fe, Zn, Cu, Al, Mg

C. Mg, Cu, Fe, Zn, Al

D. Mg, Al, Zn, Fe, Cu

Answer: D

 [Watch Video Solution](#)

15. Arrange the following metals in increasing order of their reducing power.

$$E_{K^+/K}^\circ = -2.93V, E_{Ag^+/Ag}^\circ = +0.80V, E_{Al^{3+}/Al}^\circ = -1.66V, E_{Au^{3+}/Au}^\circ =$$

A. $Li < K < Al < Ag < Au$

B. $Au < Ag < Al < K < Li$

C. $K < Al < Au < Ag < Li$

D. $Al < Ag < Au < Li < K$

Answer: B



Watch Video Solution

16. A metal X displaces nickel from nickel sulphate solution but does not displace manganese from manganese sulphate solution. What is the correct order of their reducing powers ?

A. $Ni > Mn > X$

B. $X > Mn > Ni$

C. $Mn > X > Ni$

D. $Mn > Ni > X$

Answer: C



Watch Video Solution

17.

Given

$$E_{Ag^+/Ag}^\circ = +0.80V, E_{Cu^{2+}/Cu}^\circ = +0.34V, E_{Fe^{3+}/Fe^{2+}}^\circ = +0.76V, E_{Ce^{4+}/Ce^{3+}}^\circ = +1.61V$$

Which of the following statements is not correct ?

A. Fe^{3+} does not oxidise Ce^{3+} .

B. Cu reduces Ag^+ to Ag.

C. Ag will reduce Cu^{2+} to Cu.

D. Fe^{3+} oxidises Cu to Cu^{2+}





Answer: C



Watch Video Solution

18. निम्नलिखित आयनों को इलेक्ट्रॉन ग्रहण करने की बढ़ती क्षमता के क्रम में लिखो ।

H^+ , Mg^{2+} , K^+ , Ag^+ , Zn^{2+} तथा Cu^{2+}






Answer: A



Watch Video Solution

19. What will be the order of decreasing reducing nature for the given metals ?



D. $Na > Mg > Zn > Fe > Cu > Ag$

Answer: D

 [Watch Video Solution](#)

20. Which of the following is the strongest oxidizing agent ?

A. F_2

B. Cl_2

C. Br_2

D. I_2

Answer: A

 [Watch Video Solution](#)

21. Fluorine is the best oxidising agent because it has

- A. it is most electronegative .
- B. it has highest reduction potential.
- C. it has highest oxidation potential.
- D. it has smallest size.

Answer: B

 [Watch Video Solution](#)

22. Which of the following halides is most acidic ?





- A. F^-
- B. Br^-
- C. I^-
- D. Cl^-

Answer: C

 [Watch Video Solution](#)

Ncert Exemplar

1. Which of the following is not an example of redox reaction?



Answer: D





[Watch Video Solution](#)

2. The more positive the value of E^θ , the greater is the tendency of the species to get reduced. Using the standard electrode potential of redox couples given below find out which of the following is the strongest oxidising agent.

$$E^\theta \text{ values: } Fe^{3+} / Fe^{2+} = +0.77$$

$$I_2(s) / I^- = +0.54,$$

$$Cu^{2+} / Cu = +0.34, Ag^+ / Ag = 0.80V$$



Answer: D



Watch Video Solution

3. E^θ values of some redox couples are given below. On the basis of these values choose the correct option.

$$E^\theta \text{ values: } Br_2 / Br^- = +1.90$$

$$Ag^+ / Ag(s) = +0.80$$

$$Cu^{2+} / Cu(s) = +0.34, I_2(s) / I^- = +0.54$$

A. Cu will reduce Br^-

B. Cu will reduce Ag

C. Cu will reduce I^-

D. Cu will reduce Br_2

Answer: D

 [Watch Video Solution](#)

4. Using the standard electrode potential, find out the pair between which redox reaction is not feasible. E° values :

$$Fe^{3+} / Fe^{2+} = + 0.77, I_2 / I^- = + 0.54V$$

$$Cu^{2+} / Cu = + 0.34V, Ag^+ / Ag = + 0.80V$$

A. Fe^{3+} and I^-

B. Ag^+ and Cu

C. Fe^{3+} and Cu



D. Ag and Fe^{3+}

Answer: D



Watch Video Solution

5. Thiosulphate reacts differently with iodine and bromine in the reactions given below :



Which of the following statements justifies the above dual behaviour of thiosulphate ?

- A. Bromine is a stronger oxidant than iodine.
- B. Bromine is a weaker oxidant than iodine.
- C. Thiosulphate undergoes oxidation by bromine and reduction by iodine in these reactions.
- D. Bromine undergoes oxidation and iodine undergoes reduction in these reactions.

Answer: A



[Watch Video Solution](#)

6. The oxidation number of an element in a compound is evaluated on the basis of certain rules. Which of the following rules is not correct in this respect ?




- A. The oxidation number of hydrogen is always +1.
- B. The algebraic sum of all the oxidation numbers in a compound is zero.
- C. An element in the free or the uncombined state bears oxidation number zero.
- D. In all its compounds, the oxidation number of fluorine is -1.

Answer: A



[Watch Video Solution](#)

7. In which of the following compounds, an element exhibits two different oxidation states?







Answer: B



[Watch Video Solution](#)

8. Which of the following arrangements represent increasing oxidation number of the central atom?









Answer: A

 [Watch Video Solution](#)





9. The largest oxidation number exhibited by an element depends on its outer electronic configuration. With which of the following outer electronic configurations the element will exhibit largest oxidation number ?



Answer: D

 [Watch Video Solution](#)

10. Identify the disproportionation reaction.



Answer: D



Watch Video Solution

11. Which of the following elements does not show disproportionation tendency?

A. Cl

B. Br

C. F

D. I

Answer: C

 [Watch Video Solution](#)

Assertion And Reason

1. Assertion : Conversion of potassium ferrocyanide to potassium ferricyanide is an oxidation process.

Reason : Oxidation is the addition of oxygen/electronegative element to a substance or removal of hydrogen/electropositive element from a substance.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A

 [Watch Video Solution](#)

2. Justify that the reaction

$2Cu_2O_s + Cu_2S(s) \rightarrow 6Cu(s) + SO_2(g)$ a redox reaction. Identify the species oxidised / reduced. Which acts as an oxidant and which acts as a reductant?

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D

 [Watch Video Solution](#)

3. Assertion : HNO_2 can act both as a reducing agent and an oxidising agent.

Reason : In HNO_2 , oxidation state of nitrogen is +3 which can change from -3 to +5.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A

 [Watch Video Solution](#)

4. Assertion : Decomposition of potassium chlorate is an example of redox reaction .

Reason : There is no change in the oxidation number of potassium in decomposition of potassium chlorate.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



[Watch Video Solution](#)

5. Assertion : Displacement reactions of chlorine, bromine and iodine using fluorine are not generally carried out in aqueous solution.

Reason : Fluorine being highly reactive attacks water and displaces the oxygen of water.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

6. Assertion : Decomposition of hydrogen peroxide is an example of disproportionation reaction.

Reason : In a disproportionation reaction, an element in one oxidation state is simultaneously oxidised and reduced .

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

7. Assertion : CO_4^- does not show disproportionation reaction.

Reason : In ClO_4^- , chlorine is present in its highest oxidation state .

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

8. Assertion : All halogens undergo disproportionation reaction in alkaline medium.

Reason : All halogens exhibit variable oxidation states.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D

 [Watch Video Solution](#)

9. Assertion : The only way to get F_2 from F^- is to oxidise electrolytically.

Reason : The recovery of halogens from their halides requires an oxidation process.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B

 [Watch Video Solution](#)

10. Assertion: Oxygen atom in both O_2 and O_3 has oxidation number zero.

Reason: In F_2O , oxidation number of O is $+2$.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: D



Watch Video Solution

11. Assertion : In the species, $S_4O_6^{2-}$ each of the two extreme sulphurs exhibits oxidation state of +5 and the two middle sulphurs as zero.

Reason : The average of four oxidation numbers of sulphurs of the $S_4O_6^{2-}$ is 2.5.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B

 [Watch Video Solution](#)

12. Assertion : In titrations involving potassium permanganate no indicator is used.

Reason : MnO_4^- acts as the self-indicator.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A

 [Watch Video Solution](#)

13. Assertion : The transfer of electrons from zinc to copper takes place through metal wire connecting the two rods.

Reason : Electricity from solution in one beaker to other flows by migration of ions through the salt bridge.

A. If both assertion and reason are true and reason is the correct explanation of assertion.

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



Watch Video Solution

14. Assertion : Insert electrolytes like KCl , KNO_3 are used in salt bridge.

Reason : Salt bridge provides an electric contact between the two solutions without allowing them to mix with each other.

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[Watch Video Solution](#)

15. Assertion : A metal having negative reduction potential when dipped in the solution of its own ions has a tendency to pass into solution .

Reason : Metals undergo reduction .

- A. If both assertion and reason are true and reason is the correct explanation of assertion.
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



Watch Video Solution