



BIOLOGY

BOOKS - MTG BIOLOGY (HINGLISH)

MINERAL NUTRITION

Mineral Nutrition

1. The technique of hydroponics was first demonstrated by

- A. M. Calvin (1961)
- B. Julius von Sachs (1860)
- C. Arnon (1940)
- D. Hoagland (1940)

Answer: B



Watch Video Solution

2. The technique of growing plants in a nutrients solution, in complete absence of soil is called as

- A. aeroponics
- B. water culture
- C. hydroponics
- D. soil culture

Answer: C

 Watch Video Solution

3. Hydroponics or soilless culture helps in knowing

- A. essentiality of an element
- B. deficiency symptoms caused by an element

C. toxicity caused by an element

D. all of these

Answer: D



Watch Video Solution

4. The technique of hydroponics is being employed for the commercial production of vegetables like

A. tomato

B. cucumber


C. lettuce

D. all of these

Answer: D



Watch Video Solution




5.

The given experimental set-up is used

- A. to show that CO_2 is required during photosynthesis
- B. to show that O_2 is evolved during photosynthesis
- C. for nutrients solution culture
- D. to measure growth of a plant

Answer: C

[▶ Watch Video Solution](#)



6.

Refer to the given figure and select the incorrect option regarding it

A. it shows hydroponic plant production

B. plants are grown in a tube or though placed on a slight incline

C. The solution flows down the tube and returns to the reservoir due to the suction pressure created by pump

D. the roots in this set-up, are continuously bathed in aerated nutrients solution.

Answer: C

 [Watch Video Solution](#)

7. Select the correct statement (s) regarding the solution culture techniques.

A. successful hydroponic culture required a large volume of nutrients solution or frequency adjustment of the nutrients solution of prevent roots from producing radical changes in nutrients concentration and pH of the medium.

- B. In nutrient film growth system, plant roots lie on the surface of a trough, and nutrients solution flow in a thin layer along the trough over the roots.
- C. In aeroponics technique, plants are grown with their roots suspended in air while being sprayed continuously with a nutrient solution
- D. all of these

Answer: D



Watch Video Solution

8. More than ___ elements of the ___ discovered so far are found in different plants.

A. 60, 105

B. 105, 60

C. 30, 60

D. 4, 105

Answer: A



Watch Video Solution

9. Which of the following is not criterion for essentiality of an element?

A. Requirement of the element is specific

B. Necessary for normal growth and reproduction

C. not replaceable by another element

D. indirectly involved in plant metabolism

Answer: D



Watch Video Solution

10. Essential elements are

- A. only macronutrients
- B. only micronutrients
- C. Both macro and micronutrients
- D. C, H, O and N only

Answer: C



Watch Video Solution

11. Which of the following are macronutrients?

- A. Carbon, nitrogen
- B. Oxygen, phosphorus
- C. Potassium, sulphur
- D. all of these

Answer: D



Watch Video Solution

12. Which of the four most abundant element in most plants (C, H, O and N), does a terrestrial green plant procure mainly through its roots from the soil?

A. H and O

B. H and N

C. C and O

D. O and N

Answer: B



Watch Video Solution

13. The macronutrient_____ is a component of all organic compounds but is not obtained from soil.

- A. Carbon, nitrogen
- B. hydrogen
- C. oxygen
- D. nitrogen

Answer: A



[Watch Video Solution](#)

14. Micronutrients are present in plant tissues in concentrations less than ___ of dry matter.

- A. 1 m mole Kg^{-1}
- B. 10 m mole Kg^{-1}
- C. 0.1 m mole Kg^{-1}

D. 2 m mole Kg^{-1}

Answer: B



Watch Video Solution

15. Select the option that contains micronutrients only

A. Mn, Mo, Zn

B. C, H, N

C. N, P, O

D. Mn, K, S

Answer: A



Watch Video Solution

16. Match column I with column II and select the correct option from the codes given below

Column I
(Activator element)

Column II
(Enzyme)

- A. Mg^{2+} , (i) Nitrate reductase
B. Zn^{2+} (ii). RuBisCO, PEPCase
C. Mo (ii). Alcohol dehydrogenase

A. A-(ii),B-(iii),C-(i)

B. A-(iii),B-(ii),C-(i)

C. A-(i),B-(iii),C-(ii)

D. A-(ii),B-(i),(C)-(iii)

Answer: A



Watch Video Solution

17. Monovalents (e.g., Na^+ , K^+) ___ membrane permeability while divalents (e.g., Ca^{2+}) ___ the same.

A. increase, decrease

B. decrease, increase

C. increase, increase

D. decrease, decrease

Answer: A



[Watch Video Solution](#)

18. The inorganic essential elements which are obtained from the soil are called as

A. mineral elements

B. non-mineral elements

C. non-essential elements

D. both b and c

Answer: A



[Watch Video Solution](#)

19. The non-mineral elements are

- A. C, H, O
- B. N, Ca, Mg
- C. Fe, Co, Mn
- D. Cu, Mo, N

Answer: A



[Watch Video Solution](#)

20. Phosphorus (P) is a structural element of

- A. cell membranes
- B. proteins
- C. nucleic acids
- D. all of these

Answer: D



Watch Video Solution

21. Which of the following essential elements plays an important role in opening and closing of stomata?

A. Mg

B. K

C. Mn

D. P

Answer: B



Watch Video Solution

22. Which of the following is not one of the three plants macronutrients included in most fertilisers?

A. O

B. N

C. P

D. K

Answer: A



Watch Video Solution

23. Minerals which maintain cation-anion balance in cells are

A. Cl and K

B. K and Fe

C. Methionine

D. both b and c

Answer: A



Watch Video Solution

24. Sulphur is a constituents of which of the following amino acids?

A. Threonine

B. Cysteine

C. Methionine

D. both b and c

Answer: D



Watch Video Solution

25. Which of the following elements are required for chlorophyll synthesis?

A. Fe and Mg

B. Mo and Ca

C. Cu and Ca

D. Ca and K

Answer: A



Watch Video Solution

26. Some functions of a nutrient's element are given below

- (i). Important constituents of proteins involved in ETS
- (ii). Activator of catalase
- (iii). Important constituent of cytochrome
- (iv). Essential for chlorophyll synthesis

the concerned nutrient is _____

A. Cu

B. Fe

C. Ca

D. Mo

Answer: B



[Watch Video Solution](#)

27. Which of the following minerals activate the enzymes involved in respiration?

- A. Nitrogen and phosphorus
- B. Magnesium and manganese
- C. potassium and calcium
- D. Sulphur

Answer: B



[Watch Video Solution](#)

28. Best defined function of manganese in green plants is

- A. photolysis of water
- B. Calvin cycle

C. Nitrogen fixation

D. water absorption.

Answer: A



[Watch Video Solution](#)

29. Select the correctly matched pair

A. Zinc-Helps to maintain the ribosome structure

B. Magnesium-needed during the formation of mitotic spindle

C. Calcium -Plays a role in the opening and closing of stomata

D. Manganese-needed in the splitting of water to liberate oxygen
during photosynthesis

Answer: D



[Watch Video Solution](#)

30. Minerals associated with redox reaction are

A. Na,Cu

B. N,Cu

C. Fe,Cu

D. Ca,Fe

Answer: C



Watch Video Solution

31. Select the incorrectly matched pair.

A. Magnesium (Mg)-Formation of mitotic spindle

B. Iron (Fe)-Formation of chlorophyll

C. Chlorine (Cl)-Anion cation balance in the cell

D. Sulphur(S)-Component of vitamins

Answer: A



[Watch Video Solution](#)

32. The two elements responsible for splitting of H_2O to liberate O_2 during photosynthesis are

- A. Mn and Mo
- B. Ca and Mg
- C. Mn and Cl
- D. Mg and Cl.

Answer: C



[Watch Video Solution](#)

33. Deficiency symptoms of readily mobilised essential elements will first appear in _____

A. younger tissues

B. older tissues

C. roots

D. shoots

Answer: B



Watch Video Solution

34. Read the given statements and select the correct option

Statement-1: Deficiency symptoms of N, K and Mg are first visible in the senescent leaves

Statement-2: Biomolecules containing these elements are broken available for mobilising to younger leaves.

A. both statements 1 and 2 are correct.

B. Statement 1 is correct but statement 2 is incorrect

C. Statement 1 is incorrect but statement 2 is correct.

D. Both statements 1 and 2 are incorrect.

Answer: A



[Watch Video Solution](#)

35. Deficiency symptoms tend to appear first in___whenever the essential elements are relatively immobile and are not transported out of the mature organs.

A. younger tissues

B. older tissues

C. roots

D. shoots

Answer: A



[Watch Video Solution](#)

36. While in N, K and Mg deficiency, chlorosis appears first in ___ leaves, in S and Ca deficiency, ___ leaves are the first to be affected

- A. young, old
- B. old, young
- C. old, old
- D. young, young

Answer: B



[Watch Video Solution](#)

37. Chlorosis, i.e., loss of chlorophyll leading to yellowing in leaves, is caused by the deficiency of

- A. N, K, Mg
- B. S, Fe, Zn
- C. Mn, Mo, Mg

D. all of these

Answer: D



Watch Video Solution

38. Necrosis refers to

A. Inhibition of cell division

B. delay in flowering

C. death of tissues

D. falling of leaves.

Answer: C



Watch Video Solution

39. Necrosis mainly occurs by the deficiency of

A. Ca, Mg

B. N, S

C. Mn, Mo

D. Fe, Mn

Answer: A



Watch Video Solution

40. Deficiency of which of the following elements delay flowering in plants?

A. Fe, Mn, Mo

B. N, S, Mo

C. Ca, Mg, K

D. N, K, S

Answer: B

 [Watch Video Solution](#)

41. Which of the following is not a deficiency symptoms of minerals?

- A. Internode shortening
- B. Necrosis
- C. Chlorosis
- D. Etiolation

Answer: D

 [Watch Video Solution](#)

42. Premature leaf fall is due to deficiency of

- A. sodium
- B. potassium
- C. zinc

D. phosphorus.

Answer: D



Watch Video Solution

43. Yellowish edges appear in leaves deficient in

A. potassium

B. calcium

C. magnesium

D. phosphorus.

Answer: A



Watch Video Solution

44. Mineral ion concentration in tissues that reduces the dry weight of tissues by about 10% is considered as

- A. critical concentration
- B. toxic concentration
- C. optimum concentration
- D. beneficial concentration

Answer: B



[Watch Video Solution](#)

45. Select the correct statement regarding manganese toxicity.

- A. Appearance of brown spots surrounded by chlorotic veins
- B. inhibition of Ca translocation in shoot apex
- C. induction deficiencies of Mg and Fe
- D. all of these

Answer: D



[Watch Video Solution](#)

46. Minerals are absorbed in the form of

- A. Molecules
- B. ions
- C. compounds
- D. mixtures

Answer: B



[Watch Video Solution](#)

47. With reference of absorption of minerals, the term 'outer space' represents_____ while 'inner space' represents_____.

A. Intercellular space and cell wall, space and cell wall

B. cytoplasm and vacuole, intercellular space and cell wall

C. intercellular space, vacuole

D. cytoplasm, vacuole

Answer: A

 [Watch Video Solution](#)

48. Which of the following statements about minerals absorption in plants is correct?

A. in the initial phase rapid uptake of ions into the outer space of cells- the apoplast, is a passive process.

B. in the final phase, ions are taken in slowly into the inner space-the symplast of cells, and is an active process.

C. passive movement of ions into the apoplast occurs through ion-channels, transmembrane proteins which act as selective pores.

D. all of these

Answer: D



Watch Video Solution

49. Mineral salts are translocated through (i) along with the (ii) steam of water. Which is pulled up through the plant by transpirational pull. Fill up the bhlanks in the given statements and select the correct option

- A. (i) xylem (ii) ascending
- B. (i) xylem (ii) descending
- C. (i) phloem (ii) ascending
- D. (i) phloem (ii) descending

Answer: A



[Watch Video Solution](#)

50. Mineral nutrients absorbed by roots, move to leaves through

- A. xylem
- B. phloem
- C. sieve tube
- D. companion cell

Answer: A



[Watch Video Solution](#)

51. Read the given statement and select the correct option. Statement-1:

Soil serves as a reservoir of essential elements.

Statement-2: Soil develops, over the years, through physical and chemical weathering of rocks.

- A. both statements 1 and 2 are correct.
- B. Statement 1 is correct but statement 2 is incorrect
- C. Statement 1 is incorrect but statement 2 in correct.
- D. Both statements 1 and 2 are incorrect.

Answer: A



Watch Video Solution

52. Which one is the major constituent of proteins, nucleic acids, vitamins and hormones?

- A. P
- B. N
- C. K
- D. S

Answer: B

 [Watch Video Solution](#)

53. Nitrogen is a limiting nutrient for

- A. natural ecosystem
- B. aquatic ecosystem
- C. agricultural ecosystem
- D. both a and c

Answer: D

 [Watch Video Solution](#)

54. One example of a nutrient in its reduced form is

- A. carbon in CO_2
- B. hydrogen in H_2O
- C. nitrogen in NH_3

D. sulphur in sulphate

Answer: C

 [Watch Video Solution](#)

55. The process of conversion of atmospheric free N_2 gas to nitrogenous compounds like NH_3 is termed as

A. nitrification

B. nitrate reduction

C. N_2 fixation

D. ammonification

Answer: C

 [Watch Video Solution](#)

56. Nitrogen and hydrogen combine to form ammonia under high temperature and pressure conditions this is an example of

- A. biological N_2 fixation
- B. natural N_2 fixation
- C. industrial N_2 fixation
- D. electrical N_2 fixation

Answer: C



[Watch Video Solution](#)

57. Decomposition of organic nitrogen of dead plants and animals into ammonia is called. _____

- A. nitrification
- B. nitrate reduction
- C. N_2 fixation

D. ammonification

Answer: D



Watch Video Solution

58. Nitrite is oxidised to nitrate with the help of

A. nitrosomonas

B. nitrococcus

C. nitrobacter

D. Thiobacillus

Answer: C



Watch Video Solution


59. Nitrifying bacteria

- A. oxidise ammonia to nitrates
- B. convert free nitrogen to nitrogen compounds
- C. convert proteins into ammonia
- D. reduce nitrates to free nitrogen

Answer: A



Watch Video Solution



60.

Identify the labels X and Y in the given outline of N_2 cycle and select the correct option.

- A. X Y
 (a). Denitrification Ammonification

- B. X Y
(a). N_2 fixation Ammonification
- C. X Y
(a). Ammonification denification
- D. X Y
(a). Nitrification denification

Answer: A



[Watch Video Solution](#)

61. Nitrogen is absorbed by plants in form of

- A. NO_3^-
- B. NH_3
- C. NO_2^-
- D. both a and c

Answer: D



[Watch Video Solution](#)

62. The process of conversion of soil nitrates into free N_2 is called (I) and is carried out by bacteria (II).

- A. (I) nitrification (II) Nitrosomonas
- B. (I) denitrification (II) Nitrobacter
- C. (I) denitrification (II) Thiobacillus
- D. (I) N_2 fixation (II) Nitrosomonas

Answer: C



[Watch Video Solution](#)

63. The process that is the opposite of nitrogen fixation is

- A. nitrification
- B. denitrification
- C. ammonification
- D. nitrate reduction

Answer: B

 [Watch Video Solution](#)

64. Match column I with column II and select the correct option from the given codes:

Column I

A nitrosomonas Nitrosococcus

B Nitrobacter, Nitrocystic

C Pseudomonas

Column II

(*i*). Ammonia to nitrite

(*ii*). Nitrite to nitrate

(*iii*). Nitrate to N_2

A. A-(i),B-(ii),C-(iii)

B. A-(i),B-(iii),C-(ii)

C. A-(ii),B-(i),C-(iii)

D. A-(ii),B-(iii),C-(i)

Answer: A

 [Watch Video Solution](#)

65. Which one of the following is a free-living obligate anaerobic bacterium?

- A. Clostridium
- B. Rhodospirillum
- C. Azotobacter
- D. Bacillus subtilis

Answer: A



[Watch Video Solution](#)

66. The limiting factor in nitrogen fixation of soil is

- A. soil nature (pH)
- B. light
- C. temperature
- D. air

Answer: A



Watch Video Solution

67. All N_2 fixers belong to

A. Eubacteria

B. algae

C. plantae

D. protista

Answer: A



Watch Video Solution

68. The largest resevoir of nitrogen on earth is

A. soil natrure (pH)

B. air

C. ocean

D. rocks

Answer: B



[Watch Video Solution](#)

69. if by radiation all nitrogenase enzyme is inactivated, then there will be no

A. fixation of nitrogen in legumes

B. conversion on nitrate into nitrogen

C. conversion from nitrate to nitrite in legumes

D. conversion from ammonium to nitrate in soil

Answer: A



[Watch Video Solution](#)

70. A farmer adds *Azotobacter* culture to soil before sowing maize. Which mineral element will be replenished by doing so?

- A. N
- B. P
- C. K
- D. S

Answer: A



[Watch Video Solution](#)

71. _____ is a free-living N_2 -fixing aerobic bacterium.

- A. *Rhodospirillum*
- B. *Azotobacter*
- C. *Clostridium*

D. Rhizobium

Answer: B



[Watch Video Solution](#)

72. Which of the following is a non-symbiotic nitrogen fixing prokaryote?

A. Azotobacter

B. Clostridium

C. Beijerinckia

D. all of these

Answer: D



[Watch Video Solution](#)

73. Which of the following is a free-living nitrogen fixing cyanobacteria?

A. Clindrospermum

B. Nostoc

C. Rhodospirillum

D. both a and b

Answer: D

 [Watch Video Solution](#)

74. Symbiotic bacteria are found in the root nodules of members family

A. Solanaceae

B. Asteraceae

C. Leguminosae

D. Malvaceae

Answer: C

 [Watch Video Solution](#)

75. The bacterium ____ belonging to group actinomycetes, produces N_2 – fixing nodules on the roots of non-leguminous plants (e.g., Alnus)

- A. Frankia
- B. Rhizobium
- C. Rhodospirillum
- D. Clostridium

Answer: A



[Watch Video Solution](#)

76. Select the mismatched pair.

- A. Symbiotic bacteria-Rhizobium, Frankia
- B. Symbiotic cyanobacteria-Frankia, Aulosira
- C. Free-living bacteria-Beijerinckia, Azotobacter

D. none of these

Answer: B



[Watch Video Solution](#)

77. Certain non-leguminous plants also form nodules to fix N_2 . Example of such plants is

A. Alnus

B. Casuarina

C. Myrica

D. all of these

Answer: D



[Watch Video Solution](#)

78. N_2 -fixing blue-green alga Anabaena which is extensively used in rice cultivation, forms symbiotic association with

- A. Cycas roots
- B. Azolla
- C. Anthoceros
- D. Alnus

Answer: B



[Watch Video Solution](#)

79. The nodules present in the leguminous plants appear pink in colour due to the presence of

- A. RBCs
- B. leghaemoglobin
- C. nitrogenase enzyme

D. bacterial secretion.

Answer: B



Watch Video Solution


80. During nodule formation in leguminous plants, an infection thread is produced carrying the (i) into the (ii) of the root, where they initiate the nodule formation in the (iii) of the root. Fill up the blanks by choosing the correct option.

- A. (i) Cyanobacteria (ii) pericycle (iii) cortex
- B. (i) bacteria (ii) cortex (iii) cortex
- C. (i) Cyanobacteria (ii) cortex (iii) pericycle
- D. (i) bacteria (ii) pericycle (iii) pericycle

Answer: B



Watch Video Solution




81.

Refer to the given figure and select the correct option.


- A. *P* *Q* *R*
 Soil particles Hook Bacteria
- B. *P* *Q* *R*
 Bacteria Hook Soil particle
- C. *P* *Q* *R*
 Nodule Infection thread Bacteria
- D. *P* *Q* *R*
 Bacteria Infection thread Root hair

Answer: A







(i)



(ii)



82.

Study the given figures carefully showing the development of root nodules and arrange them in a correct sequence.

A. (i),(ii),(iii),(iv)


B. (ii),(iii),(i),(iv)

C. (i),(iv),(iii),(ii)

D. (iv),(i),(ii),(iii)

Answer: C

 Watch Video Solution



83.

What does the given figure represent?

A. Nitrogen fixation

B. Denitrification

C. Ammonification

D. Nitrification

Answer: A



[Watch Video Solution](#)

84. During N_2 fixation, reduction of one molecule of nitrogen into 2 molecules of NH_3 consumes ____ molecules of ATP.

A. 4

B. 16

C. 56




D. 38

Answer: B



[Watch Video Solution](#)

85. Which one is the correct equation of nitrogen fixation?



Answer: B



Watch Video Solution

86. The cofactor of nitrate reductase is

A. Cu

B. Zn

C. Ca

D. Mo

Answer: D



Watch Video Solution

87. Leghaemoglobin is produced in response to

- A. respiration
- B. fatty acid oxidation
- C. photosynthesis
- D. N_2 -fixation.

Answer: D



Watch Video Solution

88. Which of the following statements is incorrect about leghaemoglobin?

- A. in acts as O_2 scavenger
- B. it imparts pink or red colour to the nodules
- C. it combines with O_2 and protects nitrogenase.
- D. It is a Mo-Fe

Answer: D

 [Watch Video Solution](#)

89. _____ conditions are created by leghaemoglobin in the root nodule of a legume.

- A. Aerobic
- B. Anaerobic
- C. acidic
- D. alkaline

Answer: B



Watch Video Solution

90. Read the following statements and select the correct answer.

(i). *Rhizobium leguminosarum* is also known as *Bacillus radiculicola*.

(ii). Nitrifying bacteria (*Nitrosomonas*, etc.) are chemoautotrops.

(iii). Enzyme nitrogenase fixes N_2 under aerobic condition.

(iv). Leghaemoglobin creates aerobic conditions for the enzyme nitrogenase.

A. Statements (i), (ii) and (iii) are correct

B. Statement (i) and (ii) are correct

C. Statement (iii) and (iv) are correct

D. All statement are correct

Answer: B



Watch Video Solution

91. Ammonia synthesis by nitrogenase requires

- A. high input of energy
- B. super oxygen radical
- C. Mn^{2+}
- D. none of these

Answer: A



[Watch Video Solution](#)

92. Read the following statements and select the incorrect ones.

- (i). The co-ordinated activities of the legume and Rhizobium bacteria depend on chemical interactions between the symbiotic partners.
- (ii). Leguminous roots secrete chemical attractants that attract Rhizobium bacteria living nearby.
- (iii). N,P and K usually do not get deficient in soil due to their low plant requirement

(iv). Nitrogen cycle is regular circulation of nitrogen amongst living organisms with its reservoir pool in lithosphere and cycling pool in atmosphere.

A. (i) and (ii)

B. (ii) and (iii)

C. (iii) and (iv)


D. (ii), (iii) and (iv)

Answer: C



Watch Video Solution

93. Refer to the given reaction



represents

A. oxidative amination

B. reductive amination

C. transamination


D. deamination

Answer: B



Watch Video Solution

94. Select the option which completes the given equation for reductive amination



- A. (I) α - ketoglutaric acid (II) Transaminiase
- B. (I) α - ketoglutaric acid (II) Glutamate dehydrogenase
- C. (I) α - Asparagine (II) Glutamate dehydrogenase
- D. (I) α - Glutamine (II) Transaminiase

Answer: B



Watch Video Solution

95. The process of transfer of amino group from one amino acid to the keto group of a keto acid is called as _____


- A. oxidative amination
- B. reductive amination
- C. transamination
- D. deamination

Answer: C



Watch Video Solution

96. Refer to the given reacton, what does it depict?



A. oxidative amination

B. reductive amination

C. transamination

D. deamination

Answer: C



Watch Video Solution

97. From_____acid, more than 17 amino acids are formed through transamination

A. aspartic

B. glutamic

C. acetic

D. pyruvic

Answer: B

 [Watch Video Solution](#)

98. Amides are different from amino acids as they contain more

- A. hydrogen
- B. oxygen
- C. nitrogen
- D. carbon

Answer: C

 [Watch Video Solution](#)

99. Amides are transported to the other parts of the plant via

- A. phloem parenchyma
- B. phloem companion cells
- C. xylem vessels

D. phloem fibre

Answer: C



Watch Video Solution

100. Nodules in soybean plant export the fixed nitrogen in the form of

A. ureides

B. amides


C. amino acids

D. both b and c

Answer: A



Watch Video Solution



101.

Identify the given type of hydroponic technique and select the correct option.

- A. A very shallow stream of water containing dissolved nutrients is recirculated past the roots of plants in a watertight channel
- B. The nutrient solution flows in a thin film over the roots ensuring that the upper part of the roots gets sufficient supply of oxygen.
- C. Roots keep suspended in the air over the nutrient solution which is provided in the form of a nutrient mist.
- D. Both a and b

Answer: D



Watch Video Solution

102. According to carbonic acid exchange theory of mineral salt absorption by roots, which of the following is incorrect?

- A. CO_2 released by the respiration of roots combines with soil H_2O to form H_2CO_3
- B. H_2CO_3 dissociates into H^+ and HCO_3^- ions in soil solution.
- C. H^+ ions may be exchanged for cations adsorbed on clay particles.
- D. Cations thus released into soil solution are adsorbed on root cells in exchange for anions (e.g., Cl^- ions.)

Answer: D



Watch Video Solution

103. Consider the following steps involved in nodule formation in the root of a legume.

- (i). Bacteria release chemicals and enzymes.
- (ii). Bacteria stop dividing and form bacteroides.
- (iii). Roots secrete chemical attractants.
- (iv). Formation of infection thread.
- (v). Formation of nodules.
- (v). Formation of nodules.
- (vi). Division of infected cortical cells.
- (vii) Curling of root hair and degradation of their cell wall.
- (viii). Infection thread grows along with multiplication of bacteria.

Arrange the steps in the right sequence and mark the correct option

A. (iii).(i),(vii),(iv),(viii),(vi),(v),(ii)

B. (iii),(iv),(viii),(i),(vi),(vii),(ii),(v)

C. (i),(iv),(iii),(vi),(v),(vii),(viii),(ii)

D. (i),(iii),(vi),(iv),(viii),(ii),(v),(vii)

Answer: A



Watch Video Solution

104. Which of the following statements will not hold true if a plant is grown in only sand (S), only clay (C) and only humus (H)?

- A. water availability to the roots will be more in (C) and (H) as compared to (S)
- B. Ability of roots to penetrate (S) and (H) will be low as compared to (C).
- C. Nutrient availability to roots will be less in (S) as compared to (C) and (H).
- D. Oxygen availability to roots will be low in (C) as compared to (S) and (H).

Answer: B





[Watch Video Solution](#)

105. In the initial phase of mineral ion absorption, there is a rapid uptake of ions into ___ space of cells. Ions absorbed in this phase are ___ exchangeable. It is ___ uptake as it ___ the expenditure of metabolic energy.

- A. inner, not freely, active, requires
- B. inner, freely, passive, requires
- C. outer, freely, passive, does not require
- D. outer, not freely, active, requires

Answer: C



[Watch Video Solution](#)

106. Following observations are made for a plant grown under different conditions

I. Chloride and magnesium in soil + light → green plant

II. Chloride and magnesium in soil+light → etiolated plant

III. Magnesium +light → green plant

VI. Intermittent light flashes +chloride → etiolated plant

From the above observations, it is concluded that the factors necessary for the green colour in plants are

A. chloride and light

B. chloride, magnesium and light

C. magnesium and light

D. flash of light with chloride.

Answer: C



Watch Video Solution

107. You observe that a plant's younger leaves, not the older ones, are yellowing. You recall that the cause of plant sickness can be diagnosed by

which leaves are yellowing. What is the most likely cause of your plant's blight?

- A. Too much shade
- B. Lack of nitrogen-fixing Rhizobium bacteria
- C. A deficiency in a mobile mineral nutrient
- D. A deficiency in a non-mobile mineral nutrient

Answer: D



[Watch Video Solution](#)

108. Which one of the following roles is not characteristic of an essential element?

- A. Being a component of biomolecules
- B. changing the chemistry of soil

C. Being a structural component of energy related chemical compounds

D. Activation or inhibition of enzymes

Answer: B



Watch Video Solution

109. Which one of the following statements can best explain the term critical concentration of an essential element?

A. Essential element concentration below which plant growth is retarded

B. essential element concentration below which plant growth becomes enhanced

C. Essential element concentration below which plant remains in the vegetative phase

D. none of the above

Answer: A



[Watch Video Solution](#)

110. Deficiency symptoms of an element tend to appear first in young leaves. It indicates that the element is relatively immobile. Which one of the following elemental deficiency would show such symptoms?

- A. Sulphur
- B. Magnesium
- C. Nitrogen
- D. Potassium

Answer: A



[Watch Video Solution](#)


111. Which one of the following symptoms is not due to manganese toxicity in plants?

- A. Calcium translocation in shoot apex is inhibited
- B. Deficiency in both iron and nitrogen is induced
- C. Appearance of brown spot surrounded by chlorotic veins.
- D. none of the above

Answer: B

 [Watch Video Solution](#)

112. Reaction carried out by N_2 fixing microbes include



$2NO_2^- + O_2 \rightarrow 2NO_3^- \dots(ii)$ Which of the following statements about these equations is not true?

- A. Step (i) is carried out by Nitrosomonas or Nitrosococcus.
- B. Step (ii) is carried out by Nitrobacter

C. Both steps (i) and (ii) can be called nitrification

D. bacteria carrying out these steps are usually photoautotrophs.

Answer: D

 [Watch Video Solution](#)

113. With regard to the biological nitrogen fixation by *Rhizobium* in association with soy bean, which one of the following statement/statements does not hold true?

A. Nitrogenase may require oxygen for its functioning

B. nitrogenase is Mo-Fe protein

C. Leghaemoglobin is a pink coloured pigment

D. Nitrogenase helps to convert N_2 gas into two molecules of ammonia.

Answer: A



Watch Video Solution

114. Match the element with its associated functions/roles and choose the correct option among given below.

- A. Boron (i). Splitting of H_2O to liberate O_2 during
B. Manganese (ii). Needed for synthesis of auxins
C. Molybdenum (iii). component of nitrogenase
D. Zinc (iv). Pollen germination
E. Iron (v). Component of ferredoxin

A. A-(i),B-(ii),C-(iii),D-(iv),E-(v)

B. A-(iv),B-(i),C-(iii),D-(ii),E-(v)

C. A-(iii),B-(ii),C-(iv),D-(v),E-(i)

D. A-(ii),B-(iii),C-(v),D-(i),E-(iv)

Answer: B



Watch Video Solution

115. Plants can be grown in (Tick the incorrect option)

- A. soil with essential nutrients
- B. water with essential nutrients
- C. either water or soil with essential nutrients
- D. water or soil without essential nutrients

Answer: D

 [Watch Video Solution](#)

116. Assertion: The technique of growing plants in a nutrient solution is known as hydroponics

Reason: Hydroponics is used for commercial production of vegetables such as tomato, seedless cucumber and lettuce.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false

D. if both assertion and reason are false

Answer: B



Watch Video Solution

117. Assertion: Some essential elements are called structural element of cells

Reason: These essential elements are the components of certain biomolecules.

A. If both assertio and reason are true and reason is the correct explanation of assertion

B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false

D. if both assertion and reason are false

Answer: A



[Watch Video Solution](#)

118. Assertion: Plants absorb calcium from soil in the form of calcium ions (Ca^{2+})

Reason: Calcium is required by meristematic and differentiating tissues.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false
- D. if both assertion and reason are false

Answer: B



[Watch Video Solution](#)

119. Assertion: Sulphur is the main constituent of several coenzymes, vitamins and ferredoxin.

Reason: Sulphur is present in two amino acids- valine and cysteine.


- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false
- D. if both assertion and reason are false

Answer: C



[Watch Video Solution](#)

120. Assertion: Plants obtain molybdenum in the form of molybdate ions



Reason: Molybdenum is a component of pollen germination, cell elongation and cell differentiation.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false

Answer: D



[Watch Video Solution](#)

121. Assertion: Deficiency symptoms appear when the availability of the essential nutrients falls below the critical concentration.

Reason: Critical concentration is that limited concentration of the essential element below which growth of the plant is reduced.

- A. If both assertio and reason are true and reason is the correct explanation of assertion
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false
- D. if both assertion and reason are false

Answer: A



Watch Video Solution

122. Assertion: Necrosis occurs due to deficiency of Ca, Mg, Cu and K.

Reason: Necrosis is the death of tissue, particularly leaf tissue.

- A. If both assertio and reason are true and reason is the correct explanation of assertion

B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false

D. if both assertion and reason are false

Answer: B

 [Watch Video Solution](#)

123. Assertion: The prominent symptom of manganese toxicity is the appearance of brown spots surrounded by chlorotic veins.

Reason: Excess of manganese may induce deficiencies of iron, magnesium and calcium.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false

D. if both assertion and reason are false

Answer: B



Watch Video Solution

124. Assertion: The movement of ions into or out of the cells is usually called flux.

Reason: The entry or exit of ions to and from the symplast, is an active process.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. if both assertion and reason are true but reason is not the correct explanation of assertion

C. if assertion is true but reason is false

D. if both assertion and reason are false

Answer: B



[Watch Video Solution](#)

125. Assertion: As per carbonic acid exchange theory of mineral salt absorption, CO_2 released during respiration of roots forms H_2SO_3 dissociates into H^+ and HCO_3^- ions, where H^+ ions exchange with anions adsorbed on clay particles.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false

Answer: C



[Watch Video Solution](#)

126. Assertion: Ammonia is converted into nitrate by soil bacteria like Nitrosomonas and Nitrobacter

Reason: Denitrification is carried by bacteria Pseudomonas and Azotobacter.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false
- D. if both assertion and reason are false

Answer: C



[Watch Video Solution](#)

127. Assertion: Nitrate present in the soil is reduced to nitrogen by the process of denitrification

Reason: Denitrification is carried by bacteria *Pseudomonas* and *Azotobacter*.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false
- D. if both assertion and reason are false

Answer: C



Watch Video Solution

128. Assertion: Reduction of nitrogen to ammonia by living organisms is called nitrification.

Reason: Example of free-living nitrogen fixing anaerobic microbes are Azotobacter and Beijerinckia.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false

Answer: D



[Watch Video Solution](#)

129. Assertion: The enzyme nitrogenase is a Mo-Fe protein and catalyses the conversion of atmospheric nitrogen to ammonia.

Reason: The enzyme nitrogenase is highly sensitive to the molecular oxygen.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion
- C. If assertion is true but reason is false
- D. If both assertion and reason are false

Answer: B



Watch Video Solution

130. Assertion: Reductive amination involves the transfer of amino group from one amino acid to the keto group of a keto acid.

Reason: In reductive amination, transfer of NH_2 from glutamic acid takes place.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. if both assertion and reason are true but reason is not the correct explanation of assertion
- C. if assertion is true but reason is false
- D. if both assertion and reason are false

Answer: D



Watch Video Solution