



CHEMISTRY

BOOKS - MTG CHEMISTRY (HINGLISH)

HYDROCARBONS

Alkanes

1. The major constituent of natural gas is

- A. methane
- B. propane
- C. butane
- D. hexane.

Answer: A



2. The number of chain isomers possible for hydrocarbon C_5H_{12} is

A. 3

B. 5

C. 4

D. 6

Answer: A



View Text Solution

3. Which one of the following gives only one monochloro derivative?

A. neo-Pentane

B. n-Hexane

C. 2-ethylpentane

D. 3-Methylpentane

Answer: A



[View Text Solution](#)

4. Wurtz reaction is used to unit





- A. two alkyl halides
- B. two aryl halides
- C. alkyl and aryl halides
- D. two benzene units.

Answer: A



[View Text Solution](#)

5. Which of the following compounds will react with Na to form 4,5-diethyloctane?



Answer: D

 [View Text Solution](#)

6. In the reaction, $Cl_2 + CH_4 \xrightarrow{h\nu} CH_3Cl + HCl$ presence of a small amount of oxygen

A. increases the rate of reaction for a brief period of time

B. decreases the rate of reaction for a brief period of time

C. does not affect the rate of reaction

D. completely stops the reaction

Answer: B



[View Text Solution](#)

7. A mixture of 1-iodoethane and 1-iodopropane is treated with sodium metal and dry ether to carry out Wurtz reaction. Which of the following hydrocarbons will be formed?

A. Propane+Hexane

B. Ethane+Propane

C. Butane+Propane



D. Butane+Pentane+Hexane

Answer: D



[View Text Solution](#)

8. Which alkane is produced when sodium salt of butanoic acid is heated with soda lime?



Answer: D



[View Text Solution](#)

9. Which of the following statements is true?

A. soda lime a mixture of sodium hydroxide and potassium hydroxide.

B. Methane can be prepared by wurtz reaction

C. In alkanes all carbon atoms are sp^3 hybridised.

D. neo-pentane yields three different monochloro derivatives.

Answer: C

 [View Text Solution](#)

10. Hydrocarbon which is liquid at room temperature is

A. pentane

B. butane

C. propane

D. ethane

Answer: A

 [View Text Solution](#)

11. Kerosene is a mixture of

- A. aromatic hydrocarbons
- B. aliphatic hydrocarbons
- C. unsaturated hydrocarbons
- D. saturated hydrocarbons.

Answer: B

 [View Text Solution](#)

12. Which of the following has the lowest boiling points?

- A. 2-Methylbutane
- B. 2-Methylpropane
- C. 2,2-Dimethylpropane
- D. n-Pentane

Answer: B

 [View Text Solution](#)

13. Chlorination of alkanes is a photochemical process. It is initiated by the process of

- A. heterolysis
- B. homolysis
- C. pyrolysis
- D. hydrolysis

Answer: B



[View Text Solution](#)

14. Chlorination of methane does not occur in dark because

- A. methane can form free radicals in presence of sunlight ohnly
- B. to get chlorine free radicals from Cl_2 molecules energy is required.

It cannot happen in dark

C. substitution reaction can take place only in sunlight and not in dark

D. termination step cannot take place in dark, it requires sunlight.

Answer: B



[View Text Solution](#)

15. Ethane is formed during the formation of chloromethane by chlorination of methane because

A. higher members of the hydrocarbons are generally formed during reactions

B. two methyl free radicals may combine during chlorination to give ethane

C. two chloromethane molecules react to form ethane

D. chlorine free radical reacts with methane to give ethane.

Answer: B

 [View Text Solution](#)

16. Which of the following isomeric heptanes can yield seven different monochlorinated products upon free radical chlorination?

A. 2,2-Dimethylpentane

B. 2-methylhexane

C. 3-Methylhexane




D. 2,4-dimethylpentane

Answer: C

 [View Text Solution](#)

17. An alkane C_6H_{14} gives two monochloro derivatives on chlorination. Its possible structure is

A. $CH_3CH_2CH_2CH_2CH_2CH_3$




Answer: D

 [View Text Solution](#)

18. During halogenation of alkanes the halogens and alkane show a specific trend. Which of the following statements is not correct?

A. The reactivity of halogens is in the order $F_2 > Cl_2 > Br_2 > I_2$

B. For a given halogen the reactivity of hydrocarbon is in the order of



C. Bromine is less reactive than chlorine towards a particular alkane.

D. On chlorination monosubstituted product is formed while on bromination disubstituted products are formed.

Answer: D



View Text Solution

19. An inhibitor is described as,





- A. a substance that slows down or stops a reaction
- B. a substance which inhibits the properties of a catalyst
- C. a substance formed during the reaction and does not participate in the reaction
- D. a substance which prevents formation of products in a reaction being most reactive.

Answer: A



Watch Video Solution

20. Which step is chain propagation step in the following mechanism?



A. (i)

B. (ii)

C. (iii)

D. (iv)

Answer: B



[View Text Solution](#)





21. What happens when methane reacts with conc. HNO_3 at high temperature?

- A. Nitromethane is formed
- B. Methanol is formed.
- C. CO_2 and H_2O are formed.
- D. CO and H_2O are formed.

Answer: A

 **Watch Video Solution**

22. Few reactions of alkanes are given below. Identify the name of the reaction which is not correctly matched with the reaction.



Answer: C



[View Text Solution](#)

23. Which of the following products is formed when n-heptane is passed over ($Al_2O_3 + Cr_2O_3$) catalyst at 773K?




- A. Benzene
- B. Toluene
- C. Polyheptane
- D. Cycloheptane





Answer: B



[View Text Solution](#)

24. Complete the following reactions:










Answer: A

 [View Text Solution](#)

25. In the given reactions:



Identify, X, Y and Z



B. X-(i) CH_3CH_3 (ii) CH_3COONa

γ - CH_4 , CH_4 , z - CH_3Br , $CH_3CH_2CH_3$

C. X-(i) CH_3CH_3 (ii)- CH_3COONa , γ -

CH_4 , CH_3CH_3 , $Z - CH_3CH_3CH_3$, CH_3Br

D. X-(i) CH_3CH_3 (ii) CH_3COONa , γ - CH_3CH_2Br , CH_4 z -

$CH_3CH_2CH_2CH_3$, CH_3Br

Answer: D

 [View Text Solution](#)

Alkenes

1. 1,3,5,7-Octatetraene contains (X) _____ σ -bonds and (Y) _____ π -bonds.

'X' and 'Y' are

A. 23,4

B. 17,4

C. 18,5

D. 33,2

Answer: B

 [View Text Solution](#)

2. Geometrical isomerism is caused

A. by restricted rotation around C=C bond

B. by the presence of one asymmetric carbon atom


C. due to the different groups attached to the same functional group

D. by swing of hydrogen atom between two divalent atoms.

Answer: A

 [View Text Solution](#)

3. How many geometrical isomers are possible for the given compound?



- A. Four
- B. Three
- C. Two
- D. Five

Answer: A



[View Text Solution](#)




4. The alkene that exhibits geometrical isomerism is

- A. propene
- B. 2-methylpropene
- C. 2-butene
- D. 2-methyl-2-butene

Answer: C

 [View Text Solution](#)

5. Which of the following compounds will show cis-trans isomerism?



Answer: C

 [View Text Solution](#)

6. 2-Bromopentane is treated with alcoholic KOH solution. What will be the major product formed in this reaction and what is the type of elimination called?

- A. Pent-1-ene, β -Elimination
- B. Pent-2-ene, β -elimination
- C. Pent-1-ene, Nucleophilic substitution
- D. Pent-2-ene, Nucleophilic substitution.

Answer: B

 [View Text Solution](#)


7. What is the order of reactivity of hydrogen atoms attached to carbon atom in an alkene?

- A. $3^\circ > 1^\circ > 2^\circ$
- B. $2^\circ > 1^\circ > 3^\circ$
- C. $3^\circ > 2^\circ > 1^\circ$
- D. $1^\circ > 2^\circ > 3^\circ$

Answer: C

8. Dehydrohalogenation involves removal of the halogen atom together with a hydrogen atom from carbon adjacent to the one with halogen atom. Alcoholic KOH is used for dehydrohalogenation. According to saytzeff's rule, when two alkenes may be formed, the alkene which is most substituted is the major product.

Q. Arrange the following alkyl halides in decreasing order of the rate of β -elimination reaction with alcoholic KOH.



A. iigtiiigti

B. iiigtiiigti

C. igtiigtiii

D. iigtigtiii

Answer: B



[View Text Solution](#)

9. Dehydrohalogenation involves removal of the halogen atom together with a hydrogen atom from carbon adjacent to the one with halogen atom. Alcoholic KOH is used for dehydrohalogenation. According to Saytzeff's rule, when two alkenes may be formed, the alkene which is most substituted is the major product.

Q. The ease of dehydrohalogenation for different halogens is in the order

- A. iodide > bromide > chloride
- B. bromide > iodide > chloride
- C. chloride > bromide > iodide
- D. iodide > chloride > bromide

Answer: A



[View Text Solution](#)

10. Dehydrohalogenation involves removal of the halogen atom together with a hydrogen atom from carbon adjacent to the one with halogen atom. Alcoholic KOH is used for dehydrohalogenation. According to Saytzeff's rule, when two alkenes may be formed, the alkene which is most substituted is the major product.

Q. What are the products of dehydrohalogenation of 2-iodopentane?

- A. 2-Pentene (major), 1-Pentene (minor)
- B. 1-Pentene (major), 2-Pentene (minor)
- C. 2-Pentene (50%), 1-Pentene (50%)
- D. None of these

Answer: A



[View Text Solution](#)

11. The compound formed when alcoholic solution of ethylene dibromide is heated with granulated zinc is

A. ethene


B. ethyne

C. ethane





D. bromoethane

Answer: A

 [View Text Solution](#)



A and B. are



Answer: B

 [View Text Solution](#)



13. Pentene-1 with HCl gives



- A. 3-chloropentane
- B. 2-chloropentane
- C. 1,2-dichloropentane
- D. 1-chloropentane.

Answer: B

 [View Text Solution](#)

14. Which of the following reactions does not show the correct products of the reaction?





Answer: B

 [View Text Solution](#)

15. Presence of unsaturation in organic compounds can be tested with

A. Fehling's reagent

B. Tollen's reagent

C. Baeyer's reagent

D. Fitting's reaction

Answer: C

 [View Text Solution](#)

16. An alkene X is obtained by dehydration of an alcohol Y. X on ozonolysis gives two molecules of ethanal for every molecule of alkene. X and Y are


- A. X=3-hexene, Y=3-hexanol
- B. X=2-butene, Y=2-butanol
- C. X=1-butene, Y=1-butanol
- D. X=1-hexene, Y=1-hexanol




Answer: B

 [View Text Solution](#)

17. Propanal-1 and pentan-3-one are the ozonolysis products of an alkene.

What is the structural formula of alkene?








Answer: A



 [View Text Solution](#)

18. An alkene 3-ethylpent-2-ene will give which of the following products on ozonolysis?




Answer: B


19. An unsaturated hydrocarbon was treated with ozone and resulting ozonide on hydrolysis gives 2-pentanone and acetaldehyde. What is the structure of alkene?



B.



C.




D.

Answer: B


20. An organic compound $C_6H_{12}(X)$ on reduction gives $C_6H_{14}(Y)$. X on ozonolysis gives two aldehydes $C_2H_4O(I)$ and $C_4H_8O(II)$. Identify the

compounds X, Y and aldehydes (I) and (II).



A.



B.



C.



Answer: A

 [View Text Solution](#)

21. Hydrolysis of ozonide of but-1-ene gives

A. ethylene only

B. acetaldehyde and formaldehyde

C. propionaldehyde and formaldehyde

D. acetaldehyde only

Answer: C

 [View Text Solution](#)

22. Ozonolysis of 2,3-dimethylbut-1-ene followed by reduction with zinc and water gives

A. methanal and hexanoic acid

B. methanoic acid and butanone



C. methanal and 3-methylbutan-2-one

D. butanoic acid and 2,3-dimethylbutanoic acid.




Answer: C

 [View Text Solution](#)

23. The products for the following reactions are



A.







Answer: C



View Text Solution

24. The reaction in terms of intermediates and type of reaction is given below. Mark the incorrect option.



Answer: C




View Text Solution


25. A compound X decolourises Br_2 water and reacts slowly with conc H_2SO_4 to give an addition product. X reacts with HBr to form Y. Y reacts with NaOH to form Z. on oxidation Z gives hexan-3-one. X, Y and Z in the reactions are

$X \xrightarrow{\text{Br}_2 \text{ water}}$ Decolourisation

↓ conc. H_2SO_4
Addition product




A.




B.



C.



D.




Answer: C







View Text Solution

1. In the following reaction,






the major product obtained is

- A. (a)  CH_2Br
- B. (b)  CH_3 Br
- C. (c)  CH_3 Br
- D. (d)  CH_3 Br

Answer: C

 [View Text Solution](#)

2. Identify the polynuclear aromatic compound which is aromatic.



A. (i) and (ii)

B. (ii) and (iii)





C. (i), (ii) and (iii)

D. (i) and (iii)

Answer: C

 [View Text Solution](#)


3. Identify the unknown compound.



Answer: B

 [View Text Solution](#)

4. Identify the unknown compounds.



A. $A \rightarrow$ Nitrobenzene, $B \rightarrow$ Dinitrobenzene, $C \rightarrow$ p-Bromoaniline

B. $A \rightarrow C_6H_5SO_3H$, $B \rightarrow m$ -Benzenesulphonic acid, $C \rightarrow m$ -Benzenesulphonate


C. $A \rightarrow C_6H_5NO_2$, $B \rightarrow m$, Bromonitrobenzene, $C \rightarrow m$ -Bromoaniline

D. $A \rightarrow$ p-Nitrobenzene, $B \rightarrow m$ -Trinitrobenzene, $C \rightarrow m$ -Bromoaniline


Answer: C

 View Text Solution


5. Complete the reaction with suitable reagents and compounds.




A.



B.



C.



D.





Answer: C



[View Text Solution](#)

6. similar to alkenes and alkynes benzene also undergoes ozonolysis. In the sequence of the given reaction identify X and Y.



- A. X=Triozonide, Y=Glyoxal
- B. X-Diozonide, Y=Succinic acid
- C. X=Monoozonide, Y=Benzoic acid
- D. X=Triozonide, Y=Benzaldehyde.

Answer: A

 [View Text Solution](#)

Alkynes

1. How many structures are possible for C_5H_8 with one triple bond?

A. 4

B. 3


C. 2

D. 1

Answer: B

 [View Text Solution](#)

2. Identify X and Y in the following



A. $\text{X} - \text{CH}_3\text{CHBr}$, $\text{Y} - \text{CH}_2 = \text{CH}_2$

B. $\text{X} - \text{CH}_2\text{OH} - \text{CH}_2\text{OH}$, $\text{Y} - \text{CH}_2 = \text{CH}_2$

C. $\text{X} - \text{CH}_2\text{CHBr}$, $\text{Y} - \text{CH} \equiv \text{CH}$

D. $\text{X} - \text{CH} \equiv \text{CBr}$, $\text{Y} - \text{CH} \equiv \text{CH}$

Answer: C

 [View Text Solution](#)

3. What happens when calcium carbide is treated with water?

- A. Ethane is formed
- B. Methane and ethane are formed
- C. Ethyne is formed
- D. Ethene and ethyne are formed.

Answer: C



[View Text Solution](#)

4. One mole of 1,2-dibromopropane on treatment with X moles of NaNH_2 followed by treatment with ethyl bromide gave a 2-pentyne. The value of X is

- A. one
- B. two




C. three

D. four

Answer: C

 [View Text Solution](#)

5. Which of the following will give 2,2-dibromopropane on reaction with HBr?



Answer: B

 [View Text Solution](#)

6. The most acidic hydrogen atoms are present in

A. Ethane

B. ethene

C. ethyne

D. benzene

Answer: C



[View Text Solution](#)

7. Which of the following alkynes is most acidic?

A. $CH_3C \equiv CH$

B. $CH_3C \equiv CCH_3$





C. $CH_3CH_2C \equiv CH$

D. $CH \equiv CH$

Answer: D

 [View Text Solution](#)

8. The correct trend of acidic nature of the following alkynes is



Answer: A

 [View Text Solution](#)

9. Identify the reagent which can easily distinguish between 1-butyne and 2-butyne.

- A. Bromine water
- B. Baeyer's reagent
- C. Dilute $H_2SO_4 + HgSO_4$
- D. Ammoniacal Cu_2Cl_2

Answer: D

 [View Text Solution](#)

10. Which of the following alkynes can be identified and distinguished from the rest of the alkynes on reaction with ammoniacal silver nitrate to give a white precipitate?

- A. $CH_3C \equiv C - CH_3$
- B. $CH_3CH_2C \equiv CH$
- C. $CH_3CH_2C \equiv CCH_3$
- D. $CH_3C \equiv CCH_2CH_2CH_3$

Answer: B

 [View Text Solution](#)

11. Which of the following reactions does not show the acidic nature of ethyne?

A. Acetylene reacts with sodamide to form sodium acetylides.

B. When passed through ammoniacal cuprous chloride solution, a red precipitate is formed





C. Acetylene reacts with chlorine in the dark to form di or tetrachlorides.

D. Acetylene when passed through ammoniacal silver nitrate gives a white precipitate

Answer: C

 [View Text Solution](#)

12. Identify the product for the following reaction:








Answer: A



[View Text Solution](#)

13. Complete the following reaction by identifying X and Y.







Answer: B

 [View Text Solution](#)

14. When 1-butyne undergoes oxymercuration with the help of $HgSO_4 + H_2SO_4$, the product(s) formed is/are



Answer: B

 [View Text Solution](#)

15. Ozonolysis products of 2-pentyne after decomposition of ozonide with water and subsequent oxidation are


- A. ethanoic acid and propanoic acid
- B. ethanoic acid and propanone
- C. ethanoic acid
- D. formic acid and glyoxal

Answer: A



[View Text Solution](#)

16. the ozonolysis product(s) of the following reaction is(are)



- A. CH_3COCH_3
- B. $CH_3COCH_3 + HCHO$
- C. $CH_3COOH + HCOOH$



1. Coal tar is the main source of


- A. aromatic compounds
- B. alicyclic compounds
- C. aliphatic compounds
- D. nitro compounds.

Answer: A


 [View Text Solution](#)

2. Which of the following names is not correctly written in front of the compound?





C.




D.


Answer: C

 [View Text Solution](#)


3. The correct structure for triphenylbromomethane is




A.



B.



C.



D.

Answer: A



[View Text Solution](#)

4. Although benzene is highly unsaturated it does not undergo addition reactions. The explanation of this can be suggested as

- A. π -electrons of benzene ring are delocalised
- B. since π -electrons are present inside the ring, addition cannot take place
- C. cyclic structures do not show addition reactions
- D. benzene is not a reactive compound.

Answer: A



[View Text Solution](#)

5. Fill in the blanks with appropriate words. Benzene has a planar structure. All carbon atoms in benzene are (I)___ hybridised. The ring structure of benzene was proposed by (II)_____. It shows (III)_____substitution reactions. It reacts with (IV)_____in presence of aluminium chloride to form acetophenone.

A. $I - sp^2$, II-Kekule, III-electrophilic, IV-acetyl chloride

B. $I - sp$, II-Dewar, III-Nucleophilic, IV-chloroethane

C. $I - sp^2$, II-Ladenberg, III-electrophilic, IV-chloroethane

D. $I - sp^2$, II-Baeyer, III-nucleophilic, IV-methyl bromide

Answer: A



[View Text Solution](#)

6. Mark the incorrect statement from the following

A. Benzene has a planar structure

B. Benzene is an unsaturated hydrocarbon and shows addition reactions like alkenes.

C. In benzene carbon uses two p-orbitals for hybridisation

D. aromatic hydrocarbons contain high percentage of carbon hence burn with sooty flame.

Answer: B

 [View Text Solution](#)

7. What is the carbon-carbon bond length in benzene?

A. 1.20 \AA and 1.31 \AA

B. 1.39 \AA

C. 1.39 \AA and 1.20 \AA

D. 1.20 \AA

Answer: B



[View Text Solution](#)

8. Benzene easily shows

- A. ring fission reactions since it is unstable
- B. addition reactions since it is unsaturated
- C. electrophilic substitution reactions due to stable ring and high π electron density
- D. nucleophilic substitution reactions due to stable ring and minimum electron density.


Answer: C



[View Text Solution](#)

9. Which of the following species is aromatic?

(a)




A.

(b)




B.

(c)



C.

(d)



D.

Answer: D



View Text Solution


10. Which of the following species does not show aromaticity?

(a)



A.

(b)




B.

(c)



C.

(d)



D.

Answer: D



[View Text Solution](#)

11. Nitration and chlorination of benzene are

A. nucleophilic and electrophilic substitution respectively

- B. electrophilic and nucleophilic substitution respectively
- C. electrophilic substitution in both the reaction
- D. nucleophilic substitution in both the reaction.

Answer: C

 [View Text Solution](#)

12. Nitration of benzene is carried out with conc. HNO_3 in presence of conc. H_2SO_4 . The role of conc. H_2SO_4 is to provide

- A. nucleophile during the reaction
- B. free radical during the reaction
- C. electrophile during the reaction
- D. catalyst during the reaction

Answer: C

 [View Text Solution](#)

13. In halogenation of aromatic hydrocarbon, a halogen carrier is used which is generally a Lewis acid. The main function of this reagent is to generate the species

A. X

B. X^-

C. X^+


D. X^*

Answer: C



[View Text Solution](#)

14. The following reaction is known as



A. Wurtz-Fittig reaction

B. Friedel-Crafts reaction





C. Rosenmund reaction

D. Sandmeyer reaction

Answer: B

 [View Text Solution](#)

15. Which of the following reactions is not an example of electrophilic substitution in benzene ring?



Answer: C

 [View Text Solution](#)

16. Name the products of the following reactions.

(I). C_6H_6 reacts with methyl chloride in presence of $AlCl_3$.

(II) C_6H_6 reacts with acetyl chloride in presence of $AlCl_3$.

(III) C_6H_6 reacts with fuming nitric acid in presence of conc. H_2SO_4 .

(IV). C_6H_6 is catalytically hydrogenated.

A. I-Chloromethane, II-Toluene, III-Nitrobenzene, IV-n-Hexane

B. I-Methylbenzene, II-Chlorobenzene, III-Phenylnitrite, IV-
Trimethylbenzene

C. I-Benzylchloride, II-Trimethylbenzene, III-Trinitrobenzene, IV-Toluene

D. I-Toluene, II-Acetophenone, III-Trinitrobenzene, IV-Cyclohexane

Answer: D

 [View Text Solution](#)

17. Which of the following steps is not correct in the mechanism of electrophilic substitution of benzene?


- A. Generation of electrophile like X^+ , R^+ , RC^+O , NO_2^+ , etc.
- B. Attack of electrophile resulting in the formation of arenium ion in which one of the carbon is sp^3 hybridised.
- C. Addition of proton on benzene ring to give carbocation.
- D. Removal of proton from sp^3 carbon atom to restore aromatic character.

Answer: C




[View Text Solution](#)


18. The electrophile, E^+ attacks the benzene ring to generate the intermediate σ -complex. Which σ -complex is of lowest energy?




A.



B.



C.







D.

Answer: D



View Text Solution

19. Which of the following groups is o-p directing but deactivates benzene ring for electrophilic substitution?



Answer: C



[View Text Solution](#)

20. The correct order of reactivity towards electrophilic substitution is

A. benzenegtphenolgtbenzoic acidgtchlorobenzen

B. phenolgtbenzenegtchlorobenzenegtbenzoic acid

C. chlorobenzenegtbenzoic acidgtphenolgtbenzene

D. benzoic acidgtchlorobenzenegtbenzenegtphenol.

Answer: B



[View Text Solution](#)

21. 1,2-Benzpyrene is

- A. a polynuclear hydrocarbon
- B. carcinogenic in nature
- C. an aromatic hydrocarbon
- D. both (a) and (b)


Answer: D




[View Text Solution](#)

Higher Order Thinking Skills

1. 1-Bromo-3-chlorocyclobutane is treated with two equivalents of Na, in the presence of ether. Which of the following compounds will be formed.




A.



B.



C.




D.

Answer: D



[View Text Solution](#)



The approximate ratio of percentage yields of A and B formed in the above reaction is

A. 50: 50

B. 72: 28

C. 45: 55

D. 60: 40


Answer: B









[View Text Solution](#)

Higher Order Thinkin Skills

1. Observe the following reactions and predict the products A and B






- A. (a) A and B both are 
- B. (b) A and B both are 
- C. (c) A is  and B is 
- D. (d) A is  and B is 

Answer: C



View Text Solution

2. Arrange the following alkenes



in decreasing order of their reactivity towards HBr.

A. IgtIIgtIII

B. IIgtIIIgtI





C. IIIgtIIgtI

D. IIIgtIgtII

Answer: C

 View Text Solution

3. Which of the following will exhibit aromatic character?



A. I,III

B. III,IV


C. II,IV

D. II,III

Answer: C

 View Text Solution

4. Consider the following compounds:



Which compound possesses highest dipole moment?


- A. I
- B. II
- C. Both I and II
- D. III

Answer: B




[View Text Solution](#)


5. Consider the following compounds:




(i)



(ii)



(iii)



(iv)

the correct order towards electrophilic substitution reaction is

A. ivgtiiigtiti

B. igtiigtiiigtiv

C. ivgtiiigtigtii

D. iiigtivgtigtii

Answer: D



View Text Solution

1. Arrange the following in decreasing order of their boiling points:

(I) n-Butane

(II) 2-Methylbutane,

(III) n-Pentane

(IV) 2,2-Dimethylpropane

A. IgtIIgtIIIgtIV

B. IIgtIIIgtIVgtI

C. IVgtIIIgtIIgtI





D. IIIgtIIgtIVgtI

Answer: D



[View Text Solution](#)




2. Arrange the halogens F_2 , Cl_2 , Br_2 , I_2 , in order of their increasing reactivity with alkanes.



Answer: A





 [View Text Solution](#)

3. The increasing order of reduction of alkyl halides with zinc and dilute HCl is



Answer: B

4. Which of the following will not show geometrical isomerism?



Answer: D

5. Arrange the following hydrogen halides in order of their decreasing reactivity with propene.

A. HClgtHBrgtHI

B. HBrgtHIgtHCl




C. HIgtHBrgtHCl

D. HClgtHIgtHBr

Answer: C

 [View Text Solution](#)

6. Arrange the following carbanions in order of their decreasing stability.



A. IgtIIgtIII

B. IIgtIgtIII

C. IIIgtIIgtI




D. IIIgtIgtII

Answer: B



View Text Solution

7. Arrange the following alkyl halides in decreasing order of the rate of β -elimination reaction with alcoholic KOH.



A. IgtIIgtIII

B. IIIgtIIgtI

C. IIgtIIIgtI

D. IgtIIIgtII

Answer: D




View Text Solution

8. Which of the following reactions of methane is incomplete combustion?

 [View Text Solution](#)

Exemplar Problems

1. The correct IUPAC name of the following alkane is





- A. 3,6-diethyl-2-methyloctane
- B. 5-isopropyl-3-ethyloctane
- C. 3-ethyl-5-isopropyloctane
- D. 3-isopropyl-6-ethyloctane

Answer: A

 View Text Solution

2. The addition of HBr to 1-butene gives a mixture of products (I), (II) and (III):



The mixture consists of

- A. (I) and (II) as major and (III) as minor products
- B. (II) as major, (I) and (III) as minor products
- C. (II) as minor, (I) and (III) as major products
- D. (I) and (II) as minor and (III) as major products.

Answer: A





[View Text Solution](#)

Assertion And Reason

1. Assertion: 2,2-Dimethylbutane does not have any tertiary carbon atom.

Reason: Tertiary carbon atom is attached to three carbon atoms.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[View Text Solution](#)

2. Assertion: The reaction, $C_2H_5Br + 2Na + C_2H_5Br \rightarrow C_4H_{10} + 2NaBr$ is known as Wurtz reaction.

Reason: The reaction is carried out in presence of dry ether.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B



[View Text Solution](#)

3. Assertion: Wurtz reaction is not preferred for the preparation of alkanes containing odd number of carbon atoms.

Reason: It is not possible to prepare alkanes with odd number of carbon atoms through wurtz reaction.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: C



[View Text Solution](#)

4. Assertion: Sodium salt of butanoic acid on heating with soda lime gives butane.

Reason: Decarboxylation reaction yields alkanes having same number of carbon atoms as the parent acid.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: D



[View Text Solution](#)

5. Assertion: Boiling point of pentane is higher than 2,2-dimethylpropane.

Reason: There is steady increase in boiling point with increase in molecular mass.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B



[View Text Solution](#)

6. Assertion: Iodination of alkanes is carried out in the presence of oxidising agents like HIO_3 or HNO_3 .

Reason: Iodination of alkanes is an irreversible reaction.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: C



[View Text Solution](#)

7. Assertion: Staggered conformation of ethane is most stable while eclipsed conformation is least stable. Reason: Staggered form has the least torsional strain and the eclipsed form has the maximum torsional strain.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[View Text Solution](#)

8. Assertion: cis-form of alkene is found to be more polar than the trans-form.

Reason: Since the groups are in opposite directions in the trans-form, the dipole moments of bonds cancel each other making trans-form almost non-polar.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[View Text Solution](#)

9. Assertion: Alkenes are easily attacked by electrophilic reagents.

Reason: Alkenes are unstable molecules in comparison to alkenes.

- A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B

 [View Text Solution](#)

10. Assertion: Addition of HBr to propene yields 2-bromopropane but in presence of a peroxide it yields 1-bromopropane.

Reason: When reaction is carried out in the presence of a peroxide it follows free radical mechanism, 2° free radical is more stable than 1° free radical.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A

 [View Text Solution](#)

11. Assertion: Decolourisation of $KMnO_4$ solution is used as a test for unsaturation.

Reason: Alkenes on reaction with cold, dilute aqueous solution of potassium permanganate produce vicinal glycols.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: A



[View Text Solution](#)

12. Assertion: Ethyne reacts with sodium metal and sodamide to form sodium acetylide with the liberation of dihydrogen gas.

Reason: Alkynes are highly unsaturated.

A. If both assertion and reason are true and reason is the correct explanation of assertion

B. If both assertion and reason are true but reason is not the correct explanation of assertion.

C. If assertion is true but reason is false.

D. If both assertion and reason are false.

Answer: B

 [View Text Solution](#)

13. Assertion: Cyclopentadienyl anion is aromatic in nature.

Reason: Cyclopentadienyl anion has six π electrons.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A

 [View Text Solution](#)

14. Assertion: The second substituent may enter the mono-substituted benzene ring at either ortho, para or at meta position.

Reason: The position of the incoming group is determined by the nature of the group present in monosubstituted benzene ring.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: A



[View Text Solution](#)

15. Assertion: In case of aryl halides, halogens are moderately deactivating.

Reason: Halogens are ortho, para directing groups.

- A. If both assertion and reason are true and reason is the correct explanation of assertion
- B. If both assertion and reason are true but reason is not the correct explanation of assertion.
- C. If assertion is true but reason is false.
- D. If both assertion and reason are false.

Answer: B



[View Text Solution](#)