

BIOLOGY

BOOKS - KVPY PREVIOUS YEAR

KVPY 2021

Part I Chemistry

1. Which ONE of the following is NOT a function of the small intestine?

- A. Absorption of end products of digestion
 - B. Digestion of proteins
- C. Digestion of lipids
- D. Acidification of ingested food



Watch Video Solution

2. Insulin stimulates the conversion of glucose to

- A. fructose
- B. glycogen
- C. sucrose
- D. starch



Watch Video Solution

3. Which ONE of the following statements about ecosystem energetics is INCORRECT?

- A. The metabolic requirements of poikilotherms are higher than that of homeotherms.
 - B. Autotrophs form the base of the food chain in natural ecosystems.
- C. In terrestrial ecosystems, most of the primary production is consumed by detritivores and not herbivores.
- D. Approximately 10% energy of one trophic level is transferred to the next

level.

Answer:



Watch Video Solution

4. Proton motive force is created by pumping protons across the

A. trans - Golgi network

B. endoplasmic reticulum

C. mitochondrial membrane

D. early endosomal membrane

Answer:



Watch Video Solution

5. Which ONE of the following Mendelian diseases is an example of X-linked recessive disorder?

A. Haemophilia

B. Phenylketonuria

C. Sickle cell anaemia

D. Beta - thalassemia

Answer:



Watch Video Solution

6. Which ONE of the following pairs gives rise to fruit and seed, respectively, in a typical angiosperm plant?

A. Ovule and ovary

- B. Ovary and pollen
- C. Pollen and anther
- D. Ovary and ovule



Watch Video Solution

7. The concept of vaccination arose from Edward Jenner's observation that

- A. injecting inactivated anthrax spores in sheep protected them from anthrax.
- B. injecting humans with tuberculosis infected lung extracts protected them from tuberculosis.
- C. milk maids previously infected with cowpox did not contract small pox.
- D. injecting inactivated rabies virus in humans protected them from rabies.

8. A plant with genotype AABBCC is crossed with another plant aabbcc genotype. How many different genotypes of pollens is possible in an F1 plant if these three loci follow independent assortment?

A. 8

B. 4

C. 2



Watch Video Solution

9. Which ONE of the following sequences of evenets CORRECTLY represents mitosis?

A. Metaphase, telophase, prophase, anaphase

B. Anaphase, prophase, metaphase, telophase

C. Prophase, anaphase, metaphase, telophase

D. Prophase, metaphase, anaphase, telophase

Answer:



10. The amount of air that is left behind in lungs after expiratory reserve volume has been exhaled is

A. inspiratory reserve volume.

B. tidal volume.

C. residual volume.

D. vital capacity.

Answer:



Watch Video Solution

11. Match the species in Column I with their respective feature of body organisation in

Column II

Column I Column II

P. Mollusca i. Pseudocoelom

Q. Annelida ii. Radula

R. Nematoda iii. Radial symmetry

S. Echinodermata iv. Segmentation

Choose the CORRECT combination.

A. P-ii, Q-i, R-iv, S-iii

B. P-ii, Q-iv, R-i, S-iii

C. P-iii, Q-iv, R-i, S-ii

D. P-iv, Q-iii, R-ii, S-i



Watch Video Solution

- **12.** Who among the following scientists proposed the theory natural selection independently of Charles Drawin?
 - A. Alfred Russel Wallace
 - **B. Carl Linnaeus**
 - C. Georges Cuvier
 - D. Jeans Baptist Lamarck



Watch Video Solution

13. The maximum concentration of harmuful chemicals is expected to be found in organisms

A. at the bottom of a food chain.

B. at the middle of a food chain.

C. at the top of a food chain.

D. at any level in a food chain



Watch Video Solution

- 14. The genome of SARS Co V2 is composed of
 - A. double stranded DNA.
 - B. double stranded RNA.
 - C. single stranded DNA.
 - D. single stranded RNA.

Answer:



Part Ii Biology

1. Anthropocene refers to the geological age during which

A. the earliest hominids radiated from their ancestral forms.

B. human activity significantly influenced climate the environment

C. arthropod radiation was highest

D. arthropod radiation significantly influenced climate and environment .

Answer:



Watch Video Solution

2. Match the vitamins listed in Column I with the diseases caused due to their deficiency in Column II.

| P. Vitamin A | i. | Pellegra |
|----------------------------|------|--------------------|
| Q. Vitamin B ₂ | ii. | Rickets |
| R. Vitamin D | iii. | Ariboflavinosis |
| S. Vitamin B ₁₂ | iv. | Night blindness |
| | v. | Pernicious anaemia |

Column II

Choose the CORRECT combination

Column I

Answer:



Watch Video Solution

3. An adult mammal with 50 kg body weight has the following functional parameters of its lungs.

Inspiratory reserve volume = 40 ml/kg body weight

Expiratory reserve volume = 15 ml/kg body weight

Vital capacity = 60 ml/kg body weight

Breathing rate = 209/min

The volume (in litre) of air that its lungs displaces in 24 hours is

- A. 72000
- B. 7200
 - C. 3600
- D. 1200



Watch Video Solution

4. In a breed of dog, long-haired phenotype is recessive to short-hair. In a litter, one pup is short-haired and its sibling is long-haired. Consider the following possible phenotypes of the parents. i. both parents are short-haired ii. Both parents are long-haired iii. One parent is short-haired, and one is long -haired Choose the CORRECT combination of the possible parental phenotype. A. I only B. ii only

C. iii only

D. I or iii

Answer:



Watch Video Solution

5. Which ONE of the following is the most likely ratio of blood groups (A: B: AB) among the progeny from heterozygous parents with B and AB blood groups?

A. 0.5: 0.25: 0.25

 $\mathsf{B.}\ 0.25\!:\!0.25\!:\!0.5$

 $\mathsf{C.}\ 0.25 \colon 0.5 \colon 0.25$

D. 0: 0.25: 0.75

Answer:



Watch Video Solution

6. Match the plants in Column I with their features listed in Column II, III & IV

| Column I | Column II | Column III | Column IV |
|-----------------|-------------------------|-------------------------|-------------------------|
| Types of plants | Types of photosynthesis | Site of Calvin cycle | Time of stomata opening |
| Rice | CAM | Mesophyll | Day |
| Pineapple | C4 | Bundle sheath | Night |
| Sugarcane | C3 | | |

Choose the CORRECT combination.

A. Rice -C3- Mesophyll -Day, Pineapple -

CAM-Mesophyll-Night , Sugarcane-C4-

Bundle sheath-Day

B. Rice-C3-Mesophyll-Day, Pineapple-CAM-

Mesophyll-Night, Sugarcane-C4-

Mesophyll-Day

C. Rice-C4-Mesophyll-Day, Pineapple-C3-

Bundlle sheath-Night, Sugarcane-CAM-

Bundle sheath-Day

D. Rice-CAM-Mesophyll-Day, Pineapple-CAM-

Mesophyll-Day, Sugarcane-C4-Bundle


sheath Day

Answer:



Watch Video Solution

7. In the graph below. where N is population size and tis time. M represents



A. specific growth rate.

B. median population size.

C. carrying capacity.

D. minimum population size without going extinct.

Answer:



Watch Video Solution

8. Match the metabolic pathways in Column I with their corresponding intermediate molecules listed in Column II

Column I

Column II

P. Krebs cycle

Dihydroxy acetone phosphate

Q. Glycolysis

ii. Succinate

R. Electron transport chain

iii. Cytochrome c

S. Nitrogen fixation

iv. Glutamatev. Glyoxylate

Choose the CORRECT combination.

Answer:



Watch Video Solution

9. By comparing mitosis and meiosis occurring in the same organism, which ONE of the following options is CORRECT regarding the DNA content per cell?

A. Mitotic anaphase > Meiotic anaphase I

= Meiotic anaphase II

B. Mitotic anaphase = Meiotic anaphase I

> Meiotic anaphase II

C. Mitotic anaphase < Meiotic anaphase I

= Meiotic anaphase II

D. Mitotic anaphase = Meiotic anaphase I

< Meiotic anaphase II

Answer:



Watch Video Solution

10. Which ONE of the following is likely to occur upon heating a solution of eukaryotic protein from $20^{\circ}\,C$ to $95^{\circ}\,C$

A. Breakage of disulphide bonds

- B. Change in primary structure
- C. Hydrolysis of peptide bonds
- D. Change in tertiary structure



Watch Video Solution

11. Which ONE of the following statements is INCORRECT about the hexokinase-catalysed

reaction given below?

Glucose + ATP \rightarrow Glucose-6-phosphate + ADP

A. This reaction takes place in the cytoplasm

B. This is an endergonic reaction

C. Folding of hexokinase to fit around the glucose molecule excludes water from the active site

D. This reaction involves an induced fit mechanisin in hexokinase

Answer:



Watch Video Solution

12. An ecologist samples trees in multiple forest plots to determine species richness.

Which ONE of the following can help determine the adequacy of sampling effort?

- A. Graph the number of new tree species in each successive sampling plot.
- B. Graph the total number of tree species per total area for all plots combined

- C. Graph the number of individuals per tree species in each successive sampling plot.
- D. 30 sampling plots are sufficient, irrespective of the forest area.



Watch Video Solution

Part I Biology

1. Species with high fecundity, high growth rates, and small body sizes are typically

A. endangered species

B. keystone species

C. K-selected species

D. r-selected species

Answer:



- **2.** When RNase enzyme is denatured by adding urea, which ONE of the following combinations of bonds would be disrupted?
 - A. Ionic and disulphide bonds
 - B. Ionic and hydrogen bonds
 - C. Hydrogen and peptide bonds
 - D. Peptide and disulphide bonds



| 3. | The | fun | ction | of | aposei | matic | col | ourat | tion | is | to |
|----|-----|-----|-------|----|--------|-------|-----|-------|------|----|----|
| | | | | | | | | | | | |

A. attract mates

B. camouflage

C. scare off competitors

D. warn predators

Answer:



- **4.** The exponent z of the species-area measured at continental scales is
 - A. smaller than the value of z at regional scales
 - B. equal to the value of z at regional scales
 - C. greater than the value of z at regional

scales

- D. unrelated to the vallue of z at regional
 - scales.



Watch Video Solution

5. The pH of an aqueous solution of $10^{-8}MHCl$ is

A. 6.0

B. between 6.9 - 7.0

C. between 7.0 - 7.1

D. 8.0



- **6.** Which ONE of the following can NOT cause eutrophication of lakes?
 - A. Introduction of invasive floating plants
 - B. Discharge of fertilizer-rich agricultural waste
 - C. Natural ageing of lakes

D. Discharge of industrial waste

Answer:



Watch Video Solution

7. Which ONE of the following polymerases transcribes 5S rRNA?

A. RNA Pol I

B. RNA Pol III

C. RNA Pol II

D. RNA Pol IV

Answer:



Watch Video Solution

8. Which ONE of the following statements about renning is CORRET?

A. It is secreted by adrenal glands

B. It converts angiotensinogen to angiotensin

C. It is secreted by peptic cells of gastric glands into the stomach

D. It is a hormone

Answer:



Watch Video Solution

9. When one goes from a brightly lit area to a dimly lit room our eyes adjusts slowly, thereby regaining the clarity of vision. Which ONE of the following explains this process?

- A. Regeneration of rhodopsin in the rod cells
- B. Bleaching of rhodopsin
- C. Constriction of the pupil
- D. Increase in the number of rod cells



10. In a diploid population at Hardy-Weinberg equilibrium, consider a locus with two alleles. The frequencies of these two alleles are denoted by p and q, respectively. Heterozygosity in this population is maximum at

A.
$$p = 0.25, q = 0.75$$

B.
$$p = 0.4, q = 0.6$$

C.
$$p = 0.6, q = 0.4$$

D.
$$p = 0.5, q = 0.5$$



- **11.** An enzyme with optimal activity at pH 2.0 and $37^{\circ}\,C$ is most likely to be
 - A. lysozyme from hen egg white
 - B. trypsin from cattle
 - C. DNA polymerase from Thermus aquaticus

D. pepsin from humans

Answer:



Watch Video Solution

12. While adjusting to varying environmental temperature, plants incorporate in their plasma membrane

A. more saturated fatty acids in cold and more unsaturated fatty acids in hot

environment

B. more unsaturated fatty acids in cold and more saturated fatty acid in hot environment

C. more saturated fatty acids in both cold and hot environment

D. more unsaturated fatty acids in both cold and hot environment

Answer:



13. Which ONE of the following terms is NOT used while describing human vertebra?

A. Lumbar

B. Sacral

C. Thoracic

D. Tarsal

Answer:



- **14.** Assume a population that has reached herd immunity for an infectious disease. If an infected individual is introduced to this population. Which of the following is most likely to occur?
 - A. The infection will spread exponentially across population
 - B. The infection will spread linearly across the population

C. A few individuals may get infected, but the infection will not spread across the population

D. No other individual will be infected by the disease

Answer:



15. Match the type of cells in Column I with the

organs they are part of, listed in

Column I Column II

P. Chondroblast i. Bone

Q. Osteoclast ii. Brain

R. Microglia iii. Cartilage

S. Pneumocyte iv. Lung

Choose the CORRECT combination.

A. p-iii, Q-I, R-ii, S-iv

B. P-ii, Q-I, R-iii, S-iv

C. P-iv, Q-iii, R-ii,

D. P-iii, Q-ii, R-iv, S-i



Watch Video Solution

16. A bacterial culture was started with an inoculum of 10 cells. What will be the number of cells at the end of 10 cycles of division, assuming that every progeny cell undergoes division in each cycle?

A. 100

B. 1024

C. 2048


D. 10240

Answer:



Watch Video Solution

17. The following family tree traces the occurrence of a rate genetic disease. The filled symbols signify the individuals with the disease, whereas the open symbols signify healthy individuals.



Based on this information, the disease is most

likely to be

A. autosomal, dominant

B. autosomal, recessive

C. X-linked, recessive

D. X-inked, dominant

Answer:



18. Which ONE of the following statements is CORRECT about the mechanism of action of penicillin?

A. It inhibits transcription

B. It hydrolyses cell wall

C. It inhibits cell wall biosynthesis

D. It inhibits translation

Answer:



19. Leaf extract from an infected plant was passed through a filter with a pore size of $0.05 \mu m$ diameter. The infectious agent was detected in the filtrate. Which ONE of the following is the likely infectious agent?

A. Bacteria

B. Virus

C. Nematode

D. Fungus

