



### **BIOLOGY**

### BOOKS - TRUEMAN BOOK COMPANY BIOLOGY (HINGLISH)

### KINGDOM MONERA - KINGDOM OF PROKARYOTES

**Multiple Choice Question** 

1. Which is wall -less and smallest living cell

A. Algae

- B. Bacteriophage
- C. Cyanobacteria
- D. Mycoplasma

#### Answer: D

Watch Video Solution

### 2. During Gram's stain

A. all bacteria whether Gram (+) ve or (-) ve,

take crystal violet stain.

B. only Gram+ ve bacteria take crystal violet


stain.

- C. only Gram -ve bacteria take crystal violet stain.
- D. Gram (+)ve bacteria lose this stain after

alcohol treatment and take red stain of

safranin

Answer: A



D. Monera and Protista

Answer: B



**4.** A chain of spherical bacteria is called streptococci. When spherical cocci are found in grape like irregular aggregates, they are called

A. staphylococci

B. sarcina

C. palisade

D. streptobacilli







### 5. When a spiral bacterium has only one curve

### and is comma like, it is called

A. spirillum

B. vibrio

C. baciliius

D. spirochaete

Answer: B

**6.** Bacteria that have organic molecules for energy and as a source of carbon are known as

A. chemoheterotrophs

B. photoautotrophs

C. photoheterotrophs

D. chemoautotrophs

Answer: A

7. Under optimum condition Bacterial cells divide once in 20 minutes by binary fission. How many bacteria will be produced in 2 hours with same rate of division ?

A. 8

B. 32

C. 128

D. 64

#### Answer: D





8. Which one of the following has the potential to be an important source of protein because it has 1 o times higher yield than wheat ?

A. Spirogyra

B. Nostoc

C. Rhodospirillum

D. Spirulina

### Answer: D



**9.** Bacterial conversion of organic nltrogenous or protein matter into ammonium compounds is called

A. denitrification

**B. nitrification** 

C. ammonification

D. nitrogen fixation

### Answer: C



**10.** The genetic material (Genome) or DNA in prokaryotes / bacteria I E.coli and cyanobacteria occurs as

A. one ds, tree circular DNA with histones

B. one ds, circular DNA without histones

C. histones with one linear ds DNA

D. Linear ss, one DNA without histones

### Answer: B



## **11.** The main difference between Gram positive and Gram negative bacteria lies in the composition of

A. cell wall

B. pili

C. flagella

D. plasmids





**12.** Bacteria continue to live under conditions which resemble the conditions that prevailed on primitive earth, are

A. PPLO

- B. Archaebacteria
- C. Cyanobacteria
- D. Chlamydia

### Answer: B



13. Thermoacidophiles are facultative anaerobic archaebacteira and can tolerate high temperature ( $80^{\circ}C$ ) and high acidity ( $pH_2$ ) due to

A. branched chain lipids in cell membrane

B. high KCI cone. and resistant enzymes

C. mucilage covering

D. all of the above.

Answer: D

Watch Video Solution

### 14. Organisms found in extreme temperatures

are

A. Eubacteria

B. Archaebacteria

C. Fungi

D. Mycoplasma

Answer: B

Watch Video Solution

**15.** The uniqueness in Archaebacteria is the presence of

A. peptidoglycan rich cell wall

B. ether linked long branched alcohols

bound to glycerol

C. both statements are correct.

D. nuclear membrane

Answer: B

Watch Video Solution

16. The archaebacteria occurring in marshes,

swamps, rumens of catties, gobar gas plants

are

A. methanogens

B. ammonifying bacteria

C. thermoacidophiles

D. denitrifying bacteria

Answer: A

Watch Video Solution

17. A symbiotic nitrogen fixing moneran among

the following is

A. Nitrocystis

B. Anabaena

C. Nitrobacter

D. Escherichia

Answer: B

Watch Video Solution

18. From where you will collect E. coli?

A. Human excreta

B. On leaves

C. Water

D. Human stomach

### Answer: A



### 19. Gram (-) ve bacteria in Gram stain appears

A. red

**B.** Colourless

### C. blue

### D. orange

### Answer: C

Watch Video Solution

**20.** In bacteria, alternation of generations is absent because of the absence of

A. nucleus and chromosomes

B. DNA and histone

C. syngamy and meiosis

D. equational division

Answer: C

Watch Video Solution

**21.** Endospores are thick walled, dehydrated cells formed in scarcity of nutrients. These are formed in

A. Bacillus and Clostridium

B. Bacillus and Mucor

C. Clostridium and Saccharomyces

D. E. coli and Bacillus

Answer: A



22. Curing of tea and tobacco leaves is done to

develop flavour and remove bitterness. It is

due to the

A. activity of certain bacteria

B. activity of certain cyanobacteria

### C. acitivity of mycoplasma

D. acitivity of rickettsiae

Answer: A

View Text Solution

# **23.** On the basis of shape and staining Escherichia coli is

A. Bacillus, Gram (-)ve

B. Coccus, Gram (-)ve

C. Spirillum, Gram (+)ve

D. Vibrio, Gram (+)ve

Answer: A

Watch Video Solution

24. Pili/fimbriae are surface appendages that

help in

A. attachment

**B. transduction** 

C. locomotion

D. all of these

Answer: A

Watch Video Solution

**25.** Mesosomes in bacteria are considered equivalent to mitochondria. What is correct for mesosomes ?

A. They contain respiratory enzymes like

cytochrome oxidase and dehydrogenase

B. They are infoldings of cell membrane to

increase surface area

C. They are attached to nucleoid to provide

energy during binary fission, and help in

nucleoid separation and septa formation

D. All of the above.

Answer: D

**26.** Bacterial cell divides in every minute it takes one hour to fill up a cup. How much time be taken to fill half the cup

A. 60 minutes

B. 59 minutes

C. 30 minutes

D. 29 minutes

Answer: B



27. Bacteria multiply mainly by

A. transverse binary fission

B. longitudinal binary fission

C. oidia

D. conjugation

Answer: A

28. Endospores actualy help in

A. transformation

B. dispersal and perennation

C. variations

D. all of the above.

Answer: B



29. Putrefaction is

A. anaerobic breakdown of carbohydrates
B. anaerobic breakdown of proteins with foul odour chiefly sulphur compounds
C. aerobic breakdown of proteins with foul odour chiefly sulphur compounds

D. anaerobic breakdown of fats.

Answer: B

30. Nitrosomonas and Nitrococcus oxidise

A. Nitrate to nitrogen

B.  $CO_2$  to carbohydrates

 $\mathsf{C}. N_2$  to  $NO_3$ 

D.  $NH_3$  to nitrite

Answer: D

**31.** Beggiatoa oxidises

A.  $H_2S$  to S

B.  $SO_4$  to S

C. both correct

D.  $Fe^{++} \rightarrow Fe^{+++}$ 

**Answer: A** 

**32.** Dacay by bacteria is

A. aerbic breakdown of any organic matter

- B. aerobic breakdown of inorganic matter
- C. anaerobic breakdown of organic matter

with foul odour

D. aerobic breakdown of proteins.

Answer: A

**33.** Which of the following processes is fthe source of energy in chemoautotrophs for ixation of  $CO_2$  into carbohydrates ?

A. Oxidation of inorganic molecules

B. Oxidation of organic molecules

C. Reduction of organic molecules

D. Reduction/oxidation of any matter

present in medium.

Answer: A

**34.** Bacterial nitrogen fixation by nitrogen fixing bacteria is

A. oxidation of atmospheric

N = N into  $NO_3$ 

B. reduction of atmospheric

N = N into  $NH_3$ 

C. conversion

of

 $NO^2$  ^ ( - ) into  $NO^3$  ^ -

### D. use of nitrogen rich compounds by

plants.

Answer: B

Watch Video Solution

35. Anoxygenic photoautotroph requires

A.  $O_2, H_2O$  & light

 $B.CO_2$  and  $H_2O$ 

C.  $CO_2$  and light

 $D. CO_2$ , light,  $H_2S$ 

Answer: D

Watch Video Solution

36. Prokaryotic and eukaryotic flagella differ in

A. eukaryotic flagella are made up of Tu

bulin protein show ATPase activity, and

show 2 + 9 organisation while bacterial

flagella are made up of flagellin protein and show 9+0 arrangement B. eukaryotic flagella beat back and forth like oars whi le bacterial flagella rotate around their bases like propellers. C. prokaryotic flagella are outward extensions of the cell's interior while eukaryotic flagella are independent structures attached to the cell 's surface. D. all the statements are correct.





## 37. The joker of plant kingdom are

A. Bacteria

- B. Archaebacteria
- C. PPLO
- D. Viriods





# 38. Smallest organism capable of autonomous

growth and reproduction is

A. Virus

B. Bacteria

C. Mycoplasma

D. Bacteriophage

#### Answer: C





**39.** Facultative anaerobic bacteria are

A. strictly anaerobes

B. anaerobes but can live aerobically

C. aerobes but can live anaerobically also

D. no one is correct

Answer: C

**40.** Which is must for nitrogen fixation by symbiotic bacteria in root nodules?

A. Phycocyanin

B. Carotenoids

C. Leghaemoglobin

D. Bacteria viridin

Answer: C

41. In blue green algal cell, the photosynthetic

pigments are found

A. in the chromatophores

B. distributed freely in the peripheral part

of cytoplasm

C. attached to thylakoid membranes of

chloroplast

D. in the membranes of thylakoids present

freely in the cytoplasm

Answer: D



**42.** In blue green algae, attached to the freely lying thylakoids are present small granules containing photosynthetic pigments. These granules are called

A. phycobilisomes

B. poly  $\beta$ -hydroxybutyric acid (PBH)

granules

C. plastids

D. chloroplast

Answer: A

Watch Video Solution

43. Azolla is used as biofertilizer because

A. its leaves contain nitrogen fixing

cyanobacterium Anabaena

B. its leaves are rich in urea

C. it stimulates growth of seedlings of Rice

D. It activates embryo for quick

germination

Answer: A

Watch Video Solution

44. Nos toe is known to do

A. photosynthesis

B. photosynthesis and  $N_2$  fixation simul

taneously

# C. $N_2$ fixation only

D. either photosynthesis or  $N_2$  fixation at a

time

Answer: B

Watch Video Solution

## 45. Nitrogenase is found in Nostoc in the

A. phycobilisome

B. akinete

C. heterocyst

D. both (1) & (3)

#### Answer: C



### 46. Cyanobacteria are characterised by

A. ability to do oxygenic photosynthesis

and absence of phycobilins

B. ability to perform oxygenic photosynthesis and of presence phycobilins C. presence of chlorophyll in chloroplast D. ability to do anoxygenic photosynthesis and presence of nitrogenase

Answer: B

47. Nitrosomonas is a

A. chemolithotroph

B. chemoheterotroph

C. autotroph

D. heterotroph

Answer: A

**48.** Photosynthetic pigments of bacteria are

located in

A. thylakoids

B. leucoplast

C. chromoplast

D. chloroplast

Answer: A

49. In photoautotrophic bacteria, the reaction

#### centre is

A.  $P_{700}$ 

- B.  $B_{690}$
- $\mathsf{C}.\,B_{890}$
- D.  $B_{1700}$

### Answer: C



50. The hydrogen donor in bacterial photosyn-

thesis is usually

A.  $H_2O$ 

 $\mathsf{B}.\,H_2S$ 

 $\mathsf{C}.NH_3$ 

D.  $HNO_3$ 

**Answer: B** 

51. Peptidoglycan (Murein) and amino acids in

cell wall are found in

A. Archaebacteria and Eukaryotes

B. Eubacteria and Protista

C. Monera and Protista

D. Bacteria and cyanobacteria

Answer: D

**52.** A unique amino acid in the cell wall of Bacteria and BGA is

A. alanine

B. glutamine

C. aspartate

D. diaminopimelic acid

Answer: D

**53.** The bacteria which do not retain the crystal violet of iodine stain when after washing with alcohol are included in

A. Gram negative

B. Gram neutral

C. Grame positive

D. AF +ve

Answer: A

**54.** A bacterium divides every 35 minutes. If a culture containing  $10^5$  cells/ml is grown for 175 minutes. What will be the cell concentration / ml after 175 minutes

A.  $32 imes 10^5$  cells

B.  $5 imes 10^5$  cells

C.  $35 imes 10^5$  cells

D.  $4.175 imes10^5$ 

#### Answer: A

**55.** Which of the following uses light as energy source ?

A. Rhodopseudomonas

**B. Nitrococcus** 

C. Nitrosomonas

D. Clostridium

Answer: A

**View Text Solution** 

**56.** A pigment due to which root nodules of leguminous plants are pinkish, is

A. phycoerythrin

B. bacteriochlorophyll

C. bacterioviridin

D. leghaemoglobin

## Answer: D

57. Some bacteria are not easily killed because

of

A. chitinous cell wall

B. mesosomes

C. virulent nature and capsulated wall

D. capsule and endospore formation

Answer: D

**58.** Without the rotation of crop by a pulse in between cereals, the farmer observed the increases in natural fertility due to

A. Rhizobium

B. Azotobacter

C. Acetobacter

D. Clostridium

Answer: B

**59.** In order to increase the yield of the cereal crops the farmer rotated the crop with pulses. The increase in yield occurred due to the action of

A. Clostridium butylicum

B. Bacillus denitrificans

C. Rhizobium leguminosarum

D. Nitrosomonas

Answer: C



A. a basal granule

B. a hook

C. a main filament

D. all of these

Answer: D

**61.** Bacterial plasmids contain only DNA which is

A. circular, ds

B. cricular, ss

C. linear, ds

D. linear, ss

Answer: A

**62.** Conjugation/sexuality in Bacteria was discovered by

A. Lederberg and Tatum

B. Zinder and Lederberg

C. Hershey and Chase

D. Meselson and Stahl

Answer: A

63. A term not associated with genetic

recombination in bacteria is

A. conjugation

**B. translation** 

C. transduction

D. transformation

Answer: B

**64.** The phenomenon of transduction was discovered by

A. Zinder and Lederberg

B. Lederberg and Tatum

C. Jacob and Wollman

D. Griffith

Answer: A

### 65. Episomes are

- A. extranuclear part of Bacteria
- B. toxins producing bodies
- C. extranuclear components with least no.

of genes

D. plasmids with ability to intergrate with

bacterial chromosome

Answer: D

**66.** Which one of the following pairs is wrongly

matched

A. Streptomycetes Antibiotic

B. Methanogens Gobar gas

C. Yeast Ethanol

D. Coliforms Vinegar

Answer: D

67. What are the sex organs provided in some

bacteria ?

A. circular DNA

B. plasmid

C. sex pili

D. gametes/F factor

Answer: C

**68.** A bacterial genome refers to the total number of genes located on

A. single chromosome

B. haploid set of chromosomes

C. diploid set of chromosomes

D. plasmids

Answer: A

**69.** A process by which a part of genetic material separated from a broken cell is transferred to another cell is known as

A. lysogeny

B. transduction

C. transformation

D. conjugation

Answer: C

70. Bacteria reproduce sexually by

A. endospore

B. conidia

C. binary fission

D. transformation

Answer: D

**71.** The bacteria which can trap solar energy for synthesizing ATP but can not utilize it for making food are

A. thermophiles

B. thermoacidophiles

C. methanogens

D. halophiles

Answer: D

**72.** Bacteria that get their energy by fermentation and for whom oxygen is lethal are called

A. obligate anaerobes

B. obligate aerobes

C. facultative aerobes

D. facultative anaerobes

Answer: A

**73.** The bacteria that grow best at the temperature ranging from  $45^{\circ}$  to  $65^{\circ}C$  are called

A. psychrophils

B. mesophiles

C. thermophiles

D. halophiles

Answer: C

74. Chemolithotrophs make use of

A. organic compounds as a source of

carbon

B.  $CO_2$  as a source of carbon

C. bacteriochlorophyll

D. bacterioviridin

#### Answer: B

75. Name the organisms which do not derive

energy directly/indirectly from sun.

A. Chemosynthetic bacteria

B. Symbiotic bacteria

C. Pathogenic bacteria

D. Moulds

Answer: A

**76.** What is true for photolithotrophs?

A. Obtain energy from radiations and  $H_2$ 

from organic compounds.

B. Obtain energy from radiations and  $H_2$ 

from inorganic compounds.

- C. Obtain energy from organic compounds
- D. Obtain  $H_2$  from organic compounds

### Answer: B



**77.** A specialized pale cell in blue green algae which is impermeable to oxygen is

A. akinete

B. hormogonia

C. heterocyst

D. spore

Answer: C

78. Blue green algae contain phycobilin. Which

one is blue in colour ?

A. Phycocyanin

B. Phycoerythrin

C. Phycocolloid

D. none of the above

Answer: 4

**79.** Blue green algae do not have flagella or cilia but they have the capacity to move. How is this function performed ?

A. By means of musculature

B. By rotation and gliding

C. By means of fimbria

D. By means of special organs

Answer: B

80. Vegetatively the members of cyanophyceae

multiply by

A. akinetes

B. fragmentation

C. formation of horomogonia

D. all of the above

Answer: D

**81.** Barophillic prokaryotes

A. grow slowly at high altitudes in frozen

lakes

B. found in water rich in Ba  $(OH)_2$ 

C. grow and divide in very deep marine

sediments

D. found in marine, Barium salt rich water

Answer: C

82. Nuclear material without nuclear membrane is observed in
A. bacteria and mycoplasma
B. bacteria and algae

C. bacteria and slime moulds

D. mycoplasma and algae

Answer: A

83. Pleuro-pneumonia like organisms are

grouped under

A. prokaryotes

B. eukaryotes

C. fungi

D. viruses

Answer: A

**84.** Mycoplasma are not viruses in nature because

A. these contain both DNA and RNA in the same cell

B. these can not be grown artificially in

cultures also

C. they are not sensitive to antibiotics

D. all of the above

Answer: A

**85.** The smallest organisms without any specific shape and cell wall, which cause diseases among plants are

A. chlamydia

B. fungi

C. mycoplasma

D. bacteria

### Answer: C





86. Mycoplasma is the causative agent for one

of the following diseases

A. Vein yellowing

B. Pneumonia

C. Dengue

D. Tobacco mosaic

Answer: B

87. A Bacterium living as commensal in humans in colon (large intestine) and synthesizing vitamin Kand  $B_{12}$  there, is

A. Vibrio cholerae

**B. Bacillus anthracis** 

C. Escherichia coli

D. Entamoeba coli

Answer: C

## 88. Botulism caused by Clostridium botulinum

affects

A. lymph glands

B. intestine

C. neuromuscular junction

D. spleen

Answer: C



**89.** Penicillin inhibits bacterial multiplication be-cause it checks

A. spindle formation

B. cell wall synthesis of bacteria

C. RNA synthesis

D. it destroys chromatin

Answer: B

**90.** A compound which is produced by an organ- ism and inhibits the growth of other organism is called

A. antiseptic

B. antibiotic

C. disinfectant

D. antiallergic

Answer: B

**91.** Bacteria cannot survive in a highly salted pickle because

A. they don't get enough light for photosynthesis

B. salt inhibits reproduction of bacteria

C. bacteria get plasmolysed and killed

D. pickle does not contain nutrients for

bac-teria to live







# **92.** Rickettsiae are said to be connecting link between

- A. Virus and bacteria
- B. Bacteria and fungi
- C. Bacteria and PPLO
- D. Mycoplasma and viruses

### Answer: A

## 93. Obligate intracellular parasites other than

virus are

A. Rickettsiae

B. Azotobacter

C. Azospirillum

D. Mycoplasma

Answer: A



94. The link between bacteria and fungi is

A. Chlamydia

**B.** Actinomycetes

C. Rickettsias

D. Myxophyceae

Answer: B

View Text Solution

95. What is false about plasmids ?

A. It is must for normal life of bacterium

B. It confers property of drug resistance

C. It confers property of toxigenicity

D. It endows the host with ability to

conjugate

Answer: A

96. In cyanobacteria, reproduction is

A. asexual and vegetative

B. asexual and sexual

C. vegetative and sexual

D. sexual only

Answer: A



97. Ray fungi are

A. actinomycetes

B. fungi

C. mycoplasma

D. archaebacteria

Answer: A

Watch Video Solution

98. Chlorophyll a is absent in which of the

following photosynthetic organism

- A. Bacteria
- B. Cyanobacteria
- C. Red algae
- D. None of these

Answer: A



### 99. The bacterium ( Clostridium botulinum)

that causes botulism is

A. a. facultative aerobe

B. an obligate aerobe

C. a facultative anaerobe

D. an obligate anaerobe

Answer: D

View Text Solution

100. A. In the figure, which is the coccus form

of bacteria

A.



C.

D.

### Answer: B

View Text Solution

**101.** Many blue green algae occur in thermal spring (hot water spring). The temperature tolerance of these algae have been attributed to their

A. Cell wall structure

- B. Modern cell organisation
- C. Mitochondrial structure
- D. Branched chain lipids in the cell mem-

branes







**102.** Go through the following statements carefully

Compared to many other organisms, bacteria as a group show the most ex- tensive metabolic diversity.

Mycoplasma die in the absce of oxy- gen

Cyanobacteria often form blooms in polluted

water bodies.

No pathogenic mycoplasma have been

reported so far

Which of these are correct?

A. (i), (ii) and (iii)

B. (i), (iii)

C. (ii), (iii) and (iv)

D. (iii) & (iv)

Answer: B



103. Match the column and find the correct

answer

View Text Solution

**104.** Select the wrong statement

A. Red sea is named after the colouration

provided by blue green algae Trichodes-

miumerythraeum

B. Spirullina has a spirally coiled filament

C. Peptidoglycan is the main component of

## the archaebacterial cell wall

D. All of the above

Answer: C

View Text Solution

105. A bacterial cell contains

A. Mesosome, Golgi bodies and nucleoid

B. Mesosome and sap vacoule

C. Mesosome, nucleoid \_and thylakoids

D. Lysosome, nucleoid and inclusion bodies

Answer: C

Watch Video Solution

106. Which of the following are true of archaebacteria?
Presence of peptidoglycan cell wall

Strict aerobes

First amino acid in protein synthesis is

methionine

Includes methanogens.

A. 1,2 and 3

B. 3 and 4

C. 1, 3 and 4

D. 1, 2, 3 and 4

Answer: B

107. Which one of the following is associated

with denitrification ?

A. Rhizobium

B. Thiobacillus

C. Clostridium

D. Azotobacter

**Answer: B** 

108. Which one of the following bacteria is not

## connected with nitrogen fixation?

A. Azotobacter

B. Nitrosomonas

C. Frankia

D. Rhizobium

Answer: B

**109.** Bacteria and blue-green algae are similar due to the (

A. Presence of mitochondria

B. Chemosynthetic mode of nutrition

C. Presence of flagella

D. Presence of nucleoid

Answer: D

110. Which of the following is NOT found in all

bac- terial cells?

A. cell membrane

B. nucleoid

C. ribosomes

D. capsule

Answer: D

**111.** Which of the following structures frequently serves as densely packed reserve for mate- rial and \_energy in a bacterial cell

A. flagella

B. plasmid

C. inclusion

D. fimbriae

Answer: C

112. Read the following matches

- (i) Bacillus vulgaris Ammonifying
- (ii) Nitrobacter
- (iii) Pseudomonas

(iv) Vibrio cholerae bacteria - Nitrogen fixing

bacteria - Retting of fibres - Obligate anaerobe

Which of these are correct?

A. (i), (ii) & (iii)

B. (ii) & (iii)

C. (i) & (iv)

D. (i) & (iii)

#### Answer: D

View Text Solution

- 113. Read the following matches
- (i) Clostridium Food poisoning botulin um
- (ii) Xanthomona- sesculenti
- (iii) Nitrosomonas Bacterial blight of rice -

Oxidises ammonia to nitrites

A. (i), (iii) & (iv)

B. (ii), (iii) & (iv)

C. (i) & (iii)

D. All are correct

Answer: A

View Text Solution

# 114. Oxygenic photosynthesis occurs in

A. Rhodospirillum

B. Chlorobium

C. Chromatium

D. Oscillatoria

#### Answer: D



### 115. Cyanobacteria refer to

A. Autotrophic prokaryotes with character-

istic bluegreen pigments

### B. Bacteria infecting the cyanophycean al-

gae

C. Viruses infecting bluegreen alagae

D. Cynophycean members infecting bac-

teria

Answer: A

**116.** Select the correct combination of the statements (i-iv) regarding the characteristics of certain organisms.

(i) Methanogens are archaebacteria which produce methane in marshy areas (ii) Nostoc is a filamentous blue-green alga which fixes atmospheric nitrogen (iii) Chemosnthetic autotrophic bacteria synthesise cellulose from glucose (iv) Mycoplasma lack a cell wall and can survive without oxygen

The correct statements are

A. (ii), (iii)

B. (i), (ii), (iii)

C. (ii), (iii), (iv)

D. (i), (ii), (iv)

Answer: D

Watch Video Solution

**117.** Some hyperthermophilic organisms that grow in highly acidic (pH2) habitats belong to the two groups

- A. Liverworts and yeasts
- B. Eubacteria and archaea
- C. Cyanobacteria and diatoms
- D. Protists and mosses

**Answer: B** 

Watch Video Solution

118. Membrane bound organelles are absent in

A. Plasmodium

**B.** Saccharomyces

C. Streptococcus

D. Chlamydomonas

Answer: C

Watch Video Solution

119. In biogas plant which group of bacteria is

found

A. Cyanobacteria

B. Myxobacteria

C. Mycobacteria

D. Archaebacteria

Answer: D

Watch Video Solution

120. What is true for Mycoplasma?

A. They completely lack cell wall

B. They are the smallest living eels nown

C. They can survive without oxygen

D. All the above

#### Answer: D



### 121. What is a genophore

A. DNA in prokaryotes

B. DNA and histones in prokaryotes

C. DNA and protein in prokaryotes

D. RNA in prokaryotes

Answer: A

Watch Video Solution

**122.** Which one of the following organisms is not an example of eukaryotic cells

A. Paramoecium caudatum

B. Escherichia coli

C. Euglena viridis

D. Amoeba proteus

Answer: B

Watch Video Solution

**123.** In eubacteris, a cellular component that resembles eukaryotic cell is

A. Plasma membrane

**B. Nucleus** 

C. Ribosomes

D. Cell wall

Answer: A

Watch Video Solution

**124.** Organisms called Methanogens are most abundant in a

A. Sulphur rock

B. Cattle yard

C. Polluted stream

D. Hot spring

Answer: B

Watch Video Solution

**125.** Archaebacteria are special since they live in some of the most harsh habitats such as

A. Extreme salty areas

B. Hot springs

C. Marshy areas

D. All the above

### Answer: D

Watch Video Solution

126. Denitrification is carried by bacteria

- A. Pseudomonas and Thiobacillus
- **B.** Nitrosomonas and Nitrococcus
- C. Nitrosomonas and Nitrobacter (
- D. Pseudomonas and Nihococcus (





## 127. The cyanobacteria are also referred to as:-

A. Golden algae

- B. Slime moulds
- C. Blue green algae

D. Protists





## 128. Nuclear membrane is absent in

A. Agaricus

B. Volvox

C. Nostoc

D. Penicillium

Answer: C

129. Maximum nutritional diversity is found in

the group

A. Animalia

B. Monera

C. Plantae

D. Fungi

**Answer: B** 

130. Which of the following is not a free living

 $N_2$ - fixing bacterium?

A. Azotobacter

B. Rhizobium

C. Bacillus

D. Rhodospirillum

Answer: B

131. Which of the following are likely to be

present in deep sea water?

A. Blue-green algae

B. Saprophytic fungi

C. Archaebacteria

D. Eu bacteria

Answer: C

132. Archaebacteria differ from eubacteria in

A. Mode of reproduction

B. Cell membrane structure

C. Mode of nutrition

D. Cell shape

Answer: B

**133.** Anoxygenic photosynthesis

characteristic of

A. Ulva

B. Rhodospirillum

C. Spirogyra

D. Chlamydomonas

#### Answer: B

134. Which structures perform the function of

mitochondria in bacteria

A. Mesosomes

B. Nucleoid

C. Ribosomes

D. Cell wall

Answer: A

135. True nucleus is absent in

A. Mucor

B. Vaucheria

C. Volvox

D. Anabaena

Answer: D

**136.** Which one of the following is not an inclusion body found in prokaryotes ?

A. Cyanophycean granule

B. Glycogen granule

C. Polysome

D. Phosphate granule

Answer: C

### 137. Cell wall is absent in:

A. Aspergillus

B. Funaria

C. Mycoplasma

D. Nostoc

Answer: C

138. The structure that help some bacteria to

attach to rocks and host tissues are

A. rhizoids

B. fimbriae

C. mesosomes

D. holdfast

**Answer: B** 

139. Pick up the wrong statement

A. Cell wall is absent in Animalia

B. Protista have photosynthetic and het-

erotrophic modes of nutrition

C. Some fungi are edible

D. Nuclear membrane is present in Monera

Answer: D

140. Which of the following is not a feature of

the plasmids ?

A. Circular structure

B. Transferable

C. Single-stranded

D. Independent replication

Answer: C

**141.** The primitive prokaryotes responsibel for the production of biogas from the dung of ruminant animals include

A. Thermoacidophiles

B. Methanogens

C. Eubacteria

D. Halophiles

Answer: B

**142.** Which one of the following statements is wrong?

A. Golden algae are also called desmids

B. Eubacteria are also called false bac- teria

C. Phycomycetes are also called algal fungi

D. Cyanobacteria are also called bluegreen

algae

Answer: B

143. Methanogens belong to

A. Eubacteria

B. Archaebacteria

C. Dinoflagellates

D. Slime moulds

Answer: B

**144.** Select the wrong statement

A. Bacterial cell wall is made up of

peptidoglycan

B. Pili and fimbriae are mainly involved in

motility of bacterial cells.

C. Cyanobacteria lack flagellated cells

D. Mycoplasma is a wall-les microorganism.

Answer: B

**145.** The primary producers of the deep-sea hydrothermal vent ecosystem are:

A. Green algae

B. Chemosynthetic bacteria

C. Blue-green algae

D. Coral reefs

Answer: B

**146.** Which among the following are the smallest living cells, known without a definite cell wall, pathogenic to plants as well as animals and can survive without oxygen ?

A. Bacillus

B. Pseudomonas

C. Mycoplasma

D. Nostoe

Answer: C

**147.** Which of the following are found in extreme saline conditions

A. Archaebacteria

B. Eubacteria

C. Cyanobacteria

D. Mycobacteria

Answer: A

148. DNA replication in bacteria occurs

A. during S phase

B. within nucleolus

C. prior to fission

D. just before transcription

Answer: C

**149.** Which of the following components provides sticky character to the bacterial cell

A. Cell wall

B. Nuclear membrane

C. Plasma membrane

D. Glycocalyx

Answer: D

**150.** Which among the following is not a prokaryote

A. Oscillatoria

B. Nostoc

C. Mycobacterium

D. Saccharomyces

Answer: D