





BIOLOGY

BOOKS - TRUEMAN BOOK COMPANY BIOLOGY (HINGLISH)

NCERT Exemplar Questions +2 (HUMAN REPRODUCTION)



1. Choose the incorrect statement from the following

A. In birds and mammals internal fertilisation takes place
B. Colostrum contains antibodies and nutrients
C. Polyspermy is prevented by the chemical

changes in the egg surface

D. In the human female implantation occurs almost seven days after fertilisation Answer: C

Watch Video Solution

2. Identify the wrong statement from the following.

A. High levels of estrogen triggers the

ovulatory surge

B. Oogonial cells start to proliferate and

give rise to functional ova in regular

cycles from puberty onwards.

C. Sperms released from seminiferous

tubules are poorly motile/ non-motile

D. Progesterone level is high during the

post ovulatory phase of menstrual cycle

Answer: B



3. Spot the odd one out from the following structures with reference to the male reproductive system.


A. Rete testis

B. Epididymis

C. Vasa efferentia

D. Isthmus

Answer: D



4. Seminal plasma, the fluid part of semen, is contributed by(i) seminal vesicle (ii) prostate

(iii) urethra (iv) bulbourethral gland

A. i and ii

B. i, ii and iv

C. ii, iii and iv

D. i and iv





5. Spermiation is the process of the release of sperms from

A. Seminiferous tubules

- B. Vas deferens
- C. Epididymis
- D. Prostate gland

Answer: A



6. Mature Graffian follicle is generally present in the ovary of a healthy human female around.

- A. 5 8 day of menstrual cycle
- B. 11 17 day of menstrual cycle
- C. 18 23 day of menstrual cycle
- D. 24 28 day of menstrual cycle





7. Acrosomal reaction of the sperm occurs due to

A. its contact with zona pellucida of the ova

B. reactions within the uterine

environment of the female

C. reactions within the epididymal environ-

ment of the male

D. androgens produced in the uterus

Answer: A

Watch Video Solution

8. Which one of the following is not a male accessory gland?

A. Seminal vesicle

B. Ampulla

C. Prostate

D. Bulbourethral gland

Answer: B

Watch Video Solution

9. The immature male germ cells undergo division to produce sperms by the process of spermatogenesis. Choose the correct one with reference to above.

A. Spermatogonia have 46 chromosomes
and always undergo meiotic cell division
B. Primary spermatocytes divide by mitotic
cell division
C. Secondary spermatocytes have 23
chromosomes and undergo second
meiotic division
D. Spermatozoa are transformed into
spermatids

Answer: C



10. Which among the following has 23 chromosomes?

A. Spermatogonia

B. Zygote

C. Secondary oocyte

D. Oogonia

Answer: C





11. Which of the following hormones is not secreted by human placenta?

A. hCG

B. Estrogens

C. Progesterone

D. LH

Answer: D

12. The vas deferens receives duct from the seminal vesicle and opens into urethra as

A. epididymis

B. ejaculatory duct

C. efferent ductule

D. ureter

Answer: B

13. Urethral meatus refers to the

A. urinogenital duct

B. opening of vas deferens into urethra

C. external opening of the Urinogenital

duct

D. muscles surrounding the urinogenial

duct

Answer: C

14. Mourla is a developmental stage

A. between the zygote and blastocyst

B. between the blastocyst and gastrula

C. after the implantation

D. between implantation and parturition

Answer: A

15. The membranous cover of the ovum at

ovulation is

A. Corona radiata

B. Zona radiata

C. Zona pellucida

D. Chorion

Answer: A

16. Identify the odd one from the following.

A. Labia minora

B. Fimbriae

C. Infundibulum

D. Isthmus

Answer: A