



BIOLOGY

BOOKS - TRUEMAN BOOK COMPANY

BIOLOGY (HINGLISH)

**NEURAL CONTROL AND
COORDINATION**

Mcq

1. Cluster of neuron cell bodies within peripheral nervous system are

A. Nuclei

B. Ganglia

C. Laminae

D. Fascicles

Answer: B



Watch Video Solution

2. The correct sequence of meanings from inner to outer side is

A. Arachnoid membrane → dura mater
→ pia mater

B. Dura mater → arachnoid membrane
→ pia meter

C. Pia mater → arachnoid membrane →
dura mater

D. Dura mater → pia mater →
arachnoid membrane

Answer: C



Watch Video Solution

3. Subdural space is found between

- A. Pia mater and arachnoid
- B. Dura mater and cranium
- C. Arachnoid and dura mater
- D. Dura mater and vertebral column

Answer: C



[Watch Video Solution](#)

4. Cerebrospinal fluid is present

- A. Between pia mater and arachnoid mater
- B. Between the dura mater and cranium
- C. Between arachnoid and dura mater
- D. Beneath the pia mater

Answer: A



[Watch Video Solution](#)

5. Cerebrospinal fluid is secreted by

A. Cerebrum

B. Cerebellum

C. olfactory lobe

D. Choroid plexus

Answer: D



Watch Video Solution

6. Choroid plexus is a network of

A. Nerves

B. Capillaries

C. Muscle fibres

D. Lymph vessels

Answer: B



Watch Video Solution

7. The largest part of human brain is

A. Cerebrum

B. Cerebellum

C. Diencephalon

D. medulla oblongata

Answer: A



Watch Video Solution

8. In the brain of mammals, the genu and splenium are associated with

A. Medulla

B. Vermis

C. Cerebrum

D. Cerebellum

Answer: C



Watch Video Solution

9. In human brain, central sulcus is found between

- A. Frontal and Parietal lobe
- B. Occipital and parietal lobe
- C. Temporal and parietal lobe
- D. Occipital and temporal lobe

Answer: A



Watch Video Solution

10. Which part of brain controls intellectual ability ?

A. Frontal lobe

B. Parietal lobe

C. Temporal lobe

D. Occipital lobe

Answer: A



Watch Video Solution

11. Olfactory area is present in

A. Frontal lobe

B. Parietal lobe

C. Temporal lobe

D. Occipital lobe

Answer: C



Watch Video Solution

12. In brain, the region for perception of pain is located in

A. Frontal lobe

B. Parietal lobe

C. Occipital lobe

D. Temporal lobe

Answer: B



Watch Video Solution

13. Somesthetic or post central area is responsible for

A. Initiation of motor impulses for voluntary muscles

B. Initiation of motor impulses for involuntary muscles

C. Perception of pain, touch and temperature

D. Coordination of speech

Answer: C



[Watch Video Solution](#)

14. Broca's area is connected with

- A. Speech function
- B. Sensation of smell
- C. Learning and reasoning
- D. Receiving impulse from eyes

Answer: A



[Watch Video Solution](#)

15. The primary visual area is located in

A. Frontal lobe

B. Parietal lobe

C. Occipital lobe

D. Temporal lobe

Answer: C



Watch Video Solution

16. The hippocampus converts information from

A. Short term memory to long term memory

B. Long term memory to short term memory

C. Aggression to remembering fear

D. Does not convert information

Answer: A





[Watch Video Solution](#)

17. Feelings of anger, pain and rage are experienced through

- A. basal ganglia
- B. Occipital lobe
- C. Limbic system
- D. Reticular system

Answer: C



[Watch Video Solution](#)

18. Anterior choroid plexus is found in the roof of

A. Iter

B. Cerebrum

C. Cerebellum

D. Diencephalon

Answer: D



Watch Video Solution

19. Crura cerebri are found in

A. Forebrain

B. Midbrain

C. Hindbrain

D. None of these

Answer: B



Watch Video Solution

20. Vermis is a part of

A. Optic lobe

B. Midbrain

C. Cerebellum

D. medulla oblongata

Answer: C



Watch Video Solution

21. Purkinje cells are found in

- A. Cerebral cortex
- B. Cerebellar cortex
- C. mammalian heart
- D. Semicircular canal

Answer: B



Watch Video Solution

22. Arbor vitae is a part of

A. Cerebrum

B. Midbrain

C. Forebrain

D. Cerebellum

Answer: D



Watch Video Solution

23. Ventricles of brain are lined by the cells called

A. Neuroglia

B. Ependymal

C. Neuron cells

D. Schwann cells

Answer: B



Watch Video Solution

24. The hollow interior of the cerebrum is called

- A. 3rd ventricle
- B. 4th ventricle
- C. Sub arachnoid space
- D. Lateral ventricles

Answer: D



Watch Video Solution

25. Which of the following connect lateral ventricles or paracoel in brain with ventricle ?

A. Iter

B. Filum terminale

C. Foramen of monro

D. Aqueduct of sylvius

Answer: C



Watch Video Solution

26. The cavity in the region of diencephalon in the brain is called the

- A. Iter
- B. Third ventricle
- C. lateral ventricle
- D. Foramen of monro

Answer: B



Watch Video Solution

27. Hypothalamus form the floor of

- A. Optocoel
- B. 3rd ventricle
- C. lateral ventricle
- D. 4th ventricle

Answer: B



Watch Video Solution

28. Voluntary muscular coordination is under control of

A. Cerebellum

B. Hypothalamus

C. Medulla oblongata

D. Cerebral hemisphere

Answer: D



Watch Video Solution

29. Memory weakens if one of the following parts is injured.

A. Medulla

B. Cerebrum

C. Cerebellum

D. Hypothalamus

Answer: B



Watch Video Solution

30. A person feels no sensation when he puts his hand over flame, the part of the brain which has damaged is

- A. Cerebellum
- B. Cerebrum
- C. Hypothalamus
- D. medulla oblongata

Answer: B



Watch Video Solution

31. The major relay station for sensory input that projects to the cerebral cortex is the

A. Pons

B. Thalamus

C. Cerebellum

D. Hypothalamus

Answer: B



Watch Video Solution

32. Hypothalamus does not control

A. Sexual behaviour

B. Osmoregulation

C. Hunger and satiety

D. Creative thinking and consciousness

Answer: D



Watch Video Solution

33. Which part of the brain is involved in loss of control when a person drinks alcohol ?

A. Thalamus

B. Hypothalamus

C. Pons varoli

D. Cerebellum

Answer: D



Watch Video Solution

34. Which of the following is mismatched ?

A. Cerebrum - Memory

B. Olfactory lobes - Sense of smell

C. Cerebellum - Equilibrium of body

D. Medulla oblongata - Temperature
regulation

Answer: D



Watch Video Solution

35. All the unconscious activities like heartbeat, involuntary breathing and gut peristalsis are controlled by

- A. Medulla oblongata
- B. Cerebrum and medulla
- C. Cerebellum and medulla
- D. Cerebrum and cerebellum

Answer: A



Watch Video Solution

36. The spinal cord in man extends from the

A. Medulla oblongata to the coccyx

B. Level of third cervical vertebra to the
coccyx

C. Level of the axis to the lowest lumbar
vertebra

D. Medulla oblongata to the level of the
second lumbar vertebra

Answer: D



[Watch Video Solution](#)

37. In the spinal cord, white matter is

A. Surrounded by gray matter

B. Mixed with gray matter

C. Around the gray matter

D. Absent

Answer: C



[Watch Video Solution](#)

38. Which is a part of spinal cord ?

A. Ventricle

B. Vertebral canal

C. Ventral canal

D. Central canal

Answer: D



Watch Video Solution

39. The central canal of spinal cord is lined by

A. Goblet cells

B. Epithelial tissue

C. Ependymal cells

D. Keratinized epithelium

Answer: C



Watch Video Solution

40. which cranial nerves are purely sensory ?

A. I, II and VIII

B. I, II and IV

C. I, V and VII

D. None of these

Answer: A



Watch Video Solution

41. A list of cranial nerves are given below

1. Optic 2. Oculomotor 3. Trochlear 4. Trigeminal 5. Abducent

Select the nerves that are involved in moving the eyes

A. 1, 2, 3

B. 2, 3, 5

C. 2, 3, 4

D. 2, 4, 5

Answer: B



Watch Video Solution

42. The third, sixth and eleventh cranial nerves in mammals are respectively

- A. Trigeminal, abducens and vagus
- B. Trochlear, facial and spinal accessory
- C. Oculomotor, abducens and hypoglossal
- D. Oculomotor, abduces and spinal accessory

Answer: D



Watch Video Solution

43. In the serial wise arrangement of cranial nerves, after which nerves we got trochlear nerve ?

A. Optic

B. Olfactory

C. Oculomotor

D. Trigeminal

Answer: C



Watch Video Solution

44. The cranial nerve responsible for focusing the eye is

A. Optic

B. Trochlear

C. Oculomotor

D. Trigeminal

Answer: C



Watch Video Solution

45. The fourth, fifth and ninth cranial nerves in mammals are respectively

- A. Oculomotor, facial and vagus
- B. Trigeminal, facial and spinal accessory
- C. Trochlear , facial and glossopharyngeal

D. Pathetic, trigeminal and
glossopharyngeal

Answer: D



Watch Video Solution

46. Which of the following are pure motor nerves ?

A. Trochlear and vagus

B. Abducens and auditory

C. Trochlear and abducens

D. Trochlear and trigeminal

Answer: C



Watch Video Solution

47. Trochlear nerve supplies

A. Superior rectus

B. Inferior oblique

C. Superior oblique

D. Nasal epithelium

Answer: C



Watch Video Solution

48. The trigeminal nerve arises from the brain in the region of

A. Pons and divides into ophthalmic, maxillary and mandibular branches

B. Medulla and divides into palatine, chorda tympani and hyomandibular branches

C. Cerebellum and divides into palatine, chorda tympani and hyomandibular branches

D. Cerebellum and divides into ophthalmic, maxillary and mandibular branches

Answer: A



Watch Video Solution

49. The cranial nerve involved in chewing of food is the

A. Accessory spinal

B. Trochlear

C. Abducent

D. Trigeminal

Answer: D



Watch Video Solution

50. The largest cranial nerve is

A. Optic

B. Facial

C. maxillary

D. Trigeminal

Answer: D



Watch Video Solution

51. Which one of these transmits nerve impulse away from CNS ?

A. Optic

B. Olfactory

C. Abducens

D. Auditory

Answer: C



Watch Video Solution

52. Indicate the correct match in the following

A. II cranial nerve - vagus

B. V cranial nerve - heart

C. VIII cranial nerve - lower jaw muscle

D. VI cranial nerve - external rectus muscle
of eye

Answer: D



Watch Video Solution

53. A mixed cranial nerve is

A. Facial

B. Auditory

C. Abducens

D. Spinal accessory

Answer: A



Watch Video Solution

54. Movement of tongue muscle is controlled by

A. Hypoglossal nerve

B. Trigeminal nerve

C. Facial nerve

D. Vagus nerve

Answer: A



Watch Video Solution

55. Which of the following cranial nerves are mixed ?

1. Vagus 2. Trigeminal 3. Glossopharyngeal 4. Auditory

A. 1 & 2 are correct

B. 2 & 4 are correct

C. 1 & 3 are correct

D. 1, 2 & 3 are correct

Answer: D



Watch Video Solution

56. The only cranial nerve which does not supply the cranial region but to visceral region is

A. Vagus

B. Abducens

C. Trigeminal

D. Hypoglossal

Answer: A



Watch Video Solution

57. The lungs, heart and stomach are supplied by

A. Vagus

B. Trigeminal

C. Hypoglossal

D. Glossopharyngeal

Answer: A



Watch Video Solution

58. The inhibitory effect of the vagus nerve on the heart is due to the secretion of

A. Glycine

B. Dopamine

C. Acetylcholine

D. Norepinephrine

Answer: C



Watch Video Solution

59. Which of the following is not under the control of vagus nerve ?

A. Gastrointestinal movement

B. Respiratory movement

C. Salivation

D. Heart beat

Answer: C



Watch Video Solution

60. Which of the following cranial is found only in amniotes ?

A. Vagus

B. Trigeminal

C. Hypoglossal

D. Glossopharyngeal

Answer: C



Watch Video Solution

61. Select the correct statement regarding spinal nerves

A. Dorsal root is motor and sensory both

B. Ventral root is sensory and motor both

C. Dorsal root is sensory and ventral root is motor

D. Dorsal root is motor and ventral root is sensory

Answer: C



Watch Video Solution

62. In after cutting through the dorsal root of a spinal nerve of a mammal, an associated receptor in the skin were simulated, the animal would

A. Show no response

B. Show a normal but slow response

C. Still be able to feel the stimulation

D. Respond but only at a different level of spinal cord

Answer: A



Watch Video Solution

63. Which of these statements is a correct ?

A. All arteries carry purified blood

B. Urine of all vertebrates is similar

C. All motor fibres leave spinal cord via
ventral root

D. Red blood corpuscles of all vertebrates
are nucleated

Answer: C



Watch Video Solution

64. Which of these is a correct count of the
spinal nerves in man ?

A. 9 Cervical, 12 thoracic, 5 lumbar, 5 sacral,
1 coccygeal

B. 8 cervical, 12 thoracic, 5 lumbar, 5 sacral,
1 coccygeal

C. 7 cervical, 12 thoracic, 5 lumbar, 5 sacral,
1 coccygeal

D. 8 cervical, 11 thoracic, 4 lumbar, 6 sacral, 1
coccygeal

Answer: B



Watch Video Solution

65. In a frog, the connection between brain and spinal cord is severed. The leg of such a frog is picked by a sharp needle. Then it is most likely that the animal will

- A. Not show any reaction
- B. Move the leg that is picked
- C. Move the leg and feel the pain
- D. Do not move the leg but feel the pain

Answer: B



Watch Video Solution

66. Pavlov is famous for his pioneer work on

- A. Double circulation
- B. Treatment of rabies
- C. Mutation in primrose
- D. Conditioned reflex in dog

Answer: D



Watch Video Solution

67. Sympathetic nerve fibres in mammals arise from

- A. Sacral nerve
- B. Cervical nerves
- C. Thoracolumbar nerves
- D. III, IV, X cranial nerves

Answer: C



Watch Video Solution

68. Post-ganglionic nerve fibers of sympathetic system are

- A. Adrenergic
- B. Cholinergic
- C. Voluntary
- D. None of these

Answer: A



Watch Video Solution

69. The neurotransmitter of preganglionic sympathetic fibre is

- A. Dopamine
- B. Epinephrine
- C. Acetylcholine
- D. Norepinephrine

Answer: C



Watch Video Solution

70. Which of these fibres release epinephrine ?

A. Preganglionic parasympathetic fibres

B. Postganglionic parasympathetic fibres

C. Postganglionic sympathetic fibres in the
heart

D. Postganglionic sympathetic fibres in
sweat glands

Answer: C



Watch Video Solution

71. Release of catecholamines from adrenal medulla (human) is an action of

- A. Preganglionic sympathetic nerves
- B. Postganglionic sympathetic nerves
- C. Preganglionic parasympathetic nerves
- D. Postganglionic parasympathetic nerves

Answer: B



Watch Video Solution

72. Craniosacral outflow refers to

- A. Sympathetic
- B. Parasympathetic
- C. Both of these
- D. None of these

Answer: B



Watch Video Solution

73. A list of cranial nerves are given below

1. Oculomotor 2. Trigeminal 3. Facial 4. Vestibulocochlear 5. Glossopharyngeal 6 Vagus

Select the nerves that are part of the parasympathetic division of the ANS

A. 1, 4, 5, 6

B. 2, 3, 4, 5

C. 1, 2, 4, 5

D. 1, 3, 5, 6

Answer: D



[Watch Video Solution](#)

74. Preganglionic fibres is long in

- A. Sympathetic
- B. Parasympathetic
- C. Equal in both
- D. None of these

Answer: B



[Watch Video Solution](#)

75. Parasympathetic ganglia are located in

- A. Next to or within the organs innervated
- B. A chain parallel to the spinal cord
- C. The root of spinal nerves
- D. The brain

Answer: A



Watch Video Solution

76. A polarized neuron is said to be in

- A. Action potential
- B. Resting potential
- C. Conducting stimulus
- D. None of these

Answer: B



Watch Video Solution

77. A nerve impulse will travel through a nerve fibre only if its membrane suddenly becomes more permeable to ions of

A. Sodium

B. Calcium

C. Chloride

D. Potassium

Answer: A



Watch Video Solution

78. Sodium pump stop operating during

A. Repolarization

B. Action potential

C. Resting potential

D. None of the above

Answer: B



Watch Video Solution

79. During repolarization of nerve

A. Na^+ channels are closed and K^+ channel are open

B. K^+ gate closes and Na^+ gate open

C. Both K^+ and Na^+ gates are closed

D. Both gates remain open

Answer: A



Watch Video Solution

80. Absolute refractory period during nerve impulse conduction is the period of

A. Repolarization

B. Depolarization

C. Both repolarization and depolarization

D. Neither repolarization and depolarization

Answer: A



Watch Video Solution

81. At the time of conduction of nerve impulse, the repolarization occurs with me

- A. Efflux of K^+ ions
- B. Influx of K^+ ions
- C. Efflux of Na^+ ions
- D. Efflux of both Na^+ and K^+ ions

Answer: A



Watch Video Solution

82. Saltatory conduction of impulse occurs in

A. Myelinated nerve fibres

B. Nonmyelinated fibres

C. Both of these

D. None of these

Answer: A



Watch Video Solution

83. Unidirectional transmission of nerve impulse is maintained by

A. Synapses

B. Graymatter

C. Myelin sheath


D. Membrane polarity

Answer: A



Watch Video Solution

84. which of the following helps in transmission of impulse across the synapse ?



Answer: C



Watch Video Solution

85. Once a synaptic junction between neurons has allowed transmission of a nerve impulse, it is made ready to transmit next impulse by the action of

- A. Secretin
- B. Acetylcholine
- C. Cholecystokinin
- D. Acetylcholinesterase

Answer: D



Watch Video Solution

86. Among which one of the following groups of chemicals, all are neurotransmitters ?

- A. Glycine, dopamine, melatonin
- B. Somatostatin, serotonin, acetylcholine
- C. Noradrenaline, somatostatin, threonine
- D. Acetylcholine, noradrenaline, dopamine

Answer: D



Watch Video Solution

87. Broca's motor speech area occurs in

A. Frontal lobe

B. Temporal lobes

C. Temporal and occipital lobes

D. parietal lobe and partially in temporal
lobe

Answer: A



Watch Video Solution

88. Part of the brain concerned with the muscular movement is

A. Thalamus

B. Cerebellum

C. Hippocampus

D. Temporal lobe of cerebrum

Answer: B



Watch Video Solution

89. Read the statements.

A. Preganglionic nerve fibres of III, VII, IX and X cranial nerves are a part of the parasympathetic nervous system

B. V, VII, IX and X cranial nerves are mixed nerves

C. Trochlear nerves are the largest cranial nerves

D. Abducens nerves are sensory in nature

which of the above statements are correct ?

A. A and D

B. A and B

C. B and C

D. A and C

Answer: B



Watch Video Solution

90. A man is admitted to a hospital. He is suffering from an abnormally low body temperature, loss of appetite and extreme thirst. His brain scan would probably show a tumor in

A. Pons

B. Cerebellum

C. Medulla oblongata

D. Hypothalamus

Answer: D



Watch Video Solution

91. Which function will be lost due to damaged of occipital lobe

A. Hearing

B. Speech

C. Vision

D. Memory

Answer: C



Watch Video Solution

92. Pain is experienced by

A. Caloreceptor

B. Algesireceptor

C. Proprioceptor

D. Hygroreceptor

Answer: B



Watch Video Solution

93. The receptors found in the muscles, tendons and joints are

A. Visceroceptors

B. Teloreceptors

C. Proprioceptor

D. None of these

Answer: C



Watch Video Solution

94. Cornea is a transparent part of

A. Retina

B. Choroid

C. Sclerotic

D. Conjunctiva

Answer: C



Watch Video Solution

95. which layer of the wall of an eyeball contains abundant blood vessels ?

A. Lens

B. Retina

C. Choroid

D. Sclerotic

Answer: C



Watch Video Solution

96. The black pigment in the eye, which reduces the internal reflection, is located in

A. Pupil

B. Cornea

C. Sclerotic

D. Choroid

Answer: D



Watch Video Solution

97. Eye lens is

A. Convex

B. Concave

C. Biconcave

D. Biconvex

Answer: D



Watch Video Solution

98. Protein found in eye lens is

A. Opsin

B. Callagene

C. Crystallin

D. Rhodopsin

Answer: C



Watch Video Solution

99. If the circular ciliary muscles of the eye are unable to contract, the

- A. Vision will be lost completely
- B. Lens will become more convex
- C. Lens will be thin and stretched

D. Bright light will have no adverse effect
on retina

Answer: C



Watch Video Solution

100. Anterior chamber of the eye is the space
between

A. Lens and iris

B. Cornea and iris

C. Lens and retina

D. Cornea and lens

Answer: B



Watch Video Solution

101. Aqueous and vitreous humor are divided
by

A. Lens

B. Iris

C. Retina

D. Optic nerve

Answer: A



Watch Video Solution

102. The space between cornea and the lens is called

A. Anterior chamber

B. Aqueous chamber

C. Vitreous chamber

D. Canal of schlemm

Answer: B



Watch Video Solution

103. The lens and cornea is not having blood supply. So the nutrients are supplied by

A. Retina

B. Eye lash

C. Blind spot

D. Aqueous humor

Answer: D



Watch Video Solution

104. Ora serrata is

A. Anterior edge of sensory portion of the
retina

B. Gland present in oral cavity of frog

C. Oral cavity of protochordates

D. A part of sclera

Answer: A



Watch Video Solution

105. Retina is most sensitive at

A. In front of ora serrata

B. Fovea centralis

C. Blind spot

D.

Answer: C



Watch Video Solution

106. The point in eye of mammals from which optic nerves and blood vessels leave the eye ball is called

A. Blind spot

B. Fovea centralis

C. Yellow spot

D. None of these

Answer: A



Watch Video Solution

107. An area of the retina which does not have rods of cones is

A. Red spot

B. Blue spot

C. Blind spot

D. Black spot

Answer: C



Watch Video Solution

108. In nocturnal birds, the retina contains mostly

A. Rods

B. Cones

C. Both in equal numbers

D. None of these

Answer: A



Watch Video Solution

109. If is present in rod cells and useful in night vision ,

A. Melanin

B. Rhodopsin

C. Vitamin C

D. Vitamin K

Answer: B



Watch Video Solution

110. Pigment Iodopsin is contained in

A. Rod cells

B. Cone cells

C. Amacrine cells

D. Horizontal cells

Answer: B



Watch Video Solution

111. Photopic vision is associated with

A. Rods

B. Cones

C. Both of these

D. Vitreous humor

Answer: B



Watch Video Solution

112. The eye of cat and dog shine (reflect back the light focused on them) because

- A. Cornea is opaque
- B. Retina does not have enough rods
- C. Retina has only rods and no cones

D. Choroid is provided with tapetum
lucidum

Answer: D



Watch Video Solution

113. The image formed on the eye retina is

- A. Erect and real
- B. Erect and virtual
- C. Inverted and real

D. Inverted and virtual

Answer: C



Watch Video Solution

114. Eyeball can be moved in the orbit by eyeball muscles. The number of eyeball muscles in each eye is

A. Six

B. Four

C. Five

D. Three

Answer: A



Watch Video Solution

115. Myopia (near-sightedness) is a defect in human eye in which the image is formed

A. In front of retina and can be corrected by using a concave lens

B. In front of retina and can be corrected
by using a convex lens

C. Behind the retina and can be corrected
by using a concave lens

D. Behind the retina and can be corrected
by using a convex lens

Answer: A



Watch Video Solution

116. Hypermetropia (long sight) is a condition in human eye in which the image is formed

- A. Behind retina and can be corrected by using a concave lens
- B. Behind retina and can be corrected by using a convex lens
- C. In front of retina and can be corrected by using a concave lens

D. In front of retina and can be corrected
by using a convex lens

Answer: B



Watch Video Solution

117. If eyeball is shorter, then probable defect
would be

A. Presbyopia

B. Astigmatism

C. Near-sightedness

D. Far-sightedness

Answer: D



Watch Video Solution

118. Lenses used by those who cannot see near objects are

A. Plain

B. Concave

C. Convex

D. Any of the above

Answer: C



Watch Video Solution

119. Reduction in elasticity of eye lens with age causes

A. Myopia

B. Cataract

C. Presbyopia

D. Astigmatism

Answer: C



Watch Video Solution

120. Irregular cornea results in

A. Cataract

B. Glaucoma

C. Strabismus

D. Astigmatism

Answer: D



Watch Video Solution

121. Astigmatism can be corrected by using

A. Plain lens

B. Convex lens

C. Concave lens

D. Cylindrical lens

Answer: D



Watch Video Solution

122. Opacity of the lens in the eye lead to

- A. Cataract
- B. Hyperopia
- C. Presbyopia
- D. Astigmatism

Answer: A



Watch Video Solution

123. In the following abnormalities of the eye which one is a serious condition that leads to blindness ?

A. Myopia

B. Glaucoma

C. Presbyopia

D. Astigmatism

Answer: B



[Watch Video Solution](#)

124. Glaucoma is due to

- A. Increase in intraatrial pressure
- B. Increase in intraocular pressure
- C. Increase in intravesical pressure
- D. Increase in intraventricular pressure

Answer: B



[Watch Video Solution](#)

125. Glaucoma can be caused by

A. Opacity of lens

B. Drying of vitreous humor

C. Increase in the size of eye ball

D. Blockage of canal of schlemm

Answer: D



Watch Video Solution

126. Helicotrema is located at

A. Middle of cochlea

B. Tip of cochlea

C. Start of cochlea

D. Near fenestra ovalis

Answer: B



Watch Video Solution

127. The waxy substance which coats the surface of auditory canal is produced by

A. Zeis glands

B. Parotid glands

C. Meibomian glands

D. Ceruminous glands

Answer: D



Watch Video Solution

128. Identify the correct sequence of organs/ regions in the organization of human ear as an auditory mechanoreceptor organ

A. Pinna - Auditory canal - Tympanic membrane - Malleus - incus - Stapes - cochlea - Auditory nerve

B. Pinna- Malleus- incus- stapes- auditory canal- tympanic membrane

C. Pinna - cochlea - Tympanic membrane - Auditory canal - Malleus - Stapes - Incus -

Auditory nerve

D. Pinna - Tympanic membrane - Auditory

canal - Incus - malleus - Stapes - Cochlea -

Auditory nerve

Answer: A



Watch Video Solution

129. Sound is amplified by the

A. Pinna

B. Ear ossicles

C. Round window

D. Tympanic membrane

Answer: B



Watch Video Solution

130. In the human ear, which bone is connected with the tympanum ?

A. Anvil

B. Stirrup

C. Hammer

D. None of these

Answer: C



Watch Video Solution

131. Anvil-shaped bone is

A. Incus

B. Stapes

C. Malleus

D. Columellaaris

Answer: A



Watch Video Solution

132. Which of the following bones is in direct contact with oval window ?

A. Incus

B. Stapes

C. Malleus

D. All of these

Answer: B



Watch Video Solution

133. Which of the following bones is in contact with fenestra rotundus ?

A. Incus

B. Stapes

C. Malleus

D. None of these

Answer: D



Watch Video Solution

134. Eustachian tube helps to

A. Equalize pressure on both sides of
tympanum

B. Keep tympanic chamber moist

C. Amplify sound vibrations

D. Maintain balance

Answer: A



Watch Video Solution

135. In the ear of man, the perilymph passes from middle ot inner ear through

A. Foramen ovalis

B. Fenestra ovalis

C. Fenestra rotundus

D. Tympanic membrane

Answer: B



Watch Video Solution

136. Bony labyrinth is filled with a fluid called

A. Lymph

B. Perilymph

C. Endolymph

D. Hemolymph

Answer: B



Watch Video Solution

137. Nerve impulse for hearing originates in

A. Eardrum

B. Cochlea

C. Ear ossicles

D. Auditory nerve

Answer: B



Watch Video Solution

138. Which of the following is known as 'cochlear duct' ?

- A. Scala media
- B. Scala vestibuli
- C. Scala tympani
- D. None of these

Answer: A



Watch Video Solution

139. In the internal ear, the 'organ of corti' which bear hair cells is located in

- A. Sacculus
- B. Scala media
- C. Scala tympani
- D. Scala vestibuli

Answer: B



Watch Video Solution

140. Scala vestibuli and scala media contain respectively

- A. Endolymph and perilymph
- B. Perilymph and endolymph
- C. Endolymph only
- D. Perilymph only

Answer: B



Watch Video Solution

141. Which of the following arises from the sacculus

- A. Semicircular cannals
- B. Endolymphatic duct
- C. Eustachian tube
- D. None of these

Answer: B



Watch Video Solution

142. Which of the following is balancing organ ?

- A. Organ of corti
- B. Cochlea
- C. Vestibular apparatus
- D. Oval window

Answer: C



Watch Video Solution

143. Statolith is an organ which helps in

A. Vision

B. Equilibrium

C. Tactile stimulation

D. Chemical stimulation

Answer: B



Watch Video Solution

144. Receptor cells for balance in human ear are located in

- A. Utricle, Saccule and semicircular canals
- B. malleus, incus and stapes
- C. Eustachian tube
- D. Organ of corti

Answer: A



145. Otolith is mainly composed of

- A. Lipid
- B. Calcium carbonate
- C. Mucopolysaccharide
- D. Calcium phosphate

Answer: B



146. The glands which help in absorbing odoriferous substances to stimulate olfactory nerve are

- A. Bidder's glands
- B. Cowper's glands
- C. Meibomian glands
- D.

Answer: B



Watch Video Solution

147. A molecule cannot be tasted or smelled until it has been

- A. Dissolved in a liquid
- B. Converted into a liquid
- C. Converted into a neurotransmitter
- D. Grouped into a multimolecular complex

Answer: A



Watch Video Solution

148. The ciliary body

A. Is the part of sclera

B. is the part of the iris of the eye

C. Secretes the vitreous humor

D. Contains smooth muscles that attach to
the lens by suspensory ligaments

Answer: D



Watch Video Solution

149. Given these structures

1. Lens 2. Aqueous humor 3. vitreous humor 4.

Cornea

Choose the correct sequence of the pathway of light from outside to inside the eyeball

A. 4, 2, 1, 3

B. 1, 2, 3, 4

C. 4, 3, 2, 1

D. 1, 4, 2, 3

Answer: A



Watch Video Solution

150. Aqueous humor

- A. Is the pigment responsible of the black colour of the choroid
- B. Exits the eye through the canal of schlemm
- C. Can cause cataracts if over produced
- D. Is secreted by iris

Answer: B



Watch Video Solution

151. Given the area of the retina

1. Macula 2. Fovea centralis 3. Optic disc 4.

Periphery of the retina

Choose the arrangement that lists the areas according to the density of cones, starting with the area that has highest density of cones

A. 2, 1, 4, 3

B. 2, 4, 1, 3

C. 1, 2, 3, 4

D. 1, 3, 2, 4

Answer: A



Watch Video Solution

152. Which of the following is correct for lens focusing, while seeing distant object ?

A. Tight suspensory ligaments and rounded lens

B. Contracted ciliary muscles and rounded lens

C. Relaxed ciliary muscles and tight suspensory ligament

D. Contracted ciliary muscles and relaxed suspensory ligaments

Answer: C



Watch Video Solution

153. Fovea in the eye is a central pit in the yellowish pigmented spot called

A. Retina

B. Cornea

C. Choroid

D. Macula lutea

Answer: D



Watch Video Solution

154. High frequency sound waves vibrate the basilar membrane

- A. Near the helicoterma
- B. Near the oval window
- C. In the middle of cochlea
- D. Towards tip of cochlea

Answer: B



Watch Video Solution

155. The order of the three layers of cells in the retina of human eye from inside to outside is

A. Ganglion cells, rods, cones

B. Bipolar cells, photoreceptor cells,
ganglion cells

C. Ganglion cells, bipolar cells,
photoreceptor cells

D. Photoreceptor cells, ganglion cells,
bipolar cells

Answer: C



Watch Video Solution

156. In the statement "three are several ventricles in the brain and some of these ventricles are connected by foramen of morno. This foramen connects X which are located in the Y of the brain" , X and Y stand respectively for

A. Lateral ventricles and cerebral hemisphere

B. Third and fourth ventricles in cerebral hemisphere and medulla oblongata

C. Lateral ventricles and third ventricles in cerebral hemisphere and mesencephalon

D. Lateral ventricles and third ventricle in cerebral hemispheres and diencephalon

Answer: D



Watch Video Solution

157. Which of the following statement *is / are* correct ?

(i) Formation of rhodopsin takes place in dark adaptation

(ii) Destruction of rhodopsin takes place in light adaptation

(iii) Destruction of rhodopsin takes place in dark adaptation

(iv) Formation of rhodopsin takes place in light adaptation

A. (i) and (ii)

B. (ii) and (iv)

C. (i) and (iii)

D. (iv) alone

Answer: A



Watch Video Solution

158. Fight or flight activation of the autonomic nervous system causes which of the following to occur ?

A. Pupli muscle constriction

B. Blood flow shifts from digestive to skeletal muscle circulation

C. Constriction of bronchi results

D. Blood glucose drastically decreases

Answer: B



Watch Video Solution

159. The adrenal medulla is a mass of neurons with all of the following characteristics except

A. Its products are tyrosine derived

B. It releases epinephrine

C. It is responsible for the production of cortisol and aldosterone

D. It is located above the kidney

Answer: C



Watch Video Solution

160. Action potential is

- A. Decremental phenomenon
- B. Does not obey all or none
- C. K^+ goes from ECF to ICF
- D. Always same for any one neuron

Answer: D



Watch Video Solution

161. Which of the following is wrongly matched ?

A. Fovea - Retina

B. Corpus callosum - Forebrain

C. Limbic system - Forebrain

D. Visual purple - Cones

Answer: D



Watch Video Solution

162. Which one of the following is the correct sequence of cranial nerves in chordates ?

A. Facial, abducens, auditory,
glossopharyngeal

B. Auditory, facial, abducens,
glossopharyngeal

C. Abducens, facial, auditory,
glossopharyngeal

D. Glossopharyngeal, facial, auditory,
abducens

Answer: C



Watch Video Solution

163. Cochlea is divided into three chambers or spaces

1. Scala vestibuli 2. Scala media 3. Scala tympani

Basilar membrane and Reissner's membrane are respectively found between

A. (i) and (iii) and (i) & (ii)

B. (i), (ii) and (iii)

C. (ii) & (iii) and (i) & (iii)

D. (ii) and (iii) and (i) & (ii)

Answer: D



Watch Video Solution

164. Consider the following statements
sympathetic nervous system is characterised
by

1. Acetylcholine as neuro secretion

2. Fight of flight activities
3. Longer preganglionic fibres
4. Non-medullated postganglionic fibres
5. Arising from thoracic-lumbar portion

A. 1, 2 and 3

B. 2, 4, and 5

C. 2 and 4

D. 1, 3 and 5

Answer: B



Watch Video Solution

165. Consider the following statements regarding Na-K Pump

1. It utilizes ATP.
2. It acts on a resting neuron.
3. It involves efflux of 3 Na^+ per ATP.
4. It involves influx of 2 K^+ per ATP.
5. Metabolic poisons stop the pump.

A. 1 and 2

B. 1, 2 and 5

C. 3, 4 and 5

D. 1, 2, 3, 4 and 5

Answer: D



Watch Video Solution

166. which statement is false ?

A. The kidney produces a concentrated urine by establishing a high concentration of salt and urea surrounding the collecting ducts

B. The hypothalamus is a region of the hind brain important in regulating cardiovascular function, such as heart rate and blood pressure

C. In typical reflex arcs, impulses in sensory neurons activate motor neuron via interneurons

D. A drop in body temperature is countered by measures such as increasing

metabolic rate and shutting down circulation in the skin.

Answer: B



Watch Video Solution

167. A 35-year-old female patient presents with weakness and spasticity in the left lower extremity, visual impairment and throbbing in her left eye. MRI confirms areas of demyelination in the anterior corpus callosum.

Which of the following cells are specifically targeted in her condition ?

A. Microglia

B. Oligodendrocytes

C. Astrocytes

D. Schwann cells

Answer: B



Watch Video Solution

168. A teenage girl presents for evaluation of hearing loss in her right ear. She has a history of at least 12 episodes of otitis media as a child, at least one time she perforated her eardrum. Her hearing loss is most likely due to

- A. Conductive deafness
- B. Sensorineural deafness
- C. Central deafness
- D. Tinnitus

Answer: A



Watch Video Solution

169. What is not true about the sympathetic nervous system ?

- A. It has functions antagonistic to those of parasympathetic system
- B. It has bilateral ganglionated cords
- C. It has longer post ganglionic fibres
- D. It has stimulatory influence on all involuntary organs, it supplies

Answer: D



Watch Video Solution

170. Smulation of target organs by the parasympathetic vagus nerve would exert which of the following effects ?

A. Acetylcholine inhibition of the GI tract

B. Norepinephrine-stimulated increase in the heart rate

C. Norepinephrine inhibition of pancreatic secretion

D. Acetylcholine-stimulated increase in pancreatic secretion

Answer: D



Watch Video Solution

171. Digitalis is a drug that block the Na^+ / K^+ ATPase and causes which of the following consequences ?

A. Decreased intracellular calcium concentration

B. Decreased intracellular sodium concentration

C. Decreased intracellular potassium concentration

D. increased extracellular sodium concentration

Answer: C



Watch Video Solution

172. Given below are a list of certain metabolic effect

(i) Lipolysis (ii) Glycogenesis (iii) Increased blood glucose (iv) Proteolysis

Which option shows the correct effect by the hormone of fight or flight ?

A. (i), (ii), (iii)

B. (i), (iii), (iv)

C. (i) , (ii), (iv)

D. All of them

Answer: B



Watch Video Solution

173. Which of the following is not involved in kneejerk reflex ?

A. Muscle spindle

B. Motor neuron

C. Brain

D. Inter neurons

Answer: C



Watch Video Solution

174. Excessive stimulation of vagus nerve in humans may lead to

A. Hoarse voice

B. Peptic ulcer

C. Efficient digestion of proteins

D. Irregular contraction of diaphragm

Answer: B



Watch Video Solution

175. A person is wearing spectacles with concave lenses for correcting vision. While not using the glasses, the image of a distant object in his case will be formed

A. On the blind spot

B. Behind the retina

C. In front of the retina

D. On the yellow spot

Answer: C



Watch Video Solution

176. Unidirectional transmission of nerve impulse through nerve fibre is due to the fact that

A. Nerve fibre is insulated by a medullary sheath

B. Sodium pump start operating only at the cyton and then continues into the nerve fibre

C. Neurotransmitters are released by dendrites and not by axon endings

D. Neurotransmitters are released by the axon endings and not by dendrites

Answer: D



Watch Video Solution

177. Assertion: Our body secretes adrenaline in intense cold.

Reason: Adrenaline raises metabolic rate.

A. If both assertion and reason are true and the reason is the correct explanation of the assertion, then mark
a.

B. If both assertion and reason are true but the reason is not the correct explanation of the assertion, then mark b.

C. If assertion is true statement but reason is false, then mark c.

D. If both assertion and reason are false statements, then mark d.

Answer: A



Watch Video Solution

178. Find out the wrong statement

A. Organ of Corti is located on the tectorial membrane

B. The membranous semi-circular canals of internal ear are suspended in the perilymph of the bony canals

C. At the posterior pole of the lateral to the blind spot, there is a yellowish

pigmented spot called macula lutea

with a central pit called the fovea

D. Along with the hypothalamus, the limbic system is involved in the regulation of sexual behaviour, expression of emotional reactions and motivation.

Answer: A



Watch Video Solution

179. In the resting state of the neural membrane diffusion due to concentration gradients, allowed, would drive

- A. Na^+ into the cell
- B. Na^+ out of the cell
- C. K^+ into the cell
- D. K^+ and Na^+ out of the cell

Answer: A



Watch Video Solution

180. Injury to nerve in human is not likely to affect

A. Pancreation secretion

B. Cardiac movements

C. Tongue movements

D. Gastrointestinal movements

Answer: C



Watch Video Solution

181. Parkinson's diseases (characterised by tremorse and progressive rigidity of limbs) is caused by degeneration of brain neutrons that are involved in movement control and make use of neurotransmitter

A. Norepinephrine

B. Acetylcholine

C. GABA

D. Dopamine

Answer: D





[Watch Video Solution](#)

182. In a man, abducens nerve is injured. Which one of the following functions will be affected

A. Swallowing

B. Movement of the eye ball

C. Movement of the neck

D. Movement of the tongue

Answer: B



[Watch Video Solution](#)

183. Which one of the following does not act as a neurotransmitter ?

A. Acetylcholine

B. Epinephrine

C. Norepinephrine

D. Cortisone

Answer: D



Watch Video Solution

184. Which hormone causes dilation of blood vessels, increased oxygen consumption and gluconeogenesis

A. ACTH

B. Insulin

C. Adrenaline

D. Glucagon

Answer: C



Watch Video Solution

185. Bowman's glands are located in the

A. Anterior pituitary

B. Female reproductive system of
cockroach

C. Olfactory epithelium of our nose

D. Proximal end of uriniferous tubules

Answer: C



Watch Video Solution

186. During the transmission of nerve impulse through a nerve fibre, the potential on the inner side of the plasma membrane has which type of electric charge ?

A. First positive, then negative and continue to be negative

B. First negative, then positive and continue to be positive

C. First positive, then negative and again back to positive

D. First negative, then positive and again
back to negative

Answer: D



Watch Video Solution

187. Which of the following is an example of
negative feedback loop in humans

A. Secretion of tears after falling of sand
particles in to the eye.

B. Salivation of mouth at the sight of
delicious food

C. Secretion of sweat glands and
constriction of skin blood vessels when
it is too hot.

D. Constriction of skin blood vessels and
contraction of skeletal muscles when it
is too cold

Answer: D



Watch Video Solution

188. Feeling of tremors of an earthquake, a scared resident of seventh floor of a multistoried building starts climbing down the stairs rapidly. Which hormone initiated this action ?

A. Adrenaline

B. Glucagon

C. Gastrin

D. Thyroxin

Answer: A



Watch Video Solution

189. The nerve centres which control the body temperature and the urge for eating are contained in

- A. Thalamus
- B. Hypothalamus
- C. Pons
- D. Cerebellum

Answer: B



Watch Video Solution

190. When a neuron is in resting state i.e. not conducting any impulse, the axonal membrane is

- A. Comparatively more permeable to Na^+ ions and nearly impermeable to K^+ ions

- B. Equally permeable to both Na^+ and K^+ ions
- C. Impermeable to both Na^+ and K^+ ions
- D. Comparatively more permeable to K^+ ions and nearly impermeable to Na^+ ions

Answer: D



Watch Video Solution

191. The purplish red pigment rhodopsin contained in the rods type of photoreceptor cells of the human eye, is a derivative of

A. Vitamin B_1

B. Vitamin C

C. Vitamin D

D. Vitamin A

Answer: D



Watch Video Solution

192. A person entering an empty room suddenly finds a snake right in front on opening the door. Which one of the following is likely to happen in his neuro-hormonal control system

A. Neurotransmitters diffuse rapidly across the cleft and transmit a nerve impulse

B. Hypothalamus activates the parasympathetic division of brain

C. Sympathetic nervous system is activated releasing epinephrin and norepinephrin from adrenal cortex

D. Sympathetic nervous system is activated releasing epinephrin and norepinephrin from adrenal medulla

Answer: D



Watch Video Solution

193. Which part of the human ear plays no role in hearing as such but is otherwise very much required ?

- A. Organ of corti
- B. Vestibular apparatus
- C. Ear ossicles
- D. Eustachian tube

Answer: B



Watch Video Solution

194. The human hind brain comprises three parts, one of which is

A. Corpus callosum

B. Cerebellum

C. Hypothalamus

D. Spinal cord

Answer: B



Watch Video Solution

195. A nerve impulse is generated when the nerve cell undergoes

A. Hyperpolarisation

B. Repolarisation

C. Depolarisation

D. Pseudopolarisation

Answer: C



Watch Video Solution

196. Cerebrospinal fluid is secreted by

A. Ependymal epithelium

B. Choroid plexus

C. Pituitary body

D. Pineal body

Answer: B



Watch Video Solution

197. The capacity to differentiate colours lies in

A. Cones

B. Rods

C. Pigment epithelium

D. Ganglion cell layer

Answer: A



Watch Video Solution

198. In ear, the membranous labyrinth is filled with fluid called

A. Endolymph

B. Perilymph

C. Plasma

D. Haemolymph

Answer: A



Watch Video Solution

199. The region of the vertebrate eye, where the optics nerve passes out of the retina and photoreceptor cells are not present in that region is called

A. Fovea

B. Iris

C. Blind spot

D. Optic chiasma

Answer: C



Watch Video Solution

200. The specific receptor responsible for the balance of the body and posture are

- A. Organ of corti
- B. Crista and macula
- C. Tectorial membrane
- D. Basilar membrane

Answer: B



Watch Video Solution

201. Smallest bone in human system is

A. Incus

B. Stapes

C. Malleus

D. Maxilla

Answer: B



Watch Video Solution

202. The charge on the other side of the neuron is

A. $+Ve$

B. $-Ve$

C. Zero

D. Alternate $-Ve$ and $+Ve$

Answer: A



Watch Video Solution

203. Colour perception in man is due to

- A. Rhodospin pigment in rod cells
- B. Iodospin pigment in cone cells
- C. Iodospin pigment in rod cells
- D. Rhodopsin pigment in cone cells

Answer: B



Watch Video Solution

204. Vomitting centre is located in the

A. Medulla oblongata

B. Stomach and sometimes in duodenum

C. GI tract

D. Hypothalamus

Answer: A



Watch Video Solution

205. In $Na^+ - K^+$ pump of active transport there is

A. Efflux of Na^+ and influx of K^+

B. Only efflux of Na^+

C. Influx of Na^+ and efflux of K^+

D. Influx and efflux of Na^+ only

Answer: A



Watch Video Solution

206. Which of the following does not act as a neurotransmitter ?

A. Acetylcholine

B. Glutamic acid

C. Epinephrine

D. Tyrosine

Answer: D



Watch Video Solution

207. Which is thickened to form organ of corti

?

A. Tectorial membrane

B. Reissner's membrane

C. Basilar membrane

D. All of the above

Answer: C



Watch Video Solution

208. Satiety centres of brain is present on

A. Cerebral hemisphere

B. Hypothalamus

C. Cerebellum

D. Medulla oblongata

Answer: B



Watch Video Solution

209. The part of hind brain that is responsible for hand eye coordination is

A. Pons varoli

B. Thalamus

C. Cerebellum

D. Medulla oblongata

Answer: C



Watch Video Solution

210. Which of the following is not related to the autonomic nervous system ?

A. Peristalsis

B. Digestion

C. Excretion

D. Memory and learning

Answer: D



Watch Video Solution

211. The bactericidal protein present in human tears is

A. Transducin

B. Lysozyme

C. Opsin

D. Retinene

Answer: B



Watch Video Solution

212. The brain stem is made up of

A. Midbrain, pons, cerebellum

B. Midbrain, pons, medulla oblongata

C. Diencephalon, medulla oblongata,
cerebellum

D. Cerebellum, cerebrum, medulla
oblongata

Answer: B



Watch Video Solution

213. Movement of tongue muscle is controlled
by

- A. Facial nerve
- B. Trigeminal nerve
- C. Hypoglossal nerve
- D. Vagus nerve

Answer: C



Watch Video Solution

214. Which centre is stimulated during increase in body temperature ?

A. Anterior hypothalamus

B. Posterior hypothalamus

C. Limbic system

D. Red nucleus

Answer: A



Watch Video Solution

215. Which function will be lost due to damage of occipital lobe ?

A. Hearing

B. Speech

C. Vision

D. Memory

Answer: C



Watch Video Solution

216. The optic lobes in humans are represented by the corpora

A. Bigemina

B. Arenacea

C. Allata

D. Quadrigemina

Answer: D



Watch Video Solution

217. Identify the origin of sympathetic nerve fibres and the location of their ganglia

A. They arise from thoraco-lumber region of spinal cord and form ganglia just beside the vertebral column

B. They arise from thoraco-cervical region of spinal cord and form ganglia just beside the vertebral column

C. They arise from thoraco-sacral region of spinal cord and form ganglia very close effector organ

D. They arise from thoraco-lumber region of spinal cord and form ganglia very close effector organ

Answer: A



Watch Video Solution

218. The number of spinal nerves in human is

A. 10 pairs

B. 12 pairs

C. 43 pairs

D. 31 pairs

Answer: D



Watch Video Solution

219. During synaptic transmission of nerve impulse, neurotransmitter (P) is released from synaptic vesicles by the action of ions (Q). Choose the correct P and Q

A. P = acetylcholine, Q = Ca^{++}

B. P = acetylcholine, Q = Na^{++}

C. P = GABA, Q = Na^{+}

D. P = cholinesterase, Q = Ca^{++}

Answer: A



Watch Video Solution

220. Third and fourth ventricles of the brain are connected by

A. Aqueduct of sylvius

B. Foramen of mono

C. Foramen of magnum

D. Corpus callosum

Answer: A



Watch Video Solution

221. A pregnant female delivey a baby who suffers from stunted growth, mental

regardation, Low intelligence quotient and abnormal skin. This is the result of,

- A. Cancer of the thyroid gland
- B. Over secretion of pars distalis
- C. Deficiency of iodine in diet
- D. Low secretion of growth hormone

Answer: C



Watch Video Solution

222. Injury localized to the hypothalamus would most likely disrupt

A. Regulation of body temperature

B. Short - term memory

C. Co-ordination during locomotion

D. Executive functions, such as decision making

Answer: A



Watch Video Solution

223. Fight or flight reaction cause activation of

- A. The pancreas leading to a reduction in the blood sugar levels
- B. The parathyroid glands, leading to increased metabolic rate
- C. The kidney, leading to suppression of renin-angiotensin-aldosterone pathway
- D. The adrenal medulla, leading to increased secretion of epinephrine and

norepinephrine

Answer: D



Watch Video Solution

224. Which one of the following statements is not correct ?

A. Rhodospin is the purplish red protein present in rods only

B. Retina is the light absorbing portion of visual photo pigments

C. In retina the rods have the photo pigment rhodopsin while cones have three different photopigments.

D. Retina is a derivative of vitamin C

Answer: D



Watch Video Solution

225. A gymnast is able to balance his body upside down even in the total darkness because of

A. Vestibular apparatus

B. Tectorial membrane

C. Organ of corti

D. Cochlea

Answer: A



Watch Video Solution

226. Which of the following regions of the brain is incorrectly paired with its function ?

A. Cerebellum - language comprehension

B. Corpus callosum - communication
between the left and right cerebral
cortices

C. Cerebrum - calculation and
contemplation

D. Medulla oblongata - homeostatic control

Answer: A



Watch Video Solution

227. Destruction of the anterior horn cells of the spinal cord would result in loss of

- A. Sensory impulses
- B. Voluntary motor impulses
- C. Commissural impulses
- D. Integrating impulses

Answer: B



Watch Video Solution

228. In mammalian eye, the 'fovea' is the centre of the visual field, where

- A. High density of cones occur, but has no rods
- B. The optic nerve leave the eye
- C. Only rods are present.

D. More rods than cones are found

Answer: A



Watch Video Solution

229. Photosensitive compound in human eye is made up of:

A. Opsin and Retinal

B. Opsin and retinol

C. Transducin and retinene

D. Guanosine and Retinol

Answer: A



Watch Video Solution

230. Choose the correct statement.

A. Nociceptors respond to change in pressure.

B. Meissner's corpuscles are thermoreceptors.

C. Photoreceptors in the human eye are depolarized during darkness and become hyperpolarized in response to the light stimulus

D. Receptors do not produce graded potentials.

Answer: C



Watch Video Solution

231. Receptor sites for neurotransmitters are present on

A. Membranes of synaptic vesicles

B. Pre-synaptic membrane

C. Tips of axons

D. Post-synaptic membrane

Answer: D



Watch Video Solution

232. (i) and (ii)

A. (i), (iii) and (iv)

B. (i) and (iii)

C. (ii), (iii) and (iv)

D.

Answer: B



View Text Solution

233. Which of the following structures or regions is incorrectly paired with function ?

A. Corpus : band of fibres connecting left and right cerebral hemispheres.

B. Hypothalamus : production of releasing hormones and regulation of temperature, hunger and thirst.

C. Limbic system : Consists of fibres tracts that interconnect different regions of

brain, control movement.

D. Medulla oblongata : Controls respiration and cardiovascular reflexes.

Answer: C



Watch Video Solution

234. The transparent lens in the human eye is held in its place by

- A. Smooth muscles attached to the ciliary body
- B. Smooth muscles attached to the iris
- C. Ligaments attached to the iris
- D. Ligaments attached to the ciliary body

Answer: D



Watch Video Solution

235. Nissi bodies are mainly composed of

A. Free ribosomes and RER

B. Nucleic acids and SER

C. DNA and RNA

D. Proteins and lipids

Answer: A



Watch Video Solution