



BIOLOGY

BOOKS - TRUEMAN BOOK COMPANY

BIOLOGY (HINGLISH)

REPRODUCTIVE HEALTH

Multiple Choice Questions

1. Average failure rate of intrauterine contraceptive device is

A. 0.23

B. 0.2

C. 0.01

D. 0.04

Answer: D



Watch Video Solution

2. Fracoise Barre-Sinousi and Luc montaganier got the Nobel prize for the discovery that AIDS is caused by HIV. The Nobel prize was awarded in

A. 2006

B. 2007

C. 2008

D. 2009

Answer: C



Watch Video Solution

3. Which of the following disease is diagnosed by Australian antigen test

A. AIDS

B. hepatitis B

C. Genital warts

D. Chancroid

Answer: B



Watch Video Solution

4. Vaccine of which STD is produced through recombinant DNA technology for prevention of the disease

A. syphilis

B. chancroid

C. Hepatitis B

D. AIDS

Answer: C



[Watch Video Solution](#)

5. In AIDS the drug of choice is

A. acyclovir

B. Didanosine

C. zidovudine

D. tetracycline

Answer: C



[Watch Video Solution](#)

6. Which is not correct?

- A. Hormonal injections contain progestin a hormone, similar to progesterone
- B. permanent methods of birth control are vasectomy and tubectomy
- C. i-pill, pill-72 and unwanted-72 are morning after pills
- D. a spermicide is less effective when used together with a barrier method of birth control

Answer: D



Watch Video Solution

7. Test test which is misused for sex identification of an unborn baby is

- A. clotting test
- B. amniocentesis
- C. erythroblastosis
- D. angiogram

Answer: B



Watch Video Solution

8. Which of the following causes abortion in ladies?

A. Bacteria

B. Viruses

C. Mycoplasma

D. None of these

Answer: C



Watch Video Solution

9. Which of the following is a method of birth control?

A. GIFT

B. IVF-ET

C. IUCDs

D. HTF

Answer: C



Watch Video Solution

10. Which one of the following correctly matches a sexually transmitted disease (STD) with its pathogen?

A. AIDS-Bacillus anthracis

B. Urethritis-Entamoeba gingivalis

C. Syphilis-Treponema pallidum

D. Gonorrhoea-Leishmania donovani

Answer: C



Watch Video Solution

11. Given below are four methods (a-d) and their modes of action (i-iv) in achieving contraception. Select their correct matching from the four options that follow.

Method	Mode of Action
(a) The pill	(i) Prevents sperms reaching cervix
(b) Condom	(ii) Prevents implantation
(c) Vasectomy	(iii) Prevents ovulation
(d) Copper-T	(iv) Semen contains no sperm

A. a-iii,b-iv,c-i,d-ii

B. a-ii,b-i,c-iii,d-iv

C. a-iii,b-i,c-iv,d-ii

D. a-iv,b-i,c-ii,d-iii

Answer: C



Watch Video Solution

12. Consider the statements given below regarding contraception and answer is directed thereafter

(a) medical termination of pregnancy (MTP) during first trimester is generally safe

(b). Generally chances of conception are nil until mother breast feeds the infant upto two years

(c). Intrauterine devices like copper-T are effective contraceptives

(d). Contraception pills may be taken upto one week after coitus to prevent conceptions

Which two of the above statements are correct?

A. a,c

B. a,b

C. b,c

D. c,d

Answer: A



Watch Video Solution

13. "Morning after Pills" can prevent pregnancy if taken within Hours.

A. 50

B. 60

C. 40

D. 72

Answer: D



Watch Video Solution

14. Andropause of male human beings is similar to

A. androgen binding protein

B. female menopause

C. prostaglandin

D. androgen

Answer: B



Watch Video Solution

15. Confirmatory test of syphilis is

A. ELISA

B. PCR

C. VDRT

D. DNA hybridisation

Answer: C



Watch Video Solution

16. The hormone releasing IUDs make the_____unstable for implantation.

A. fallopian tube

B. uterus

C. vagina

D. ovary

Answer: B



Watch Video Solution

17. Combined pills contains synthetic _____ to check ovulation

- A. LH and progesterone
- B. FSH and oestrogen
- C. progesterone and oestrogen
- D. LH and FSH

Answer: C



Watch Video Solution

18. Assertion : Saheli, the new oral contraceptive for the females contains a steroidal preparation

Reason : Saheli is taken daily without a break.

A. interferon

B. centchroman

C. DMPA

D. NETEN

Answer: B



Watch Video Solution

19. Which of the following is/are called morning after pills

A. i-pills

B. Pill-72

C. unwanted-72

D. all of these

Answer: D



Watch Video Solution

20. Depo-provera are

A. growth hormones

B. oestrogen derivative injections

C. progesterone-derivative injections

D. glucocorticoids

Answer: C



Watch Video Solution

21. Chemical methods of birth control involves the use of

A. condom

B. loop

C. cream or jelly

D. diaphragm

Answer: C



Watch Video Solution

22. A contraceptive can be

A. condom, cervical cap or diaphragm

B. intrauterine device

C. pill

D. all the above

Answer: D



Watch Video Solution

23. Which of the following is a mechanical device which prevents pregnancy by preventing fertilization and an IUCD for birth control?

- A. Copper-T
- B. A combined pill
- C. Foam tablet
- D. Abortant pill

Answer: A



[Watch Video Solution](#)

24. A permanent method of birth control is

- A. vasectomy in males
- B. tubectomy in females
- C. both (1) and (2)
- D. None of these

Answer: C



[Watch Video Solution](#)

25. Which mechanical device to control child birth is fitted on the cervix?

A. Diaphragm

B. condom

C. loop

D. cooper T

Answer: A



Watch Video Solution

26. A contraceptive pill prevents ovulation by :

A. blocking fallopian tube

B. inhibiting release of FSH and LH

C. stimulating release of FSH and LH

D. causing immediate degeneration of released
ovum

Answer: B



Watch Video Solution

27. Woman plays a greater role in procreation than man (woman is biologically superior to man) because the

A. nurses the foetus in her womb

B. feeds the infant on her milk

C. cleans infant's excreta

D. does all the above

Answer: D



Watch Video Solution

28. Polymerase chain reaction (PCR) is used for the detection of

A. genital herpes

B. Malaria

C. Small pox

D. measles

Answer: A



Watch Video Solution

29. Which of the following is a sexually transmitted disease?

A. Q fever

B. syphils

C. Gonorrhoea

D. Both (2) and (3)

Answer: D



Watch Video Solution

30. Gonorrhoea is a

A. Bacterial disease

B. Venereal disease

C. STD

D. All of these

Answer: D



Watch Video Solution

31. Condoms are used by

A. female

B. male

C. both (1) and (2)

D. None of these

Answer: C



Watch Video Solution

32. Birth control pills have

A. no side effects

B. side effect

C. nutrients

D. enzymes

Answer: B



Watch Video Solution

33. Coitus interruptus method of birth control involves

A. uterus

B. vesdeferens

C. withdrawal of penis just before male ejaculates

D. barrier method

Answer: C



Watch Video Solution

34. Chlamydia are obligate intracellular organisms which contain

A. RNA

B. DNA

C. both (1) and (2)

D. tRNA

Answer: C



Watch Video Solution

35. Sequential pills contains

- A. a high dose of oestrogen
- B. moderate dose of progesterone
- C. both (1) and (2)
- D. high dose of FHS and LH

Answer: C



Watch Video Solution

36. Barrier methods of birth control are use of

- A. condom
- B. vaginal pouch
- C. diaphragm
- D. all of these

Answer: D



Watch Video Solution

37. Some women cannot use IUCDs because of

- A. expulsion

B. bleeding

C. discomfort

D. all of these

Answer: D



Watch Video Solution

38. Spermicides kill the sperms in the

A. vagina

B. cervix

C. fallopian tubes

D. both (1) and (2)

Answer: D



Watch Video Solution

39. Syphilis is curable through appropriate antibiotics, e.g., penicillin, tetracycline. However, tetracycline should not be given to

A. pregnant woman

B. children under 12 years of age

C. young persons

D. both (1) and (2)

Answer: D



Watch Video Solution

40. Gonorrhoea and syphilis are common in

- A. african countries
- B. European contries
- C. All over the world
- D. Asia countries

Answer: C



Watch Video Solution

41. Chlamydia trachomatis causes

- A. trachoma
- B. sexually transmitted disease
- C. perinatal infection
- D. all of the above

Answer: D



Watch Video Solution

42. Which of the following is sexually transmitted disease/s

A. Typhoid

B. Tetanus

C. Leprosy

D. Hepatitis-B

Answer: D



Watch Video Solution

43. Genital warts STD is a viral disease and is caused by

A. Chlamydia trachomatis

B. Trichomonas vaginalis

C. Treponema pallidum

D. Human papilloma virus

Answer: D



Watch Video Solution

44. The polymerase chain reaction (PCR) is a novel test the method for amplifying first invented in 1984 by kary mullis permits the synthesis of millions of copies of specific DNA sequence in a few hours. Kary mullis (US) and michael smith (british-canadian) got Nobel prize in 1993 in

A. Physics

B. Chemistry

C. Physiology or medicine

D. Peace

Answer: B



Watch Video Solution

45. Essay on population was published by

A. Darwin

B. lamarch

C. Malthus

D. Hugo de Veries

Answer: C



Watch Video Solution

46. The present rate of human population is approximately

A. 2 percent

B. 2.5 percent

C. 3 percent

D. 3.5 percent

Answer: B



Watch Video Solution

47. The physiological capacity to produce offspring is called

- A. population growth
- B. birth rate
- C. biotic potential
- D. population explosion

Answer: C



Watch Video Solution

48. The main factor for population growth in india is

A. more of birth rate

B. less of death rate

C. lack of education

D. all of the above

Answer: D



Watch Video Solution

49. Incubation period in AIDS is:-

A. 4 months to 8 years

B. 5 months to 9 years

C. 6 months to 10 years

D. 7 months to 11 years

Answer: C



Watch Video Solution

50. Population explosion has occurred in the last :

A. 500 years

B. 300 years

C. 100 years

D. 50 years

Answer: C



Watch Video Solution

51. Which of the following is most convincing reason for increasing population growth in a country?

A. High birth rate

B. Low mortality rate

C. High population of young children

D. All of these

Answer: D



Watch Video Solution

52. Study of population trends is

A. kalography

B. psychobiology

C. biography

D. demography

Answer: D



Watch Video Solution

53. July 11 is

- A. World Environment Day
- B. World population day
- C. World's AIDS day
- D. World's Education day

Answer: B



Watch Video Solution

54. In the production of test tube baby

A. Fertilization is external and foetus formation is internal

B. fertilization is internal and foetus formation is external

C. fertilization and foetus formation are external

D. Fertilization and foetus formation are internal

Answer: A



Watch Video Solution

55. Certain characteristic demographic features of developing countries are

- A. high fertility, high density, rapidly rising, mortality rate and a very young age distribution
- B. high infant mortality rate, low fertility uneven population growth and a very young age distribution.
- C. High mortality, high density, uneven population growth and a very young age distribution.
- D. High fertility, low or rapidly falling mortality rate, rapid population growth and a very young age distribution

Answer: D





[Watch Video Solution](#)

56. Family planning programme was initiated in

A. 1920

B. 1930

C. 1950

D. 1951

Answer: D



[Watch Video Solution](#)

57. The first complete census in India was carried out in

:

A. 1871

B. 1872

C. 1958

D. 1972

Answer: B



Watch Video Solution

58. Human world population in 1700 AD was

A. 0.12 billion

B. 0.13 billion

C. 0.15 billion

D. 0.6 billion

Answer: D



Watch Video Solution

59. Marriageable age in india is (in years)

A. male 15, female 16

B. male 25 female 20

C. male 18 female 21

D. male 21 female 18.

Answer: D



Watch Video Solution

60. Contraceptive 'pills' are used by

A. male

B. female

C. both

D. none

Answer: B



Watch Video Solution

61. Government of india legalised MTP in

A. 1971

B. 1998

C. 2001

D. 2006

Answer: A



Watch Video Solution

62. Which of the following STDs are not completely curable ?

A. chlamydiasis, gonorrhoea, trichomoniasis

B. chancroid, syphilis, genital warts

C. AIDS, syphilis, hepatitis B

D. AIDS, genital herpes and Hepatitis B

Answer: D



Watch Video Solution

63. HIV attacks

A. RBCs

B. blood platelets

C. helper T cells

D. B-cells

Answer: C



Watch Video Solution

64. The permissible use of the technique amniocentesis is for :

A. detecting sex of the unborn foetus

B. artificial insemination

C. transfer of embryo into the uterus of a surrogate mother

D. detecting any genetic abnormality

Answer: D



Watch Video Solution

65. A population 'crash' is called catastrophic control of population. It was termed positive check by an economist

A. Malthus

B. Darwin

C. Lamarch

D. Mendel

Answer: A



Watch Video Solution

66. In india, which of the following methodsis most widely accepted?

A. Tubertomy and vasectomy

B. Intrauterine contraceptive devices

C. Oral contraceptive pills

D. Use of condoms

Answer: B



Watch Video Solution

67. MTP is comparatively safe upto

A. 20 weeks

B. 15 weeks

C. 12 weeks

D. 10 weeks

Answer: C



Watch Video Solution

68. Worldhealth organisation (WHO) was set up in geneva (switzerland) on

- A. 8th april, 1950
- B. 10th aprin, 1949
- C. 7th april, 1948
- D. 8th april, 1947

Answer: C



Watch Video Solution

69. Baruch Blumberg was awarded to nobel prize in 1978 along with gajudusek. He prepared a vaccine against

A. Hepatitis-A

B. Hepatitis-B

C. Hepatitis-C

D. Hepatitis-D

Answer: B



Watch Video Solution

70. The first test tube baby Louise joy brown was brone
in oldham, england in

A. 27761

B. 28212

C. 28696

D. 31630

Answer: C



View Text Solution

71. India's first test tube baby was born in August 6, 1986 in Mumbai. The credit for India's first test tube baby goes to

- A. Dr. Patrick Steptoe and Dr. Robert Edwards
- B. Dr. Indra Hinduja
- C. Dr. P. Venugopal
- D. Dr. William Harvey

Answer: B



[View Text Solution](#)

72. The fusion of ovum and sperm is done outside the body of woman to form zygote. The zygote is allowed to divide forming 8 blastomeres. The early embryo with not more than 8 blastomeres is transferred into the

A. uterus

B. Fallopian tube

C. cervix

D. Vagina

Answer: B



Watch Video Solution

73. The world's youngest parents were 8 and 9 years old, who lived in

A. South africa

B. China

C. France

D. Canada

Answer: B



Watch Video Solution

74. Which of the following is antiserility vitamin?

A. Vitamin A

B. Vitamin C

C. Vitamin E

D. Vitamin D

Answer: C



Watch Video Solution

75. Boldness is related to

A. oxytocin

B. thyroxine

C. glucagon

D. androgens

Answer: D



Watch Video Solution

76. Which of the following hormones helps to attain sexual maturity?

A. Secretion

B. somatostatin

C. serototin

D. Follicle stimulating hormone

Answer: D



Watch Video Solution

77. On what factors the population of a species depends ?

- A. Biotic potential
- B. Carrying capacity of environment
- C. pollution
- D. both (1) and (2)

Answer: D



Watch Video Solution

78. Chancroid is caused by

A. *Neisseria gonorrhoeae*

B. *Trepanema pallidum*

C. *Haemophilus ducreyi*

D. Human papilloma virus

Answer: C



Watch Video Solution

79. Which one is not included in "barrier methods" of birth control?

A. Lippes loop

B. Diaphragms

C. Cervical caps

D. Vaults

Answer: A



Watch Video Solution

80. Infertility is the relative state of failure to conceive after how many year/years of sexual life without contraception?

A. One

B. Two

C. Three

D. Four

Answer: B



Watch Video Solution

81. A sexually transmitted disease symptomised by the development of chancre on the genitals caused by the infection of

- A. *Neisseria gonorrhoea*
- B. *Preponema palladium*
- C. Hepatitis B virus
- D. Human immunodeficiency virus

Answer: B



Watch Video Solution

82. Which of these is used to control human population?

- A. Estrogen+Progesterone
- B. IUCD+MTP
- C. Tubectomy and vasectomy
- D. all of these

Answer: D



Watch Video Solution

83. Which of the following is the component of oral pills?

A. Progesterone

B. oxytocin

C. relaxin

D. None of these

Answer: A



Watch Video Solution

84. If in a population, natality is balanced by mortality, then there will be

- A. increase in population growth
- B. decrease in population growth
- C. zero population growth
- D. over population

Answer: C



Watch Video Solution

85. Saheli' an oral contraceptive for females was developed by

- A. AIIMS, delhi
- B. IICB, kolkata
- C. CDRI, Lucknow
- D. SGPGI, Lucknow

Answer: C



Watch Video Solution

86. Deficiency of which of the following elements causes infertility?

A. Iron

B. Chlorine

C. Manganese

D. Zinc

Answer: C



Watch Video Solution

87. NACO (National AIDS control organisation) was established in

A. 1984

B. 1992

C. 1991

D. 2001

Answer: B



Watch Video Solution

88. In vitro fertilisation is a technique that involves transfer of which one of the following into the fallopian tube?

A. Embryo only, upto 8 cell stage

B. either zygote or early embryo upto 8 cell stage

C. embryo of 32 cell stage

D. zygote only

Answer: B



Watch Video Solution

89. Cu ions released from copper-releasing intra uterine devices (IUDs)

- A. make uterus unsuitable for implantation
- B. increase phagocytosis of sperms
- C. suppress sperm motility
- D. prevent ovulation

Answer: C



Watch Video Solution

90. A logistic growth curve depicting a population that is limited by a definite carrying capacity is shaped like the letter

A. J

B. L

C. M

D. S

Answer: D



Watch Video Solution

91. Oral contraception pills used by females help in birth control by

- A. inhibiting ovulation
- B. forming barrier between sperm and ovum
- C. kills ova
- D. kills sperms

Answer: A



Watch Video Solution

92. Which of the following cannot be considered as assisted reproductive technology

- A. In vitro fertilization (IVF)
- B. Gamete intra fallopian transfer (GIFT)
- C. Medial termination of pregnancy (MTP)
- D. Intra cytoplasmic sperm injection (ICSI)

Answer: C



Watch Video Solution

93. The technique called gamete intrafallopian transfer (GIFT) is recommended for those females

A. who cannot provide suitable environment for fertilisation

B. who cannot produce an ovum

C. who cannot retain foetus inside uterus

D. whose cervical canal is too narrow to allow passage for the sperms

Answer: B



Watch Video Solution

94. Consider the following statement (a-d) each with one or two blanks

(a) Brears go into (1) _____ during winter to (2) _____ cold weather

(b) A conical age pyramid with a broad base represents (3) _____ human population.

© A wasp pollinating a fig flower is an example of (4) _____

(d) an area with high levels of species richness is known as (5) _____

which one of the following options, gives the correct fill ups for the respective blank numbers from (1) to (5) in the statements:-

A. (3)-stable, (4)-commensalism, (5)- (marsh)

B. (1)-aestivation, (2)-escape, (3)-stable, (4)-
mutualism

C. (3)-expanding, (4)-commensalism, (5)-biodiversity
park

D. (1)-hibernation, (2)-escape, (3)-expanding, (5)-hot
spot

Answer: D



View Text Solution

95. In Assisted Reproductive technology, the method in which a sperm is directly injected into ovum is called

A. ZIFT

B. ICSI

C. GIFT

D. ET

Answer: B



Watch Video Solution

96. A vasectomy-

- A. prevents the production of sperm in the testes
- B. prevents the production of semen
- C. prevents the movement of sperm into the urethra
- D. prevents a man from having an erection

Answer: C



Watch Video Solution

97. The population limited to a particular geographic area is called as

- A. pandemic

B. endemic

C. alien

D. natural

Answer: B



Watch Video Solution

98. Copper releasing IUD is

A. Diaphragm

B. Multiload 375

C. LNG-20

D. Saheli

Answer: B



Watch Video Solution

99. In which of the following ART techniques the semen is artificially introduced into the female:

A. ET

B. GIFT

C. IUT

D. IUI

Answer: D



Watch Video Solution

100. Artificial insemination means

- A. artificial introduction of sperms of a healthy donor into the vagina
- B. introduction of sperms of a healthy donor directly into the ovary
- C. transfer of sperms of a healthy donor to a test tube containing ova

D. transfer of sperms of husband to a test tube containing ova

Answer: A



Watch Video Solution

101. Which one of the following is not the function of placenta? It

- A. Facilitates removal of carbon dioxide and waste material from embryo.
- B. Secretes oxytocin during parturition.

C. Facilitates supply of oxygen and nutrients to embryo.

D. Secretes estrogen

Answer: B



Watch Video Solution

102. Which of the following cannot be detected in a developing foetus by amniocentesis?

A. Down syndrome

B. Jaundice

C. Klinefelter syndrome

D. Sex of the foetus

Answer: B



Watch Video Solution

103. One of the legal methods of birth control is

- A. by having coitus at the time of day break
- B. by a premature ejaculation during coitus
- C. abortion by taking an appropriate medicine
- D. by abstaining from coitus from day 10 to 17 of
the menstrual cycle

Answer: D



Watch Video Solution

104. Assisted reproductive technology, IVF involves transfer of

- A. Embryo with 16 blastomeres into the fallopian tube
- B. ovum into the fallopian tube
- C. zygote into the fallopian tube
- D. Zygote into the uterus

Answer: C



[Watch Video Solution](#)

105. The main function of mammalian corpus luteum is to produce

A. relaxin only

B. estrogen only

C. progesterone

D. human chorionic gonadotropin

Answer: C



[Watch Video Solution](#)

106. Tubectomy is a method of sterilization in which

A. Uterus is removed surgically

B. small part of the fallopian tube is removed or tied up

C. ovaries are removed surgically

D. small part of vas deferens is removed or tied up

Answer: B



Watch Video Solution

107. Which of the following is a hormone releasing intra uterine device (IUD)?

A. Vault

B. Multiloader 373

C. LNG-20

D. Cervical cap

Answer: C



Watch Video Solution

108. In context of amniocentesis, which of the following intra uterine device (IUD)?

A. It is used for prenatal sex determination

B. It can be used for detection of syndrome

C. It can be used for detection of cleft palate

D. It is usually done when a woman is between 14-16 weeks pregnant

Answer: C



Watch Video Solution

109. Which of the following is hormone releasing IUD?

A. LNG-20

B. Multiload 375

C. Lippes loop

D. Cu7

Answer: A



Watch Video Solution

110. Which of the following is incorrect regarding vasectomy?

- A. No sperms occurs in seminal fluid
- B. No sperm occurs in epididymis
- C. Vasa deferentia is cut and tied
- D. Irreversible sterility

Answer: B



Watch Video Solution

111. The function of copper ions in copper releasing IUD's is

- A. They suppress sperm motility and fertilising capacity of sperms.
- B. They inhibit gametogenesis
- C. They make uterus unsuitable for implantation
- D. They inhibit ovulation.

Answer: A::C



[Watch Video Solution](#)

112. In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilization?

- A. Intrauterine transfer
- B. Gamete intracytoplasmic fallopian transfer
- C. Artificial insemination
- D. Intracytoplasmic sperm injection

Answer: C::D



[Watch Video Solution](#)

