



MATHS

NCERT - NCERT MATHEMATICS (GUJRATI)

PROBABILITY

Example

1. Two coins (a one rupee coin and a two rupee coin) are tossed once.

Find a sample space.



[Watch Video Solution](#)

2. Find the sample space associated with the experiment of rolling a pair of dice (one is blue and the other red) once. Also, find the

number of elements of this sample space.

 [Watch Video Solution](#)

3. In each of the following experiments specify appropriate sample space

(i) A boy has 1 rupee coin, a 2 rupee coin and a 5 rupee coin in his pocket. He takes out two coins out of his pocket, one after the other.

(ii) A person is noting down the number of accidents along a busy highway during a year.

 [Watch Video Solution](#)

4. A coin is tossed. If it shows head, we draw a ball from a bag consisting of 3 blue and 4 white balls, if it shows tail we throw a die.

Describe the sample space of this experiment.

 [Watch Video Solution](#)

5. Consider the experiment in which a coin is tossed repeatedly until a head comes up. Describe the sample space.

 [Watch Video Solution](#)

6. Consider the experiment of rolling a die. Let A be the event 'getting a prime number', B be the event 'getting an odd number'. Write the sets representing the events (i) A or B (ii) A and B (iii) A but not B (iv) 'not A '.

 [Watch Video Solution](#)

7. Two dice are thrown and the sum of the number which come up on the dice is noted. Let us consider the following events associated with the experiment

A : 'the sum is even'.

B: 'the sum is a multiple of 3'.

C: 'the sum is less than 4'.

D: 'the sum is greater than 11'.

Which pairs of these events are mutually exclusive?

 [Watch Video Solution](#)

8. A coin is tossed three times, consider the following events.

A: 'No head appears,

B: 'Exactly one head appears' and

C: 'At least two heads appear'.

Do they form a set of mutually exclusive and exhaustive events?

 [Watch Video Solution](#)

9. Let a sample space be $S = \{\omega_1, \omega_2, \dots, \omega_6\}$. Which of the following assignments of probabilities to each outcome are valid ?

Outcomes	ω_1	ω_2	ω_3	ω_4	ω_5	ω_6
(a)	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$
(b)	1	0	0	0	0	0
(c)	$\frac{1}{8}$	$\frac{2}{3}$	$\frac{1}{3}$	$\frac{1}{3}$	$-\frac{1}{4}$	$-\frac{1}{3}$
(d)	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{3}{2}$
(e)	0.1	0.2	0.3	0.4	0.5	0.6

 [Watch Video Solution](#)

10. One card is drawn from a well shuffled deck of 52 cards. If each outcome is equally likely, calculate the probability that the card will be

- (i) a diamond (ii) not an ace (iii) a black card (i.e., a club or, a spade)
- (iv) not a diamond (v) not a black card.

 [Watch Video Solution](#)

11. A bag contains 9 discs of which 4 are red, 3 are blue and 2 are yellow. The discs are similar in shape and size. A disc is drawn at random from the bag. Calculate the probability that it will be (i) red, (ii) yellow, (iii) blue, (iv) not blue, (v) either red or blue.

 [Watch Video Solution](#)

12. Two students Anil and Ashima appeared in an examination. The probability that Anil will qualify the examination is 0.05 and that Ashima will qualify the examination is 0.10. The probability that both will qualify the examination is 0.02. Find the probability that

- (a) Both Anil and Ashima will not qualify the examination.
- (b) At least one of them will qualify the examination and
- (c) Only one of them will qualify the examination.

 [Watch Video Solution](#)

13. A committee of two persons is selected from two men and two women. What is the Probability probability that the committee will have (a) no man ? (b) one man ? (c) two men?

 [Watch Video Solution](#)

14. On her vacations Veena visits four cities(A, B, C and D) in random order. What is the probability that she visits

(i) A before B? (ii) A before B and B before C?

(iii) A first and B last? (iv) A either first or second? (v) A just before B?

 [Watch Video Solution](#)

15. Find the probability that when a hand of 7 cards is drawn from well sheffled deck of 52 cards, it contians (i) all kings (ii) 3 Kings (iii) atleast 3 Kings.

 [Watch Video Solution](#)

16. If A, B, C are three events associated with a random experiment, prove that

$$P(A \cup B \cup C) = P(A) + P(B) + P(C) - P(A \cap B) - P(A \cap C) - P(B \cap C) + P(A \cap B \cap C).$$

[!\[\]\(3d8c13c92b853674f749aac6fa869926_img.jpg\) Watch Video Solution](#)

17. In a relay race there are five terms A, B, C, D and E .

(a) What is the probability that A, B and C finish first, second and third, respectively.

(ii) What is the probability that A, B and C are first three to finish (In any order) (Assume that all finishing orders are equally likely).

[!\[\]\(17acf1afa8cdf0b67c53d4865a5ed469_img.jpg\) Watch Video Solution](#)

1. 1 to 7, describe the sample space for the indicated experiment. A coin is tossed three times.

 [Watch Video Solution](#)

2. 1 to 7, describe the sample space for the indicated experiment. A die is thrown two times.

 [Watch Video Solution](#)

3. 1 to 7, describe the sample space for the indicated experiment. A coin is tossed four times.

 [Watch Video Solution](#)

4. 1 to 7, describe the sample space for the indicated experiment.

A coin is tossed and a die is thrown.

 [Watch Video Solution](#)

5. 1 to 7, describe the sample space for the indicated experiment.

A coin is tossed and then a die is rolled only in case a head is shown on the coin.

 [Watch Video Solution](#)

6. 1 to 7, describe the sample space for the indicated experiment.

2 boys and 2 girls are in Room X and 1 boy and 3 girls in Room Y. Specify the sample space for the experiment in which a room is selected and then a person.

 [Watch Video Solution](#)

7. One die of red colour, one of die white colour and one of blue colour are placed in a bag. One die is selected at random and rolled, its colour and the number on its uppermost face is noted. Describe the sample space.

 [Watch Video Solution](#)

8. An experiment consists of recording boy-girl composition of families with 2 children.

(i) What is the sample space if we are interested in knowing whether it is a boy or girl in the order of their births ?

(ii) What is the sample space if we are interested in the number of girls in the family ?

 [Watch Video Solution](#)

9. A box contains 1 red and 3 identical white balls. Two balls are drawn at random in succession without replacement. Write the sample space for this experiment.

 [Watch Video Solution](#)

10. An experiment consists of tossing a coin and then throwing it a second time if a head occurs. If a tail occurs on the first toss, then a die is rolled once. Find the sample space.

 [Watch Video Solution](#)

11. Suppose 3 bulbs are selected at random from a lot. Each bulb is tested and classified as defective (D) or non-defective (N). Write the sample space of this experiment.

 [Watch Video Solution](#)

12. A coin is tossed. If the out come is a head, a die is thrown. If the die shows up an even number, the die is thrown again. What is the sample space for the experiment ?

 [Watch Video Solution](#)

13. The numbers 1,2 ,3 and 4 are written separately on four slips of paper. The slips are put in a box and mixed thoroughly. A person draws two slips from the box, one after the other, without replacement. Describe the sample space for the experiment.

 [Watch Video Solution](#)

14. An experiment consists of rolling a die and then tossing a coin once if the number on die is even. If the number on die is odd, the coin is tossed twice. Write the sample space for this experiment.

 [Watch Video Solution](#)

 [Watch Video Solution](#)

15. A coin is tossed. If it shows a tail, we draw a balls from a box which contains 2 red and 3 black balls. If it shows head, we throw a die. Find the sample space for this experiment.

 [Watch Video Solution](#)

16. A die is thrown repeatedly until a six comes up. What is the sample space for this experiment ?

 [Watch Video Solution](#)

Exercise 16 2

1. A die is rolled. Let E be the event "die shows 4" and F be the event "die shows even number". Are E and F mutually exclusive ?

 [Watch Video Solution](#)

2. A die is thrown. Describe the following events :

(i) A: a number less than 7

(ii) B : a number greater than 7

(iii) C: a multiple of 3.

(iv) D : a number less than 4

(v) E : an even number greater than 4

(vi) F : a number not less than 3

Also

find

$A \cup B, A \cap B, B \cup C, E \cap F, D \cap E, A - C, D - E, E \cap F', F'$.

 [Watch Video Solution](#)

3. An experiment involves rolling a pair of dice and recording the numbers that come up. Describe the following events :

A : the sum is greater than 8.

B : 2 occurs on either die

C : the sum is at least 7 and a multiple of 3.

Which pairs of these events are mutually exclusive ?

 [Watch Video Solution](#)

4. Three coins are tossed once. Let A denote the event 'three heads show', B denote the event "two heads and one tail show", C denote the event" three tails show and D denote the event 'a head shows on the first coin". Which events are

(i) mutually exclusive? (ii) simple (iii) Compound?

 [Watch Video Solution](#)

5. Three coins tossed. Describe.

(i) Two events which are mutually exclusive.

(ii) Three events which are mutually exclusive and exhaustive.

(iii) Two events, which are not mutually exclusive.

(iv) Two events which are mutually exclusive but not exhaustive.

(v) Three event which are mutually exclusive but not exhaustive.

 [Watch Video Solution](#)

6. Two dice are thrown. The events A, B and C are as follows :

A : getting an even number on the first die.

B : getting an odd number on the first die.

C : getting the sum of the numbers on the dice ≤ 5 .

Describe the events

(i) A' (ii) not B (iii) A or B

(iv) A and B (v) A but not C (vi) B or C

(vii) B and C (viii) $A' \cap B' \cap C'$

 [Watch Video Solution](#)

7. Refer to question 6 above, state true or false: (give reason for your answer)

(i) A and B are mutually exclusive

(ii) A and B are mutually exclusive and exhaustive

(iii) $A = B'$

(iv) A and C are mutually exclusive.

(v) A and B' are mutually exclusive.

(vi) A, B', C are mutually exclusive and exhaustive.



[View Text Solution](#)

Exercise 16.3

1. Which of the following can not be valid assignment of probabilities for outcomes of sample space $S = \{\omega_1, \omega_2, \omega_3, \omega_4, \omega_5, \omega_6, \omega_7\}$

Assignment	ω_1	ω_2	ω_3	ω_4	ω_5	ω_6	ω_7
(a)	0.1	0.01	0.05	0.03	0.01	0.2	0.6
(b)	$\frac{1}{7}$	$\frac{1}{7}$	$\frac{1}{7}$	$\frac{1}{7}$	$\frac{1}{7}$	$\frac{1}{7}$	$\frac{1}{7}$
(c)	0.1	0.2	0.3	0.4	0.5	0.6	0.7
(d)	-0.1	0.2	0.3	0.4	-0.2	0.1	0.3
(e)	$\frac{1}{14}$	$\frac{2}{14}$	$\frac{3}{14}$	$\frac{4}{14}$	$\frac{5}{14}$	$\frac{6}{14}$	$\frac{15}{14}$

 [Watch Video Solution](#)

2. A coin is tossed twice, what is the probability that atleast one tail occurs?

 [Watch Video Solution](#)

3. A die is thrown, find the probability of following events:

(i) A prime number will appear,

(ii) A number less than or equal to 3 will appear,

(iii) A number less than or equal to one will appear,

(iv) A number more than 6 will appear,

(v) A number less than 6 will appear.

 [Watch Video Solution](#)

4. A card is selected from a pack of 52 cards.

(a) How many points are there in the sample space?

(b) Calculate the probability that the card is an ace of spades.

(c) Calculate the probability that the card is (i) an ace (ii) black card.

 [Watch Video Solution](#)

5. A fair coin with 1 marked on one face and 6 on the other and a fair die are both tossed. Find the probability that the sum of numbers that turn up is (i) 9 (ii) 12.

 [Watch Video Solution](#)

 [Watch Video Solution](#)

6. There are four men and six women on the city council. If one council member is selected for a committee at random, how likely is it that it is a women?

 [Watch Video Solution](#)

7. A fair coin is tossed four times, and a person win Re 1 for each head and lose Rs 1.50 for each tail that turns up.

From the sample space calculate how many different amounts of money you can have after four tossed once. Find the probability of getting.

 [Watch Video Solution](#)

8. Three coins are tossed once. Find the probability of getting

(i) 3 heads

(ii) 2 heads

(iii) at least 2 heads

(iv) at most 2 heads

(v) no head

(vi) 3 tails

(vii) exactly two tails

(viii) no tail

(ix) at most two tails

 [Watch Video Solution](#)

9. If $\frac{2}{11}$ is the probability of an event, what is the probability of the event 'not A'.

 [Watch Video Solution](#)

10. A letter is chosen at random from the word 'ASSASSINATION'. Find the probability that letter is (i) a vowel (ii) a consonant

 [Watch Video Solution](#)

11. In a lottery, a person chosen six different natural numbers at random from 1 to 20, and if these six numbers match with the six numbers already fixed by the lottery committee, he wins the prize. What is the probability of winning the prize in the game ?

 [Watch Video Solution](#)

12. Check whether the following probabilities $P(A)$ and $P(B)$ are consistently defined

(i) $P(A) = 0.5, P(B) = 0.7, P(A \cap B) = 0.6$

(ii) $P(A) = 0.5, P(B) = 0.4, P(A \cup B) = 0.8$

 [Watch Video Solution](#)

13. Fill up the blanks in following table:

$P(A)$	$P(B)$	$P(A \cap B)$	$P(A \cup B)$
--------	--------	---------------	---------------

(i) $\frac{1}{3}$ $\frac{1}{5}$ $\frac{1}{15}$...

(ii) 0.35 ... 0.25 0.6

(iii) 0.5 0.35 ... 0.7.

 Watch Video Solution

14. Given $P(A) = \frac{3}{5}$ and $P(B) = \frac{1}{5}$ Find $P(A \text{ or } B)$, if A and B are mutually exclusive events.

 Watch Video Solution

15. If E and F are events such that $P(E) = \frac{1}{4}$, $P(F) = \frac{1}{2}$ and $P(E \text{ and } F) = \frac{1}{8}$ find (i) $P(E \text{ or } F)$, (ii)

P (not E and not F).



[Watch Video Solution](#)

16. Events E and F are such that $P(\text{not E or not F}) = 0.25$, State whether E and F are mutually exclusive.



[Watch Video Solution](#)

17. A and B are events such that $P(A) = 0.42$, $P(B) = 0.48$ and $P(A \text{ and } B) = 0.16$. Determine (i) $P(\text{not A})$, (ii) $P(\text{not B})$ and (iii) $P(A \text{ or } B)$



[Watch Video Solution](#)

18. In Class XI of a school 40% of the students study Mathematics and 30% study Biology. 10% of the class study both Mathematics and

Biology. If a student is selected at random from the class, find the probability that he will be studying Mathematics or Biology.

 [Watch Video Solution](#)

19. In an entrance test that is graded on the basis of two examinations, the probability of a randomly chosen student passing the first examination is 0.8 and the probability of passing the second examination is 0.7 . The probability of passing at least one of them is 0.95. What is the probability of passing both ?

 [Watch Video Solution](#)

20. The probability that a student will pass the final examination in both English and Hind is 0.5 and the probability of passing neither is 0.1. If the probability of passing the English examination is 0.75 what is the probability of passing the Hindi examination ?

 [Watch Video Solution](#)

21. In a class of 60 students, 30 opted for NC C, 32 opted for NSS and 24 opted for both NC C and NSS. If one of these students is selected at random, find the probability that

- (i) The student opted for NC C or NSS.
- (ii) The student has opted neither NC C nor NSS.
- (iii) The student has opted NSS but not NC C.

Miscellaneous Exercise Chapter 16

1. A box contains 10 red marbles, 20 blue marbles and 30 green marbles. 5 marbles are drawn from the box, what is the probability that

(i) all will be blue ?

(ii) at least one will be green ?

 [Watch Video Solution](#)

Miscellaneous Exercise Chapter 17

1. 4 cards are drawn from a well-shuffled deck of 52 cards. What is the probability of obtaining 3 diamonds and one spade ?

 [Watch Video Solution](#)

Miscellaneous Exercise Chapter 18

1. A die has two faces each with number '1', three faces each with number '2' and one face with number '3'. If die is rolled once,

determine

(i) $P(2)$ (ii) $P(1 \text{ or } 3)$ (iii) $P(\text{not } 3)$



[Watch Video Solution](#)

Miscellaneous Exercise Chapter 19

1. In a certain lottery 10,000 tickets are sold and ten equal prizes are awarded. What is the probability of not getting a prize if you buy (a) one ticket (b) two tickets (c) 10 tickets.



[Watch Video Solution](#)

Miscellaneous Exercise Chapter 20

1. Out of 100 students, two sections of 40 and 60 are formed. If you and your friend are among the 100 students, what is the probability

that

(a) you both enter the same section?

(b) you both enter the different sections?

 [Watch Video Solution](#)

Miscellaneous Exerciseon Chapter 21

1. There letters are dictated to three persons and an envelope is addressed to each of them, the letters are inserted into the envelopes at random so that each envelope contains exactly one letter. Find the probability that at least one letter is in its proper envelope.

 [Watch Video Solution](#)

Miscellaneous Exerciseon Chapter 22

1. A and B are two events such that

$$P(A) = 0.54, P(B) = 0.69 \text{ and } P(A \cap B) = 0.35$$

Find (i) $P(A \cup B)$ (ii) $P(A' \cap B')$ (iii) $P(A \cap B')$ (iv) $P(B \cap A')$

 [Watch Video Solution](#)

Miscellaneous Exercise Chapter 23

1. From the employees of a company, 5 person are selected to represent them in the managing committee of the company. Particular of five persons are as follows:

S.No.	Name	sex	age in years
1.	harish	M	30
2.	Rohon	M	33
3.	sheetal	F	46
4.	Alis	F	28
5.	Salim	M	41

A person is selected at random from this group to act as a spokespersons. What is the probability that the spokespersons will be either male or over 35 years?



[Watch Video Solution](#)

Miscellaneous Exerciseon Chapter 24

1. If 4-digit numbers greater than 5,000 are randomly formed from the digits 0, 3, 5, and 7, what is the probability of forming a number divided by 5 when,
- (i) the digits are repeated? (ii) the repetition of digits is not allowed?



[Watch Video Solution](#)

Miscellaneous Exerciseon Chapter 25

1. The number lock of a suitcase has 4 wheels, each labelled with ten digits i.e., from 0 to 9. The lock opens with a sequence of four digits with no repeats. What is the probability of a person getting the right sequence to open the suitcase?



[Watch Video Solution](#)