



PHYSICS

NCERT - NCERT PHYSICS(GUJRATI)

WAVES

Example

1. Given below are some examples of wave motion. State in each case if the wave motion is transverse , longitudinal or a combination of

both:

(a) Motion of a kink in a longitudinal spring produced by displacing one end of the spring sideways.

(b) Waves produced in a cylinder containing a liquid by moving its piston back and forth.

(c) Waves produced by a motorboat sailing in water.

(d) Ultrasonic waves in air produced by a vibrating quartz crystal.



Watch Video Solution

2. A wave travelling along a string is described by.

$$y(x, t) = 0.005 \sin(80.0x - 3.0t).$$

in which the numerical constants are in SI units

$$(0.005\text{m}, 80.0\text{radm}^{-1}, \text{ and } 3.0\text{rads}^{-1}).$$

Calculate (a) the amplitude, (b) the wavelength, and (c) the period and frequency of the wave. Also, calculate the displacement y of the wave at a distance $x = 30.0$ cm and $t = 20$ s ?



[Watch Video Solution](#)

3. A steel wire 0.72 m long has a mass of $5.0 \times 10^{-3} \text{ kg}$. If the wire is under a tension of 60 N. What is the speed of transverse waves on the wire ?



[Watch Video Solution](#)

4. Estimate the speed of sound in air at standard temperature and pressure. At the mass of 1 mole of air is $29.0 \times 10^{-3} \text{ kg}$.



[Watch Video Solution](#)

5. A pipe, 30.0 cm long. Is open at both ends. Which harmonic mode of the pipe resonates a 1.1 kHz source? Will resonance with the same source be observed if one end of the pipe is closed ? Take the speed of sound in air as 330ms^{-1} .



[Watch Video Solution](#)

6. Two sitar strings A and B playing the note 'Dha' are slightly out of tune and produce beats of frequency 5 Hz. The tension of the string B is slightly increased and the beat frequency is found to decrease to 3 Hz. What is the original frequency of B if the frequency of A is 427 Hz ?



[Watch Video Solution](#)

7. A rocket is moving at a speed of 200ms^{-1} towards a stationary target. While moving, it emits a wave of frequency 1000 Hz. Some of the sound reaching the target gets reflected back to the rocket as an echo. Calculate (1) the frequency of the sound as detected by the target and (2) the frequency of the echo as detected by the rocket.



[Watch Video Solution](#)

1. A string of mass 2.50kg is under a tension of 200N . The length of the stretched string is 20.0m . If the transverse jerk is struck at one end of the string, how long does the disturbance take to reach the other end?



[Watch Video Solution](#)

2. A stone dropped from the top of a tower of height 300m splashes into the water of a pond near the base of the tower. When is the

splash heard at the top given that the speed of sound in air is 340ms^{-1} ? ($g = 9.8\text{ms}^{-2}$)



[Watch Video Solution](#)

3. A steel wire has a length of 12.0m and a mass of 2.10kg. What should be the tension in the wire so that speed of a transverse wave on the wire equals the speed of sound in dry air at $20^\circ\text{C} = 343\text{ms}^{-1}$



[Watch Video Solution](#)

4. Use the formula $v = \sqrt{\frac{\gamma P}{\rho}}$ to explain why

the speed of sound in air

(a) is independent of pressure.

(b) increases with temperature.

(c) increases with humidity



Watch Video Solution

5. You have learnt that a travelling wave in one dimension is represented by a function $y = f(x,$

$t)$ where x and t must appear in the

combination $x - vt$ or $x + vt$, i.e.,

$y = f(x \pm vt)$. Is the converse true? Examine if the following functions for y can possibly represent a travelling wave:

(a) $(x - vt)^2$

(b) $\log [(x + vt) / x_0]$

(c) $1 / (x + vt)$



Watch Video Solution

6. A bat emits ultrasonic sound of frequency 1000kHz in air. If the sound meets a water surface. What is the wavelength of (a) the

reflected sound (b) the transmitted sound?

Speed of sound in air is 340ms^{-1} and in water

1486ms^{-1}



[Watch Video Solution](#)

7. A hospital uses an ultrasonic scanner to locate tumours in a tissue. What is the wavelength of sound in the tissue in which the speed of sound is 1.7km s^{-1} ? The operating frequency of the scanner is 4.2MHz.



[Watch Video Solution](#)

8. A transverse harmonic wave on a string is described by

$$y(x, t) = 3.0 \sin(36t + 0.018x + \pi/4)$$

where x and y are in cm and t in s. The positive direction of x is from left to right

(a) Is this a travelling wave or a stationary wave?

If it is travelling what are the speed and direction of its propagation?

(b) What are its amplitude and frequency?

(c) What is the initial phase at the origin ?

(d) What is the least distance between two successive crests in the wave?



[Watch Video Solution](#)

9. For the wave described in Exercise 15.8, plot the displacement (y) versus (t) graphs for $x = 0.2$ and 4 cm. What are shapes of these graphs? In which aspects does the oscillatory motion in travelling wave differ from one point to another: amplitude, frequency or phase?



[View Text Solution](#)

10. For the travelling harmonic wave

$$y(x, t) = 2.0 \cos 2\pi(10t - 0.0080x + 0.35)$$

where x and y in cm and t in s. Calculate the phase difference between oscillatory motion of two points separated by a distance of

(a) 4 m,

(b) 0.5 m,

(c) $\lambda/2$,

(d) $3\lambda/4$



[Watch Video Solution](#)

11. The transverse displacement of a string (clamped at its both ends) is given by

$$y(x, t) = 0.06 \sin\left(\frac{2x}{3}\right) \cos(120\pi t)$$

where x and y are in m and t in s. The length of the string is 1.5 m and its mass is $3.0 \times 10^{-2} \text{ kg}$.

Answer the following :

(a) Does the function represent a travelling wave or a stationary wave?

(b) Interpret the wave as a superposition of two waves travelling in opposite directions.

What is the wavelength, frequency , and speed of each wave ?

(c) Determine the tension in the string.



[Watch Video Solution](#)

12. (i) For the wave on a string described in Exercise 15.11. do all the points on the string oscillate with the same (a) frequency , (b) phase , (c) amplitude? Explain your answers.

(ii) What is the amplitude of a point 0.375 m away from one end?



Watch Video Solution

13. Given below are some functions of x and t to represent the displacement (transverse or longitudinal) of an elastic wave. Some which of these represent (i) a travelling wave, (ii) a stationary wave or (iii) none at all:

(a) $y = 2 \cos(3x) \sin(10t)$

(b) $y = 2\sqrt{x - vt}$

(c) $y = 3 \sin(5x - 0.5t) + 4 \cos(5x - 0.5t)$

(d) $y = \cos x \sin t + \cos 2x \sin 2t$



Watch Video Solution

14. A wave stretched between two rigid supports vibrates in its fundamental mode with a frequency of 45 Hz. The mass of wire is $3.5 \times 10^{-2} \text{ kg}$ and its linear mass density is $4.0 \times 10^{-2} \text{ kgm}^{-1}$. What is (a) the speed of transverse wave on the string, and (b) the tension in the string?



[Watch Video Solution](#)

15. A metre - long tube open at one end, with a movable piston at the other end, shows resonance with a fixed frequency source (a tuning fork of frequency 340 Hz) when the tube length is 25.5 cm or 79.3 cm. Estimate the speed of sound in air at the temperature of the experiment. The edge effects may be neglected.



Watch Video Solution

16. A steel rod 100 cm long is clamped at its middle. The fundamental frequency of longitudinal vibrations of the rod are given to be 2.53 kHz. What is the speed of sound in steel?



Watch Video Solution

17. A pipe 20 cm long is closed at one end. Which harmonic mode of the pipe is resonantly excited by a 430 Hz source ? Will

the same source be in resonance with the pipe if both end are open ? (speed of sound in air is 340ms^{-1}).



[Watch Video Solution](#)

18. Two sitar strings A and B playing the note 'Ga' are slightly out of tune and produce beats of frequency 6 Hz. The tension in the string A is slightly reduced and the beat frequency is found to reduce to 3 Hz. If the original frequency of A is 324 Hz. What is the of B ?



19. Explain why (or how):

(a) in a sound wave a displacement node is a pressure antinode and vice versa.

(b) bats can ascertain distances, directions, nature, and sizes of the obstacles without any "eyes".

(c) a violin note and sitar note may have the same frequency. yet we can distinguish between the two notes.

(d) solids can support both longitudinal and

transverse waves, but only longitudinal waves can propagate in gases, and

(e) the shape of a pulse gets distorted during propagation in a dispersive medium.



[Watch Video Solution](#)

20. A train standing at the outer signal of a railway station blows a whistle of frequency 400Hz in still air. (i) What is the frequency of the whistle for a platform observer when the train (a) approaches the platform with a speed

of 10ms^{-1} . (b) recedes from the platform with a speed of 10ms^{-1} ? (ii) What is the speed of sound in each case? The speed of sound in still air can be taken as 340ms^{-1} .



[Watch Video Solution](#)

21. A train standing in a station-yard, blows a whistle of frequency 400Hz in still air. The wind starts blowing in the direction from the yard to the station with a speed of 10ms^{-1} . What are the frequency wavelength and speed

of sound for an observer standing on the station's platform? Is the situation exactly identical the case when the air is still and the observer runs towards the yard at a speed of 10m.s^{-1} ? The speed of sound in still air can be taken as 340m.s^{-1}



[Watch Video Solution](#)

22. A travelling harmonic wave on a string is described by

$$y(x, t) = 7.5 \sin(0.005x + 12t + \pi/4) \quad (\text{a})$$

what are the displacement and velocity of oscillation of a point at $x=1$ cm, and $t=1$ s? Is this velocity equal to the velocity of wave propagation?

(b) Locate the points of the string which have the same transverse displacements and velocity as the $x=1$ cm point at $t=2$ s, 5s and 11s



[Watch Video Solution](#)

23. A narrow sound pulse (for example, a short pip by a whistle) is sent across a medium (a)

Does the pulse have a definite (i) frequency (ii) wavelength (iii) speed of propagation? (b) If the pulse rate is 1 after every 20s. (that is the whistle is blown for a split of second after every 20s), is the frequency of the note produced by the whistle equal to $1/20$ or 0.05Hz ?



[Watch Video Solution](#)

24. One end of a long string of linear mass density $8.0 \times 10^{-3} \text{kgm}^{-1}$ is connected to an

electrically driven tuning fork of frequency 256Hz. The other end passes over a pulley and is tied to a pan containing a mass of 90kg. The pulley end absorbs all the incoming energy so that reflected waves at this end have negligible amplitude. At $t=0$, the left end (fork end) of the string $x=0$ has zero transverse displacement ($y=0$) and is moving along positive y -direction. The amplitude of the wave is 5.0 cm. Write down the transverse displacement y as function of x and t that describes the wave on the string.



Watch Video Solution

25. A SONAR system fixed in a submarine operates at a frequency 40.0kHz . An enemy submarine moves towards the SONAR with a speed of 360kmh^{-1} . What is the frequency of sound reflected by the submarine ? Take the speed of sound in water to be 1450ms^{-1} .



[Watch Video Solution](#)

26. Earthquakes generate sound waves inside the earth. Unlike a gas, the earth can experience both transverse (S) and longitudinal (P) sound wave. Typical the speed of S wave is about 4.0km s^{-1} , and that of P wave is 8.0km s^{-1} . A seismograph records P and S waves from an earthquake. The first P wave arrives 4min before the first S wave. Assuming the waves travel in straight line, at what distance does the earthquake occur?



Watch Video Solution

27. A bat is flitting about in a cave, navigating via ultrasonic beeps. Assume that the sound emission frequency of the bat is 40kHz. During one fast swoop directly toward a flat wall surface, the bat is moving at 0.03 times the speed of sound in air. What frequency does the bat hear reflected off the wall?



[Watch Video Solution](#)