




CHEMISTRY

JEE MAIN AND ADVANCED


MOCK TEST 31

Example


1. Which among the following is not an aromatic species?




A.



B.



C.






D.

Answer: D



Watch Video Solution

2. The species which will not show hyperconjugation is



Answer: B



Watch Video Solution

3. The shape of CH_3^+ and CH_3^- is respectively

- A. planar, planar
- B. planar, pyramidal
- C. pyramidal, pyramidal
- D. pyramidal, planar

Answer: B



Watch Video Solution

4. Which among the given compounds will react most readily with aq. $AgNO_3$?

A. 

B. 

C. 

D. 

Answer: D



View Text Solution

5. Non-aromatic compound among the given compounds is

A. 

B. 

C. 

D. 

Answer: A



View Text Solution

6. Most stable radical among the following is

A. 

B. 

C.
$$\begin{array}{c} \text{F}-\text{CH}-\dot{\text{C}}\text{H}_2 \\ | \\ \text{F} \end{array}$$

D. 

Answer: A




View Text Solution

7. In which of the given species, carbanion is sp^3 hybridised?

A. 

B. 





D. 

Answer: A



View Text Solution

8. Which of the following carbonium ion is most stable?





Answer: C



View Text Solution

9. The correct stability order of the given carbanions is



A. $a > b > c$

B. $b > c > a$

C. $c > b > a$

D. $c > a > b$

Answer: C



Watch Video Solution

10. Aromaticity order for the following aromatic compound will be



a



b



c

A. $a > b > c$

B. $c > b > a$

C. $b > c > a$

$$D. c > a > b$$

Answer: C



Watch Video Solution

11. Which one of the following is most stable?

A. 

B. (2) $(\text{CH}_3)_3\text{C}^\ominus$

C. (3) $\text{CH}_3\text{CH}_2^\ominus$

D. (4) CH_3^\ominus

Answer: A



View Text Solution

12. Identify the incorrect characteristic of carbenes,; CR_2

A. contain carbon atom with only six valence electrons

B. neutral species


C. very reactive

D. normally neocleophylic

Answer: D

 Watch Video Solution

13. Among the following species, how many are aromatic in nature?



A. 5

B. 4

C. 6

D. 3

Answer: A



Watch Video Solution

14. Peroxide plays a vital role in producing

A. carbocation

B. carbonation

C. free radical

D. carbene

Answer: C



Watch Video Solution

15. An aldehyde reacts with KCN to form cyanohydrin. In this reaction

A. CN^- acts as nucleophile and does nucleophilic addition

B. CN^- acts as nucleophile and does electrophilic addition

C. CN^- acts as an electrophilic and does electrophilic addition

D. CN^- acts as nucleophile and does nucleophile substitution

Answer: A



Watch Video Solution

16. An addition reaction over alkene causes

A. Increase of unsaturation number in product W.r.t. reactant

B. Decrease of unsaturation number in product w.r.t reactant



C. Formation of new bonds without breaking any bond

D. Both (2) and (3)

Answer: B



17. Which of the following reaction involves rearrangement process?



Answer: A



[View Text Solution](#)

18. Attacking reagent on benzene in the above reaction is

A. An electrophile i.e. $Fe^{-}Cl_2$

B. An electrophile i.e. Cl^{+}

C. A nucleophile i.e. Cl^{-}


D. A nucleophile i.e. $FeCl_4^{-}$

Answer: B



[Watch Video Solution](#)

19. The following reaction falls under the category _____ of _____



- A. Nucleophilic addition reaction
- B. Nucleophilic substitution reaction
- C. Elimination reaction
- D. Free radical reaction

Answer: B



Watch Video Solution

20. The intermediate formed in the electrophilic addition of HBr to propene is a

A. Carbocation

B. Carbanion

C. Carbene

D. Free radical

Answer: A



Watch Video Solution

21. How many beta-elimination products are possible for 2-bromobutane?

A. 1

B. 2

C. 3





D. 4

Answer: C



Watch Video Solution

22. Which one of the following reaction is an example of free radical substitution reaction?




Answer: D



View Text Solution

23. Hydroxide ion in the following reaction behaves _____ as _____ a/an



- A. Catalyst
- B. Electrophile
- C. Nucleophile
- D. Reducing agent

Answer: C







Watch Video Solution

24. Alkenes react rapidly with bromine in non-nucleophilic solvents to form vicinal dibromides. This reaction can be best described as

- A. Electrophilic addition
- B. Nucleophilic addition
- C. Nucleophilic substitution
- D. Electrophilic substitution

Answer: A

25. Identify the incorrect match among the following



Answer: D

26. In the following elimination reaction, hybridisation of carbon atom to which halogen is attached changes from



A. sp^2 to sp^3

B. sp^3 to sp^2

C. sp^2 to sp^2

D. sp^3 to sp^3

Answer: B



Watch Video Solution

27. Which element cannot be detected by Lassaigne's test?

A. Nitrogen

B. Sulphur

C. Oxygen

D. Phosphorus

Answer: C



Watch Video Solution

28. On treating sodium fusion extract with sodium nitroprusside, a violet colour was observed. This indicates the presence of which element in the organic compound?

A. Nitrogen

B. Sulphur

C. Chlorine

D. Bromine

Answer: B



Watch Video Solution

29. In a Carius tube, 0.25 g of an organic compound gave 0.699 g of barium sulphate.

What is the percentage of sulphur in the compound? (Atomic weight of Ba = 137)

A. 0.425

B. 0.355

C. 0.452

D. 0.384

Answer: D



Watch Video Solution

30. During estimation of nitrogen present in an organic compound using Kjeldahl's method, the NH_3 evolved from 0.25 g of the compound was neutralised by 10 ml of 1.25

NH_2SO_4 What is the percentage of nitrogen in the organic compound?

A. 0.56

B. 0.35

C. 0.7

D. 0.66

Answer: C



View Text Solution

31. Boiling point is highest for which compound?

A. Pentane

B. 2-Methylbutane

C. 2, 2-dimethylpropane

D. 2-Methylpropane

Answer: A



Watch Video Solution

32. Number of moles of oxygen required for the complete combustion of butane are

A. 6

B. 7.5

C. 6.5

D. 7

Answer: C



Watch Video Solution

33. A mixture of two volatile liquids having little difference in their boiling points can be purified by

A. Distillation

B. Crystalization

C. Column chromatography

D. Fractional distillation

Answer: D



Watch Video Solution

34. In Duma's method for quantitative estimation of nitrogen, 0.5 g of an organic compound gave 100 ml of nitrogen collected at 27°C temperature and 680 mm of Hg pressure. What is the percentage composition of nitrogen in the sample? [Given aqueous tension at 27°C = 20mm Hg]

A. 0.2525

B. 0.1525

C. 0.2875

D. 0.1975

Answer: D



Watch Video Solution